

ANTENNA TEST REPORT

Product : PCB antenna
Brand: Fanstel
Model: M type
Model Difference: N/A
Applicant: Fanstel Corporation, Taipei
Address: 10F-10, No. 79, Sec. 1, Hsin Tai Wu Rd.,
Hsi-Chih, New Taipei City 221 Taiwan

Test Performed by:

International Standards Laboratory

<LT Lab.>

*Address:

No. 120, Lane 180, San Ho Tsuen, Hsin Ho Rd.
Lung-Tan Hsiang, Tao Yuan County 325, Taiwan
*Tel : 886-3-407-1718; Fax: 886-3-407-1738

Report No.: **ISL-25LR0090ANT**

Issue Date : **2025/06/14**

Test By:




Test results given in this report apply only to the specific sample(s) tested and are traceable to national or international standard through calibration of the equipment and evaluating measurement uncertainty herein.

This report MUST not be used to claim product endorsement by TAF, NEMKO or any agency of the Government.

This test report shall not be reproduced except in full, without the written approval of International Standards Laboratory.

1. Test SET-UP (Block Diagram of Configuration)



Measurement Equipment Used:					
Equipment Name	Brand	Model	S/N	Last Cal. Date	Next Cal. Date
Signal Analyzer (44GHz)	R&S	FSV3044	101463	02/05/2025	02/05/2026
Horn antenna (1GHz - 18GHz)	EM	EM-AH-10180	2011071401	11/28/2024	11/28/2025
MXG Vector Signal Generator	KEYSIGHT	N5182B	MY53052399	12/26/2023	12/26/2025

2. EUT Photo

Figure 1
2.4G Antenna



Figure 2



Test Result

2.4G Antenna

Maximum gain test result:

Maximum antenna Gain	= -2.37 dBi
----------------------	-------------

Antenna Gain	2400	2450	2500	Unit
	-2.37	-5.69	-8.88	dBi

Figure 1. 2.4G Antenna 2400MHz

Figure 2. 2.4G Antenna 2450MHz

Figure 3. 2.4G Antenna 2500MHz

Figure 1




Figure 2




Figure 3

