
USB Device
ST2205U
U1
U2
1MByte_Nor_flash_29LV008
1M or 2M
U11
UM2455
U10
ICSEI-8092
U8
XC620633MR
U4
XC6201P332PR
J9
TO USB
J1
2PIN
3 X AA
FB1
INDUCTOR
POWER-ON/OFF
BUZZER
VDD
IOVDD
AVDD
PSGVDD
VOUT_3.3
PLLVDD
USBVDD
219B-01M-R01
Size
B
Number
Text
Revision
Date: 23-Feb-2010
Sheet of
File: E:\資料\219\219B-01M-R01.DDB
Drawn By:



KEYSBOND Limited

Checked by and Date	Approved by and Date

PCB: 219B-01M-R01

Title

Size	Number	Revision
B	219-CM2-G.SCH	

Date:	23-Feb-2010	Sheet of	
File:	E:\資料\219\219B-01M-R01.DDB	Drawn By:	



NOTES:

(1) ST8011 SUBSTRATE CONNECT TO GND

(2) ALL CAP IS 1UF 25V 0805 (CC805-1UF)

(3) R202-R205 NOT INSTALL

KEYSBOND Limited

Checked by and Date	Approved by and Date

PCB: 219B-01M-R01

Title

Size	Number	Revision
C	219-CM2-G.SCH	

Date: 23-Feb-2010 Sheet 1of

File: E:\B Fl\219\219B-01M-R01.DDB Drawn By:


UM2455
CONN PCB J1
ASI79-92
22V6-EXT
ANTENNA
CLKOUT_20M
TXEN
RXEN
VCC

RF module