


Appendix F: Dwell Time

Modulation type	Packet	Burst Width [ms]	Total Hops[hop*ch]	Dwell time (Second)	Limit (Second)	Result
GFSK	DH1	0.38	316.00	0.12	≤ 0.40	Pass
	DH3	1.64	148.00	0.24		
	DH5	2.89	94.00	0.27		
$\pi/4$ DQPSK	2DH1	0.39	318.00	0.12	≤ 0.40	Pass
	2DH3	1.64	156.00	0.26		
	2DH5	2.89	102.00	0.30		
8DPSK	3DH1	0.39	317.00	0.12	≤ 0.40	Pass
	3DH3	1.64	166.00	0.27		
	3DH5	2.89	107.00	0.31		


Modulation Type:

GFSK


DH1
Burst width






DH1
Burst number



DH3
Burst width




DH3 Burst number	 Spectrum Ref Level 20.00 dBm Att 30 dB RBW 500 kHz SWT 31.6 s VBW 3 MHz SGL TRG:VID 1AP Clrw 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm CF 2.441 GHz 30001 pts 3.16 s/ Date: 28 OCT 2024 10:09:13
DH5 Burst width	 Spectrum Ref Level 20.00 dBm Att 30 dB RBW 1 MHz SWT 10 ms VBW 3 MHz SGL TRG:VID 1AP Clrw 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm CF 2.441 GHz 8001 pts 1.0 ms/ M1[1] -5.20 dBm D1[1] -1.25 μs 8.54 dB 2.88500 ms Date: 28 OCT 2024 10:14:56
DH5 Burst number	 Spectrum Ref Level 20.00 dBm Att 30 dB RBW 500 kHz SWT 31.6 s VBW 3 MHz SGL TRG:VID 1AP Clrw 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm CF 2.441 GHz 30001 pts 3.16 s/ Date: 28 OCT 2024 10:15:29


Modulation Type:

$\pi/4$ DQPSK


2DH1
Burst width






2DH1
Burst number



2DH3
Burst width




2DH3 Burst number	 The spectrum plot shows a dense burst of signal activity. The y-axis represents power in dBm, ranging from -40 to 10. The x-axis represents frequency in GHz, centered at 2.441 GHz. The plot shows a sharp rise in power followed by a sustained, high-frequency burst. The date and time are 28 OCT 2024 10:19:09.
2DH5 Burst width	 The spectrum plot shows a burst of signal activity. The y-axis represents power in dBm, ranging from -40 to 10. The x-axis represents frequency in GHz, centered at 2.441 GHz. The plot shows a sharp rise in power followed by a sustained, high-frequency burst. The date and time are 28 OCT 2024 10:20:16.
2DH5 Burst number	 The spectrum plot shows a dense burst of signal activity. The y-axis represents power in dBm, ranging from -40 to 10. The x-axis represents frequency in GHz, centered at 2.441 GHz. The plot shows a sharp rise in power followed by a sustained, high-frequency burst. The date and time are 28 OCT 2024 10:20:49.


Modulation Type:

8DPSK


3DH1
Burst width






3DH1
Burst number



3DH3
Burst width





3DH3 Burst number	 The spectrum plot shows a signal at 2.441 GHz with a bandwidth of 30001 pts and a resolution bandwidth of 500 kHz. The signal level is approximately 3.100 dBm. The plot includes a trigger level (TRG) at 3.100 dBm and a sweep time (SWT) of 31.6 s. The signal is identified as 1AP Clrw.
3DH5 Burst width	 The spectrum plot shows a signal at 2.441 GHz with a bandwidth of 8001 pts and a resolution bandwidth of 1 MHz. The signal level is approximately 3.100 dBm. The plot includes a trigger level (TRG) at 3.100 dBm and a sweep time (SWT) of 10 ms. The signal is identified as 1AP Clrw. The plot also shows the signal level (M1[1]) at 1.07 dBm and the signal level (D1[1]) at -1.25 dBm. The signal is identified as 1AP Clrw.
3DH5 Burst number	 The spectrum plot shows a signal at 2.441 GHz with a bandwidth of 30001 pts and a resolution bandwidth of 500 kHz. The signal level is approximately 3.100 dBm. The plot includes a trigger level (TRG) at 3.100 dBm and a sweep time (SWT) of 31.6 s. The signal is identified as 1AP Clrw.

Appendix G: Duty Cycle Correction Factor (DCCF)**DCCF Calculate Formula**

$$\text{DCCF} = 20 * \text{Log}(\text{duty cycle}) = 20 * \text{Log}(T_{\text{on time}} / T_{\text{period}})$$

Modulation type	Test Frequency (MHz)	T _{on time} for single burst [ms]	T _{period} [ms]	Burst Quantity	DCCF [dB]
GFSK	2441	2.87	100	2.00	-30.84
$\pi/4$ DQPSK	2441	2.87	100	1.00	-30.84
8DPSK	2441	2.87	100	1.00	-30.84



GFSK



Ton time for single burst

Burst Quantity



$\pi/4$ DQPSK



Ton time for single burst

Burst Quantity

8DPSK




Ton time for single burst

Burst Quantity




Appendix H: Band edge and Spurious Emissions (conducted)

Test Item:	Band edge	Modulation type:	GFSK																																										
CH00 No hopping mode	Spectrum Ref Level 20.00 dBm Att 30 dB Count 300/300 Offset 0.50 dB SWT 1.1 ms RBW 100 kHz VBW 300 kHz Mode Auto Sweep 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] D1 -16.260 dBm M5 M3 M2 3.74 dBm 2.402040 GHz -55.15 dBm 2.400000 GHz Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.40204 GHz</td><td>3.74 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-55.15 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-55.59 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-55.99 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.341529 GHz</td><td>-52.99 dBm</td><td></td><td></td></tr></tbody></table> Date: 25 OCT 2024 16:34:33			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40204 GHz	3.74 dBm			M2	1		2.4 GHz	-55.15 dBm			M3	1		2.39 GHz	-55.59 dBm			M4	1		2.31 GHz	-55.99 dBm			M5	1		2.341529 GHz	-52.99 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.40204 GHz	3.74 dBm																																									
M2	1		2.4 GHz	-55.15 dBm																																									
M3	1		2.39 GHz	-55.59 dBm																																									
M4	1		2.31 GHz	-55.99 dBm																																									
M5	1		2.341529 GHz	-52.99 dBm																																									
CH00 Hopping mode	Spectrum Ref Level 20.00 dBm Att 30 dB Count 500/500 Offset 0.50 dB SWT 1.1 ms RBW 100 kHz VBW 300 kHz Mode Auto Sweep 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] D1 -16.260 dBm M3 M5 3.74 dBm 2.403010 GHz -56.45 dBm 2.400000 GHz Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.40301 GHz</td><td>3.74 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-56.45 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-56.52 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-56.07 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399493 GHz</td><td>-53.80 dBm</td><td></td><td></td></tr></tbody></table> Date: 28 OCT 2024 09:59:04			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40301 GHz	3.74 dBm			M2	1		2.4 GHz	-56.45 dBm			M3	1		2.39 GHz	-56.52 dBm			M4	1		2.31 GHz	-56.07 dBm			M5	1		2.399493 GHz	-53.80 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.40301 GHz	3.74 dBm																																									
M2	1		2.4 GHz	-56.45 dBm																																									
M3	1		2.39 GHz	-56.52 dBm																																									
M4	1		2.31 GHz	-56.07 dBm																																									
M5	1		2.399493 GHz	-53.80 dBm																																									
CH78 No hopping mode	Spectrum Ref Level 20.00 dBm Att 30 dB Count 300/300 Offset 0.50 dB SWT 56.9 μs RBW 100 kHz VBW 300 kHz Mode Auto FFT 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] D1 -16.330 dBm M2[M4] 3.67 dBm 2.4798310 GHz -58.35 dBm 2.4835000 GHz Start 2.478 GHz 691 pts Stop 2.5 GHz Marker <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.479831 GHz</td><td>3.67 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-58.35 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-60.72 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.4839623 GHz</td><td>-57.23 dBm</td><td></td><td></td></tr></tbody></table> Date: 25 OCT 2024 16:38:40			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.479831 GHz	3.67 dBm			M2	1		2.4835 GHz	-58.35 dBm			M3	1		2.5 GHz	-60.72 dBm			M4	1		2.4839623 GHz	-57.23 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.479831 GHz	3.67 dBm																																									
M2	1		2.4835 GHz	-58.35 dBm																																									
M3	1		2.5 GHz	-60.72 dBm																																									
M4	1		2.4839623 GHz	-57.23 dBm																																									


CH78
Hopping mode



Date: 28 Oct 2024 09:59:17


Test Item:	Band edge	Modulation type:	$\pi/4$ DQPSK																																									
CH00 No hopping mode	 Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.40177 GHz</td><td>4.63 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-52.81 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-55.50 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-55.26 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399768 GHz</td><td>-52.97 dBm</td><td></td><td></td></tr></table> Date: 25 OCT 2024 16:41:06	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40177 GHz	4.63 dBm			M2	1		2.4 GHz	-52.81 dBm			M3	1		2.39 GHz	-55.50 dBm			M4	1		2.31 GHz	-55.26 dBm			M5	1		2.399768 GHz	-52.97 dBm			
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																						
M1	1		2.40177 GHz	4.63 dBm																																								
M2	1		2.4 GHz	-52.81 dBm																																								
M3	1		2.39 GHz	-55.50 dBm																																								
M4	1		2.31 GHz	-55.26 dBm																																								
M5	1		2.399768 GHz	-52.97 dBm																																								
CH00 Hopping mode	 Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.40479 GHz</td><td>4.02 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-54.99 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-55.77 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-55.33 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.321565 GHz</td><td>-53.61 dBm</td><td></td><td></td></tr></table> Date: 28 OCT 2024 10:01:02	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40479 GHz	4.02 dBm			M2	1		2.4 GHz	-54.99 dBm			M3	1		2.39 GHz	-55.77 dBm			M4	1		2.31 GHz	-55.33 dBm			M5	1		2.321565 GHz	-53.61 dBm			
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																						
M1	1		2.40479 GHz	4.02 dBm																																								
M2	1		2.4 GHz	-54.99 dBm																																								
M3	1		2.39 GHz	-55.77 dBm																																								
M4	1		2.31 GHz	-55.33 dBm																																								
M5	1		2.321565 GHz	-53.61 dBm																																								
CH78 No hopping mode	 Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 56.9 μs VBW 300 kHz Mode Auto FFT Count 500/500 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 2.478 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.47999 GHz</td><td>4.64 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-59.16 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-60.10 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.484887 GHz</td><td>-56.84 dBm</td><td></td><td></td></tr></table> Date: 25 OCT 2024 16:45:07	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.47999 GHz	4.64 dBm			M2	1		2.4835 GHz	-59.16 dBm			M3	1		2.5 GHz	-60.10 dBm			M4	1		2.484887 GHz	-56.84 dBm										
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																						
M1	1		2.47999 GHz	4.64 dBm																																								
M2	1		2.4835 GHz	-59.16 dBm																																								
M3	1		2.5 GHz	-60.10 dBm																																								
M4	1		2.484887 GHz	-56.84 dBm																																								

CH78
Hopping mode









Test Item:	Band edge	Modulation type:	8DPSK																																										
CH00 No hopping mode	Spectrum Ref Level 20.00 dBm Att 30 dB Count 500/500 Offset 0.50 dB SWT 1.1 ms RBW 100 kHz VBW 300 kHz Mode Auto Sweep 1Pk Max M1[1] 4.61 dBm 2.401770 GHz M2[1] -52.19 dBm 2.400000 GHz D1 -15.390 dBm M3 -53.76 dBm 2.39 GHz M4 -55.92 dBm 2.31 GHz M5 -51.84 dBm 2.399906 GHz Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td>1</td><td>2.40177 GHz</td><td>4.61 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td>1</td><td>2.4 GHz</td><td>-52.19 dBm</td><td></td><td></td></tr><tr><td>M3</td><td></td><td>1</td><td>2.39 GHz</td><td>-53.76 dBm</td><td></td><td></td></tr><tr><td>M4</td><td></td><td>1</td><td>2.31 GHz</td><td>-55.92 dBm</td><td></td><td></td></tr><tr><td>M5</td><td></td><td>1</td><td>2.399906 GHz</td><td>-51.84 dBm</td><td></td><td></td></tr></table> Date: 25 OCT 2024 16:49:33			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40177 GHz	4.61 dBm			M2		1	2.4 GHz	-52.19 dBm			M3		1	2.39 GHz	-53.76 dBm			M4		1	2.31 GHz	-55.92 dBm			M5		1	2.399906 GHz	-51.84 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.40177 GHz	4.61 dBm																																									
M2		1	2.4 GHz	-52.19 dBm																																									
M3		1	2.39 GHz	-53.76 dBm																																									
M4		1	2.31 GHz	-55.92 dBm																																									
M5		1	2.399906 GHz	-51.84 dBm																																									
CH00 Hopping mode	Spectrum Ref Level 20.00 dBm Att 30 dB Count 500/500 Offset 0.50 dB SWT 1.1 ms RBW 100 kHz VBW 300 kHz Mode Auto Sweep 1Pk Max M1[1] 3.31 dBm 2.403010 GHz M2[1] -55.59 dBm 2.400000 GHz D1 -16.690 dBm M3 -56.29 dBm 2.39 GHz M4 -56.33 dBm 2.31 GHz M5 -53.63 dBm 2.37829 GHz Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td>1</td><td>2.40301 GHz</td><td>3.31 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td>1</td><td>2.4 GHz</td><td>-55.59 dBm</td><td></td><td></td></tr><tr><td>M3</td><td></td><td>1</td><td>2.39 GHz</td><td>-56.29 dBm</td><td></td><td></td></tr><tr><td>M4</td><td></td><td>1</td><td>2.31 GHz</td><td>-56.33 dBm</td><td></td><td></td></tr><tr><td>M5</td><td></td><td>1</td><td>2.37829 GHz</td><td>-53.63 dBm</td><td></td><td></td></tr></table> Date: 28 OCT 2024 10:03:58			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40301 GHz	3.31 dBm			M2		1	2.4 GHz	-55.59 dBm			M3		1	2.39 GHz	-56.29 dBm			M4		1	2.31 GHz	-56.33 dBm			M5		1	2.37829 GHz	-53.63 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.40301 GHz	3.31 dBm																																									
M2		1	2.4 GHz	-55.59 dBm																																									
M3		1	2.39 GHz	-56.29 dBm																																									
M4		1	2.31 GHz	-56.33 dBm																																									
M5		1	2.37829 GHz	-53.63 dBm																																									
CH78 No hopping mode	Spectrum Ref Level 20.00 dBm Att 30 dB Count 500/500 Offset 0.50 dB SWT 56.9 μs RBW 100 kHz VBW 300 kHz Mode Auto FFT 1Pk Max M1[1] 4.65 dBm 2.479990 GHz M2[1] -59.36 dBm 2.483500 GHz D1 -15.350 dBm M3 -60.41 dBm 2.5 GHz M4 -57.07 dBm 2.4844087 GHz Start 2.478 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td>1</td><td>2.47999 GHz</td><td>4.65 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td>1</td><td>2.4835 GHz</td><td>-59.36 dBm</td><td></td><td></td></tr><tr><td>M3</td><td></td><td>1</td><td>2.5 GHz</td><td>-60.41 dBm</td><td></td><td></td></tr><tr><td>M4</td><td></td><td>1</td><td>2.4844087 GHz</td><td>-57.07 dBm</td><td></td><td></td></tr></table> Date: 25 OCT 2024 16:53:09			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.47999 GHz	4.65 dBm			M2		1	2.4835 GHz	-59.36 dBm			M3		1	2.5 GHz	-60.41 dBm			M4		1	2.4844087 GHz	-57.07 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.47999 GHz	4.65 dBm																																									
M2		1	2.4835 GHz	-59.36 dBm																																									
M3		1	2.5 GHz	-60.41 dBm																																									
M4		1	2.4844087 GHz	-57.07 dBm																																									




CH78
Hoppig mode









Test Item:	Spurious Emission	Modulation type:	GFSK
CH00 Reference level	Spectrum Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max M1[1] 3.76 dBm 2.402000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.402 GHz 691 pts Span 30.0 MHz Date: 25.OCT.2024 16:34:39		
CH00 30MHz~1000MHz	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -52.96 dBm 968.2340 MHz -16.240 dBm M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 25.OCT.2024 16:34:54		
CH00 1GHz~26GHz	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -44.91 dBm 25.846667 GHz -16.240 dBm M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 25.OCT.2024 16:35:09		

CH39 Reference level	
CH39 30MHz~1000MHz	
CH39 1GHz~26GHz	




CH78 Reference level	 Date: 25 OCT 2024 16:38:46
CH78 30MHz~1000MHz	 Date: 25 OCT 2024 16:39:01
CH78 1GHz~26GHz	 Date: 25 OCT 2024 16:39:16




Test Item:	Spurious Emission	Modulation type:	$\pi/4$ DQPSK
CH00 Reference level	 Date: 25.OCT.2024 16:41:12		
CH00 30MHz~1000MHz	 Date: 25.OCT.2024 16:41:27		
CH00 1GHz~26GHz	 Date: 25.OCT.2024 16:41:42		

CH39 Reference level	
CH39 30MHz~1000MHz	
CH39 1GHz~26GHz	

CH78 Reference level	 Date: 25 OCT 2024 16:45:13
CH78 30MHz~1000MHz	 Date: 25 OCT 2024 16:45:28
CH78 1GHz~26GHz	 Date: 25 OCT 2024 16:45:43

Appendix report page: 39 of 41

CH39 Reference level	
CH39 30MHz~1000MHz	
CH39 1GHz~26GHz	

CH78 Reference level	 Spectrum Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max M1[1] 3.93 dBm 2.4801740 GHz CF 2.48 GHz 691 pts Span 30.0 MHz Date: 25 OCT 2024 16:53:15
CH78 30MHz~1000MHz	 Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -52.88 dBm 864.3500 MHz D1 -16.070 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 25 OCT 2024 16:53:30
CH78 1GHz~26GHz	 Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -44.62 dBm 15.780833 GHz D1 -16.070 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 25 OCT 2024 16:53:45

-----End of Report-----