



REVISIONS		
REV.	DESCRIPTION	DATE
P2	Add material designator.	5-14-09

- Notes:
- The contents and layout of the printing on the label shall be according to the associated artwork.
  - The material shall be as indicated below.

Material: Fasson, 2mil, white printable polyester with S-333 adhesive.

The adhesive shall be protected with a liner which extends beyond the edge of the label in at least one direction by .050 min.  
The label shall be RoHS compliant.  
The label shall be able to withstand CE testing requirements including chemical resistance and surface adhesion.

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **inthinc**. ANY REPRODUCTION IN PART OR AS A WHOLEWITHOUT THE WRITTEN PERMISSION OF **inthinc** IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	<div>inthinc</div>			
DIMENSIONS ARE IN INCHES TOLERANCES: ANGULAR: MACH± 1 BEND ± TWO PLACE DECIMAL ±.01 THREE PLACE DECIMAL ±.005 MATERIAL		DRAWN	V Russon	5-08-09	TITLE:  Tiwi Pro Regulatory Label		
		CHECKED					
		ENG APPR.	V Russon	5-08-09			
		MFG APPR.					
FINISH		Q.A.			Inovar PN		
DO NOT SCALE DRAWING		COMMENTS:			SIZE B	DWG. NO.	REV P2
					SCALE: 1:1		SHEET 1 OF 1

This device complies with Part 15 of the FCC Rules: Operation is subject to the following conditions: 1) This device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation. This Class B digital apparatus complies with Canadian ICES-003. *Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.* **FCC ID: XB9TW1 IC: 8338A-TW1.**  
**This contains FCC ID: O9EWMP100, IC: 3651C-WMP100**



