



No. I22Z62463-SEM03

For

Shenzhen Tinno Mobile Technology Corp.

Mobile Phone

Model Name: U1030AA, U1030AC

With

Hardware Version: V1.0

Software Version: U1030AAV01.02.10

FCC ID: XD6U1030AA

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT


No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample




Picture 2: Left Head Touch Cheek Position



Picture 3: Left Head Tilt 15° Position




Picture 4: Right Head Touch Cheek Position




Picture 5: Right Head Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following 12 test positions all with the distance =10mm/15mm between the EUT and the phantom bottom:



Picture 6: Front 10mm




Picture 7: Front 10mm




Picture 8: Front 15mm




Picture 9: Rear 10mm




Picture 10: Rear 15mm



Picture 11: Rear open 10mm



Picture 12: Rear open 15mm



Picture 13: Left 10mm




Picture 14: Right 10mm



Picture 15: Top 10mm



Picture 16: Bottom 10mm




Picture 17: Rear 10mm Headset



Picture 18: Rear 15mm Headset

Transmit Antenna Separation Distances



Picture 18 Antenna Locations