


A photograph of a grey Orbcomm modem. The device has a rectangular shape with rounded ends. The top and front faces are covered with numerous vertical ventilation slats. On the front face, there is a red oval indicator light on the left and the 'ORBCOMM' logo on the right. A white rectangular box is superimposed over the top face of the device, containing the text 'LABEL LOCATION'.

LABEL LOCATION


ORBCOMM

NOTES:

1. PARTS TO BE MANUFACTURED IN COMPLIANCE WITH THE MOST CURRENT RoHS & REACH DIRECTIVE. RoHS & REACH DECLARATION MUST BE SUBMITTED WITH FIRST ARTICLE INSPECTION SAMPLES, AND RESUBMITTED WHENEVER NEW CHANGES TO THE DIRECTIVES ARE ISSUED.
2. REFERENCE BOM FOR SPECIFIC LABEL STOCK. SUBSTITUTE WITH ORBCOMM APPROVAL ONLY.
3. USE BRADY UL RECOMMENDED LABELS AND RIBBONS. SUBSTITUTE WITH ORBCOMM APPROVAL ONLY.
4. REFERENCE THE LATEST REVISION OF VARIANT ARTWORK FILE SR402232-00X.svg FOR PRINT TEMPLATE.
5. PRINT TABLE AND VARIANT ARTWORK CONTROL SPECIFIC CONTENT. NOTE THAT ALL GRAPHICS AND TEXT MAY NOT APPEAR ON ALL VARIANTS.
6. FINAL PRODUCTION ARTWORK LAYOUT TO BE APPROVED BY ORBCOMM ENGINEERING.
7. ALL GRAPHIC IMAGE ASPECT RATIOS MUST BE MAINTAINED.
8. REFERENCE PRINT TABLE ON PAGE 2 FOR SPECIFIC CONTENT TO BE PRINTED IN BOXES 1-10
9. IN TEXT FORMAT, ADD UNIT SERIAL NUMBER. SEE PRINT TABLE AND DOC100190 FOR SERIAL NUMBER FORMAT.
- 10.IN TEXT FORMAT, ADD UNIT PART NUMBER. SEE PRINT TABLE AND DOC100186.
- 11.IN TEXT FORMAT, ADD THE IMEI NUMBER SCANNED FROM THE UNITS CELLULAR MODEM MODULE.
- 12.IN TEXT FORMAT, ADD THE CPU ID NUMBER SCANNED FROM THE UNITS CPU.
- 13.<COUNTRY> SHALL BE REPLACED BY THE NAME OF THE COUNTRY THE PRODUCT IS BUILT IN, IF APPLICABLE
- 14.PRINT THE QR CODE AS A TEXT STRING WITH THE FOLLOWING FIELDS SEPARATED BY COMMAS. IF A FIELD IS BLANK, USE 2 COMMAS (,,) BEFORE THE NEXT FIELD.
- UNIT SERIAL NUMBER
 - UNIT PART NUMBER & REVISION IN THE FORMAT OUTLINED IN VIEW A-A.
 - IMEI NUMBER
 - CPU ID NUMBER



REVISIONS				
REV	ECO	DESCRIPTION	DATE	APPROVAL
A	5351	INITIAL RELEASE	04-FEB-21	B. HART
B	5550	CHANGED DRAWING FROM B SIZE TO D SIZED SHEET. UPDATED LABEL, DRAWING AND NOTES TO MATCH PRODUCTION SAMPLES (ADDING NFC FCC ID AND IC ID).	18-JUN-21	B. HART



LABEL ARTWORK SHOWN FOR REFERENCE ONLY REFER TO
PRINT TABLE FOR SPECIFIC CONTENT

VARIANT TABLE			MATERIAL		FINISH		THIRD ANGLE PROJECTION		TITLE	
VARIANT PART NUMBER	PART REVISION	CHANGING VARIABLE	SR402232-001		SEE BOM		N/A		LABEL MAIN FM50xx 1x3in	
SR402232-001	SEE BOM	LBL MAIN FM50xx, ORBCOMM	DRAWING FOR REF ONLY USE 3D CAD MODEL FOR MANUFACTURE		DATE		REV		B	

PRINT TABLE										
BOX 2 PART NUMBER	REVISION	BOX 1 MODEL NUMBER	BOX 3 SERIAL NUMBER FORMAT	BOX 4 FCC ID (CELLULAR)	BOX 5 IC ID (CELLULAR)	BOX 6 FCC ID (WI-FI/BLEETOOTH)	BOX 7 IC ID (WI-FI/BLEETOOTH)	Box 8 FCC ID (NFC)	Box 9 IC ID (NFC)	BOX 10 VARIANT SPECIFIC CERTIFICATION LOGOS
FM5000-2X01	SEE AGILE	FM5000	ABCD#YYWWXXXX	XPY1EHM44NN	8595A-1EHM44NN	2ADHKWILC3000U	20266-WILC3000UA	XGS-FM5	11881A-FM5	

MATERIAL	SEE BOM	ORBCOMM [®]	
FINISH	N/A	© ORBCOMM Inc. 2021 PROPRIETARY AND CONFIDENTIAL DO NOT DISCLOSE OR COPY	
THIRD ANGLE PROJECTION 		TITLE: LABEL MAIN FM50xx 1x3in	
		ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SPECIFIED	
DRAWING FOR REF ONLY USE 3D CAD MODEL FOR MANUFACTURE		DESIGNED BY JL HARRIS	DATE 05/11/2021
		DWG. NO. SR402232-000	REV B
		SIZE D1 DO NOT SCALE FROM DRAWING SHEET 2 OF 2	