



5.82 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)




5.83 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	5.03	13	Pass




5.84 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	5.27	13	Pass




5.85 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	6.06	13	Pass




5.86 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	6.12	13	Pass




5.87 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	5.66	13	Pass




5.88 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	6.44	13	Pass




5.89 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	6.41	13	Pass




5.90 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	6.7	13	Pass




6. n77 30kHz(3450-3550)

6.1 Peak to Average Ratio for SA_Part22-24-27(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




6.2 Peak to Average Ratio for SA_Part22-24-27(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




6.3 Peak to Average Ratio for SA_Part22-24-27(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	4.62	13	Pass




6.4 Peak to Average Ratio for SA_Part22-24-27(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	4.74	13	Pass




6.5 Peak to Average Ratio for SA_Part22-24-27(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	5	13	Pass




6.6 Peak to Average Ratio for SA_Part22-24-27(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	5.67	13	Pass




6.7 Peak to Average Ratio for SA_Part22-24-27(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	5.4	13	Pass




6.8 Peak to Average Ratio for SA_Part22-24-27(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	5.96	13	Pass




6.9 Peak to Average Ratio for SA_Part22-24-27(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	6.18	13	Pass




6.10 Peak to Average Ratio for SA_Part22-24-27(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	6.41	13	Pass




6.11 Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	3.87	13	Pass




6.12 Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




6.13 Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	4.27	13	Pass




6.14 Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	4.3	13	Pass




6.15 Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	5.03	13	Pass




6.16 Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	5.24	13	Pass




6.17 Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	5.65	13	Pass




6.18 Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	5.57	13	Pass




6.19 Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.14	13	Pass




6.20 Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.34	13	Pass




6.21 Peak to Average Ratio for SA_Part22-24-27(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	3.84	13	Pass




6.22 Peak to Average Ratio for SA_Part22-24-27(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




6.23 Peak to Average Ratio for SA_Part22-24-27(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	4.21	13	Pass




6.24 Peak to Average Ratio for SA_Part22-24-27(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	4.29	13	Pass




6.25 Peak to Average Ratio for SA_Part22-24-27(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	4.86	13	Pass




6.26 Peak to Average Ratio for SA_Part22-24-27(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	5.24	13	Pass




6.27 Peak to Average Ratio for SA_Part22-24-27(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	5.51	13	Pass




6.28 Peak to Average Ratio for SA_Part22-24-27(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	5.6	13	Pass




6.29 Peak to Average Ratio for SA_Part22-24-27(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	6.13	13	Pass




6.30 Peak to Average Ratio for SA_Part22-24-27(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	6.35	13	Pass




6.31 Peak to Average Ratio for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	3.43	13	Pass




6.32 Peak to Average Ratio for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)




6.33 Peak to Average Ratio for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	3.44	13	Pass




6.34 Peak to Average Ratio for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	4.39	13	Pass




6.35 Peak to Average Ratio for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	5.17	13	Pass




6.36 Peak to Average Ratio for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	5.19	13	Pass




6.37 Peak to Average Ratio for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	5.37	13	Pass




6.38 Peak to Average Ratio for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	5.61	13	Pass




6.39 Peak to Average Ratio for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	6.06	13	Pass



6.40 Peak to Average Ratio for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	6.1	13	Pass



6.41 Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	3.63	13	Pass

