

Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band25


1.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.18	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	869.213	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-53.05	-13	40.05	Pass	841
1840	1925	1	RMS	1850.2	22.4	60	37.6	Pass	401
1925	3000	1	RMS	2993	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11987	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13605	-39.87	-13	26.87	Pass	8001




1.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.18	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	846.3	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-53.16	-13	40.16	Pass	841
1840	1925	1	RMS	1850.2	21.35	60	38.65	Pass	401
1925	3000	1	RMS	2998	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




1.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-73.23	-13	60.23	Pass	2986
30	1000	0.1	RMS	851.201	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1831	-53.82	-13	40.82	Pass	841
1840	1925	1	RMS	1881.863	22.08	60	37.92	Pass	401
1925	3000	1	RMS	2990	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13604	-39.83	-13	26.83	Pass	8001




1.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.19	-72.91	-13	59.91	Pass	2986
30	1000	0.1	RMS	845.3	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1839	-53.87	-13	40.87	Pass	841
1840	1925	1	RMS	1881.863	21.15	60	38.85	Pass	401
1925	3000	1	RMS	2999	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11991	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.9	-13	26.9	Pass	8001




1.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	977.285	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1837	-53.81	-13	40.81	Pass	841
1840	1925	1	RMS	1913.738	22.27	60	37.73	Pass	401
1925	3000	1	RMS	2983	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11998	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13597	-39.82	-13	26.82	Pass	8001




1.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.19	-73.11	-13	60.11	Pass	2986
30	1000	0.1	RMS	845.2	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1826	-53.81	-13	40.81	Pass	841
1840	1925	1	RMS	1913.738	21.4	60	38.6	Pass	401
1925	3000	1	RMS	2990	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11997	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13605	-39.87	-13	26.87	Pass	8001




1.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.18	-72.81	-13	59.81	Pass	2986
30	1000	0.1	RMS	839	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1840	-51.87	-13	38.87	Pass	841
1840	1925	1	RMS	1850.2	22.42	60	37.58	Pass	401
1925	3000	1	RMS	2987	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	12000	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13604	-39.85	-13	26.85	Pass	8001




1.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.24	-73.47	-13	60.47	Pass	2986
30	1000	0.1	RMS	847.6	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-53.1	-13	40.1	Pass	841
1840	1925	1	RMS	1850.2	21.45	60	38.55	Pass	401
1925	3000	1	RMS	2988	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	11997	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13602	-39.85	-13	26.85	Pass	8001




1.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	999.6	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1838	-53.8	-13	40.8	Pass	841
1840	1925	1	RMS	1881.225	22.15	60	37.85	Pass	401
1925	3000	1	RMS	2984	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11995	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




1.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	854.804	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1838	-53.82	-13	40.82	Pass	841
1840	1925	1	RMS	1881.225	21.2	60	38.8	Pass	401
1925	3000	1	RMS	2982	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11998	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13605	-39.86	-13	26.86	Pass	8001




1.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	996.998	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-53.83	-13	40.83	Pass	841
1840	1925	1	RMS	1912.038	22.01	60	37.99	Pass	401
1925	3000	1	RMS	2989	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.85	-13	26.85	Pass	8001




1.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	871.215	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1840	-53.77	-13	40.77	Pass	841
1840	1925	1	RMS	1912.038	21.2	60	38.8	Pass	401
1925	3000	1	RMS	2983	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11996	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




1.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	870.314	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1840	-53.05	-13	40.05	Pass	841
1840	1925	1	RMS	1850.2	22.43	60	37.57	Pass	401
1925	3000	1	RMS	2990	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11990	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13604	-39.83	-13	26.83	Pass	8001




1.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	844.5	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-53.08	-13	40.08	Pass	841
1840	1925	1	RMS	1850.2	21.52	60	38.48	Pass	401
1925	3000	1	RMS	2988	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11986	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13603	-39.77	-13	26.77	Pass	8001




1.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	858.306	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1840	-53.79	-13	40.79	Pass	841
1840	1925	1	RMS	1880.163	22.08	60	37.92	Pass	401
1925	3000	1	RMS	2996	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13605	-39.86	-13	26.86	Pass	8001




1.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	839.9	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1840	-53.79	-13	40.79	Pass	841
1840	1925	1	RMS	1880.163	21.14	60	38.86	Pass	401
1925	3000	1	RMS	2998	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11994	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.73	-13	26.73	Pass	8001




1.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	850.301	-65.16	-13	52.16	Pass	9701
1000	1840	1	RMS	1838	-53.82	-13	40.82	Pass	841
1840	1925	1	RMS	1910.125	22.28	60	37.72	Pass	401
1925	3000	1	RMS	2984	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11998	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




1.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	992.495	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1838	-53.84	-13	40.84	Pass	841
1840	1925	1	RMS	1910.125	21.2	60	38.8	Pass	401
1925	3000	1	RMS	2990	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11995	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13603	-39.83	-13	26.83	Pass	8001




1.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.19	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	840.9	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1840	-53.1	-13	40.1	Pass	841
1840	1925	1	RMS	1850.413	22.19	60	37.81	Pass	401
1925	3000	1	RMS	2983	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13597	-39.79	-13	26.79	Pass	8001




1.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.3	-72.95	-13	59.95	Pass	2986
30	1000	0.1	RMS	940.861	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1837	-52.87	-13	39.87	Pass	841
1840	1925	1	RMS	1850.413	21.62	60	38.38	Pass	401
1925	3000	1	RMS	2999	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11999	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13605	-39.82	-13	26.82	Pass	8001




1.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	854.504	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1838	-53.72	-13	40.72	Pass	841
1840	1925	1	RMS	1878.038	22.16	60	37.84	Pass	401
1925	3000	1	RMS	2976	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	11997	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001




1.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	852.903	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1834	-53.78	-13	40.78	Pass	841
1840	1925	1	RMS	1878.038	21.26	60	38.74	Pass	401
1925	3000	1	RMS	2980	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	12000	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13604	-39.73	-13	26.73	Pass	8001




1.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.2	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	836.3	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1830	-53.78	-13	40.78	Pass	841
1840	1925	1	RMS	1905.45	22.28	60	37.72	Pass	401
1925	3000	1	RMS	2989	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




1.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.89	-13	59.89	Pass	2986
30	1000	0.1	RMS	953.069	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1839	-53.8	-13	40.8	Pass	841
1840	1925	1	RMS	1905.45	21.47	60	38.53	Pass	401
1925	3000	1	RMS	2983	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11997	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13604	-39.84	-13	26.84	Pass	8001




1.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.17	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	846.5	-65.1	-13	52.1	Pass	9701
1000	1840	1	RMS	1838	-51.79	-13	38.79	Pass	841
1840	1925	1	RMS	1850.838	22.01	60	37.99	Pass	401
1925	3000	1	RMS	2993	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11997	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.65	-13	26.65	Pass	8001




1.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	982.488	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1838	-52.5	-13	39.5	Pass	841
1840	1925	1	RMS	1850.838	21.36	60	38.64	Pass	401
1925	3000	1	RMS	2997	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11989	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001




1.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	843.3	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1839	-53.76	-13	40.76	Pass	841
1840	1925	1	RMS	1875.7	22.08	60	37.92	Pass	401
1925	3000	1	RMS	2989	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11995	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




1.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	967.378	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1839	-53.77	-13	40.77	Pass	841
1840	1925	1	RMS	1875.7	21.25	60	38.75	Pass	401
1925	3000	1	RMS	2989	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.86	-13	26.86	Pass	8001




1.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	974.383	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1832	-53.84	-13	40.84	Pass	841
1840	1925	1	RMS	1900.775	22.14	60	37.86	Pass	401
1925	3000	1	RMS	2988	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11989	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




1.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.16	-72.96	-13	59.96	Pass	2986
30	1000	0.1	RMS	853.703	-64.89	-13	51.89	Pass	9701
1000	1840	1	RMS	1829	-53.83	-13	40.83	Pass	841
1840	1925	1	RMS	1900.775	21.35	60	38.65	Pass	401
1925	3000	1	RMS	2991	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




1.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	859.607	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1840	-52.98	-13	39.98	Pass	841
1840	1925	1	RMS	1851.05	22.41	60	37.59	Pass	401
1925	3000	1	RMS	2998	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11996	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




1.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.15	-73	-13	60	Pass	2986
30	1000	0.1	RMS	986.291	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1840	-53.2	-13	40.2	Pass	841
1840	1925	1	RMS	1850.838	21.31	60	38.69	Pass	401
1925	3000	1	RMS	3000	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11995	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13605	-39.78	-13	26.78	Pass	8001




1.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	967.378	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1838	-53.77	-13	40.77	Pass	841
1840	1925	1	RMS	1873.575	21.97	60	38.03	Pass	401
1925	3000	1	RMS	2999	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11984	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13599	-39.81	-13	26.81	Pass	8001




1.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.21	-72.87	-13	59.87	Pass	2986
30	1000	0.1	RMS	976.484	-65.16	-13	52.16	Pass	9701
1000	1840	1	RMS	1838	-53.75	-13	40.75	Pass	841
1840	1925	1	RMS	1873.575	21.03	60	38.97	Pass	401
1925	3000	1	RMS	2999	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11999	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13602	-39.77	-13	26.77	Pass	8001




1.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	976.384	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1839	-53.79	-13	40.79	Pass	841
1840	1925	1	RMS	1896.1	21.88	60	38.12	Pass	401
1925	3000	1	RMS	2941	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.84	-13	26.84	Pass	8001



1.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	846.9	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1837	-53.82	-13	40.82	Pass	841
1840	1925	1	RMS	1895.888	21.38	60	38.62	Pass	401
1925	3000	1	RMS	2995	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11986	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.73	-13	26.73	Pass	8001



2. LTE_Band26(part22)


2.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	813.5	-64.98	-13	51.98	Pass	7841
814	860	0.1	RMS	824.3	19.06	60	40.94	Pass	461
860	1000	0.1	RMS	973.4	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1648	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	6803	-45.64	-13	32.64	Pass	7001




2.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.17	-72.77	-13	59.77	Pass	2986
30	814	0.1	RMS	813.8	-65.02	-13	52.02	Pass	7841
814	860	0.1	RMS	824.2	18.53	60	41.47	Pass	461
860	1000	0.1	RMS	950.3	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1648	-49.72	-13	36.72	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




2.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	812	-65.45	-13	52.45	Pass	7841
814	860	0.1	RMS	836.1	19.14	60	40.86	Pass	461
860	1000	0.1	RMS	983.6	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1672	-49.3	-13	36.3	Pass	2001
3000	10000	1	RMS	6804	-45.66	-13	32.66	Pass	7001




2.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.27	-72.95	-13	59.95	Pass	2986
30	814	0.1	RMS	813.1	-65.57	-13	52.57	Pass	7841
814	860	0.1	RMS	836.1	18.18	60	41.82	Pass	461
860	1000	0.1	RMS	977.6	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1672	-50.05	-13	37.05	Pass	2001
3000	10000	1	RMS	6803	-45.6	-13	32.6	Pass	7001




2.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	813.8	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	847.8	19	60	41	Pass	461
860	1000	0.1	RMS	965.4	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1695	-48.94	-13	35.94	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




2.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	813.6	-65.64	-13	52.64	Pass	7841
814	860	0.1	RMS	847.9	18.18	60	41.82	Pass	461
860	1000	0.1	RMS	974	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1695	-49.77	-13	36.77	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




2.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.19	-72.79	-13	59.79	Pass	2986
30	814	0.1	RMS	814	-63.16	-13	50.16	Pass	7841
814	860	0.1	RMS	824.2	19.3	60	40.7	Pass	461
860	1000	0.1	RMS	869.6	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1648	-48.96	-13	35.96	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001




2.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	813.5	-64.99	-13	51.99	Pass	7841
814	860	0.1	RMS	824.2	18.39	60	41.61	Pass	461
860	1000	0.1	RMS	927.8	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1648	-49.58	-13	36.58	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




2.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	814	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	835.2	19.33	60	40.67	Pass	461
860	1000	0.1	RMS	952	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1670	-48.35	-13	35.35	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




2.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	813	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	835.2	18.41	60	41.59	Pass	461
860	1000	0.1	RMS	875.3	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1670	-49.17	-13	36.17	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001




2.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.17	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	813.6	-65.47	-13	52.47	Pass	7841
814	860	0.1	RMS	846.2	19.24	60	40.76	Pass	461
860	1000	0.1	RMS	997.4	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1692	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	6802	-45.61	-13	32.61	Pass	7001




2.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	811.9	-65.49	-13	52.49	Pass	7841
814	860	0.1	RMS	846.2	18.18	60	41.82	Pass	461
860	1000	0.1	RMS	953.7	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1692	-49.63	-13	36.63	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001




2.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.33	-73.36	-13	60.36	Pass	2986
30	814	0.1	RMS	813.6	-65.02	-13	52.02	Pass	7841
814	860	0.1	RMS	824.3	19.39	60	40.61	Pass	461
860	1000	0.1	RMS	979	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1648	-48.99	-13	35.99	Pass	2001
3000	10000	1	RMS	6803	-45.67	-13	32.67	Pass	7001




2.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.16	-72.87	-13	59.87	Pass	2986
30	814	0.1	RMS	813.6	-65.12	-13	52.12	Pass	7841
814	860	0.1	RMS	824.3	18.33	60	41.67	Pass	461
860	1000	0.1	RMS	947	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1648	-49.71	-13	36.71	Pass	2001
3000	10000	1	RMS	6802	-45.5	-13	32.5	Pass	7001




2.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	813.8	-65.34	-13	52.34	Pass	7841
814	860	0.1	RMS	834.3	19.44	60	40.56	Pass	461
860	1000	0.1	RMS	918	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1668	-48.47	-13	35.47	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




2.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.31	-72.67	-13	59.67	Pass	2986
30	814	0.1	RMS	812.4	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	834.3	18.36	60	41.64	Pass	461
860	1000	0.1	RMS	951.4	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1668	-49.44	-13	36.44	Pass	2001
3000	10000	1	RMS	6795	-45.68	-13	32.68	Pass	7001




2.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.2	-72.54	-13	59.54	Pass	2986
30	814	0.1	RMS	813.4	-65.42	-13	52.42	Pass	7841
814	860	0.1	RMS	844.3	19.26	60	40.74	Pass	461
860	1000	0.1	RMS	860.8	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1688	-48.54	-13	35.54	Pass	2001
3000	10000	1	RMS	6801	-45.55	-13	32.55	Pass	7001




2.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	811	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	844.3	18.53	60	41.47	Pass	461
860	1000	0.1	RMS	950	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1688	-49.5	-13	36.5	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




2.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.18	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	813.9	-64.82	-13	51.82	Pass	7841
814	860	0.1	RMS	824.6	19.84	60	40.16	Pass	461
860	1000	0.1	RMS	950.5	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1649	-49.11	-13	36.11	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




2.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.33	-13	60.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	814	0.1	RMS	811.7	-64.68	-13	51.68	Pass	7841
814	860	0.1	RMS	824.6	19.26	60	40.74	Pass	461
860	1000	0.1	RMS	870.3	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1649	-49.72	-13	36.72	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




2.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.19	-72.99	-13	59.99	Pass	2986
30	814	0.1	RMS	813.6	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	832.1	19.92	60	40.08	Pass	461
860	1000	0.1	RMS	953.8	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1664	-49.03	-13	36.03	Pass	2001
3000	10000	1	RMS	6801	-45.54	-13	32.54	Pass	7001




2.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.28	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	813.6	-65.33	-13	52.33	Pass	7841
814	860	0.1	RMS	832.1	18.82	60	41.18	Pass	461
860	1000	0.1	RMS	981.4	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1664	-49.51	-13	36.51	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001




2.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	58.91	Pass	2986
30	814	0.1	RMS	812	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	839.6	19.69	60	40.31	Pass	461
860	1000	0.1	RMS	989.1	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1679	-48.97	-13	35.97	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	814	0.1	RMS	813	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	839.6	19.1	60	40.9	Pass	461
860	1000	0.1	RMS	994.7	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1679	-49.7	-13	36.7	Pass	2001
3000	10000	1	RMS	6798	-45.6	-13	32.6	Pass	7001



2.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.19	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	812.5	-64.32	-13	51.32	Pass	7841
814	860	0.1	RMS	824.8	19.05	60	40.95	Pass	461
860	1000	0.1	RMS	948.3	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1649	-49.01	-13	36.01	Pass	2001
3000	10000	1	RMS	6798	-45.58	-13	32.58	Pass	7001



2.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.18	-71.97	-13	58.97	Pass	2986
30	814	0.1	RMS	813	-64.85	-13	51.85	Pass	7841
814	860	0.1	RMS	824.8	18.22	60	41.78	Pass	461
860	1000	0.1	RMS	974.4	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1649	-50.17	-13	37.17	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001

