



2.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.19	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	812.7	-65.11	-13	52.11	Pass	7841
814	860	0.1	RMS	829.8	19.02	60	40.98	Pass	461
860	1000	0.1	RMS	957.5	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1659	-48.5	-13	35.5	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




2.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.24	-72.8	-13	59.8	Pass	2986
30	814	0.1	RMS	814	-65.01	-13	52.01	Pass	7841
814	860	0.1	RMS	829.8	18.11	60	41.89	Pass	461
860	1000	0.1	RMS	987.1	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1659	-49.77	-13	36.77	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001




2.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	812.5	-65.36	-13	52.36	Pass	7841
814	860	0.1	RMS	834.8	19.15	60	40.85	Pass	461
860	1000	0.1	RMS	958.2	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1669	-48.83	-13	35.83	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001



2.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(LTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	814	0.1	RMS	812.7	-64.88	-13	51.88	Pass	7841
814	860	0.1	RMS	834.8	18.5	60	41.5	Pass	461
860	1000	0.1	RMS	958.9	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1669	-49.39	-13	36.39	Pass	2001
3000	10000	1	RMS	6802	-45.62	-13	32.62	Pass	7001



3. LTE_Band26(part90)


3.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.03	-13	53.03	Pass	401
0.15	30	0.01	Peak	0.28	-65.15	-13	52.15	Pass	2986
30	809	0.1	Peak	797.6	-54.48	-13	41.48	Pass	7791
809	829	0.1	Peak	814.2	24.08	60	35.92	Pass	401
829	1000	0.1	Peak	891.2	-54.26	-13	41.26	Pass	1711
1000	3000	1	Peak	2920	-39.19	-13	26.19	Pass	2001
3000	10000	1	Peak	8420	-32.34	-13	19.34	Pass	7001




3.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.68	-13	53.68	Pass	401
0.15	30	0.01	Peak	0.18	-64.53	-13	51.53	Pass	2986
30	809	0.1	Peak	759.5	-55.06	-13	42.06	Pass	7791
809	829	0.1	Peak	814.2	24.42	60	35.58	Pass	401
829	1000	0.1	Peak	832.5	-54.37	-13	41.37	Pass	1711
1000	3000	1	Peak	2786	-39.14	-13	26.14	Pass	2001
3000	10000	1	Peak	7323	-31.69	-13	18.69	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.51	-13	52.51	Pass	401
0.15	30	0.01	Peak	0.34	-64.31	-13	51.31	Pass	2986
30	809	0.1	Peak	687.8	-54.99	-13	41.99	Pass	7791
809	829	0.1	Peak	818.5	24.57	60	35.43	Pass	401
829	1000	0.1	Peak	924.6	-53.96	-13	40.96	Pass	1711
1000	3000	1	Peak	1637	-38.38	-13	25.38	Pass	2001
3000	10000	1	Peak	7745	-32.32	-13	19.32	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.47	-13	53.47	Pass	401
0.15	30	0.01	Peak	0.37	-63.52	-13	50.52	Pass	2986
30	809	0.1	Peak	735.6	-54.48	-13	41.48	Pass	7791
809	829	0.1	Peak	818.5	24.83	60	35.17	Pass	401
829	1000	0.1	Peak	849.6	-54.08	-13	41.08	Pass	1711
1000	3000	1	Peak	2990	-39.43	-13	26.43	Pass	2001
3000	10000	1	Peak	7310	-32.2	-13	19.2	Pass	7001




3.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.54	-13	52.54	Pass	401
0.15	30	0.01	Peak	0.55	-64.75	-13	51.75	Pass	2986
30	809	0.1	Peak	785.9	-54.45	-13	41.45	Pass	7791
809	829	0.1	Peak	822.8	24.13	60	35.87	Pass	401
829	1000	0.1	Peak	840.3	-52.94	-13	39.94	Pass	1711
1000	3000	1	Peak	2926	-39.8	-13	26.8	Pass	2001
3000	10000	1	Peak	6984	-32.56	-13	19.56	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.39	-13	52.39	Pass	401
0.15	30	0.01	Peak	0.17	-63.88	-13	50.88	Pass	2986
30	809	0.1	Peak	737.7	-55.2	-13	42.2	Pass	7791
809	829	0.1	Peak	822.9	24.5	60	35.5	Pass	401
829	1000	0.1	Peak	926.8	-54.24	-13	41.24	Pass	1711
1000	3000	1	Peak	2979	-39.21	-13	26.21	Pass	2001
3000	10000	1	Peak	8708	-32.59	-13	19.59	Pass	7001




3.7LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.29	-13	53.29	Pass	401
0.15	30	0.01	Peak	0.16	-63.89	-13	50.89	Pass	2986
30	809	0.1	Peak	808.9	-50.13	-13	37.13	Pass	7791
809	829	0.1	Peak	814.3	24.3	60	35.7	Pass	401
829	1000	0.1	Peak	829.2	-52.83	-13	39.83	Pass	1711
1000	3000	1	Peak	2824	-39.72	-13	26.72	Pass	2001
3000	10000	1	Peak	7284	-32.52	-13	19.52	Pass	7001




3.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.63	-13	53.63	Pass	401
0.15	30	0.01	Peak	0.53	-64.55	-13	51.55	Pass	2986
30	809	0.1	Peak	807.6	-53.79	-13	40.79	Pass	7791
809	829	0.1	Peak	814.3	24.63	60	35.37	Pass	401
829	1000	0.1	Peak	831.4	-54.49	-13	41.49	Pass	1711
1000	3000	1	Peak	1628	-39.82	-13	26.82	Pass	2001
3000	10000	1	Peak	7685	-32.26	-13	19.26	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.83	-13	51.83	Pass	401
0.15	30	0.01	Peak	0.35	-63.54	-13	50.54	Pass	2986
30	809	0.1	Peak	746.3	-54.45	-13	41.45	Pass	7791
809	829	0.1	Peak	817.8	24.7	60	35.3	Pass	401
829	1000	0.1	Peak	939.7	-52.61	-13	39.61	Pass	1711
1000	3000	1	Peak	1635	-38.71	-13	25.71	Pass	2001
3000	10000	1	Peak	7679	-32.32	-13	19.32	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.52	-13	53.52	Pass	401
0.15	30	0.01	Peak	0.26	-64.58	-13	51.58	Pass	2986
30	809	0.1	Peak	722.2	-54.63	-13	41.63	Pass	7791
809	829	0.1	Peak	817.8	24.9	60	35.1	Pass	401
829	1000	0.1	Peak	846.1	-53.79	-13	40.79	Pass	1711
1000	3000	1	Peak	1635	-39.57	-13	26.57	Pass	2001
3000	10000	1	Peak	7038	-31.17	-13	18.17	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.15	-13	53.15	Pass	401
0.15	30	0.01	Peak	0.34	-64.91	-13	51.91	Pass	2986
30	809	0.1	Peak	502.9	-54.5	-13	41.5	Pass	7791
809	829	0.1	Peak	821.2	24.39	60	35.61	Pass	401
829	1000	0.1	Peak	831.3	-32.43	-13	19.43	Pass	1711
1000	3000	1	Peak	1643	-39.4	-13	26.4	Pass	2001
3000	10000	1	Peak	7003	-32.07	-13	19.07	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.13	-13	52.13	Pass	401
0.15	30	0.01	Peak	0.15	-63.6	-13	50.6	Pass	2986
30	809	0.1	Peak	640.2	-54.98	-13	41.98	Pass	7791
809	829	0.1	Peak	821.2	24.87	60	35.13	Pass	401
829	1000	0.1	Peak	831.1	-48.14	-13	35.14	Pass	1711
1000	3000	1	Peak	2871	-39.86	-13	26.86	Pass	2001
3000	10000	1	Peak	7322	-32.92	-13	19.92	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.81	-13	51.81	Pass	401
0.15	30	0.01	Peak	0.15	-64.94	-13	51.94	Pass	2986
30	809	0.1	Peak	778.8	-54.79	-13	41.79	Pass	7791
809	829	0.1	Peak	814.3	24.48	60	35.52	Pass	401
829	1000	0.1	Peak	896.7	-53.98	-13	40.98	Pass	1711
1000	3000	1	Peak	2833	-39.59	-13	26.59	Pass	2001
3000	10000	1	Peak	7443	-32.2	-13	19.2	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-65.21	-13	52.21	Pass	401
0.15	30	0.01	Peak	0.27	-64.82	-13	51.82	Pass	2986
30	809	0.1	Peak	531.3	-54.83	-13	41.83	Pass	7791
809	829	0.1	Peak	814.4	24.69	60	35.31	Pass	401
829	1000	0.1	Peak	830	-54.15	-13	41.15	Pass	1711
1000	3000	1	Peak	2967	-39.47	-13	26.47	Pass	2001
3000	10000	1	Peak	8615	-32.4	-13	19.4	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.13	-13	53.13	Pass	401
0.15	30	0.01	Peak	0.17	-65.18	-13	52.18	Pass	2986
30	809	0.1	Peak	797.7	-54.89	-13	41.89	Pass	7791
809	829	0.1	Peak	816.8	24.45	60	35.55	Pass	401
829	1000	0.1	Peak	940.2	-54.44	-13	41.44	Pass	1711
1000	3000	1	Peak	1634	-39.45	-13	26.45	Pass	2001
3000	10000	1	Peak	8741	-32.51	-13	19.51	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.14	-13	53.14	Pass	401
0.15	30	0.01	Peak	0.2	-64.21	-13	51.21	Pass	2986
30	809	0.1	Peak	808.4	-50.1	-13	37.1	Pass	7791
809	829	0.1	Peak	816.85	25.14	60	34.86	Pass	401
829	1000	0.1	Peak	955.7	-53.68	-13	40.68	Pass	1711
1000	3000	1	Peak	1634	-39.29	-13	26.29	Pass	2001
3000	10000	1	Peak	6980	-32.45	-13	19.45	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-65.88	-13	52.88	Pass	401
0.15	30	0.01	Peak	0.15	-63.99	-13	50.99	Pass	2986
30	809	0.1	Peak	806	-54.45	-13	41.45	Pass	7791
809	829	0.1	Peak	819.35	24.83	60	35.17	Pass	401
829	1000	0.1	Peak	832.1	-53.85	-13	40.85	Pass	1711
1000	3000	1	Peak	1638	-39.3	-13	26.3	Pass	2001
3000	10000	1	Peak	7115	-32.37	-13	19.37	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.66	-13	52.66	Pass	401
0.15	30	0.01	Peak	0.31	-64.4	-13	51.4	Pass	2986
30	809	0.1	Peak	460.4	-54.41	-13	41.41	Pass	7791
809	829	0.1	Peak	819.3	25.11	60	34.89	Pass	401
829	1000	0.1	Peak	829.9	-49.52	-13	36.52	Pass	1711
1000	3000	1	Peak	1639	-39.63	-13	26.63	Pass	2001
3000	10000	1	Peak	7308	-31.86	-13	18.86	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.87	-13	50.87	Pass	401
0.15	30	0.01	Peak	0.18	-65.09	-13	52.09	Pass	2986
30	809	0.1	Peak	728.6	-54.79	-13	41.79	Pass	7791
809	829	0.1	Peak	814.6	24.58	60	35.42	Pass	401
829	1000	0.1	Peak	908.3	-54.44	-13	41.44	Pass	1711
1000	3000	1	Peak	2979	-39.69	-13	26.69	Pass	2001
3000	10000	1	Peak	8670	-32.14	-13	19.14	Pass	7001



3.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.36	-13	53.36	Pass	401
0.15	30	0.01	Peak	0.2	-64.12	-13	51.12	Pass	2986
30	809	0.1	Peak	738.3	-54.49	-13	41.49	Pass	7791
809	829	0.1	Peak	814.65	24.94	60	35.06	Pass	401
829	1000	0.1	Peak	829.9	-53.14	-13	40.14	Pass	1711
1000	3000	1	Peak	1629	-39.92	-13	26.92	Pass	2001
3000	10000	1	Peak	7476	-32.22	-13	19.22	Pass	7001



4. n25 15kHz


4.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.19	-72.66	-13	59.66	Pass	2986
30	1000	0.1	RMS	832.6	-65.53	-13	52.53	Pass	9701
1000	1840	1	RMS	1840	-51.1	-13	38.1	Pass	841
1840	1925	1	RMS	1853.6	11.11	60	48.89	Pass	401
1925	3000	1	RMS	2940	-50.01	-13	37.01	Pass	1076
3000	7000	1	RMS	3705	-62.27	-13	49.27	Pass	4001
7000	20000	1	RMS	19381	-53.95	-13	40.95	Pass	13002




4.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.2	-72.51	-13	59.51	Pass	2986
30	1000	0.1	RMS	851.301	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1840	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1850.2	17.26	60	42.74	Pass	401
1925	3000	1	RMS	2940	-49.94	-13	36.94	Pass	1076
3000	7000	1	RMS	3701	-58.57	-13	45.57	Pass	4001
7000	20000	1	RMS	19330	-53.94	-13	40.94	Pass	13002




4.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.3	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	923.95	-65.52	-13	52.52	Pass	9701
1000	1840	1	RMS	1840	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1854.45	17.36	60	42.64	Pass	401
1925	3000	1	RMS	2936	-49.96	-13	36.96	Pass	1076
3000	7000	1	RMS	3709	-57.34	-13	44.34	Pass	4001
7000	20000	1	RMS	19430	-53.97	-13	40.97	Pass	13002




4.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	840.8	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1839	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1881.013	11.33	60	48.67	Pass	401
1925	3000	1	RMS	2950	-50.04	-13	37.04	Pass	1076
3000	7000	1	RMS	3765	-61.14	-13	48.14	Pass	4001
7000	20000	1	RMS	19362	-53.94	-13	40.94	Pass	13002




4.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	924.85	-65.52	-13	52.52	Pass	9701
1000	1840	1	RMS	1836	-54.01	-13	41.01	Pass	841
1840	1925	1	RMS	1880.163	17.37	60	42.63	Pass	401
1925	3000	1	RMS	2938	-50	-13	37	Pass	1076
3000	7000	1	RMS	3761	-56.93	-13	43.93	Pass	4001
7000	20000	1	RMS	19467	-53.92	-13	40.92	Pass	13002




4.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	930.554	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1833	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1884.625	17.37	60	42.63	Pass	401
1925	3000	1	RMS	2934	-49.98	-13	36.98	Pass	1076
3000	7000	1	RMS	3769	-56.62	-13	43.62	Pass	4001
7000	20000	1	RMS	19374	-53.97	-13	40.97	Pass	13002




4.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	975.684	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1839	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1910.975	11.68	60	48.32	Pass	401
1925	3000	1	RMS	2950	-49.98	-13	36.98	Pass	1076
3000	7000	1	RMS	3825	-56.55	-13	43.55	Pass	4001
7000	20000	1	RMS	19309	-53.9	-13	40.9	Pass	13002




4.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	847.7	-65.56	-13	52.56	Pass	9701
1000	1840	1	RMS	1840	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1910.125	17.27	60	42.73	Pass	401
1925	3000	1	RMS	2930	-49.96	-13	36.96	Pass	1076
3000	7000	1	RMS	3821	-52.53	-13	39.53	Pass	4001
7000	20000	1	RMS	19338	-53.9	-13	40.9	Pass	13002




4.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.2	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	919.347	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1839	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1914.588	17.37	60	42.63	Pass	401
1925	3000	1	RMS	2933	-50.01	-13	37.01	Pass	1076
3000	7000	1	RMS	3829	-51.08	-13	38.08	Pass	4001
7000	20000	1	RMS	19320	-53.96	-13	40.96	Pass	13002




4.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	873.116	-65.47	-13	52.47	Pass	9701
1000	1840	1	RMS	1840	-40.52	-13	27.52	Pass	841
1840	1925	1	RMS	1875.7	2.58	60	57.42	Pass	401
1925	3000	1	RMS	2946	-49.99	-13	36.99	Pass	1076
3000	7000	1	RMS	6979	-63.69	-13	50.69	Pass	4001
7000	20000	1	RMS	19305	-53.96	-13	40.96	Pass	13002




4.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	853.103	-65.59	-13	52.59	Pass	9701
1000	1840	1	RMS	1840	-53.68	-13	40.68	Pass	841
1840	1925	1	RMS	1850.413	17.48	60	42.52	Pass	401
1925	3000	1	RMS	2930	-50	-13	37	Pass	1076
3000	7000	1	RMS	3701	-57.91	-13	44.91	Pass	4001
7000	20000	1	RMS	19328	-53.96	-13	40.96	Pass	13002




4.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.19	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	839.8	-65.51	-13	52.51	Pass	9701
1000	1840	1	RMS	1840	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1889.3	17.71	60	42.29	Pass	401
1925	3000	1	RMS	2937	-50	-13	37	Pass	1076
3000	7000	1	RMS	3779	-55.33	-13	42.33	Pass	4001
7000	20000	1	RMS	19334	-53.94	-13	40.94	Pass	13002




4.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.18	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	976.384	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1840	-45.29	-13	32.29	Pass	841
1840	1925	1	RMS	1871.45	3.07	60	56.93	Pass	401
1925	3000	1	RMS	2940	-50.03	-13	37.03	Pass	1076
3000	7000	1	RMS	6980	-63.7	-13	50.7	Pass	4001
7000	20000	1	RMS	19309	-53.91	-13	40.91	Pass	13002




4.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	959.573	-65.57	-13	52.57	Pass	9701
1000	1840	1	RMS	1840	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1862.95	17.46	60	42.54	Pass	401
1925	3000	1	RMS	2937	-50	-13	37	Pass	1076
3000	7000	1	RMS	3726	-55.16	-13	42.16	Pass	4001
7000	20000	1	RMS	19439	-53.95	-13	40.95	Pass	13002




4.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	841.2	-65.53	-13	52.53	Pass	9701
1000	1840	1	RMS	1838	-54	-13	41	Pass	841
1840	1925	1	RMS	1901.838	17.53	60	42.47	Pass	401
1925	3000	1	RMS	2941	-50	-13	37	Pass	1076
3000	7000	1	RMS	3804	-54.33	-13	41.33	Pass	4001
7000	20000	1	RMS	19311	-53.97	-13	40.97	Pass	13002




4.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	971.881	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1840	-45.91	-13	32.91	Pass	841
1840	1925	1	RMS	1876.763	3.71	60	56.29	Pass	401
1925	3000	1	RMS	2939	-50.02	-13	37.02	Pass	1076
3000	7000	1	RMS	6980	-63.6	-13	50.6	Pass	4001
7000	20000	1	RMS	19470	-53.95	-13	40.95	Pass	13002




4.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.95	-13	59.95	Pass	2986
30	1000	0.1	RMS	864.11	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1838	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1875.488	17.56	60	42.44	Pass	401
1925	3000	1	RMS	2934	-49.95	-13	36.95	Pass	1076
3000	7000	1	RMS	3751	-55.97	-13	42.97	Pass	4001
7000	20000	1	RMS	19327	-53.96	-13	40.96	Pass	13002




4.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	829.1	-65.6	-13	52.6	Pass	9701
1000	1840	1	RMS	1833	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1914.163	17.61	60	42.39	Pass	401
1925	3000	1	RMS	2935	-50	-13	37	Pass	1076
3000	7000	1	RMS	3829	-50.92	-13	37.92	Pass	4001
7000	20000	1	RMS	19368	-53.94	-13	40.94	Pass	13002




4.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	958.773	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-40.46	-13	27.46	Pass	841
1840	1925	1	RMS	1868.263	5.29	60	54.71	Pass	401
1925	3000	1	RMS	2936	-49.82	-13	36.82	Pass	1076
3000	7000	1	RMS	6979	-63.57	-13	50.57	Pass	4001
7000	20000	1	RMS	19383	-53.86	-13	40.86	Pass	13002




4.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	998.899	-65.44	-13	52.44	Pass	9701
1000	1840	1	RMS	1840	-53.68	-13	40.68	Pass	841
1840	1925	1	RMS	1850.413	17.32	60	42.68	Pass	401
1925	3000	1	RMS	2939	-49.85	-13	36.85	Pass	1076
3000	7000	1	RMS	3701	-57.77	-13	44.77	Pass	4001
7000	20000	1	RMS	19347	-53.87	-13	40.87	Pass	13002




4.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	946.164	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1838	-53.8	-13	40.8	Pass	841
1840	1925	1	RMS	1869.325	17.33	60	42.67	Pass	401
1925	3000	1	RMS	2932	-49.91	-13	36.91	Pass	1076
3000	7000	1	RMS	3739	-56.1	-13	43.1	Pass	4001
7000	20000	1	RMS	19312	-53.87	-13	40.87	Pass	13002




4.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.18	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	874.117	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1840	-51.13	-13	38.13	Pass	841
1840	1925	1	RMS	1875.7	5.88	60	54.12	Pass	401
1925	3000	1	RMS	2941	-49.85	-13	36.85	Pass	1076
3000	7000	1	RMS	6979	-63.62	-13	50.62	Pass	4001
7000	20000	1	RMS	19359	-53.84	-13	40.84	Pass	13002




4.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	985.19	-65.53	-13	52.53	Pass	9701
1000	1840	1	RMS	1839	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1872.938	17.44	60	42.56	Pass	401
1925	3000	1	RMS	2931	-49.85	-13	36.85	Pass	1076
3000	7000	1	RMS	3746	-55.88	-13	42.88	Pass	4001
7000	20000	1	RMS	19323	-53.82	-13	40.82	Pass	13002




4.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.17	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	982.088	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1839	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1891.85	17.56	60	42.44	Pass	401
1925	3000	1	RMS	2943	-49.88	-13	36.88	Pass	1076
3000	7000	1	RMS	3784	-54.27	-13	41.27	Pass	4001
7000	20000	1	RMS	19470	-53.87	-13	40.87	Pass	13002




4.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	839.2	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1840	-53.49	-13	40.49	Pass	841
1840	1925	1	RMS	1904.6	5.76	60	54.24	Pass	401
1925	3000	1	RMS	2937	-49.9	-13	36.9	Pass	1076
3000	7000	1	RMS	3810	-63.06	-13	50.06	Pass	4001
7000	20000	1	RMS	19355	-53.85	-13	40.85	Pass	13002




4.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	929.153	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1840	-53.86	-13	40.86	Pass	841
1840	1925	1	RMS	1895.463	17.49	60	42.51	Pass	401
1925	3000	1	RMS	2936	-49.91	-13	36.91	Pass	1076
3000	7000	1	RMS	3791	-53.25	-13	40.25	Pass	4001
7000	20000	1	RMS	19400	-53.87	-13	40.87	Pass	13002



4.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-13	59.81	Pass	2986
30	1000	0.1	RMS	901.435	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1839	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1914.375	17.58	60	42.42	Pass	401
1925	3000	1	RMS	2939	-49.91	-13	36.91	Pass	1076
3000	7000	1	RMS	3829	-50.41	-13	37.41	Pass	4001
7000	20000	1	RMS	19291	-53.84	-13	40.84	Pass	13002



5. n41


5.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.43	-25	42.43	Pass	401
0.15	30	0.01	RMS	0.18	-66.7	-25	41.7	Pass	2986
30	1000	0.1	RMS	880.621	-59.37	-25	34.37	Pass	9701
1000	2476	1	RMS	2476	-46.37	-25	21.37	Pass	1477
2476	2710	1	RMS	2513.44	7.71	60	52.29	Pass	401
2710	3000	1	RMS	2936.925	-43.9	-25	18.9	Pass	401
3000	7000	1	RMS	6980	-57.6	-25	32.6	Pass	4001
7000	26500	1	RMS	25496	-44.82	-25	19.82	Pass	19503




5.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.15	-25	42.15	Pass	401
0.15	30	0.01	RMS	0.16	-66.22	-25	41.22	Pass	2986
30	1000	0.1	RMS	949.366	-59.51	-25	34.51	Pass	9701
1000	2476	1	RMS	2475	-46.67	-25	21.67	Pass	1477
2476	2710	1	RMS	2496.475	18.79	60	41.21	Pass	401
2710	3000	1	RMS	2929.675	-43.95	-25	18.95	Pass	401
3000	7000	1	RMS	6980	-57.69	-25	32.69	Pass	4001
7000	26500	1	RMS	25500	-44.85	-25	19.85	Pass	19503




5.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.03	-25	41.03	Pass	401
0.15	30	0.01	RMS	0.19	-66.48	-25	41.48	Pass	2986
30	1000	0.1	RMS	901.935	-59.43	-25	34.43	Pass	9701
1000	2476	1	RMS	2476	-46.58	-25	21.58	Pass	1477
2476	2710	1	RMS	2514.61	19.04	60	40.96	Pass	401
2710	3000	1	RMS	2936.925	-43.92	-25	18.92	Pass	401
3000	7000	1	RMS	6979	-57.61	-25	32.61	Pass	4001
7000	26500	1	RMS	25507	-44.86	-25	19.86	Pass	19503




5.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.62	-25	40.62	Pass	401
0.15	30	0.01	RMS	0.21	-65.72	-25	40.72	Pass	2986
30	1000	0.1	RMS	912.342	-59.37	-25	34.37	Pass	9701
1000	2476	1	RMS	2476	-46.55	-25	21.55	Pass	1477
2476	2710	1	RMS	2600.02	6.83	60	53.17	Pass	401
2710	3000	1	RMS	2939.825	-43.94	-25	18.94	Pass	401
3000	7000	1	RMS	6981	-57.64	-25	32.64	Pass	4001
7000	26500	1	RMS	25494	-44.81	-25	19.81	Pass	19503




5.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.21	-25	41.21	Pass	401
0.15	30	0.01	RMS	0.16	-66.75	-25	41.75	Pass	2986
30	1000	0.1	RMS	949.767	-59.34	-25	34.34	Pass	9701
1000	2476	1	RMS	2475	-46.63	-25	21.63	Pass	1477
2476	2710	1	RMS	2583.64	18.56	60	41.44	Pass	401
2710	3000	1	RMS	2929.675	-43.92	-25	18.92	Pass	401
3000	7000	1	RMS	6979	-57.63	-25	32.63	Pass	4001
7000	26500	1	RMS	25501	-44.82	-25	19.82	Pass	19503




5.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.9	-25	41.9	Pass	401
0.15	30	0.01	RMS	0.15	-66.78	-25	41.78	Pass	2986
30	1000	0.1	RMS	893.129	-59.38	-25	34.38	Pass	9701
1000	2476	1	RMS	2473	-46.58	-25	21.58	Pass	1477
2476	2710	1	RMS	2601.775	18.57	60	41.43	Pass	401
2710	3000	1	RMS	2934.75	-43.97	-25	18.97	Pass	401
3000	7000	1	RMS	6979	-57.68	-25	32.68	Pass	4001
7000	26500	1	RMS	25501	-44.72	-25	19.72	Pass	19503




5.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.8	-25	41.8	Pass	401
0.15	30	0.01	RMS	0.23	-66.39	-25	41.39	Pass	2986
30	1000	0.1	RMS	849.1	-59.52	-25	34.52	Pass	9701
1000	2476	1	RMS	2472	-46.52	-25	21.52	Pass	1477
2476	2710	1	RMS	2672.56	7.41	60	52.59	Pass	401
2710	3000	1	RMS	2710	-40.44	-25	15.44	Pass	401
3000	7000	1	RMS	6979	-57.66	-25	32.66	Pass	4001
7000	26500	1	RMS	25494	-44.78	-25	19.78	Pass	19503




5.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.69	-25	41.69	Pass	401
0.15	30	0.01	RMS	0.28	-66.38	-25	41.38	Pass	2986
30	1000	0.1	RMS	897.832	-59.38	-25	34.38	Pass	9701
1000	2476	1	RMS	2476	-46.57	-25	21.57	Pass	1477
2476	2710	1	RMS	2670.805	18.95	60	41.05	Pass	401
2710	3000	1	RMS	2939.1	-43.94	-25	18.94	Pass	401
3000	7000	1	RMS	6980	-57.67	-25	32.67	Pass	4001
7000	26500	1	RMS	25507	-44.83	-25	19.83	Pass	19503




5.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.03	-25	42.03	Pass	401
0.15	30	0.01	RMS	0.18	-66.27	-25	41.27	Pass	2986
30	1000	0.1	RMS	850.801	-59.42	-25	34.42	Pass	9701
1000	2476	1	RMS	2472	-46.54	-25	21.54	Pass	1477
2476	2710	1	RMS	2688.94	18.6	60	41.4	Pass	401
2710	3000	1	RMS	2941.275	-43.87	-25	18.87	Pass	401
3000	7000	1	RMS	6978	-57.6	-25	32.6	Pass	4001
7000	26500	1	RMS	25508	-44.82	-25	19.82	Pass	19503




5.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-25	47.23	Pass	401
0.15	30	0.01	RMS	0.26	-72.04	-25	47.04	Pass	2986
30	1000	0.1	RMS	955.871	-64.86	-25	39.86	Pass	9701
1000	2446	1	RMS	2437	-51.85	-25	26.85	Pass	1447
2446	2740	1	RMS	2508.475	6.47	60	53.53	Pass	401
2740	3000	1	RMS	2996.1	-50.09	-25	25.09	Pass	401
3000	7000	1	RMS	6975	-63.48	-25	38.48	Pass	4001
7000	26500	1	RMS	25507	-50.68	-25	25.68	Pass	19503




5.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.98	-25	46.98	Pass	401
0.15	30	0.01	RMS	0.17	-71.34	-25	46.34	Pass	2986
30	1000	0.1	RMS	536.6	-64.76	-25	39.76	Pass	9701
1000	2446	1	RMS	2438	-51.79	-25	26.79	Pass	1447
2446	2740	1	RMS	2496.715	20.58	60	39.42	Pass	401
2740	3000	1	RMS	2999.35	-50.04	-25	25.04	Pass	401
3000	7000	1	RMS	6979	-63.5	-25	38.5	Pass	4001
7000	26500	1	RMS	25496	-50.66	-25	25.66	Pass	19503



5.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-25	47.57	Pass	401
0.15	30	0.01	RMS	0.22	-72.15	-25	47.15	Pass	2986
30	1000	0.1	RMS	984.49	-64.9	-25	39.9	Pass	9701
1000	2446	1	RMS	2444	-51.83	-25	26.83	Pass	1447
2446	2740	1	RMS	2544.49	21.58	60	38.42	Pass	401
2740	3000	1	RMS	2975.3	-50.02	-25	25.02	Pass	401
3000	7000	1	RMS	6979	-63.39	-25	38.39	Pass	4001
7000	26500	1	RMS	25499	-50.67	-25	25.67	Pass	19503



5.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-25	47.89	Pass	401
0.15	30	0.01	RMS	0.19	-72.41	-25	47.41	Pass	2986
30	1000	0.1	RMS	965.477	-64.77	-25	39.77	Pass	9701
1000	2446	1	RMS	2441	-51.81	-25	26.81	Pass	1447
2446	2740	1	RMS	2612.11	6.73	60	53.27	Pass	401
2740	3000	1	RMS	3000	-50.05	-25	25.05	Pass	401
3000	7000	1	RMS	6980	-63.43	-25	38.43	Pass	4001
7000	26500	1	RMS	25504	-50.64	-25	25.64	Pass	19503

