



5.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-25	47.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-25	47.34	Pass	2986
30	1000	0.1	RMS	982.288	-64.82	-25	39.82	Pass	9701
1000	2446	1	RMS	2440	-51.79	-25	26.79	Pass	1447
2446	2740	1	RMS	2568.745	21.41	60	38.59	Pass	401
2740	3000	1	RMS	2981.15	-50.04	-25	25.04	Pass	401
3000	7000	1	RMS	6977	-63.42	-25	38.42	Pass	4001
7000	26500	1	RMS	25497	-50.58	-25	25.58	Pass	19503




5.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.2	-25	48.2	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-25	47.23	Pass	2986
30	1000	0.1	RMS	976.985	-64.9	-25	39.9	Pass	9701
1000	2446	1	RMS	2430	-51.83	-25	26.83	Pass	1447
2446	2740	1	RMS	2616.52	21.77	60	38.23	Pass	401
2740	3000	1	RMS	2999.35	-50.03	-25	25.03	Pass	401
3000	7000	1	RMS	6979	-63.46	-25	38.46	Pass	4001
7000	26500	1	RMS	25501	-50.65	-25	25.65	Pass	19503




5.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-25	47.69	Pass	401
0.15	30	0.01	RMS	0.2	-72.45	-25	47.45	Pass	2986
30	1000	0.1	RMS	931.054	-64.82	-25	39.82	Pass	9701
1000	2446	1	RMS	2439	-51.81	-25	26.81	Pass	1447
2446	2740	1	RMS	2642.245	7.34	60	52.66	Pass	401
2740	3000	1	RMS	2740	-43.6	-25	18.6	Pass	401
3000	7000	1	RMS	6978	-63.4	-25	38.4	Pass	4001
7000	26500	1	RMS	25507	-50.69	-25	25.69	Pass	19503




5.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.44	-25	47.44	Pass	401
0.15	30	0.01	RMS	0.28	-72.1	-25	47.1	Pass	2986
30	1000	0.1	RMS	937.959	-64.81	-25	39.81	Pass	9701
1000	2446	1	RMS	2445	-51.82	-25	26.82	Pass	1447
2446	2740	1	RMS	2640.775	21.73	60	38.27	Pass	401
2740	3000	1	RMS	2997.4	-50.07	-25	25.07	Pass	401
3000	7000	1	RMS	6979	-63.46	-25	38.46	Pass	4001
7000	26500	1	RMS	25505	-50.68	-25	25.68	Pass	19503




5.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-25	47.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-25	46.17	Pass	2986
30	1000	0.1	RMS	728.1	-63.4	-25	38.4	Pass	9701
1000	2446	1	RMS	2445	-51.85	-25	26.85	Pass	1447
2446	2740	1	RMS	2688.55	21.79	60	38.21	Pass	401
2740	3000	1	RMS	2999.35	-50.07	-25	25.07	Pass	401
3000	7000	1	RMS	5378	-62.92	-25	37.92	Pass	4001
7000	26500	1	RMS	25503	-50.61	-25	25.61	Pass	19503




5.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.02	-25	42.02	Pass	401
0.15	30	0.01	RMS	0.17	-65.98	-25	40.98	Pass	2986
30	1000	0.1	RMS	981.188	-59.32	-25	34.32	Pass	9701
1000	2396	1	RMS	2188	-46.99	-25	21.99	Pass	1397
2396	2790	1	RMS	2591.03	0.22	60	59.78	Pass	401
2790	3000	1	RMS	2935.95	-43.93	-25	18.93	Pass	401
3000	7000	1	RMS	6980	-57.69	-25	32.69	Pass	4001
7000	26500	1	RMS	25491	-44.82	-25	19.82	Pass	19503




5.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.6	-25	41.6	Pass	401
0.15	30	0.01	RMS	0.18	-66.24	-25	41.24	Pass	2986
30	1000	0.1	RMS	981.488	-59.5	-25	34.5	Pass	9701
1000	2396	1	RMS	2178	-47.04	-25	22.04	Pass	1397
2396	2790	1	RMS	2496.47	18.67	60	41.33	Pass	401
2790	3000	1	RMS	2949.6	-43.93	-25	18.93	Pass	401
3000	7000	1	RMS	6975	-57.63	-25	32.63	Pass	4001
7000	26500	1	RMS	25496	-44.75	-25	19.75	Pass	19503




5.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.88	-25	41.88	Pass	401
0.15	30	0.01	RMS	0.15	-66.42	-25	41.42	Pass	2986
30	1000	0.1	RMS	928.753	-59.39	-25	34.39	Pass	9701
1000	2396	1	RMS	2188	-47	-25	22	Pass	1397
2396	2790	1	RMS	2593.985	16.44	60	43.56	Pass	401
2790	3000	1	RMS	2931.225	-43.95	-25	18.95	Pass	401
3000	7000	1	RMS	6980	-57.58	-25	32.58	Pass	4001
7000	26500	1	RMS	25500	-44.75	-25	19.75	Pass	19503




5.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.42	-25	41.42	Pass	401
0.15	30	0.01	RMS	0.17	-66.56	-25	41.56	Pass	2986
30	1000	0.1	RMS	975.184	-59.48	-25	34.48	Pass	9701
1000	2396	1	RMS	2190	-46.97	-25	21.97	Pass	1397
2396	2790	1	RMS	2637.325	0.01	60	59.99	Pass	401
2790	3000	1	RMS	2932.8	-43.91	-25	18.91	Pass	401
3000	7000	1	RMS	6979	-57.61	-25	32.61	Pass	4001
7000	26500	1	RMS	25518	-44.8	-25	19.8	Pass	19503




5.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.15	-25	41.15	Pass	401
0.15	30	0.01	RMS	0.24	-66.99	-25	41.99	Pass	2986
30	1000	0.1	RMS	949.467	-59.37	-25	34.37	Pass	9701
1000	2396	1	RMS	2175	-46.98	-25	21.98	Pass	1397
2396	2790	1	RMS	2543.75	17.22	60	42.78	Pass	401
2790	3000	1	RMS	2930.7	-43.91	-25	18.91	Pass	401
3000	7000	1	RMS	6979	-57.6	-25	32.6	Pass	4001
7000	26500	1	RMS	25503	-44.89	-25	19.89	Pass	19503




5.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.65	-25	41.65	Pass	401
0.15	30	0.01	RMS	0.15	-65.47	-25	40.47	Pass	2986
30	1000	0.1	RMS	999.3	-59.42	-25	34.42	Pass	9701
1000	2396	1	RMS	2176	-47.03	-25	22.03	Pass	1397
2396	2790	1	RMS	2641.265	18.17	60	41.83	Pass	401
2790	3000	1	RMS	2938.05	-43.9	-25	18.9	Pass	401
3000	7000	1	RMS	6979	-57.66	-25	32.66	Pass	4001
7000	26500	1	RMS	25510	-44.79	-25	19.79	Pass	19503




5.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.58	-25	42.58	Pass	401
0.15	30	0.01	RMS	0.15	-65.73	-25	40.73	Pass	2986
30	1000	0.1	RMS	889.227	-59.38	-25	34.38	Pass	9701
1000	2396	1	RMS	2178	-47.05	-25	22.05	Pass	1397
2396	2790	1	RMS	2678.695	0.18	60	59.82	Pass	401
2790	3000	1	RMS	2932.275	-43.93	-25	18.93	Pass	401
3000	7000	1	RMS	6979	-57.64	-25	32.64	Pass	4001
7000	26500	1	RMS	25507	-44.72	-25	19.72	Pass	19503




5.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.53	-25	41.53	Pass	401
0.15	30	0.01	RMS	0.25	-66.13	-25	41.13	Pass	2986
30	1000	0.1	RMS	824.5	-59.43	-25	34.43	Pass	9701
1000	2396	1	RMS	2194	-47.03	-25	22.03	Pass	1397
2396	2790	1	RMS	2590.045	15.94	60	44.06	Pass	401
2790	3000	1	RMS	2937.525	-43.93	-25	18.93	Pass	401
3000	7000	1	RMS	6981	-57.66	-25	32.66	Pass	4001
7000	26500	1	RMS	25501	-44.71	-25	19.71	Pass	19503



5.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.09	-25	42.09	Pass	401
0.15	30	0.01	RMS	0.18	-65.84	-25	40.84	Pass	2986
30	1000	0.1	RMS	991.294	-59.43	-25	34.43	Pass	9701
1000	2396	1	RMS	2187	-46.97	-25	21.97	Pass	1397
2396	2790	1	RMS	2688.545	18.58	60	41.42	Pass	401
2790	3000	1	RMS	2936.475	-43.94	-25	18.94	Pass	401
3000	7000	1	RMS	6978	-57.65	-25	32.65	Pass	4001
7000	26500	1	RMS	25496	-44.86	-25	19.86	Pass	19503



6. n77 30kHz(3450-3550)


6.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.6	-13	56.6	Pass	401
0.15	30	0.01	RMS	0.27	-70.4	-13	57.4	Pass	2986
30	1000	0.1	RMS	927.752	-62.68	-13	49.68	Pass	9701
1000	3000	1	RMS	2934	-49.6	-13	36.6	Pass	2001
3000	3440	1	RMS	3440	-34.85	-13	21.85	Pass	441
3440	3560	1	RMS	3458	13.27	60	46.73	Pass	401
3560	7000	1	RMS	6908	-52.53	-13	39.53	Pass	3441
7000	26500	1	RMS	25533	-49.92	-13	36.92	Pass	19503




6.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.2	-13	56.2	Pass	401
0.15	30	0.01	RMS	1	-70.92	-13	57.92	Pass	2986
30	1000	0.1	RMS	785.7	-62.74	-13	49.74	Pass	9701
1000	3000	1	RMS	2941	-49.43	-13	36.43	Pass	2001
3000	3440	1	RMS	3440	-46.04	-13	33.04	Pass	441
3440	3560	1	RMS	3450.8	21.4	60	38.6	Pass	401
3560	7000	1	RMS	6902	-44.57	-13	31.57	Pass	3441
7000	26500	1	RMS	10352	-45.92	-13	32.92	Pass	19503




6.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.11	-13	58.11	Pass	401
0.15	30	0.01	RMS	0.47	-70.42	-13	57.42	Pass	2986
30	1000	0.1	RMS	859.007	-62.44	-13	49.44	Pass	9701
1000	3000	1	RMS	2946	-49.54	-13	36.54	Pass	2001
3000	3440	1	RMS	3004	-46.64	-13	33.64	Pass	441
3440	3560	1	RMS	3459.2	21.48	60	38.52	Pass	401
3560	7000	1	RMS	6918	-44.85	-13	31.85	Pass	3441
7000	26500	1	RMS	10377	-45.22	-13	32.22	Pass	19503




6.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.48	-13	55.48	Pass	401
0.15	30	0.01	RMS	0.22	-71.03	-13	58.03	Pass	2986
30	1000	0.1	RMS	727.7	-63.05	-13	50.05	Pass	9701
1000	3000	1	RMS	2944	-49.5	-13	36.5	Pass	2001
3000	3440	1	RMS	3011	-46.53	-13	33.53	Pass	441
3440	3560	1	RMS	3502.7	13.29	60	46.71	Pass	401
3560	7000	1	RMS	7000	-53.86	-13	40.86	Pass	3441
7000	26500	1	RMS	25443	-49.55	-13	36.55	Pass	19503




6.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	0.4	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	997.598	-62.66	-13	49.66	Pass	9701
1000	3000	1	RMS	2932	-49.73	-13	36.73	Pass	2001
3000	3440	1	RMS	3020	-46.64	-13	33.64	Pass	441
3440	3560	1	RMS	3495.8	21.45	60	38.55	Pass	401
3560	7000	1	RMS	6992	-46.99	-13	33.99	Pass	3441
7000	26500	1	RMS	10487	-47.23	-13	34.23	Pass	19503




6.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.71	-13	56.71	Pass	401
0.15	30	0.01	RMS	0.85	-70.22	-13	57.22	Pass	2986
30	1000	0.1	RMS	947.665	-62.89	-13	49.89	Pass	9701
1000	3000	1	RMS	2929	-49.54	-13	36.54	Pass	2001
3000	3440	1	RMS	3017	-46.57	-13	33.57	Pass	441
3440	3560	1	RMS	3504.2	21.53	60	38.47	Pass	401
3560	7000	1	RMS	3811	-62.92	-13	49.92	Pass	3441
7000	26500	1	RMS	10512	-45.73	-13	32.73	Pass	19503




6.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.96	-13	55.96	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	57.84	Pass	2986
30	1000	0.1	RMS	928.453	-62.77	-13	49.77	Pass	9701
1000	3000	1	RMS	2942	-49.57	-13	36.57	Pass	2001
3000	3440	1	RMS	3009	-46.64	-13	33.64	Pass	441
3440	3560	1	RMS	3542	12.8	60	47.2	Pass	401
3560	7000	1	RMS	3560	-37.07	-13	24.07	Pass	3441
7000	26500	1	RMS	25858	-50.02	-13	37.02	Pass	19503




6.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.94	-13	55.94	Pass	401
0.15	30	0.01	RMS	0.37	-70.89	-13	57.89	Pass	2986
30	1000	0.1	RMS	929.653	-62.66	-13	49.66	Pass	9701
1000	3000	1	RMS	2947	-49.5	-13	36.5	Pass	2001
3000	3440	1	RMS	3008	-46.59	-13	33.59	Pass	441
3440	3560	1	RMS	3540.8	21.14	60	38.86	Pass	401
3560	7000	1	RMS	3560	-54.78	-13	41.78	Pass	3441
7000	26500	1	RMS	7081	-49.02	-13	36.02	Pass	19503




6.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.64	-13	57.64	Pass	401
0.15	30	0.01	RMS	0.24	-68.67	-13	55.67	Pass	2986
30	1000	0.1	RMS	947.966	-62.84	-13	49.84	Pass	9701
1000	3000	1	RMS	2929	-49.65	-13	36.65	Pass	2001
3000	3440	1	RMS	3000	-46.58	-13	33.58	Pass	441
3440	3560	1	RMS	3549.2	21.12	60	38.88	Pass	401
3560	7000	1	RMS	3560	-50.7	-13	37.7	Pass	3441
7000	26500	1	RMS	7098	-47.53	-13	34.53	Pass	19503




6.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.18	-13	56.18	Pass	401
0.15	30	0.01	RMS	0.7	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	956.071	-63.2	-13	50.2	Pass	9701
1000	3000	1	RMS	2941	-49.71	-13	36.71	Pass	2001
3000	3440	1	RMS	3440	-26.45	-13	13.45	Pass	441
3440	3560	1	RMS	3494	5.82	60	54.18	Pass	401
3560	7000	1	RMS	3560	-44.98	-13	31.98	Pass	3441
7000	26500	1	RMS	25862	-50.18	-13	37.18	Pass	19503




**6.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.67	-13	55.67	Pass	401
0.15	30	0.01	RMS	0.2	-69.78	-13	56.78	Pass	2986
30	1000	0.1	RMS	997.598	-62.78	-13	49.78	Pass	9701
1000	3000	1	RMS	2937	-49.72	-13	36.72	Pass	2001
3000	3440	1	RMS	3440	-45.74	-13	32.74	Pass	441
3440	3560	1	RMS	3451.1	21.42	60	38.58	Pass	401
3560	7000	1	RMS	6902	-47.36	-13	34.36	Pass	3441
7000	26500	1	RMS	25467	-50.05	-13	37.05	Pass	19503




6.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.5	-13	55.5	Pass	401
0.15	30	0.01	RMS	0.2	-70.06	-13	57.06	Pass	2986
30	1000	0.1	RMS	832.5	-62.95	-13	49.95	Pass	9701
1000	3000	1	RMS	2947	-49.61	-13	36.61	Pass	2001
3000	3440	1	RMS	3012	-46.58	-13	33.58	Pass	441
3440	3560	1	RMS	3498.8	21.6	60	38.4	Pass	401
3560	7000	1	RMS	6998	-49.21	-13	36.21	Pass	3441
7000	26500	1	RMS	10497	-49.53	-13	36.53	Pass	19503




6.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.52	-13	56.52	Pass	401
0.15	30	0.01	RMS	0.17	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	862.709	-62.85	-13	49.85	Pass	9701
1000	3000	1	RMS	2941	-49.5	-13	36.5	Pass	2001
3000	3440	1	RMS	3440	-33.38	-13	20.38	Pass	441
3440	3560	1	RMS	3498.2	5.91	60	54.09	Pass	401
3560	7000	1	RMS	3560	-32.11	-13	19.11	Pass	3441
7000	26500	1	RMS	25913	-49.88	-13	36.88	Pass	19503




6.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.97	-13	55.97	Pass	401
0.15	30	0.01	RMS	0.15	-69.78	-13	56.78	Pass	2986
30	1000	0.1	RMS	862.009	-62.72	-13	49.72	Pass	9701
1000	3000	1	RMS	2946	-49.66	-13	36.66	Pass	2001
3000	3440	1	RMS	3021	-46.58	-13	33.58	Pass	441
3440	3560	1	RMS	3476.3	21.37	60	38.63	Pass	401
3560	7000	1	RMS	6952	-47.6	-13	34.6	Pass	3441
7000	26500	1	RMS	10429	-48.07	-13	35.07	Pass	19503




6.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.79	-13	56.79	Pass	401
0.15	30	0.01	RMS	0.16	-70.01	-13	57.01	Pass	2986
30	1000	0.1	RMS	994.396	-62.77	-13	49.77	Pass	9701
1000	3000	1	RMS	2959	-49.67	-13	36.67	Pass	2001
3000	3440	1	RMS	3004	-46.6	-13	33.6	Pass	441
3440	3560	1	RMS	3523.7	21.34	60	38.66	Pass	401
3560	7000	1	RMS	3571	-54.85	-13	41.85	Pass	3441
7000	26500	1	RMS	7047	-49.87	-13	36.87	Pass	19503




6.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.92	-13	56.92	Pass	401
0.15	30	0.01	RMS	0.25	-71.02	-13	58.02	Pass	2986
30	1000	0.1	RMS	568.4	-62.61	-13	49.61	Pass	9701
1000	3000	1	RMS	2938	-49.67	-13	36.67	Pass	2001
3000	3440	1	RMS	3440	-41.13	-13	28.13	Pass	441
3440	3560	1	RMS	3506.9	5.83	60	54.17	Pass	401
3560	7000	1	RMS	3561	-23.98	-13	10.98	Pass	3441
7000	26500	1	RMS	25511	-49.91	-13	36.91	Pass	19503




6.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.04	-13	58.04	Pass	401
0.15	30	0.01	RMS	0.17	-70.76	-13	57.76	Pass	2986
30	1000	0.1	RMS	868.713	-63.1	-13	50.1	Pass	9701
1000	3000	1	RMS	2942	-49.69	-13	36.69	Pass	2001
3000	3440	1	RMS	3013	-46.55	-13	33.55	Pass	441
3440	3560	1	RMS	3501.2	21.8	60	38.2	Pass	401
3560	7000	1	RMS	3563	-57.31	-13	44.31	Pass	3441
7000	26500	1	RMS	7002	-47.73	-13	34.73	Pass	19503




**6.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.36	-13	55.36	Pass	401
0.15	30	0.01	RMS	0.15	-68.92	-13	55.92	Pass	2986
30	1000	0.1	RMS	802.5	-62.41	-13	49.41	Pass	9701
1000	3000	1	RMS	2936	-49.66	-13	36.66	Pass	2001
3000	3440	1	RMS	3008	-46.56	-13	33.56	Pass	441
3440	3560	1	RMS	3548.6	21.02	60	38.98	Pass	401
3560	7000	1	RMS	3561	-49.68	-13	36.68	Pass	3441
7000	26500	1	RMS	25524	-49.75	-13	36.75	Pass	19503




**6.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.69	-13	55.69	Pass	401
0.15	30	0.01	RMS	0.32	-70.37	-13	57.37	Pass	2986
30	1000	0.1	RMS	982.789	-62.68	-13	49.68	Pass	9701
1000	3000	1	RMS	2954	-49.64	-13	36.64	Pass	2001
3000	3440	1	RMS	3439	-27.77	-13	14.77	Pass	441
3440	3560	1	RMS	3499.7	2.68	60	57.32	Pass	401
3560	7000	1	RMS	3561	-24.99	-13	11.99	Pass	3441
7000	26500	1	RMS	25460	-49.7	-13	36.7	Pass	19503




6.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.33	-13	57.33	Pass	401
0.15	30	0.01	RMS	0.41	-70.49	-13	57.49	Pass	2986
30	1000	0.1	RMS	895.931	-62.65	-13	49.65	Pass	9701
1000	3000	1	RMS	2948	-49.72	-13	36.72	Pass	2001
3000	3440	1	RMS	3440	-45.93	-13	32.93	Pass	441
3440	3560	1	RMS	3451.1	21.17	60	38.83	Pass	401
3560	7000	1	RMS	6902	-45.8	-13	32.8	Pass	3441
7000	26500	1	RMS	25531	-49.88	-13	36.88	Pass	19503



6.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.71	-13	55.71	Pass	401
0.15	30	0.01	RMS	0.89	-70.97	-13	57.97	Pass	2986
30	1000	0.1	RMS	980.887	-63.02	-13	50.02	Pass	9701
1000	3000	1	RMS	2939	-49.61	-13	36.61	Pass	2001
3000	3440	1	RMS	3013	-46.57	-13	33.57	Pass	441
3440	3560	1	RMS	3548.9	21.02	60	38.98	Pass	401
3560	7000	1	RMS	3598	-49.81	-13	36.81	Pass	3441
7000	26500	1	RMS	7098	-49.42	-13	36.42	Pass	19503



7. n77 30kHz(3700-3980)


7.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.19	-13	53.19	Pass	401
0.15	30	0.01	RMS	0.16	-63.92	-13	50.92	Pass	2986
30	1000	0.1	RMS	905.337	-56.87	-13	43.87	Pass	9701
1000	3000	1	RMS	2937	-43.78	-13	30.78	Pass	2001
3000	3690	1	RMS	3690	-35.16	-13	22.16	Pass	691
3690	3990	1	RMS	3707.25	11.16	60	48.84	Pass	401
3990	7000	1	RMS	6979	-57.47	-13	44.47	Pass	3011
7000	26500	1	RMS	25513	-44.05	-13	31.05	Pass	19503




7.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.32	-13	52.32	Pass	401
0.15	30	0.01	RMS	0.16	-64.02	-13	51.02	Pass	2986
30	1000	0.1	RMS	803.9	-56.89	-13	43.89	Pass	9701
1000	3000	1	RMS	2937	-43.71	-13	30.71	Pass	2001
3000	3690	1	RMS	3011	-40.62	-13	27.62	Pass	691
3690	3990	1	RMS	3700.5	17.82	60	42.18	Pass	401
3990	7000	1	RMS	6982	-57.62	-13	44.62	Pass	3011
7000	26500	1	RMS	25434	-43.9	-13	30.9	Pass	19503




7.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.55	-13	51.55	Pass	401
0.15	30	0.01	RMS	0.17	-63.91	-13	50.91	Pass	2986
30	1000	0.1	RMS	842	-56.76	-13	43.76	Pass	9701
1000	3000	1	RMS	2935	-43.56	-13	30.56	Pass	2001
3000	3690	1	RMS	3009	-40.72	-13	27.72	Pass	691
3690	3990	1	RMS	3708.75	17.7	60	42.3	Pass	401
3990	7000	1	RMS	6982	-57.45	-13	44.45	Pass	3011
7000	26500	1	RMS	25501	-43.41	-13	30.41	Pass	19503




7.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.44	-13	52.44	Pass	401
0.15	30	0.01	RMS	1.29	-64.48	-13	51.48	Pass	2986
30	1000	0.1	RMS	902.335	-56.52	-13	43.52	Pass	9701
1000	3000	1	RMS	2929	-43.64	-13	30.64	Pass	2001
3000	3690	1	RMS	3003	-40.55	-13	27.55	Pass	691
3690	3990	1	RMS	3837	10.29	60	49.71	Pass	401
3990	7000	1	RMS	6974	-57.39	-13	44.39	Pass	3011
7000	26500	1	RMS	25502	-44.06	-13	31.06	Pass	19503




7.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.2	-13	52.2	Pass	401
0.15	30	0.01	RMS	1.05	-63.49	-13	50.49	Pass	2986
30	1000	0.1	RMS	847.5	-56.78	-13	43.78	Pass	9701
1000	3000	1	RMS	2936	-43.49	-13	30.49	Pass	2001
3000	3690	1	RMS	3003	-40.58	-13	27.58	Pass	691
3690	3990	1	RMS	3835.5	17.04	60	42.96	Pass	401
3990	7000	1	RMS	6979	-57.3	-13	44.3	Pass	3011
7000	26500	1	RMS	25830	-43.63	-13	30.63	Pass	19503




7.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.78	-13	52.78	Pass	401
0.15	30	0.01	RMS	0.21	-64.58	-13	51.58	Pass	2986
30	1000	0.1	RMS	933.956	-56.74	-13	43.74	Pass	9701
1000	3000	1	RMS	2937	-43.69	-13	30.69	Pass	2001
3000	3690	1	RMS	3019	-40.62	-13	27.62	Pass	691
3690	3990	1	RMS	3844.5	16.98	60	43.02	Pass	401
3990	7000	1	RMS	6973	-57.48	-13	44.48	Pass	3011
7000	26500	1	RMS	25885	-43.72	-13	30.72	Pass	19503




7.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.69	-13	51.69	Pass	401
0.15	30	0.01	RMS	0.23	-63.65	-13	50.65	Pass	2986
30	1000	0.1	RMS	886.125	-56.85	-13	43.85	Pass	9701
1000	3000	1	RMS	2971	-43.69	-13	30.69	Pass	2001
3000	3690	1	RMS	3010	-40.6	-13	27.6	Pass	691
3690	3990	1	RMS	3972.75	11.42	60	48.58	Pass	401
3990	7000	1	RMS	3990	-36.49	-13	23.49	Pass	3011
7000	26500	1	RMS	25871	-43.73	-13	30.73	Pass	19503




7.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.35	-13	49.35	Pass	401
0.15	30	0.01	RMS	0.83	-64.84	-13	51.84	Pass	2986
30	1000	0.1	RMS	865.611	-57.05	-13	44.05	Pass	9701
1000	3000	1	RMS	2941	-43.57	-13	30.57	Pass	2001
3000	3690	1	RMS	3020	-40.59	-13	27.59	Pass	691
3690	3990	1	RMS	3970.5	18.41	60	41.59	Pass	401
3990	7000	1	RMS	3991	-55.07	-13	42.07	Pass	3011
7000	26500	1	RMS	25498	-43.97	-13	30.97	Pass	19503




7.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.69	-13	52.69	Pass	401
0.15	30	0.01	RMS	1.91	-65.68	-13	52.68	Pass	2986
30	1000	0.1	RMS	922.549	-56.73	-13	43.73	Pass	9701
1000	3000	1	RMS	2934	-43.74	-13	30.74	Pass	2001
3000	3690	1	RMS	3008	-40.53	-13	27.53	Pass	691
3690	3990	1	RMS	3978.75	17.94	60	42.06	Pass	401
3990	7000	1	RMS	3996	-50.96	-13	37.96	Pass	3011
7000	26500	1	RMS	25472	-43.58	-13	30.58	Pass	19503




**7.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.98	-13	51.98	Pass	401
0.15	30	0.01	RMS	0.6	-64.3	-13	51.3	Pass	2986
30	1000	0.1	RMS	886.225	-55.96	-13	42.96	Pass	9701
1000	3000	1	RMS	2956	-43.54	-13	30.54	Pass	2001
3000	3690	1	RMS	3690	-29.87	-13	16.87	Pass	691
3690	3990	1	RMS	3707.25	3.78	60	56.22	Pass	401
3990	7000	1	RMS	6973	-57.37	-13	44.37	Pass	3011
7000	26500	1	RMS	25461	-44	-13	31	Pass	19503




**7.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.74	-13	52.74	Pass	401
0.15	30	0.01	RMS	0.16	-63.56	-13	50.56	Pass	2986
30	1000	0.1	RMS	937.258	-56.74	-13	43.74	Pass	9701
1000	3000	1	RMS	2940	-43.69	-13	30.69	Pass	2001
3000	3690	1	RMS	3016	-40.56	-13	27.56	Pass	691
3690	3990	1	RMS	3701.25	19	60	41	Pass	401
3990	7000	1	RMS	6976	-57.39	-13	44.39	Pass	3011
7000	26500	1	RMS	25502	-43.41	-13	30.41	Pass	19503




**7.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.78	-13	52.78	Pass	401
0.15	30	0.01	RMS	0.32	-64.37	-13	51.37	Pass	2986
30	1000	0.1	RMS	947.765	-56.77	-13	43.77	Pass	9701
1000	3000	1	RMS	2963	-43.58	-13	30.58	Pass	2001
3000	3690	1	RMS	3007	-40.54	-13	27.54	Pass	691
3690	3990	1	RMS	3748.5	18	60	42	Pass	401
3990	7000	1	RMS	6984	-57.47	-13	44.47	Pass	3011
7000	26500	1	RMS	25483	-43.74	-13	30.74	Pass	19503




7.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.18	-13	52.18	Pass	401
0.15	30	0.01	RMS	0.38	-64.95	-13	51.95	Pass	2986
30	1000	0.1	RMS	834.3	-56.73	-13	43.73	Pass	9701
1000	3000	1	RMS	2947	-43.72	-13	30.72	Pass	2001
3000	3690	1	RMS	3008	-40.53	-13	27.53	Pass	691
3690	3990	1	RMS	3817.5	3.35	60	56.65	Pass	401
3990	7000	1	RMS	6977	-57.32	-13	44.32	Pass	3011
7000	26500	1	RMS	25483	-43.87	-13	30.87	Pass	19503




**7.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.77	-13	52.77	Pass	401
0.15	30	0.01	RMS	0.51	-63.93	-13	50.93	Pass	2986
30	1000	0.1	RMS	941.261	-56.36	-13	43.36	Pass	9701
1000	3000	1	RMS	2947	-43.56	-13	30.56	Pass	2001
3000	3690	1	RMS	3016	-40.57	-13	27.57	Pass	691
3690	3990	1	RMS	3816	18.08	60	41.92	Pass	401
3990	7000	1	RMS	6980	-57.5	-13	44.5	Pass	3011
7000	26500	1	RMS	25847	-43.9	-13	30.9	Pass	19503




**7.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.39	-13	51.39	Pass	401
0.15	30	0.01	RMS	1.72	-64.4	-13	51.4	Pass	2986
30	1000	0.1	RMS	850.801	-56.69	-13	43.69	Pass	9701
1000	3000	1	RMS	2947	-43.62	-13	30.62	Pass	2001
3000	3690	1	RMS	3000	-40.54	-13	27.54	Pass	691
3690	3990	1	RMS	3864	18.31	60	41.69	Pass	401
3990	7000	1	RMS	6976	-57.44	-13	44.44	Pass	3011
7000	26500	1	RMS	25520	-44.05	-13	31.05	Pass	19503




**7.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.12	-13	53.12	Pass	401
0.15	30	0.01	RMS	0.21	-65.79	-13	52.79	Pass	2986
30	1000	0.1	RMS	897.132	-56.9	-13	43.9	Pass	9701
1000	3000	1	RMS	2944	-43.75	-13	30.75	Pass	2001
3000	3690	1	RMS	3005	-40.48	-13	27.48	Pass	691
3690	3990	1	RMS	3933	4.43	60	55.57	Pass	401
3990	7000	1	RMS	3990	-23.15	-13	10.15	Pass	3011
7000	26500	1	RMS	25457	-44	-13	31	Pass	19503




**7.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.76	-13	52.76	Pass	401
0.15	30	0.01	RMS	0.21	-63.29	-13	50.29	Pass	2986
30	1000	0.1	RMS	993.796	-57.13	-13	44.13	Pass	9701
1000	3000	1	RMS	2944	-43.44	-13	30.44	Pass	2001
3000	3690	1	RMS	3013	-40.6	-13	27.6	Pass	691
3690	3990	1	RMS	3931.5	18.61	60	41.39	Pass	401
3990	7000	1	RMS	4003	-57.24	-13	44.24	Pass	3011
7000	26500	1	RMS	25484	-44.04	-13	31.04	Pass	19503




**7.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.57	-13	51.57	Pass	401
0.15	30	0.01	RMS	0.34	-64.74	-13	51.74	Pass	2986
30	1000	0.1	RMS	897.532	-56.66	-13	43.66	Pass	9701
1000	3000	1	RMS	2935	-43.61	-13	30.61	Pass	2001
3000	3690	1	RMS	3015	-40.65	-13	27.65	Pass	691
3690	3990	1	RMS	3978.75	19.34	60	40.66	Pass	401
3990	7000	1	RMS	3990	-50.17	-13	37.17	Pass	3011
7000	26500	1	RMS	25491	-43.53	-13	30.53	Pass	19503




**7.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.4	-13	53.4	Pass	401
0.15	30	0.01	RMS	0.69	-65.29	-13	52.29	Pass	2986
30	1000	0.1	RMS	882.322	-57.03	-13	44.03	Pass	9701
1000	3000	1	RMS	2935	-43.74	-13	30.74	Pass	2001
3000	3690	1	RMS	3669	-29.83	-13	16.83	Pass	691
3690	3990	1	RMS	3706.5	0.57	60	59.43	Pass	401
3990	7000	1	RMS	3990	-54.28	-13	41.28	Pass	3011
7000	26500	1	RMS	25915	-44.06	-13	31.06	Pass	19503




**7.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.08	-13	52.08	Pass	401
0.15	30	0.01	RMS	0.99	-65.1	-13	52.1	Pass	2986
30	1000	0.1	RMS	815.7	-56.25	-13	43.25	Pass	9701
1000	3000	1	RMS	2945	-43.69	-13	30.69	Pass	2001
3000	3690	1	RMS	3017	-40.63	-13	27.63	Pass	691
3690	3990	1	RMS	3701.25	18.38	60	41.62	Pass	401
3990	7000	1	RMS	6979	-57.37	-13	44.37	Pass	3011
7000	26500	1	RMS	25499	-43.38	-13	30.38	Pass	19503




**7.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.06	-13	52.06	Pass	401
0.15	30	0.01	RMS	0.55	-64.19	-13	51.19	Pass	2986
30	1000	0.1	RMS	969.58	-56.71	-13	43.71	Pass	9701
1000	3000	1	RMS	2949	-43.66	-13	30.66	Pass	2001
3000	3690	1	RMS	3007	-40.51	-13	27.51	Pass	691
3690	3990	1	RMS	3798.75	18.27	60	41.73	Pass	401
3990	7000	1	RMS	6984	-57.5	-13	44.5	Pass	3011
7000	26500	1	RMS	25472	-44.15	-13	31.15	Pass	19503




**7.22 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.15	-13	53.15	Pass	401
0.15	30	0.01	RMS	0.44	-63.92	-13	50.92	Pass	2986
30	1000	0.1	RMS	817.8	-56.99	-13	43.99	Pass	9701
1000	3000	1	RMS	2961	-43.79	-13	30.79	Pass	2001
3000	3690	1	RMS	3688	-38.51	-13	25.51	Pass	691
3690	3990	1	RMS	3801	0.94	60	59.06	Pass	401
3990	7000	1	RMS	3992	-48.55	-13	35.55	Pass	3011
7000	26500	1	RMS	25599	-43.97	-13	30.97	Pass	19503




7.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.95	-13	51.95	Pass	401
0.15	30	0.01	RMS	0.17	-63.18	-13	50.18	Pass	2986
30	1000	0.1	RMS	904.637	-56.74	-13	43.74	Pass	9701
1000	3000	1	RMS	2960	-43.77	-13	30.77	Pass	2001
3000	3690	1	RMS	3015	-40.61	-13	27.61	Pass	691
3690	3990	1	RMS	3791.25	17.99	60	42.01	Pass	401
3990	7000	1	RMS	6979	-57.56	-13	44.56	Pass	3011
7000	26500	1	RMS	25518	-43.64	-13	30.64	Pass	19503




7.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.25	-13	52.25	Pass	401
0.15	30	0.01	RMS	0.15	-64.42	-13	51.42	Pass	2986
30	1000	0.1	RMS	859.607	-56.89	-13	43.89	Pass	9701
1000	3000	1	RMS	2932	-43.68	-13	30.68	Pass	2001
3000	3690	1	RMS	3010	-40.66	-13	27.66	Pass	691
3690	3990	1	RMS	3888.75	18.97	60	41.03	Pass	401
3990	7000	1	RMS	6987	-57.46	-13	44.46	Pass	3011
7000	26500	1	RMS	25888	-43.81	-13	30.81	Pass	19503




**7.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.39	-13	53.39	Pass	401
0.15	30	0.01	RMS	0.25	-64.13	-13	51.13	Pass	2986
30	1000	0.1	RMS	873.216	-56.65	-13	43.65	Pass	9701
1000	3000	1	RMS	2939	-43.45	-13	30.45	Pass	2001
3000	3690	1	RMS	3004	-40.63	-13	27.63	Pass	691
3690	3990	1	RMS	3894	1.09	60	58.91	Pass	401
3990	7000	1	RMS	3990	-32.07	-13	19.07	Pass	3011
7000	26500	1	RMS	25498	-43.71	-13	30.71	Pass	19503



7.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.93	-13	51.93	Pass	401
0.15	30	0.01	RMS	0.18	-63.78	-13	50.78	Pass	2986
30	1000	0.1	RMS	927.452	-56.58	-13	43.58	Pass	9701
1000	3000	1	RMS	2968	-43.68	-13	30.68	Pass	2001
3000	3690	1	RMS	3014	-40.6	-13	27.6	Pass	691
3690	3990	1	RMS	3881.25	18.54	60	41.46	Pass	401
3990	7000	1	RMS	4028	-55.09	-13	42.09	Pass	3011
7000	26500	1	RMS	25533	-44.04	-13	31.04	Pass	19503



**7.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.26	-13	53.26	Pass	401
0.15	30	0.01	RMS	0.32	-64.94	-13	51.94	Pass	2986
30	1000	0.1	RMS	776.4	-56.91	-13	43.91	Pass	9701
1000	3000	1	RMS	2947	-43.69	-13	30.69	Pass	2001
3000	3690	1	RMS	3012	-40.43	-13	27.43	Pass	691
3690	3990	1	RMS	3978.75	18.87	60	41.13	Pass	401
3990	7000	1	RMS	3990	-50.92	-13	37.92	Pass	3011
7000	26500	1	RMS	25520	-43.95	-13	30.95	Pass	19503

