



22.31 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




22.32 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




22.33 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	3.94	13	Pass




22.34 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




22.35 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.64	13	Pass




22.36 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.39	13	Pass




22.37 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.97	13	Pass




22.38 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)



22.39 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




22.40 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




22.41 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	3.52	13	Pass




22.42 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




22.43 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	4.12	13	Pass




22.44 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)



22.45 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.06	13	Pass




22.46 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




22.47 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.16	13	Pass




22.48 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)



22.49 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




22.50 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




22.51 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




22.52 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




22.53 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




22.54 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




22.55 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




22.56 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




22.57 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)




22.58 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)



22.59 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




22.60 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)



22.61 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




22.62 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)




22.63 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1730	0.1	3.8	13	Pass




22.64 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)




22.65 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1730	0.1	4.55	13	Pass




22.66 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)



22.67 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1730	0.1	4.97	13	Pass




22.68 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)



22.69 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




22.70 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)




22.71 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	3.7	13	Pass




22.72 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)




22.73 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	4.17	13	Pass



22.74 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)



22.75 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




22.76 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)




22.77 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.2	13	Pass



22.78 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)




22.79 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




22.80 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.52	13	Pass



22.81 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




22.82 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)



22.83 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1760	0.1	3.98	13	Pass




22.84 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)




22.85 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1760	0.1	4.78	13	Pass



22.86 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)




22.87 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)



22.88 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)




22.89 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




23. n77 30kHz(3450-3550)

23.1 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




23.2 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	3.58	13	Pass




23.3 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	4.48	13	Pass




23.4 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)



23.5 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




23.6 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




23.7 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	5.77	13	Pass




23.8 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




23.9 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



23.10 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




23.11 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




23.12 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	3.56	13	Pass




23.13 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	4.41	13	Pass




23.14 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	5.11	13	Pass




23.15 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	5.23	13	Pass




23.16 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




23.17 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.11	13	Pass



23.18 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




23.19 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




23.20 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.29	13	Pass




23.21 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	3.04	13	Pass




23.22 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	3.29	13	Pass




23.23 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	4.05	13	Pass




23.24 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	4.84	13	Pass




23.25 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	4.69	13	Pass




23.26 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	5.58	13	Pass




23.27 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	5.31	13	Pass



23.28 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




23.29 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




23.30 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	6.13	13	Pass




23.31 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




23.32 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	4.09	13	Pass



23.33 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	4.22	13	Pass




23.34 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)




23.35 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	5.77	13	Pass




23.36 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)




23.37 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	5.36	13	Pass



23.38 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)




23.39 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




23.40 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	6.45	13	Pass




23.41 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	3.14	13	Pass




23.42 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	3.39	13	Pass



23.43 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	4.26	13	Pass



23.44 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

