


23.45 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	4.86	13	Pass




23.46 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)




23.47 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	5.44	13	Pass



23.48 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)




23.49 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



23.50 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.23	13	Pass




23.51 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




23.52 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3525	0.1	3.33	13	Pass



23.53 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3525	0.1	3.98	13	Pass




23.54 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)




23.55 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3525	0.1	5.04	13	Pass




23.56 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)




23.57 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3525	0.1	5.21	13	Pass




23.58 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)



23.59 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




23.60 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)




23.61 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	3.12	13	Pass




23.62 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	3.87	13	Pass




23.63 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	4.58	13	Pass




23.64 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	4.99	13	Pass




23.65 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




23.66 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	5.72	13	Pass




23.67 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	5.32	13	Pass




23.68 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	5.97	13	Pass




23.69 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	5.74	13	Pass




23.70 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.23	13	Pass



24. n77 30kHz(3700-3980)

24.1 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




24.2 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




24.3 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3705	0.1	4.16	13	Pass




24.4 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3705	0.1	4.79	13	Pass




24.5 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3705	0.1	4.57	13	Pass




24.6 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




24.7 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3705	0.1	4.99	13	Pass




24.8 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




24.9 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



24.10 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




24.11 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




24.12 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	3.61	13	Pass




24.13 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




24.14 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	5.16	13	Pass




24.15 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	5.32	13	Pass




24.16 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




24.17 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)



24.18 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




24.19 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




24.20 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	6.39	13	Pass




24.21 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




24.22 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	3.53	13	Pass




24.23 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	4.09	13	Pass




24.24 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	4.57	13	Pass




24.25 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	4.93	13	Pass




24.26 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




24.27 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	4.82	13	Pass




24.28 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)



24.29 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




24.30 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




24.31 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3725.01	0.1	2.78	13	Pass




24.32 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)




24.33 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3725.01	0.1	3.76	13	Pass




24.34 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)




24.35 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3725.01	0.1	4.3	13	Pass




24.36 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)




24.37 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3725.01	0.1	4.54	13	Pass




24.38 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)




24.39 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



24.40 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)




24.41 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




24.42 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	4.27	13	Pass




24.43 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	4.34	13	Pass




24.44 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)



24.45 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	5.21	13	Pass




24.46 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)




24.47 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	5.12	13	Pass



24.48 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)




24.49 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




24.50 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	6.37	13	Pass




24.51 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	2.92	13	Pass




24.52 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)



24.53 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	3.84	13	Pass



24.54 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)



24.55 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




24.56 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)




24.57 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	4.97	13	Pass



24.58 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)




24.59 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




24.60 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	6.2	13	Pass



24.61 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




24.62 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)




24.63 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	3.77	13	Pass



24.64 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




24.65 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




24.66 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	5.55	13	Pass




24.67 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




24.68 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)



24.69 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




24.70 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)




24.71 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	3.2	13	Pass




24.72 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)




24.73 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	4.73	13	Pass




24.74 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	5.2	13	Pass




24.75 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)



24.76 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	5.88	13	Pass



24.77 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

