


Annex A.2 Peak to Average Ratio

1. LTE_Band48

1.1 LTE Peak to Average Ratio_Part96(NTNV)(Subtest:1, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.2 LTE Peak to Average Ratio_Part96(NTNV)(Subtest:2, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




1.3 LTE Peak to Average Ratio_Part96(NTNV)(Subtest:3, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	8.25	13	Pass




1.4 LTE Peak to Average Ratio_Part96(NTNV)(Subtest:4, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	9.09	13	Pass




1.5 LTE Peak to Average Ratio_Part96(NTNV)(Subtest:5, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3625	0.1	7.12	13	Pass




1.6 LTE Peak to Average Ratio_Part96(NTNV)(Subtest:6, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3625	0.1	8.2	13	Pass




1.7 LTE Peak to Average Ratio_Part96(NTNV)(Subtest:7, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3625	0.1	7.83	13	Pass




1.8 LTE Peak to Average Ratio_Part96(NTNV)(Subtest:8, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3625	0.1	9.09	13	Pass




1.9 LTE Peak to Average Ratio_Part96(NTNV)(Subtest:9, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3695	0.1	7.41	13	Pass




1.10 LTE Peak to Average Ratio_Part96(NTNV)(Subtest:10, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3695	0.1	8.2	13	Pass




1.11 LTE Peak to Average Ratio_Part96(NTNV)(Subtest:11, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3695	0.1	8.25	13	Pass




1.12 LTE Peak to Average Ratio_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3695	0.1	9.33	13	Pass




1. n48 30kHz

2.1 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




2.2 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




2.3 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	4.38	13	Pass




2.4 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	4.94	13	Pass




2.5 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	5.54	13	Pass




2.6 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	5.77	13	Pass




2.7 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	5.26	13	Pass




2.8 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	5.96	13	Pass




2.9 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	5.98	13	Pass




2.10 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	6.12	13	Pass




2.11 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	2.92	13	Pass




2.12 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




2.13 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	3.74	13	Pass




2.14 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	4.56	13	Pass




2.15 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	4.9	13	Pass




2.16 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	5.37	13	Pass




2.17 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	4.83	13	Pass




2.18 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	5.53	13	Pass




2.19 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	5.62	13	Pass




2.20 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	6.15	13	Pass




2.21 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3694.98	0.1	3.05	13	Pass




2.22 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




2.23 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3694.98	0.1	3.87	13	Pass




2.24 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3694.98	0.1	4.57	13	Pass




2.25 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3694.98	0.1	4.7	13	Pass




2.26 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3694.98	0.1	5.84	13	Pass




2.27 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3694.98	0.1	4.89	13	Pass




2.28 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3694.98	0.1	5.64	13	Pass




2.29 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3694.98	0.1	5.95	13	Pass




2.30 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3694.98	0.1	6.18	13	Pass




2.31 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	3.11	13	Pass




2.32 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




2.33 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	4.4	13	Pass




2.34 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	5.01	13	Pass




2.35 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	5.1	13	Pass




2.36 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	5.68	13	Pass




2.37 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	5.12	13	Pass




2.38 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	5.94	13	Pass




2.39 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	5.94	13	Pass




2.40 Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	6.36	13	Pass



2.41 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	2.39	13	Pass




2.42 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




2.43 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	3.85	13	Pass




2.44 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	4.56	13	Pass




2.45 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	4.96	13	Pass




2.46 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	5.36	13	Pass




2.47 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	4.86	13	Pass




2.48 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	5.64	13	Pass




2.49 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	5.34	13	Pass




2.50 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	6.1	13	Pass




2.51 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	2.92	13	Pass




2.52 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




2.53 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	3.8	13	Pass




2.54 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	4.6	13	Pass




2.55 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	4.92	13	Pass




2.56 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	5.43	13	Pass




2.57 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	4.84	13	Pass




2.58 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	5.7	13	Pass




2.59 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	5.9	13	Pass




2.60 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	6.36	13	Pass




2.61 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3570	0.1	2.98	13	Pass




2.62 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




2.63 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3570	0.1	4.25	13	Pass




2.64 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3570	0.1	4.9	13	Pass




2.65 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3570	0.1	5.49	13	Pass




2.66 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3570	0.1	5.63	13	Pass




2.67 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3570	0.1	5.24	13	Pass




2.68 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3570	0.1	5.88	13	Pass




2.69 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3570	0.1	5.93	13	Pass




2.70 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3570	0.1	6.17	13	Pass




2.71 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	2.57	13	Pass




2.72 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




2.73 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	3.83	13	Pass




2.74 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	4.59	13	Pass




2.75 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	5.02	13	Pass




2.76 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	5.35	13	Pass




2.77 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	4.92	13	Pass




2.78 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	5.62	13	Pass




2.79 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	5.36	13	Pass




2.80 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	5.97	13	Pass



2.81 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3679.98	0.1	2.49	13	Pass




2.82 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




2.83 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3679.98	0.1	3.77	13	Pass




2.84 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3679.98	0.1	4.6	13	Pass




2.85 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3679.98	0.1	4.97	13	Pass




2.86 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3679.98	0.1	5.38	13	Pass




2.87 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3679.98	0.1	4.83	13	Pass




2.88 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3679.98	0.1	5.65	13	Pass




2.89 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3679.98	0.1	5.28	13	Pass



2.90 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3679.98	0.1	6.29	13	Pass



--BLANK BELOW--