

Annex A.3 Occupied Bandwidth


1. LTE_Band48

1.1 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




1.2 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3552.5	99	26	0.1	Peak	4.506	5.265	5	Pass



1.3 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.1	Peak	4.493	5.089	5	Pass



1.4 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:4, Channel:55990, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.1	Peak	4.508	5.122	5	Pass




1.5 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3697.5	99	26	0.1	Peak	4.509	5.33	5	Pass




1.6 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:6, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3697.5	99	26	0.1	Peak	4.499	5.172	5	Pass




1.7 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:7, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3555	99	26	0.2	Peak	8.985	10.298	10	Pass




1.8 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:8, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3555	99	26	0.2	Peak	8.968	10.334	10	Pass




1.9 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:9, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.2	Peak	8.982	10.324	10	Pass



1.10 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




1.11 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:11, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




1.12 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3695	99	26	0.2	Peak	8.985	10.301	10	Pass




1.13 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3557.5	99	26	0.3	Peak	13.454	16.015	15	Pass




1.14 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:14, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3557.5	99	26	0.3	Peak	13.482	15.274	15	Pass




1.15 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.3	Peak	13.477	15.244	15	Pass




1.16 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:16, Channel:55990, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.3	Peak	13.477	15.393	15	Pass




1.17 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:17, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3692.5	99	26	0.3	Peak	13.461	15.131	15	Pass




1.18 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:18, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3692.5	99	26	0.3	Peak	13.495	15.1	15	Pass




1.19 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560	99	26	0.39	Peak	17.952	20.583	20	Pass




1.20 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:20, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560	99	26	0.39	Peak	17.915	20.428	20	Pass




1.21 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:21, Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.39	Peak	17.955	20.186	20	Pass




1.22 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:22, Channel:55990, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.39	Peak	17.921	20.115	20	Pass




1.23 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3690	99	26	0.39	Peak	17.934	20.735	20	Pass




1.24 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:24, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3690	99	26	0.39	Peak	17.942	20.586	20	Pass




2. n48 30kHz

2.1 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




2.2 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.2	Peak	8.66	10.25	10	Pass




2.3 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3694.98	99	26	0.2	Peak	8.64	10.17	10	Pass




2.4 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3555	99	26	0.2	Peak	8.67	10.35	10	Pass




2.5 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.2	Peak	8.67	10.46	10	Pass




2.6 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3694.98	99	26	0.2	Peak	8.67	10.31	10	Pass




2.7 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3555	99	26	0.2	Peak	8.68	10.41	10	Pass




2.8 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.2	Peak	8.69	10.7	10	Pass




2.9 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3694.98	99	26	0.2	Peak	8.69	10.19	10	Pass




2.10 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3555	99	26	0.2	Peak	8.67	10.42	10	Pass




2.11 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.2	Peak	8.67	10.2	10	Pass




2.12 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3694.98	99	26	0.2	Peak	8.67	10.36	10	Pass




2.13 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3557.52	99	26	0.3	Peak	13.69	15.56	15	Pass




2.14 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.3	Peak	13.7	15.52	15	Pass




2.15 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3692.49	99	26	0.3	Peak	13.68	15.51	15	Pass




2.16 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3557.52	99	26	0.3	Peak	13.71	15.45	15	Pass




2.17 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.3	Peak	13.69	15.46	15	Pass




2.18 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3692.49	99	26	0.3	Peak	13.66	15.57	15	Pass




2.19 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3557.52	99	26	0.3	Peak	13.68	15.38	15	Pass




2.20 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.3	Peak	13.68	15.33	15	Pass




2.21 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3692.49	99	26	0.3	Peak	13.65	15.38	15	Pass




2.22 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3557.52	99	26	0.3	Peak	13.67	15.43	15	Pass




2.23 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.3	Peak	13.67	15.4	15	Pass




2.24 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3692.49	99	26	0.3	Peak	13.63	15.4	15	Pass




2.25 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560.01	99	26	0.39	Peak	18.31	20.35	20	Pass




2.26 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.39	Peak	18.32	20.41	20	Pass




2.27 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3690	99	26	0.39	Peak	18.3	20.13	20	Pass




2.28 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560.01	99	26	0.39	Peak	18.31	20.13	20	Pass




2.29 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.39	Peak	18.33	20.29	20	Pass




2.30 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3690	99	26	0.39	Peak	18.29	20.28	20	Pass




2.31 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560.01	99	26	0.39	Peak	18.49	20.33	20	Pass




2.32 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.39	Peak	18.44	20.09	20	Pass




2.33 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3690	99	26	0.39	Peak	18.42	20.25	20	Pass




2.34 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560.01	99	26	0.39	Peak	18.34	20.25	20	Pass




2.35 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.39	Peak	18.33	20.18	20	Pass




2.36 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3690	99	26	0.39	Peak	18.32	20.36	20	Pass




2.37 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3565.02	99	26	1	Peak	28.29	31.03	30	Pass




2.38 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	28.36	31.06	30	Pass




2.39 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3684.99	99	26	1	Peak	28.24	31.99	30	Pass




2.40 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3565.02	99	26	1	Peak	28.25	31.95	30	Pass




2.41 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	28.27	31.87	30	Pass




2.42 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3684.99	99	26	1	Peak	28.32	31.03	30	Pass




2.43 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3565.02	99	26	1	Peak	28.3	31.36	30	Pass




2.44 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	28.31	31.37	30	Pass




2.45 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3684.99	99	26	1	Peak	28.28	31.23	30	Pass




2.46 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3565.02	99	26	1	Peak	28.24	31.88	30	Pass




2.47 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	28.29	31.14	30	Pass




2.48 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3684.99	99	26	1	Peak	28.25	31.04	30	Pass




2.49 Occupied Bandwidth for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3570	99	26	1	Peak	38.11	41.01	40	Pass




2.50 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	38.05	40.92	40	Pass




2.51 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3679.98	99	26	1	Peak	38.05	40.82	40	Pass




2.52 Occupied Bandwidth for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3570	99	26	1	Peak	38.14	41.18	40	Pass




2.53 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	38.15	41.33	40	Pass




2.54 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3679.98	99	26	1	Peak	38.09	41.16	40	Pass




2.55 Occupied Bandwidth for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3570	99	26	1	Peak	38.2	41.42	40	Pass




2.56 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	38.19	41.17	40	Pass




2.57 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3679.98	99	26	1	Peak	38.18	41.1	40	Pass




2.58 Occupied Bandwidth for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3570	99	26	1	Peak	38.08	41.07	40	Pass




2.59 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	38.09	41.1	40	Pass



2.60 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3679.98	99	26	1	Peak	38.1	41.04	40	Pass



--BLANK BELOW--