


Annex A.6 Band Edge

1. LTE_Band48


1.1 LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3524.9	-43.55	-40	3.55	Pass	401
3530	3540	1	RMS	3539.875	-46.27	-25	21.27	Pass	401
3540	3545	1	RMS	3544.825	-37.37	-25	12.37	Pass	401
3545	3549	1	RMS	3549	-27.02	-13	14.02	Pass	5
3549	3550	0.01	RMS	3549.985	-38.99	-13	25.99	Pass	401
3550	3555	0.1	RMS	3550.463	19.92	30	10.08	Pass	401




1.2 LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3528.275	-46.45	-40	6.45	Pass	401
3530	3540	1	RMS	3539.875	-46.83	-25	21.83	Pass	401
3540	3545	1	RMS	3545	-37.56	-25	12.56	Pass	401
3545	3549	1	RMS	3549	-19.36	-13	6.36	Pass	5
3549	3550	0.051	RMS	3550	-27.04	-13	14.04	Pass	401
3550	3555	0.1	RMS	3553.038	6.11	30	23.89	Pass	401




1.3 LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3524.975	-44.31	-40	4.31	Pass	401
3530	3540	1	RMS	3536.3	-46.76	-25	21.76	Pass	401
3540	3545	1	RMS	3544.85	-38.53	-25	13.53	Pass	401
3545	3549	1	RMS	3548	-27.82	-13	14.82	Pass	5
3549	3550	0.01	RMS	3550	-39.8	-13	26.8	Pass	401
3550	3555	0.1	RMS	3550.463	19.66	30	10.34	Pass	401




1.4 LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3528.35	-46.94	-40	6.94	Pass	401
3530	3540	1	RMS	3539.825	-47.58	-25	22.58	Pass	401
3540	3545	1	RMS	3544.988	-37.83	-25	12.83	Pass	401
3545	3549	1	RMS	3549	-21.06	-13	8.06	Pass	5
3549	3550	0.051	RMS	3550	-29.09	-13	16.09	Pass	401
3550	3555	0.1	RMS	3552.763	4.3	30	25.7	Pass	401




1.5 LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3699.838	22.74	30	7.26	Pass	401
3700	3701	0.01	RMS	3700	-16.77	-13	3.77	Pass	401
3701	3705	1	RMS	3701	-26.05	-13	13.05	Pass	5
3705	3710	1	RMS	3705.013	-36.75	-25	11.75	Pass	401
3710	3720	1	RMS	3718.45	-46.17	-25	21.17	Pass	401
3720	3750	1	RMS	3726.45	-44.09	-40	4.09	Pass	401




1.6 LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3697.75	14.88	30	15.12	Pass	401
3700	3701	0.051	RMS	3700.003	-21.62	-13	8.62	Pass	401
3701	3705	1	RMS	3701	-23.15	-13	10.15	Pass	5
3705	3710	1	RMS	3705	-38.52	-25	13.52	Pass	401
3710	3720	1	RMS	3715.025	-48.09	-25	23.09	Pass	401
3720	3750	1	RMS	3725.85	-46.62	-40	6.62	Pass	401




1.7 LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3699.7	21.01	30	8.99	Pass	401
3700	3701	0.01	RMS	3700	-17.25	-13	4.25	Pass	401
3701	3705	1	RMS	3701	-27.24	-13	14.24	Pass	5
3705	3710	1	RMS	3705.175	-37.43	-25	12.43	Pass	401
3710	3720	1	RMS	3718.275	-46.38	-25	21.38	Pass	401
3720	3750	1	RMS	3726.3	-44.99	-40	4.99	Pass	401




1.8 LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3525.275	-44.13	-40	4.13	Pass	401
3530	3540	1	RMS	3536.6	-46.36	-25	21.36	Pass	401
3540	3549	1	RMS	3548	-27.92	-13	14.92	Pass	10
3549	3550	0.01	RMS	3549.958	-42.53	-13	29.53	Pass	401
3550	3560	0.1	RMS	3550.725	19.95	30	10.05	Pass	401




1.9 LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.85	-47.84	-40	7.84	Pass	401
3530	3540	1	RMS	3539.75	-42.27	-25	17.27	Pass	401
3540	3549	1	RMS	3548.933	-20.17	-13	7.17	Pass	401
3549	3550	0.1	RMS	3549.99	-28.23	-13	15.23	Pass	401
3550	3560	0.1	RMS	3555.3	2.93	30	27.07	Pass	401




1.10 LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3525.425	-44.26	-40	4.26	Pass	401
3530	3540	1	RMS	3536.475	-46.88	-25	21.88	Pass	401
3540	3549	1	RMS	3548	-28.83	-13	15.83	Pass	10
3549	3550	0.01	RMS	3549.943	-43.33	-13	30.33	Pass	401
3550	3560	0.1	RMS	3550.725	19.11	30	10.89	Pass	401




1.11 LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3527.45	-48.44	-40	8.44	Pass	401
3530	3540	1	RMS	3539.9	-43.02	-25	18.02	Pass	401
3540	3549	1	RMS	3548.955	-24.46	-13	11.46	Pass	401
3549	3550	0.1	RMS	3549.988	-31.95	-13	18.95	Pass	401
3550	3560	0.1	RMS	3554.775	1.2	30	28.8	Pass	401



1.12 LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.55	22.34	30	7.66	Pass	401
3700	3701	0.01	RMS	3700	-30.88	-13	17.88	Pass	401
3701	3710	1	RMS	3701	-26.98	-13	13.98	Pass	10
3710	3720	1	RMS	3718.125	-46.28	-25	21.28	Pass	401
3720	3750	1	RMS	3726.15	-44.48	-40	4.48	Pass	401




1.13 LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3694.725	11.76	30	18.24	Pass	401
3700	3701	0.1	RMS	3700	-27.52	-13	14.52	Pass	401
3701	3710	1	RMS	3701	-21.4	-13	8.4	Pass	401
3710	3720	1	RMS	3710	-43.08	-25	18.08	Pass	401
3720	3750	1	RMS	3722.775	-47.32	-40	7.32	Pass	401




1.14 LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.425	21.47	30	8.53	Pass	401
3700	3701	0.01	RMS	3700	-31.19	-13	18.19	Pass	401
3701	3710	1	RMS	3701	-27.81	-13	14.81	Pass	10
3710	3720	1	RMS	3718.275	-46.42	-25	21.42	Pass	401
3720	3750	1	RMS	3726.225	-44.44	-40	4.44	Pass	401




1.15 LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3694.25	10.85	30	19.15	Pass	401
3700	3701	0.1	RMS	3700.003	-29.56	-13	16.56	Pass	401
3701	3710	1	RMS	3701	-23.82	-13	10.82	Pass	401
3710	3720	1	RMS	3710	-43.93	-25	18.93	Pass	401
3720	3750	1	RMS	3721.95	-47.89	-40	7.89	Pass	401




1.16 LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3525.5	-43.8	-40	3.8	Pass	401
3530	3540	1	RMS	3536.825	-45.8	-25	20.8	Pass	401
3540	3549	1	RMS	3548.145	-26.67	-13	13.67	Pass	401
3549	3550	0.01	RMS	3549.993	-42.3	-13	29.3	Pass	401
3550	3565	0.1	RMS	3550.938	19.44	30	10.56	Pass	401




1.17 LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-46.8	-40	6.8	Pass	31
3530	3540	1	RMS	3539.975	-30.61	-25	5.61	Pass	401
3540	3549	1	RMS	3548.82	-20.79	-13	7.79	Pass	401
3549	3550	0.15	RMS	3549.83	-26.58	-13	13.58	Pass	401
3550	3565	0.1	RMS	3555.813	0.73	30	29.27	Pass	401




1.18 LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3525.575	-44.33	-40	4.33	Pass	401
3530	3540	1	RMS	3537.225	-46.53	-25	21.53	Pass	401
3540	3549	1	RMS	3548.213	-27.55	-13	14.55	Pass	401
3549	3550	0.01	RMS	3549.99	-43.52	-13	30.52	Pass	401
3550	3565	0.1	RMS	3550.938	18.21	30	11.79	Pass	401




1.19 LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-46.67	-40	6.67	Pass	401
3530	3540	1	RMS	3539.925	-33.32	-25	8.32	Pass	401
3540	3549	1	RMS	3548.708	-23.24	-13	10.24	Pass	401
3549	3550	0.15	RMS	3549.953	-30.25	-13	17.25	Pass	401
3550	3565	0.1	RMS	3561.213	-0.74	30	30.74	Pass	401




1.20 LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3699.288	22.15	30	7.85	Pass	401
3700	3701	0.01	RMS	3700.003	-33.35	-13	20.35	Pass	401
3701	3710	1	RMS	3701	-20.2	-13	7.2	Pass	401
3710	3720	1	RMS	3718	-46.23	-25	21.23	Pass	401
3720	3750	1	RMS	3726	-43.88	-40	3.88	Pass	401




1.21 LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3693.325	10.29	30	19.71	Pass	401
3700	3701	0.15	RMS	3700.023	-28.2	-13	15.2	Pass	401
3701	3710	1	RMS	3701	-23.51	-13	10.51	Pass	401
3710	3720	1	RMS	3710.025	-35.07	-25	10.07	Pass	401
3720	3750	1	RMS	3720	-47.53	-40	7.53	Pass	31




1.22 LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3699.25	21.39	30	8.61	Pass	401
3700	3701	0.01	RMS	3700.003	-34.14	-13	21.14	Pass	401
3701	3710	1	RMS	3701	-20.45	-13	7.45	Pass	401
3710	3720	1	RMS	3710.6	-46.38	-25	21.38	Pass	401
3720	3750	1	RMS	3721.5	-46.43	-40	6.43	Pass	401




1.23 LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3696.55	9.04	30	20.96	Pass	401
3700	3701	0.15	RMS	3700.003	-32.75	-13	19.75	Pass	401
3701	3710	1	RMS	3701	-30.58	-13	17.58	Pass	401
3710	3720	1	RMS	3710.325	-40	-25	15	Pass	401
3720	3750	1	RMS	3720.075	-48.72	-40	8.72	Pass	401




1.24 LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3524.375	-43.72	-40	3.72	Pass	401
3530	3540	1	RMS	3532.3	-45.88	-25	20.88	Pass	401
3540	3549	1	RMS	3548.888	-27.37	-13	14.37	Pass	401
3549	3550	0.01	RMS	3549.94	-42.84	-13	29.84	Pass	401
3550	3570	0.1	RMS	3551.2	18.88	30	11.12	Pass	401




1.25 LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.85	-44.84	-40	4.84	Pass	401
3530	3540	1	RMS	3539.925	-31.72	-25	6.72	Pass	401
3540	3549	1	RMS	3548.753	-24.62	-13	11.62	Pass	401
3549	3550	0.2	RMS	3550	-29.86	-13	16.86	Pass	401
3550	3570	0.1	RMS	3563.4	-0.22	30	30.22	Pass	401




1.26 LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3524.375	-44.34	-40	4.34	Pass	401
3530	3540	1	RMS	3535.225	-46.64	-25	21.64	Pass	401
3540	3549	1	RMS	3548.708	-27.59	-13	14.59	Pass	401
3549	3550	0.01	RMS	3549.995	-42.86	-13	29.86	Pass	401
3550	3570	0.1	RMS	3551.2	18.86	30	11.14	Pass	401




1.27 LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.85	-45.81	-40	5.81	Pass	401
3530	3540	1	RMS	3539.9	-33.36	-25	8.36	Pass	401
3540	3549	1	RMS	3548.865	-27.46	-13	14.46	Pass	401
3549	3550	0.2	RMS	3549.938	-33.24	-13	20.24	Pass	401
3550	3570	0.1	RMS	3562.95	-1.21	30	31.21	Pass	401




1.28 LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3698.95	22.22	30	7.78	Pass	401
3700	3701	0.01	RMS	3700.003	-37.41	-13	24.41	Pass	401
3701	3710	1	RMS	3701	-25.63	-13	12.63	Pass	401
3710	3720	1	RMS	3710.2	-46.38	-25	21.38	Pass	401
3720	3750	1	RMS	3721.275	-46.15	-40	6.15	Pass	401




1.29 LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3692.65	8.66	30	21.34	Pass	401
3700	3701	0.2	RMS	3700.005	-32.01	-13	19.01	Pass	401
3701	3710	1	RMS	3701.09	-27.78	-13	14.78	Pass	401
3710	3720	1	RMS	3710.025	-35.71	-25	10.71	Pass	401
3720	3750	1	RMS	3720	-48.18	-40	8.18	Pass	31




1.30 LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3699	21.24	30	8.76	Pass	401
3700	3701	0.01	RMS	3700.023	-37.28	-13	24.28	Pass	401
3701	3710	1	RMS	3701	-26.29	-13	13.29	Pass	401
3710	3720	1	RMS	3714.625	-46.78	-25	21.78	Pass	401
3720	3750	1	RMS	3721.275	-47.01	-40	7.01	Pass	401




1.31 LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3692.65	7.87	30	22.13	Pass	401
3700	3701	0.2	RMS	3700.01	-33.46	-13	20.46	Pass	401
3701	3710	1	RMS	3701.045	-29.76	-13	16.76	Pass	401
3710	3720	1	RMS	3710.025	-37.77	-25	12.77	Pass	401
3720	3750	1	RMS	3720	-48.91	-40	8.91	Pass	31



1.32 LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3697.063	13.67	30	16.33	Pass	401
3700	3701	0.051	RMS	3700.008	-23.03	-13	10.03	Pass	401
3701	3705	1	RMS	3701	-24.47	-13	11.47	Pass	5
3705	3710	1	RMS	3705.013	-40.84	-25	15.84	Pass	401
3710	3720	1	RMS	3710.075	-48.52	-25	23.52	Pass	401
3720	3750	1	RMS	3725.475	-48.24	-40	8.24	Pass	401



2. n48 30kHz


2.1 Band Edge for SA_Part96(NTNV)(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3524.3	-46.47	-40	6.47	Pass	401
3530	3540	1	RMS	3535.025	-50.21	-25	25.21	Pass	401
3540	3549	1	RMS	3549	-28.41	-13	15.41	Pass	401
3549	3550	0.1	RMS	3549.995	-26.51	-13	13.51	Pass	401
3550	3560	1	RMS	3550.975	19.4	40	20.6	Pass	401




2.2 Band Edge for SA_Part96(NTNV)(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3527.825	-49.64	-40	9.64	Pass	401
3530	3540	1	RMS	3539.975	-43.68	-25	18.68	Pass	401
3540	3549	1	RMS	3548.978	-23.28	-13	10.28	Pass	401
3549	3550	0.1	RMS	3550	-29.08	-13	16.08	Pass	401
3550	3560	1	RMS	3554.875	10.65	40	29.35	Pass	401




2.3 Band Edge for SA_Part96(NTNV)(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.25	19.55	40	20.45	Pass	401
3700	3701	0.1	RMS	3700.003	-21.27	-13	8.27	Pass	401
3701	3710	1	RMS	3701	-21.18	-13	8.18	Pass	401
3710	3720	1	RMS	3719.25	-49.65	-25	24.65	Pass	401
3720	3750	1	RMS	3721.275	-50.29	-40	10.29	Pass	401




2.4 Band Edge for SA_Part96(NTNV)(Subtest:4, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3692.7	10.98	40	29.02	Pass	401
3700	3701	0.1	RMS	3700	-28.58	-13	15.58	Pass	401
3701	3710	1	RMS	3701	-25.45	-13	12.45	Pass	401
3710	3720	1	RMS	3710	-45.62	-25	20.62	Pass	401
3720	3750	1	RMS	3720.225	-51.78	-40	11.78	Pass	401




2.5 Band Edge for SA_Part96(NTNV)(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3524.3	-45.96	-40	5.96	Pass*	401
3530	3540	1	RMS	3532.725	-49.06	-25	24.06	Pass	401
3540	3549	1	RMS	3549	-29.14	-13	16.14	Pass	401
3549	3550	0.051	RMS	3550	-30.78	-13	17.78	Pass	401
3550	3570	1	RMS	3551.1	19.6	40	20.4	Pass	401




2.6 Band Edge for SA_Part96(NTNV)(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-43.93	-40	3.93	Pass*	401
3530	3540	1	RMS	3539.875	-30.92	-25	5.92	Pass*	401
3540	3549	1	RMS	3548.685	-25.05	-13	12.05	Pass	401
3549	3550	0.2	RMS	3550	-29.48	-13	16.48	Pass	401
3550	3570	1	RMS	3557.8	7.59	40	32.41	Pass	401




2.7 Band Edge for SA_Part96(NTNV)(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3699.1	19.72	40	20.28	Pass	401
3700	3701	0.051	RMS	3700.008	-25.2	-13	12.2	Pass	401
3701	3710	1	RMS	3701	-24.36	-13	11.36	Pass	401
3710	3720	1	RMS	3719.4	-49.36	-25	24.36	Pass	401
3720	3750	1	RMS	3721.275	-49.99	-40	9.99	Pass	401




2.8 Band Edge for SA_Part96(NTNV)(Subtest:4, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3683	7.81	40	32.19	Pass	401
3700	3701	0.2	RMS	3700.013	-30.64	-13	17.64	Pass	401
3701	3710	1	RMS	3701.023	-28.02	-13	15.02	Pass	401
3710	3720	1	RMS	3710.1	-34.46	-25	9.46	Pass	401
3720	3750	1	RMS	3720	-45.98	-40	5.98	Pass*	401




2.9 Band Edge for SA_Part96(NTNV)(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3524.375	-46.03	-40	6.03	Pass	401
3530	3540	1	RMS	3532.325	-47.97	-25	22.97	Pass	401
3540	3549	1	RMS	3548.595	-29.55	-13	16.55	Pass	401
3549	3550	0.051	RMS	3549.995	-34.75	-13	21.75	Pass	401
3550	3590	1	RMS	3551.2	19.66	40	20.34	Pass	401




2.10 Band Edge for SA_Part96(NTNV)(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-42.53	-40	2.53	Pass*	31
3530	3540	1	RMS	3539.95	-39.08	-25	14.08	Pass	401
3540	3549	1	RMS	3548.933	-35.38	-13	22.38	Pass	401
3549	3550	0.39	RMS	3550	-37.58	-13	24.58	Pass	401
3550	3590	1	RMS	3553.6	-2.83	40	42.83	Pass	401




2.11 Band Edge for SA_Part96(NTNV)(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3699	19.85	40	20.15	Pass	401
3700	3701	0.051	RMS	3700.008	-28.55	-13	15.55	Pass	401
3701	3710	1	RMS	3701	-26.52	-13	13.52	Pass	401
3710	3720	1	RMS	3718	-49.17	-25	24.17	Pass	401
3720	3750	1	RMS	3721.125	-49.77	-40	9.77	Pass	401



2.12 Band Edge for SA_Part96(NTNV)(Subtest:4, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3663.5	-1.75	40	41.75	Pass	401
3700	3701	0.39	RMS	3700.023	-38.06	-13	25.06	Pass	401
3701	3710	1	RMS	3701	-36.88	-13	23.88	Pass	401
3710	3720	1	RMS	3710.05	-42.74	-25	17.74	Pass	401
3720	3750	1	RMS	3720	-45.47	-40	5.47	Pass*	31



--BLANK BELOW--