


802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.89	-3.73	74.0	17.11	Peak	289.87	150	Horizontal	Pass
1**	2390.000	44.99	-3.73	54.0	9.01	AV	289.87	150	Horizontal	Pass
2	2388.300	56.69	-3.64	74.0	17.31	Peak	57.00	150	Horizontal	Pass
2**	2388.300	43.94	-3.64	54.0	10.06	AV	57.00	150	Horizontal	Pass

802.11n20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.41	-2.60	74.0	10.59	Peak	138.00	150	Horizontal	Pass
1**	2483.500	50.17	-2.60	54.0	3.83	AV	138.00	150	Horizontal	Pass
2	2483.920	66.03	-2.61	74.0	7.97	Peak	143.00	150	Horizontal	Pass
2**	2483.920	50.64	-2.61	54.0	3.36	AV	143.00	150	Horizontal	Pass

802.11n40 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.91	-3.73	74.0	16.09	Peak	157.00	150	Horizontal	Pass
1**	2390.000	48.84	-3.73	54.0	5.16	AV	157.00	150	Horizontal	Pass
2	2387.400	60.03	-3.59	74.0	13.97	Peak	124.00	150	Horizontal	Pass
2**	2387.400	48.58	-3.59	54.0	5.42	AV	124.00	150	Horizontal	Pass

802.11n40 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.44	-2.60	74.0	11.56	Peak	104.00	150	Horizontal	Pass
1**	2483.500	52.20	-2.60	54.0	1.80	AV	104.00	150	Horizontal	Pass
2	2487.250	63.75	-2.65	74.0	10.25	Peak	212.00	150	Horizontal	Pass
2**	2487.250	52.45	-2.65	54.0	1.55	AV	212.00	150	Horizontal	Pass
3	2487.430	62.39	-2.65	74.0	11.61	Peak	106.00	150	Horizontal	Pass
3**	2487.430	52.92	-2.65	54.0	1.08	AV	106.00	150	Horizontal	Pass

802.11ax20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.95	-3.73	74.0	17.05	Peak	307.75	150	Horizontal	Pass
1**	2390.000	46.34	-3.73	54.0	7.66	AV	307.75	150	Horizontal	Pass
2	2386.400	58.42	-3.53	74.0	15.58	Peak	111.00	150	Horizontal	Pass
2**	2386.400	43.96	-3.53	54.0	10.04	AV	111.00	150	Horizontal	Pass

802.11 ax20(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.59	-2.60	74.0	11.41	Peak	102.00	150	Horizontal	Pass
1**	2483.500	50.78	-2.60	54.0	3.22	AV	102.00	150	Horizontal	Pass
2	2485.450	64.59	-2.62	74.0	9.41	Peak	115.00	150	Horizontal	Pass
2**	2485.450	49.60	-2.62	54.0	4.40	AV	115.00	150	Horizontal	Pass

802.11ax40(SU) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.37	-3.73	74.0	15.63	Peak	180.92	150	Horizontal	Pass
1**	2390.000	48.96	-3.73	54.0	5.04	AV	180.92	150	Horizontal	Pass
2	2387.400	59.41	-3.59	74.0	14.59	Peak	117.00	150	Horizontal	Pass
2**	2387.400	48.41	-3.59	54.0	5.59	AV	117.00	150	Horizontal	Pass

802.11 ax40(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.44	-2.60	74.0	13.56	Peak	115.00	150	Horizontal	Pass
1**	2483.500	50.34	-2.60	54.0	3.66	AV	115.00	150	Horizontal	Pass
2	2486.560	62.11	-2.64	74.0	11.89	Peak	123.00	150	Horizontal	Pass
2**	2486.560	51.19	-2.64	54.0	2.81	AV	123.00	150	Horizontal	Pass
3	2487.100	60.47	-2.64	74.0	13.53	Peak	129.00	150	Horizontal	Pass
3**	2487.100	51.81	-2.64	54.0	2.19	AV	129.00	150	Horizontal	Pass

802.11be20 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.17	-3.73	74.0	16.83	Peak	185.99	150	Horizontal	Pass
1**	2390.000	47.35	-3.73	54.0	6.65	AV	185.99	150	Horizontal	Pass
2	2388.000	58.66	-3.62	74.0	15.34	Peak	182.00	150	Horizontal	Pass
2**	2388.000	45.74	-3.62	54.0	8.26	AV	182.00	150	Horizontal	Pass

802.11be20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.64	-2.60	74.0	11.36	Peak	302.00	100	Horizontal	Pass
1**	2483.500	52.51	-2.60	54.0	1.49	AV	302.00	100	Horizontal	Pass
2	2486.800	67.92	-2.64	74.0	6.08	Peak	118.00	100	Horizontal	Pass
2**	2486.800	50.13	-2.64	54.0	3.87	AV	118.00	100	Horizontal	Pass

802.11be40 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.93	-3.73	74.0	17.07	Peak	160.03	150	Horizontal	Pass
1**	2390.000	48.40	-3.73	54.0	5.60	AV	160.03	150	Horizontal	Pass
2	2387.400	58.27	-3.59	74.0	15.73	Peak	215.00	150	Horizontal	Pass
2**	2387.400	48.07	-3.59	54.0	5.93	AV	215.00	150	Horizontal	Pass

802.11be40 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.49	-2.60	74.0	15.51	Peak	309.00	150	Horizontal	Pass
1**	2483.500	50.61	-2.60	54.0	3.39	AV	309.00	150	Horizontal	Pass
2	2486.230	62.91	-2.63	74.0	11.09	Peak	224.00	150	Horizontal	Pass
2**	2486.230	49.94	-2.63	54.0	4.06	AV	224.00	150	Horizontal	Pass


Aux. Antenna:

802.11b LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.78	-3.73	74.0	22.22	Peak	45.39	150	Horizontal	Pass
1**	2390.000	42.19	-3.73	54.0	11.81	AV	45.39	150	Horizontal	Pass
2	2386.000	54.09	-3.51	74.0	19.91	Peak	355.00	150	Horizontal	Pass
2**	2386.000	43.74	-3.51	54.0	10.26	AV	355.00	150	Horizontal	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.01	-2.60	74.0	20.99	Peak	264.00	150	Horizontal	Pass
1**	2483.500	43.00	-2.60	54.0	11.00	AV	264.00	150	Horizontal	Pass
2	2486.860	56.02	-2.64	74.0	17.98	Peak	337.00	150	Horizontal	Pass
2**	2486.860	43.17	-2.64	54.0	10.83	AV	337.00	150	Horizontal	Pass

802.11g LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.59	-3.73	74.0	10.41	Peak	20.01	150	Horizontal	Pass
1**	2390.000	50.51	-3.73	54.0	3.49	AV	20.01	150	Horizontal	Pass
2	2389.800	62.49	-3.72	74.0	11.51	Peak	25.00	150	Horizontal	Pass
2**	2389.800	50.26	-3.72	54.0	3.74	AV	25.00	150	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.89	-2.60	74.0	10.11	Peak	314.00	150	Horizontal	Pass
1**	2483.500	51.52	-2.60	54.0	2.48	AV	314.00	150	Horizontal	Pass
2	2483.710	66.49	-2.60	74.0	7.51	Peak	358.00	150	Horizontal	Pass
2**	2483.710	51.22	-2.60	54.0	2.78	AV	358.00	150	Horizontal	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.97	-3.73	74.0	11.03	Peak	360.00	150	Horizontal	Pass
1**	2390.000	51.24	-3.73	54.0	2.76	AV	360.00	150	Horizontal	Pass
2	2389.900	65.40	-3.72	74.0	8.60	Peak	360.00	150	Horizontal	Pass
2**	2389.900	51.36	-3.72	54.0	2.64	AV	360.00	150	Horizontal	Pass

802.11n20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.99	-2.60	74.0	9.01	Peak	119.00	150	Horizontal	Pass
1**	2483.500	52.22	-2.60	54.0	1.78	AV	119.00	150	Horizontal	Pass
2	2484.160	66.04	-2.61	74.0	7.96	Peak	360.00	150	Horizontal	Pass
2**	2484.160	51.21	-2.61	54.0	2.79	AV	360.00	150	Horizontal	Pass

802.11n40 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.62	-3.73	74.0	12.38	Peak	39.41	150	Horizontal	Pass
1**	2390.000	51.73	-3.73	54.0	2.27	AV	39.41	150	Horizontal	Pass
2	2389.700	62.96	-3.71	74.0	11.04	Peak	115.00	150	Horizontal	Pass
2**	2389.700	51.14	-3.71	54.0	2.86	AV	115.00	150	Horizontal	Pass

802.11n40 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.78	-2.60	74.0	15.22	Peak	352.00	150	Horizontal	Pass
1**	2483.500	49.12	-2.60	54.0	4.88	AV	352.00	150	Horizontal	Pass
2	2483.590	62.32	-2.60	74.0	11.68	Peak	349.00	150	Horizontal	Pass
2**	2483.590	48.88	-2.60	54.0	5.12	AV	349.00	150	Horizontal	Pass

802.11ax20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.66	-3.73	74.0	10.34	Peak	359.57	150	Horizontal	Pass
1**	2390.000	52.10	-3.73	54.0	1.90	AV	359.57	150	Horizontal	Pass
2	2389.200	64.24	-3.69	74.0	9.76	Peak	27.00	150	Horizontal	Pass
2**	2389.200	51.17	-3.69	54.0	2.83	AV	27.00	150	Horizontal	Pass

802.11 ax20(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.75	-2.60	74.0	7.25	Peak	353.00	150	Horizontal	Pass
1**	2483.500	52.84	-2.60	54.0	1.16	AV	353.00	150	Horizontal	Pass
2	2484.490	68.06	-2.61	74.0	5.94	Peak	348.00	150	Horizontal	Pass
2**	2484.490	52.14	-2.61	54.0	1.86	AV	348.00	150	Horizontal	Pass

802.11ax40(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.76	-3.73	74.0	12.24	Peak	0.03	150	Horizontal	Pass
1**	2390.000	51.65	-3.73	54.0	2.35	AV	0.03	150	Horizontal	Pass
2	2389.400	62.39	-3.70	74.0	11.61	Peak	25.00	150	Horizontal	Pass
2**	2389.400	50.21	-3.70	54.0	3.79	AV	25.00	150	Horizontal	Pass

802.11 ax40(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.88	-2.60	74.0	11.12	Peak	360.00	150	Horizontal	Pass
1**	2483.500	52.66	-2.60	54.0	1.34	AV	360.00	150	Horizontal	Pass
2	2484.010	64.49	-2.61	74.0	9.51	Peak	18.00	150	Horizontal	Pass
2**	2484.010	52.80	-2.61	54.0	1.20	AV	18.00	150	Horizontal	Pass

802.11be20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.47	-3.73	74.0	10.53	Peak	152.00	150	Vertical	Pass
1**	2390.000	52.15	-3.73	54.0	1.85	AV	152.00	150	Vertical	Pass
2	2389.800	64.53	-3.72	74.0	9.47	Peak	150.00	150	Vertical	Pass
2**	2389.800	51.76	-3.72	54.0	2.24	AV	150.00	150	Vertical	Pass

802.11be20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.55	-2.60	74.0	11.45	Peak	360.00	150	Horizontal	Pass
1**	2483.500	50.85	-2.60	54.0	3.15	AV	360.00	150	Horizontal	Pass
2	2484.010	65.37	-2.61	74.0	8.63	Peak	360.00	150	Horizontal	Pass
2**	2484.010	50.69	-2.61	54.0	3.31	AV	360.00	150	Horizontal	Pass

802.11be40 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.90	-3.73	74.0	12.10	Peak	0.03	150	Horizontal	Pass
1**	2390.000	52.20	-3.73	54.0	1.80	AV	0.03	150	Horizontal	Pass
2	2389.000	63.27	-3.68	74.0	10.73	Peak	216.00	150	Horizontal	Pass
2**	2389.000	51.09	-3.68	54.0	2.91	AV	216.00	150	Horizontal	Pass

802.11be40 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.48	-2.60	74.0	12.52	Peak	124.00	150	Horizontal	Pass
1**	2483.500	52.77	-2.60	54.0	1.23	AV	124.00	150	Horizontal	Pass
2	2484.400	65.02	-2.61	74.0	8.98	Peak	124.00	150	Horizontal	Pass
2**	2484.400	52.76	-2.61	54.0	1.24	AV	124.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna:

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-4.41	8
Middle	-4.74	8
High	-4.78	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.12	8
Middle	-10.81	8
High	-9.30	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.19	8
Middle	-7.75	8
High	-8.72	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.78	8
Middle	-10.58	8
High	-14.19	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.94	8
Middle	-7.17	8
High	-9.23	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.74	8
Middle	-13.37	8
High	-12.89	8

802.11be-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.29	8
Middle	-11.50	8
High	-9.17	8

802.11be-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-15.48	8
Middle	-15.04	8
High	-14.31	8

Aux. Antenna:

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-4.92	8
Middle	-6.50	8
High	-7.60	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.53	8
Middle	-10.12	8
High	-13.28	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.78	8
Middle	-7.08	8
High	-13.80	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.88	8
Middle	-10.74	8
High	-17.05	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.30	8
Middle	-7.61	8
High	-12.88	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.00	8
Middle	-9.16	8
High	-16.27	8

802.11be-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.60	8
Middle	-9.20	8
High	-13.87	8

802.11be-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.66	8
Middle	-14.28	8
High	-15.90	8

Test Plots

Main Antenna:


802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL




802.11n-40 MHz MIDDLE CHANNEL




802.11n-40 MHz HIGH CHANNEL




802.11ax-20 MHz(SU) LOW CHANNEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL




802.11ax-40 MHz(SU) LOW CHANNEL




802.11ax-40 MHz(SU) MIDDLE CHANNEL




802.11ax-40 MHz(SU) HIGH CHANNEL




802.11be-20 MHz LOW CHANNEL




802.11be-20 MHz MIDDLE CHANNEL




802.11be-20 MHz HIGH CHANNEL




802.11be-40 MHz LOW CHANNEL



802.11be-40 MHz MIDDLE CHANNEL



802.11be-40 MHz HIGH CHANNEL



Aux. Antenna:

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL




802.11n-40 MHz MIDDLE CHANNEL




802.11n-40 MHz HIGH CHANNEL




802.11ax-20 MHz(SU) LOW CHANNEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL




802.11ax-40 MHz(SU) LOW CHANNEL




802.11ax-40 MHz(SU) MIDDLE CHANNEL



802.11ax-40 MHz(SU) HIGH CHANNEL




802.11be-20 MHz LOW CHANNEL



802.11be-20 MHz MIDDLE CHANNEL




802.11be-20 MHz HIGH CHANNEL




802.11be-40 MHz LOW CHANNEL



802.11be-40 MHz MIDDLE CHANNEL



802.11be-40 MHz HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH2480613-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH2480613-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH2480613-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--