



11ax20 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-54.84	6360.16	-58.64	-65.82	18.64	Pass
-30	-20	0.2	-29.94	6385.06	-59.57	-66.74	19.64	Pass
-20	-11	0.2	-11	6404	-26.64	-33.82	6.64	Pass
-11	-10	0.2	-11	6404	-26.73	-33.91	6.73	Pass
10	11	0.2	11	6426	-27.08	-34.26	7.08	Pass
11	20	0.2	11.04	6426.04	-26.66	-33.84	6.63	Pass
20	30	0.2	29.88	6444.88	-59.58	-66.76	19.73	Pass
30	60	0.2	51.3	6466.3	-59.25	-66.42	19.25	Pass

11ax40 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.64	5902.36	-52.32	-56.49	12.32	Pass
-60	-40	0.4	-59.88	5905.12	-52.76	-56.93	12.83	Pass
-40	-21	0.4	-21	5944	-31.23	-35.4	11.23	Pass
-21	-20	0.4	-21	5944	-31.23	-35.4	11.23	Pass
20	21	0.4	21	5986	-31.42	-35.59	11.42	Pass
21	40	0.4	21.169415	5986.1694	-31.18	-35.35	11.11	Pass
40	60	0.4	59.76	6024.76	-54.36	-58.53	14.5	Pass
60	120	0.4	72.36	6037.36	-53.39	-57.56	13.39	Pass

11ax40 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-65.28	6099.72	-53.54	-59.22	13.54	Pass
-60	-40	0.4	-59.64	6105.36	-54.51	-60.19	14.72	Pass
-40	-21	0.4	-21	6144	-31.24	-36.92	11.24	Pass
-21	-20	0.4	-21	6144	-31.24	-36.92	11.24	Pass
20	21	0.4	21	6186	-30.66	-36.34	10.66	Pass
21	40	0.4	21	6186	-30.66	-36.34	10.66	Pass
40	60	0.4	60	6225	-55.51	-61.19	15.51	Pass
60	120	0.4	63.24	6228.24	-55.07	-60.75	15.07	Pass

11ax40 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.92	6340.08	-49.28	-53.36	9.28	Pass
-60	-40	0.4	-59.52	6345.48	-50	-54.08	10.28	Pass
-40	-21	0.4	-21	6384	-30.88	-34.96	10.88	Pass
-21	-20	0.4	-21	6384	-30.88	-34.96	10.88	Pass
20	21	0.4	21	6426	-31.03	-35.11	11.03	Pass
21	40	0.4	21.169415	6426.1694	-30.78	-34.86	10.71	Pass
40	60	0.4	59.16	6464.16	-51.67	-55.75	12.18	Pass
60	120	0.4	65.28	6470.28	-51.27	-55.35	11.27	Pass

11ax80 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-252.57	-126.285	0.8	-126.7901	5858.20986	-46.52	-49.15	6.52	Pass
-126.285	-84.19	0.8	-124.5170	5860.48299	-44.02	-46.65	4.52	Pass
-84.19	-43.095	0.8	-69.29582	5915.70418	-36.6	-39.23	11.5	Pass
-43.095	-42.095	0.8	-43.095	5941.905	-34.55	-37.18	14.55	Pass
42.095	43.095	0.8	43.095	6028.095	-34.09	-36.72	14.09	Pass
43.095	84.19	0.8	71.062924	6056.06292	-35.27	-37.9	9.83	Pass
84.19	126.285	0.8	125.02215	6110.02215	-50.47	-53.1	10.83	Pass
126.285	252.57	0.8	128.05299	6113.05299	-52.11	-54.74	12.11	Pass

11ax80 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.72	6024.28	-45.14	-47.9	5.14	Pass
-120	-80	0.8	-118.8	6026.2	-45.41	-48.17	5.77	Pass
-80	-41	0.8	-69.44528	6075.5547	-37.27	-40.03	11.44	Pass
-41	-40	0.8	-41	6104	-32.52	-35.28	12.52	Pass
40	41	0.8	41	6186	-31.62	-34.38	11.62	Pass
41	80	0.8	77.121439	6222.1214	-37.11	-39.87	9.7	Pass
80	120	0.8	107.28	6252.28	-43.18	-45.94	7	Pass
120	240	0.8	120.24	6265.24	-47.37	-50.13	7.37	Pass

11ax80 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-253.68	-126.84	0.8	-129.3768	6255.6232	-45.64	-49.19	5.64	Pass
-126.84	-84.56	0.8	-123.2885	6261.7115	-39.14	-42.68	0.14	Pass
-84.56	-43.28	0.8	-67.06483	6317.9351	-32.79	-36.34	8.18	Pass
-43.28	-42.28	0.8	-43.28	6341.72	-32.2	-35.75	12.2	Pass
42.28	43.28	0.8	43.28	6428.28	-31.97	-35.52	11.97	Pass
43.28	84.56	0.8	68.8397	6453.8397	-31.36	-34.91	6.41	Pass
84.56	126.84	0.8	125.82528	6510.8252	-44.83	-48.38	5.12	Pass
126.84	253.68	0.8	127.09368	6512.0936	-49.22	-52.77	9.22	Pass

11ax160 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-739.2	-369.6	1.6	-369.6	5655.4	-47.23	-53.38	7.23	Pass
-369.6	-246.4	1.6	-369.6	5655.4	-47.23	-53.38	7.23	Pass
-246.4	-124.2	1.6	-246.4	5778.6	-43.37	-49.52	15.37	Pass
-124.2	-123.2	1.6	-124.2	5900.8	-43.57	-49.72	23.57	Pass
123.2	124.2	1.6	124.2	6149.2	-43.21	-49.36	23.21	Pass
124.2	246.4	1.6	244.92233	6269.9223	-43.19	-49.35	15.29	Pass
246.4	369.6	1.6	369.6	6394.6	-48.01	-54.17	8.01	Pass
369.6	739.2	1.6	378.4704	6403.4704	-47.85	-54.01	7.85	Pass

11ax160 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-738.9	-369.45	1.6	-375.3612	5809.638	-48.11	-55.19	8.11	Pass
-369.45	-246.3	1.6	-368.7111	5816.288	-48.02	-55.09	8.09	Pass
-246.3	-124.15	1.6	-246.3	5938.7	-43.8	-50.88	15.8	Pass
-124.15	-123.15	1.6	-124.15	6060.85	-43.02	-50.09	23.02	Pass
123.15	124.15	1.6	124.15	6309.15	-43.33	-50.41	23.33	Pass
124.15	246.3	1.6	243.345877	6428.345	-44.39	-51.47	16.59	Pass
246.3	369.45	1.6	368.7111	6553.711	-48.65	-55.73	8.72	Pass
369.45	738.9	1.6	381.2724	6566.272	-48.67	-55.74	8.67	Pass

11ax160 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-742.5	-371.25	1.6	-373.4775	5971.5225	-44.47	-46.85	4.47	Pass
-371.25	-247.5	1.6	-369.765	5975.235	-44.09	-46.47	4.23	Pass
-247.5	-124.75	1.6	-246.7578	6098.2421	-33.43	-35.82	5.48	Pass
-124.75	-123.75	1.6	-124.75	6220.25	-34.21	-36.59	14.21	Pass
123.75	124.75	1.6	124.75	6469.75	-26.52	-28.9	6.52	Pass
124.75	247.5	1.6	171.06072	6516.0607	-26.22	-28.6	3.2	Pass
247.5	371.25	1.6	360.855	6705.855	-42.58	-44.96	3.59	Pass
371.25	742.5	1.6	371.9925	6716.9925	-43.49	-45.87	3.49	Pass

11be20, U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-58.44	5896.56	-59.23	-66.27	19.23	Pass
-30	-20	0.2	-29.64	5925.36	-59.79	-66.83	20.22	Pass
-20	-11	0.2	-11	5944	-26.6	-33.64	6.6	Pass
-11	-10	0.2	-11	5944	-25.68	-32.73	5.68	Pass
10	11	0.2	10.940055	5965.9400	-25.58	-32.62	6.78	Pass
11	20	0.2	11.04	5966.04	-25.93	-32.97	5.89	Pass
20	30	0.2	29.88	5984.88	-60.2	-67.24	20.34	Pass
30	60	0.2	40.62	5995.62	-59.69	-66.73	19.69	Pass

11be20, U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-56.4	6118.6	-58.44	-67.18	18.44	Pass
-30	-20	0.2	-29.94	6145.06	-58.25	-66.99	18.32	Pass
-20	-11	0.2	-11.04	6163.96	-26.02	-34.76	5.99	Pass
-11	-10	0.2	-11	6164	-25.99	-34.73	5.99	Pass
10	11	0.2	11	6186	-26.26	-35	6.26	Pass
11	20	0.2	11	6186	-26.02	-34.76	6.02	Pass
20	30	0.2	30	6205	-58.89	-67.63	18.89	Pass
30	60	0.2	58.2	6233.2	-58.13	-66.87	18.13	Pass

11be20, U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-58.5	6356.5	-58.8	-66.23	18.8	Pass
-30	-20	0.2	-29.88	6385.12	-59.51	-66.95	19.66	Pass
-20	-11	0.2	-11	6404	-26.51	-33.94	6.51	Pass
-11	-10	0.2	-11	6404	-26.64	-34.08	6.64	Pass
10	11	0.2	11	6426	-27.05	-34.49	7.05	Pass
11	20	0.2	11.04	6426.04	-26.02	-33.45	5.98	Pass
20	30	0.2	29.94	6444.94	-60.44	-67.87	20.51	Pass
30	60	0.2	56.94	6471.94	-59.35	-66.79	19.35	Pass

11be40, U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.32	5900.68	-52.6	-56.85	12.6	Pass
-60	-40	0.4	-59.16	5905.84	-53.05	-57.31	13.56	Pass
-40	-21	0.4	-21.04947	5943.9505	-31.13	-35.39	11.11	Pass
-21	-20	0.4	-21	5944	-31.18	-35.44	11.18	Pass
20	21	0.4	21	5986	-31.12	-35.37	11.12	Pass
21	40	0.4	21	5986	-31.12	-35.37	11.12	Pass
40	60	0.4	59.16	6024.16	-54.66	-58.92	15.17	Pass
60	120	0.4	70.8	6035.8	-53.19	-57.45	13.19	Pass

11be40, U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.84	6104.16	-53.77	-59.91	13.77	Pass
-60	-40	0.4	-60	6105	-55.77	-61.91	15.77	Pass
-40	-21	0.4	-21	6144	-30.57	-36.71	10.57	Pass
-21	-20	0.4	-21	6144	-30.57	-36.71	10.57	Pass
20	21	0.4	21	6186	-30.31	-36.45	10.31	Pass
21	40	0.4	21	6186	-30.31	-36.45	10.31	Pass
40	60	0.4	59.88	6224.88	-55.45	-61.59	15.52	Pass
60	120	0.4	69.84	6234.84	-53.14	-59.28	13.14	Pass

11be40, U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.92	6340.08	-49.49	-54.44	9.49	Pass
-60	-40	0.4	-59.64	6345.36	-49.82	-54.77	10.04	Pass
-40	-21	0.4	-21.04947	6383.9505	-30.46	-35.41	10.44	Pass
-21	-20	0.4	-21	6384	-30.68	-35.63	10.68	Pass
20	21	0.4	21	6426	-30.35	-35.3	10.35	Pass
21	40	0.4	21.169415	6426.1694	-30.2	-35.15	10.13	Pass
40	60	0.4	59.76	6464.76	-51.52	-56.47	11.67	Pass
60	120	0.4	65.52	6470.52	-51.07	-56.02	11.07	Pass

11be80, U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-255.27	-127.635	0.8	-224.6376	5760.3624	-51.27	-59.21	11.27	Pass
-127.635	-85.09	0.8	-127.635	5857.365	-52.1	-60.04	12.1	Pass
-85.09	-43.545	0.8	-43.545	5941.455	-38.03	-45.98	18.03	Pass
-43.545	-42.545	0.8	-43.545	5941.455	-38.03	-45.98	18.03	Pass
42.545	43.545	0.8	43.545	6028.545	-39.46	-47.41	19.46	Pass
43.545	85.09	0.8	43.756927	6028.7569	-38.82	-46.76	18.78	Pass
85.09	127.635	0.8	127.37973	6112.3797	-52.88	-60.82	12.95	Pass
127.635	255.27	0.8	143.46174	6128.4617	-52.08	-60.02	12.08	Pass

11be80, U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.36	6021.64	-45.45	-48.23	5.45	Pass
-120	-80	0.8	-119.52	6025.48	-45.66	-48.44	5.8	Pass
-80	-41	0.8	-41	6104	-31.18	-33.97	11.18	Pass
-41	-40	0.8	-41	6104	-31.18	-33.97	11.18	Pass
40	41	0.8	41	6186	-31.44	-34.22	11.44	Pass
41	80	0.8	75.922039	6220.9220	-36.25	-39.04	9.09	Pass
80	120	0.8	105.36	6250.36	-42.32	-45.11	6.72	Pass
120	240	0.8	126.48	6271.48	-47.2	-49.99	7.2	Pass

11be80, U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-256.56	-128.28	0.8	-128.5365	6256.4634	-44.9	-47.99	4.9	Pass
-128.28	-85.52	0.8	-127.7668	6257.2331	-40.94	-44.02	1.08	Pass
-85.52	-43.76	0.8	-65.00545	6319.9945	-33.41	-36.49	9.34	Pass
-43.76	-42.76	0.8	-43.76	6341.24	-33.35	-36.44	13.35	Pass
42.76	43.76	0.8	43.76	6428.76	-32.64	-35.72	12.64	Pass
43.76	85.52	0.8	67.313343	6452.3133	-31.91	-35	7.4	Pass
85.52	128.28	0.8	126.9972	6511.9972	-45.36	-48.45	5.72	Pass
128.28	256.56	0.8	129.30624	6514.30624	-49.69	-52.78	9.69	Pass

11be160, U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-954.3	-477.15	1.6	-482.3494	5542.65054	-51.84	-52.93	11.84	Pass
-477.15	-318.1	1.6	-434.3544	5590.64551	-47.28	-48.36	10.51	Pass
-318.1	-160.05	1.6	-189.4213	5835.57864	-28.55	-29.63	7.06	Pass
-160.05	-159.05	1.6	-160.05	5864.95	-28.72	-29.8	8.72	Pass
159.05	160.05	1.6	160.05	6185.05	-26	-27.08	6	Pass
160.05	318.1	1.6	195.01608	6220.01608	-26.92	-28	5.15	Pass
318.1	477.15	1.6	474.35029	6499.35029	-47.79	-48.87	8	Pass
477.15	954.3	1.6	477.54995	6502.54995	-47.97	-49.05	7.97	Pass

11be160, U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-957.3	-478.65	1.6	-483.048622	5701.951378	-51.34	-53.98	11.34	Pass
-478.65	-319.1	1.6	-403.073684	5781.926316	-45.05	-47.69	10.73	Pass
-319.1	-160.55	1.6	-211.933584	5973.066416	-28.97	-31.61	6.38	Pass
-160.55	-159.55	1.6	-160.55	6024.45	-32.51	-35.15	12.51	Pass
159.55	160.55	1.6	160.55	6345.55	-26.15	-28.79	6.15	Pass
160.55	319.1	1.6	175.944862	6360.944862	-26.41	-29.05	5.63	Pass
319.1	478.65	1.6	459.85589	6644.85589	-47.51	-50.15	8.92	Pass
478.65	957.3	1.6	479.049875	6664.049875	-48.91	-51.55	8.91	Pass

11be160, U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-956.1	-478.05	1.6	-478.05	5866.95	-47.63	-49.1	7.63	Pass
-478.05	-318.7	1.6	-402.673651	5942.326349	-41.16	-42.63	6.83	Pass
-318.7	-160.35	1.6	-184.342158	6160.657842	-24.82	-26.3	3.61	Pass
-160.35	-159.35	1.6	-160.35	6184.65	-24.5	-25.97	4.5	Pass
159.35	160.35	1.6	160.35	6505.35	-21.47	-22.94	1.47	Pass
160.35	318.7	1.6	161.149435	6506.149435	-21.12	-22.6	1.08	Pass
318.7	478.05	1.6	477.050314	6822.050314	-45.05	-46.53	5.13	Pass
478.05	956.1	1.6	483.448306	6828.448306	-44.59	-46.06	4.59	Pass

11ax20 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-58.8	6376.2	-58.79	-67.02	18.79	Pass
-30	-20	0.2	-29.82	6405.18	-59.33	-67.55	19.54	Pass
-20	-11	0.2	-11	6424	-26.47	-34.69	6.47	Pass
-11	-10	0.2	-11	6424	-26.68	-34.91	6.68	Pass
10	11	0.2	11	6446	-26.59	-34.81	6.59	Pass
11	20	0.2	11	6446	-26.4	-34.62	6.4	Pass
20	30	0.2	29.7	6464.7	-60.03	-68.26	20.39	Pass
30	60	0.2	47.58	6482.58	-59.05	-67.28	19.05	Pass

11ax20 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-51.96	6423.04	-58.1	-66.91	18.1	Pass
-30	-20	0.2	-29.58	6445.42	-58.88	-67.69	19.38	Pass
-20	-11	0.2	-11	6464	-26.1	-34.91	6.1	Pass
-11	-10	0.2	-11	6464	-26.05	-34.86	6.05	Pass
10	11	0.2	11	6486	-26.8	-35.61	6.8	Pass
11	20	0.2	11.04	6486.04	-26.35	-35.16	6.32	Pass
20	30	0.2	30	6505	-59.77	-68.58	19.77	Pass
30	60	0.2	52.98	6527.98	-58.19	-67	18.19	Pass

11ax20 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-50.58	6464.42	-58.18	-66.73	18.18	Pass
-30	-20	0.2	-29.88	6485.12	-59.19	-67.74	19.34	Pass
-20	-11	0.2	-11.16	6503.84	-26.99	-35.54	6.84	Pass
-11	-10	0.2	-11	6504	-26.66	-35.21	6.66	Pass
10	11	0.2	11	6526	-26.73	-35.28	6.73	Pass
11	20	0.2	11.1	6526.1	-26.14	-34.69	6.05	Pass
20	30	0.2	30	6545	-59.63	-68.18	19.63	Pass
30	60	0.2	53.34	6568.34	-58.28	-66.83	18.28	Pass

11ax40 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-68.28	6376.72	-49.15	-54.56	9.15	Pass
-60	-40	0.4	-59.88	6385.12	-50.8	-56.21	10.87	Pass
-40	-21	0.4	-21	6424	-30.49	-35.9	10.49	Pass
-21	-20	0.4	-21	6424	-30.49	-35.9	10.49	Pass
20	21	0.4	21	6466	-30.07	-35.48	10.07	Pass
21	40	0.4	21	6466	-30.07	-35.48	10.07	Pass
40	60	0.4	59.88	6504.88	-51.26	-56.67	11.33	Pass
60	120	0.4	69.48	6514.48	-50.49	-55.9	10.49	Pass

11ax40 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.56	6423.44	-50.96	-56.67	10.96	Pass
-60	-40	0.4	-60	6425	-51.76	-57.47	11.76	Pass
-40	-21	0.4	-21.16941	6463.8305	-30.53	-36.24	10.46	Pass
-21	-20	0.4	-21	6464	-30.53	-36.24	10.53	Pass
20	21	0.4	21	6506	-30.37	-36.09	10.37	Pass
21	40	0.4	21.169415	6506.1694	-30.44	-36.16	10.37	Pass
40	60	0.4	60	6545	-53.12	-58.83	13.12	Pass
60	120	0.4	70.32	6555.32	-51.96	-57.67	11.96	Pass

11ax40 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-67.68	6457.32	-52.69	-57.76	12.69	Pass
-60	-40	0.4	-58.56	6466.44	-53.36	-58.44	14.22	Pass
-40	-21	0.4	-21.16941	6503.8305	-31.46	-36.53	11.39	Pass
-21	-20	0.4	-21	6504	-31.41	-36.48	11.41	Pass
20	21	0.4	21	6546	-30.55	-35.63	10.55	Pass
21	40	0.4	21	6546	-30.55	-35.63	10.55	Pass
40	60	0.4	59.88	6584.88	-54.81	-59.88	14.88	Pass
60	120	0.4	69.96	6594.96	-53.23	-58.31	13.23	Pass

11ax80 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-256.77	-128.385	0.8	-137.11518	6327.8848	-50.66	-59.86	10.66	Pass
-128.385	-85.59	0.8	-127.6146	6337.3853	-51.13	-60.32	11.34	Pass
-85.59	-43.795	0.8	-43.795	6421.205	-38.16	-47.36	18.16	Pass
-43.795	-42.795	0.8	-43.795	6421.205	-38.16	-47.36	18.16	Pass
42.795	43.795	0.8	43.795	6508.795	-40	-49.2	20	Pass
43.795	85.59	0.8	44.014048	6509.0140	-38.64	-47.84	18.6	Pass
85.59	128.385	0.8	128.12823	6593.1282	-51.53	-60.73	11.6	Pass
128.385	256.77	0.8	152.52138	6617.5213	-50.53	-59.73	10.53	Pass

11ax80 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120	6425	-40.85	-43.26	0.85	Pass
-120	-80	0.8	-120	6425	-40.59	-43	0.59	Pass
-80	-41	0.8	-67.28635	6477.7136	-32.44	-34.85	7.05	Pass
-41	-40	0.8	-41	6504	-30.94	-33.35	10.94	Pass
40	41	0.8	41	6586	-30.32	-32.73	10.32	Pass
41	80	0.8	66.566717	6611.5667	-29.8	-32.22	4.56	Pass
80	120	0.8	119.52	6664.52	-44.86	-47.27	5.01	Pass
120	240	0.8	123.12	6668.12	-44.98	-47.39	4.98	Pass

11ax160 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-955.8	-477.9	1.6	-486.2982	6018.7017	-46.41	-48.43	6.41	Pass
-477.9	-318.6	1.6	-403.1156	6101.8843	-39.54	-41.56	5.18	Pass
-318.6	-160.3	1.6	-184.2843	6320.7156	-22.62	-24.64	1.4	Pass
-160.3	-159.3	1.6	-160.3	6344.7	-22.75	-24.77	2.75	Pass
159.3	160.3	1.6	160.3	6665.3	-21.71	-23.73	1.71	Pass
160.3	318.6	1.6	177.88833	6682.8883	-21.81	-23.83	0.92	Pass
318.6	477.9	1.6	467.10225	6972.1022	-42.96	-44.98	3.78	Pass
477.9	955.8	1.6	488.69774	6993.6977	-44.45	-46.47	4.45	Pass

11be20, U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-56.76	6378.24	-58.92	-67.05	18.92	Pass
-30	-20	0.2	-29.94	6405.06	-59.92	-68.05	20	Pass
-20	-11	0.2	-11	6424	-27.31	-35.44	7.31	Pass
-11	-10	0.2	-11	6424	-26.54	-34.67	6.54	Pass
10	11	0.2	11	6446	-26.42	-34.55	6.42	Pass
11	20	0.2	11	6446	-26.51	-34.64	6.51	Pass
20	30	0.2	29.58	6464.58	-60.04	-68.16	20.54	Pass
30	60	0.2	54.06	6489.06	-59.52	-67.65	19.52	Pass

11be20 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-57.18	6417.82	-58.32	-67.07	18.32	Pass
-30	-20	0.2	-29.94	6445.06	-59.11	-67.87	19.19	Pass
-20	-11	0.2	-11	6464	-27.01	-35.76	7.01	Pass
-11	-10	0.2	-11	6464	-25.9	-34.66	5.9	Pass
10	11	0.2	11	6486	-26.45	-35.21	6.45	Pass
11	20	0.2	11.04	6486.04	-26.66	-35.42	6.63	Pass
20	30	0.2	29.88	6504.88	-59.46	-68.22	19.61	Pass
30	60	0.2	57.96	6532.96	-58.57	-67.32	18.57	Pass

11be20, U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-49.92	6465.08	-57.77	-66.66	17.77	Pass
-30	-20	0.2	-29.76	6485.24	-58.33	-67.22	18.62	Pass
-20	-11	0.2	-11.22	6503.78	-26.61	-35.49	6.41	Pass
-11	-10	0.2	-11	6504	-25.85	-34.74	5.85	Pass
10	11	0.2	11	6526	-26.65	-35.54	6.65	Pass
11	20	0.2	11	6526	-25.36	-34.25	5.36	Pass
20	30	0.2	30	6545	-58.46	-67.35	18.46	Pass
30	60	0.2	58.26	6573.26	-58.15	-67.04	18.15	Pass

11be40, U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-71.76	6373.24	-49.19	-54.7	9.19	Pass
-60	-40	0.4	-59.88	6385.12	-49.74	-55.24	9.81	Pass
-40	-21	0.4	-21	6424	-30.71	-36.21	10.71	Pass
-21	-20	0.4	-21	6424	-30.71	-36.21	10.71	Pass
20	21	0.4	21	6466	-29.87	-35.38	9.87	Pass
21	40	0.4	21	6466	-29.87	-35.38	9.87	Pass
40	60	0.4	59.4	6504.4	-51.17	-56.68	11.53	Pass
60	120	0.4	66.6	6511.6	-50.85	-56.36	10.85	Pass

11be40, U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60	6425	-52.51	-58.23	12.51	Pass
-60	-40	0.4	-59.88	6425.12	-53.61	-59.32	13.68	Pass
-40	-21	0.4	-21	6464	-30.92	-36.64	10.92	Pass
-21	-20	0.4	-21	6464	-30.92	-36.64	10.92	Pass
20	21	0.4	21	6506	-30.24	-35.96	10.24	Pass
21	40	0.4	21.169415	6506.1694	-30.31	-36.02	10.23	Pass
40	60	0.4	59.88	6544.88	-54.22	-59.93	14.29	Pass
60	120	0.4	70.8	6555.8	-53.32	-59.03	13.32	Pass

11be40, U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.2	6463.8	-52.71	-58.39	12.71	Pass
-60	-40	0.4	-59.4	6465.6	-53.7	-59.39	14.06	Pass
-40	-21	0.4	-21.16941	6503.8305	-30.71	-36.4	10.64	Pass
-21	-20	0.4	-21	6504	-31.26	-36.94	11.26	Pass
20	21	0.4	21	6546	-30.3	-35.99	10.3	Pass
21	40	0.4	21	6546	-30.3	-35.99	10.3	Pass
40	60	0.4	59.76	6584.76	-54.32	-60	14.46	Pass
60	120	0.4	69.48	6594.48	-53.15	-58.84	13.15	Pass

11be80, U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-254.88	-127.44	0.8	-132.0278	6332.9721	-47.63	-50.96	7.63	Pass
-127.44	-84.96	0.8	-119.53872	6345.4612	-44.65	-47.98	6.88	Pass
-84.96	-43.48	0.8	-58.46572	6406.5342	-34.78	-38.12	11.89	Pass
-43.48	-42.48	0.8	-43.48	6421.52	-35.28	-38.62	15.28	Pass
42.48	43.48	0.8	43.48	6508.48	-34.98	-38.32	14.98	Pass
43.48	84.96	0.8	67.382069	6532.3820	-34.24	-37.57	9.63	Pass
84.96	127.44	0.8	126.1656	6591.1656	-50.12	-53.45	10.48	Pass
127.44	254.88	0.8	131.2632	6596.2632	-50.44	-53.77	10.44	Pass

11be80, U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-252.84	-126.42	0.8	-128.9484	6416.0516	-40.66	-43.09	0.66	Pass
-126.42	-84.28	0.8	-123.6386	6421.3612	-39.26	-41.68	0.05	Pass
-84.28	-43.14	0.8	-64.31562	6480.6843	-31.22	-33.64	7.1	Pass
-43.14	-42.14	0.8	-43.14	6501.86	-32.43	-34.86	12.43	Pass
42.14	43.14	0.8	43.14	6588.14	-30.38	-32.8	10.38	Pass
43.14	84.28	0.8	68.611754	6613.6117	-29.59	-32.02	4.64	Pass
84.28	126.42	0.8	126.42	6671.42	-43.03	-45.45	3.03	Pass
126.42	252.84	0.8	127.93704	6672.9370	-43.05	-45.47	3.05	Pass

11be160, U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-957.3	-478.65	1.6	-485.44787	6019.55213	-48.56	-51	8.56	Pass
-478.65	-319.1	1.6	-403.87343	6101.126566	-42.15	-44.59	7.78	Pass
-319.1	-160.55	1.6	-201.53684	6303.463158	-26.52	-28.96	4.45	Pass
-160.55	-159.55	1.6	-160.55	6344.45	-26.14	-28.57	6.14	Pass
159.55	160.55	1.6	160.55	6665.55	-23.49	-25.93	3.49	Pass
160.55	319.1	1.6	171.146366	6676.146366	-23.52	-25.95	2.98	Pass
319.1	478.65	1.6	466.253885	6971.253885	-44.97	-47.41	5.91	Pass
478.65	957.3	1.6	483.848371	6988.848371	-46.42	-48.86	6.42	Pass

11ax20 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-55.56	6479.44	-58.38	-67.1	18.38	Pass
-30	-20	0.2	-29.94	6505.06	-59.29	-68.01	19.36	Pass
-20	-11	0.2	-11.04	6523.96	-26.64	-35.35	6.6	Pass
-11	-10	0.2	-11	6524	-25.59	-34.3	5.59	Pass
10	11	0.2	11	6546	-26.85	-35.56	6.85	Pass
11	20	0.2	11.16	6546.16	-26.33	-35.05	6.19	Pass
20	30	0.2	29.88	6564.88	-59.08	-67.79	19.22	Pass
30	60	0.2	44.76	6579.76	-58.48	-67.2	18.48	Pass

11ax20 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-53.88	6661.12	-58.54	-66.32	18.54	Pass
-30	-20	0.2	-30	6685	-59.26	-67.04	19.26	Pass
-20	-11	0.2	-11.04	6703.96	-26.81	-34.58	6.77	Pass
-11	-10	0.2	-11	6704	-26.52	-34.29	6.52	Pass
10	11	0.2	11	6726	-26.9	-34.67	6.9	Pass
11	20	0.2	11	6726	-26.44	-34.21	6.44	Pass
20	30	0.2	29.58	6744.58	-59.77	-67.54	20.27	Pass
30	60	0.2	32.4	6747.4	-59.07	-66.84	19.07	Pass

11ax20 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-52.38	6802.62	-58.47	-66.73	18.47	Pass
-30	-20	0.2	-29.94	6825.06	-59.01	-67.27	19.08	Pass
-20	-11	0.2	-11	6844	-26.81	-35.07	6.81	Pass
-11	-10	0.2	-11	6844	-25.95	-34.21	5.95	Pass
10	11	0.2	11	6866	-27.08	-35.34	7.08	Pass
11	20	0.2	11.1	6866.1	-26.42	-34.68	6.33	Pass
20	30	0.2	29.58	6884.58	-59.04	-67.3	19.55	Pass
30	60	0.2	57.96	6912.96	-58.73	-66.99	18.73	Pass

11ax40 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60	6505	-51.74	-57.01	11.74	Pass
-60	-40	0.4	-59.64	6505.36	-52.61	-57.88	12.82	Pass
-40	-21	0.4	-21.04947	6543.9505	-30.2	-35.47	10.18	Pass
-21	-20	0.4	-21	6544	-30.29	-35.56	10.29	Pass
20	21	0.4	21	6586	-30.67	-35.94	10.67	Pass
21	40	0.4	21	6586	-30.67	-35.94	10.67	Pass
40	60	0.4	59.04	6624.04	-53.01	-58.29	13.59	Pass
60	120	0.4	68.64	6633.64	-52.39	-57.66	12.39	Pass

11ax40 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-65.04	6659.96	-51.41	-56.46	11.41	Pass
-60	-40	0.4	-60	6665	-52.19	-57.24	12.19	Pass
-40	-21	0.4	-21	6704	-30.45	-35.5	10.45	Pass
-21	-20	0.4	-21	6704	-30.45	-35.5	10.45	Pass
20	21	0.4	21	6746	-30.5	-35.54	10.5	Pass
21	40	0.4	21	6746	-30.5	-35.54	10.5	Pass
40	60	0.4	59.88	6784.88	-55.27	-60.32	15.34	Pass
60	120	0.4	60.24	6785.24	-54.65	-59.7	14.65	Pass

11ax40 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60	6785	-50.14	-55.34	10.14	Pass
-60	-40	0.4	-60	6785	-51.53	-56.74	11.53	Pass
-40	-21	0.4	-21	6824	-30.63	-35.83	10.63	Pass
-21	-20	0.4	-21	6824	-30.63	-35.83	10.63	Pass
20	21	0.4	21	6866	-30.31	-35.52	10.31	Pass
21	40	0.4	21.169415	6866.1694	-29.93	-35.14	9.86	Pass
40	60	0.4	59.76	6904.76	-55.17	-60.38	15.31	Pass
60	120	0.4	72.48	6917.48	-53.59	-58.79	13.59	Pass

11ax80 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-254.73	-127.365	0.8	-127.365	6497.635	-40.92	-43.66	0.92	Pass
-127.365	-84.91	0.8	-126.0913	6498.9086	-40.64	-43.38	1	Pass
-84.91	-43.455	0.8	-69.63383	6555.3661	-32.99	-35.73	7.94	Pass
-43.455	-42.455	0.8	-43.455	6581.545	-32.48	-35.22	12.48	Pass
42.455	43.455	0.8	43.455	6668.455	-31.83	-34.57	11.83	Pass
43.455	84.91	0.8	68.360825	6693.3608	-30.48	-33.22	5.67	Pass
84.91	127.365	0.8	127.365	6752.365	-46.35	-49.09	6.35	Pass
127.365	254.73	0.8	127.61973	6752.6197	-46.69	-49.43	6.69	Pass

11ax80 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-253.98	-126.99	0.8	-126.99	6578.01	-42.6	-45.17	2.6	Pass
-126.99	-84.66	0.8	-126.99	6578.01	-43.07	-45.63	3.07	Pass
-84.66	-43.33	0.8	-67.90569	6637.0943	-33.03	-35.6	8.27	Pass
-43.33	-42.33	0.8	-43.33	6661.67	-32.67	-35.24	12.67	Pass
42.33	43.33	0.8	43.33	6748.33	-32.37	-34.94	12.37	Pass
43.33	84.66	0.8	66.382579	6771.3825	-31.24	-33.81	6.78	Pass
84.66	126.99	0.8	126.48204	6831.4820	-47.07	-49.64	7.21	Pass
126.99	253.98	0.8	130.03776	6835.0377	-47.92	-50.49	7.92	Pass

11ax80 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.24	6664.76	-40.52	-42.46	0.52	Pass
-120	-80	0.8	-119.04	6665.96	-40.36	-42.3	0.65	Pass
-80	-41	0.8	-63.20839	6721.7916	-30.01	-31.95	5.45	Pass
-41	-40	0.8	-41	6744	-29	-30.94	9	Pass
40	41	0.8	41	6826	-28.36	-30.3	8.36	Pass
41	80	0.8	66.566717	6851.5667	-28.62	-30.56	3.37	Pass
80	120	0.8	120	6905	-44.46	-46.39	4.46	Pass
120	240	0.8	120.48	6905.48	-44.27	-46.21	4.27	Pass

11ax160 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-960	-480	1.6	-480.8	6184.2	-48.68	-50.64	8.68	Pass
-480	-320	1.6	-404	6261	-41.5	-43.46	7.2	Pass
-320	-161	1.6	-197.6	6467.4	-26.56	-28.52	4.72	Pass
-161	-160	1.6	-161	6504	-26.77	-28.73	6.77	Pass
160	161	1.6	161	6826	-23.4	-25.35	3.4	Pass
161	320	1.6	172	6837	-23.15	-25.11	2.6	Pass
320	480	1.6	474.4	7139.4	-47.13	-49.09	7.55	Pass
480	960	1.6	480	7145	-48.45	-50.41	8.45	Pass

11ax160 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-960	-480	1.6	-579.2	6245.8	-51.03	-58.12	11.03	Pass
-480	-320	1.6	-471.2	6353.8	-50.87	-57.97	11.53	Pass
-320	-161	1.6	-316.8	6508.2	-44.14	-51.23	16.3	Pass
-161	-160	1.6	-161	6664	-42.69	-49.78	22.69	Pass
160	161	1.6	161	6986	-43.07	-50.17	23.07	Pass
161	320	1.6	312.8	7137.8	-46.8	-53.89	19.16	Pass
320	480	1.6	479.2	7304.2	-53.5	-60.59	13.56	Pass
480	960	1.6	661.6	7486.6	-52.83	-59.92	12.83	Pass

11be20, U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-55.32	6479.68	-58.57	-67.32	18.57	Pass
-30	-20	0.2	-29.88	6505.12	-59.64	-68.39	19.79	Pass
-20	-11	0.2	-11.04	6523.96	-25.25	-34	5.22	Pass
-11	-10	0.2	-11	6524	-25.82	-34.57	5.82	Pass
10	11	0.2	11	6546	-26.84	-35.59	6.84	Pass
11	20	0.2	11.04	6546.04	-26.12	-34.87	6.08	Pass
20	30	0.2	29.88	6564.88	-59.16	-67.91	19.3	Pass
30	60	0.2	52.08	6587.08	-58.65	-67.4	18.65	Pass

11be20, U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-52.74	6662.26	-58.09	-66.78	18.09	Pass
-30	-20	0.2	-29.88	6685.12	-58.67	-67.36	18.82	Pass
-20	-11	0.2	-11	6704	-26.06	-34.75	6.06	Pass
-11	-10	0.2	-11	6704	-25.57	-34.26	5.57	Pass
10	11	0.2	11	6726	-26.76	-35.44	6.76	Pass
11	20	0.2	11.04	6726.04	-25.25	-33.93	5.21	Pass
20	30	0.2	29.88	6744.88	-59.52	-68.2	19.66	Pass
30	60	0.2	52.5	6767.5	-58.67	-67.35	18.67	Pass

11be20, U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-58.2	6796.8	-58.5	-66.5	18.5	Pass
-30	-20	0.2	-29.46	6825.54	-58.8	-66.81	19.45	Pass
-20	-11	0.2	-11	6844	-26.64	-34.65	6.64	Pass
-11	-10	0.2	-11	6844	-26.82	-34.83	6.82	Pass
10	11	0.2	11	6866	-26.7	-34.7	6.7	Pass
11	20	0.2	11	6866	-26.27	-34.28	6.27	Pass
20	30	0.2	29.88	6884.88	-59.96	-67.97	20.11	Pass
30	60	0.2	31.38	6886.38	-59.05	-67.06	19.05	Pass

11be40, U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.12	6504.88	-51.64	-57.07	11.64	Pass
-60	-40	0.4	-59.76	6505.24	-52.11	-57.54	12.26	Pass
-40	-21	0.4	-21	6544	-31.12	-36.55	11.12	Pass
-21	-20	0.4	-21	6544	-31.12	-36.55	11.12	Pass
20	21	0.4	21	6586	-29.85	-35.28	9.85	Pass
21	40	0.4	21	6586	-29.85	-35.28	9.85	Pass
40	60	0.4	59.64	6624.64	-53.37	-58.79	13.58	Pass
60	120	0.4	63.84	6628.84	-52.52	-57.95	12.52	Pass

11be40, U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.24	6664.76	-51.43	-57	11.43	Pass
-60	-40	0.4	-59.76	6665.24	-52.29	-57.87	12.43	Pass
-40	-21	0.4	-21.04947	6703.9505	-30.14	-35.71	10.12	Pass
-21	-20	0.4	-21	6704	-30.15	-35.73	10.15	Pass
20	21	0.4	21	6746	-30.89	-36.47	10.89	Pass
21	40	0.4	21.169415	6746.1694	-30.8	-36.37	10.73	Pass
40	60	0.4	59.76	6784.76	-54.7	-60.28	14.85	Pass
60	120	0.4	63.84	6788.84	-54.51	-60.08	14.51	Pass

11be40, U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.48	6784.52	-52.26	-58.07	12.26	Pass
-60	-40	0.4	-60	6785	-53.13	-58.94	13.13	Pass
-40	-21	0.4	-21	6824	-30.68	-36.5	10.68	Pass
-21	-20	0.4	-21	6824	-30.68	-36.5	10.68	Pass
20	21	0.4	21	6866	-30.27	-36.08	10.27	Pass
21	40	0.4	21.049475	6866.0494	-30.13	-35.94	10.11	Pass
40	60	0.4	59.88	6904.88	-55.51	-61.32	15.58	Pass
60	120	0.4	70.56	6915.56	-54.55	-60.36	14.55	Pass

11be80, U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-256.89	-128.445	0.8	-128.445	6496.555	-41.84	-44.29	1.84	Pass
-128.445	-85.63	0.8	-127.4174	6497.5825	-41.47	-43.91	1.76	Pass
-85.63	-43.815	0.8	-67.14316	6557.8568	-32.46	-34.91	8	Pass
-43.815	-42.815	0.8	-43.815	6581.185	-32.67	-35.11	12.67	Pass
42.815	43.815	0.8	43.815	6668.815	-31.7	-34.15	11.7	Pass
43.815	85.63	0.8	65.345832	6690.3458	-30.31	-32.75	6.19	Pass
85.63	128.445	0.8	128.445	6753.445	-46.46	-48.91	6.46	Pass
128.445	256.89	0.8	131.52768	6756.5276	-47.17	-49.61	7.17	Pass

11be80, U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.48	6584.52	-41.11	-42.97	1.11	Pass
-120	-80	0.8	-120	6585	-41.23	-43.09	1.23	Pass
-80	-41	0.8	-66.08695	6638.9130	-29.83	-31.69	4.69	Pass
-41	-40	0.8	-41	6664	-28.32	-30.18	8.32	Pass
40	41	0.8	41	6746	-28.33	-30.19	8.33	Pass
41	80	0.8	62.008995	6767.0089	-28.05	-29.91	3.74	Pass
80	120	0.8	120	6825	-44.89	-46.75	4.89	Pass
120	240	0.8	123.12	6828.12	-44.97	-46.83	4.97	Pass

11be80, U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-253.05	-126.525	0.8	-128.5494	6656.4506	-43.26	-45.91	3.26	Pass
-126.525	-84.35	0.8	-126.2719	6658.7280	-43.24	-45.89	3.31	Pass
-84.35	-43.175	0.8	-66.39242	6718.6075	-32.81	-35.45	8.3	Pass
-43.175	-42.175	0.8	-43.175	6741.825	-32.79	-35.43	12.79	Pass
42.175	43.175	0.8	43.175	6828.175	-31.93	-34.58	11.93	Pass
43.175	84.35	0.8	62.851499	6847.8514	-30.15	-32.8	6.33	Pass
84.35	126.525	0.8	125.76585	6910.7658	-46.85	-49.49	7.06	Pass
126.525	253.05	0.8	128.80245	6913.8024	-47.49	-50.13	7.49	Pass

11be160, U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-954.9	-477.45	1.6	-482.24849	6182.751508	-51.11	-53.48	11.11	Pass
-477.45	-318.3	1.6	-403.87311	6261.126884	-43.95	-46.32	9.5	Pass
-318.3	-160.15	1.6	-207.13492	6457.865075	-29.29	-31.65	6.91	Pass
-160.15	-159.15	1.6	-160.15	6504.85	-29.59	-31.95	9.59	Pass
159.15	160.15	1.6	160.15	6825.15	-27.04	-29.41	7.04	Pass
160.15	318.3	1.6	197.53794	6862.53794	-26.84	-29.2	4.94	Pass
318.3	477.45	1.6	475.050754	7140.050754	-50.16	-52.52	10.34	Pass
477.45	954.9	1.6	477.45	7142.45	-50.92	-53.28	10.92	Pass

11be160, U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-952.8	-476.4	1.6	-478.4	6346.6	-50.96	-53.69	10.96	Pass
-476.4	-317.6	1.6	-467.2	6357.8	-50.42	-53.15	11.12	Pass
-317.6	-159.8	1.6	-261.6	6563.4	-33.13	-35.85	7.97	Pass
-159.8	-158.8	1.6	-159.8	6665.2	-33.32	-36.05	13.32	Pass
158.8	159.8	1.6	159.8	6984.8	-27.14	-29.87	7.14	Pass
159.8	317.6	1.6	180.8	7005.8	-28.7	-31.42	7.63	Pass
317.6	476.4	1.6	471.2	7296.2	-52	-54.73	12.39	Pass
476.4	952.8	1.6	476.8	7301.8	-52.44	-55.16	12.44	Pass

11ax20 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-42.6	6832.4	-58.64	-66.85	18.64	Pass
-30	-20	0.2	-30	6845	-59.64	-67.85	19.64	Pass
-20	-11	0.2	-11	6864	-27.34	-35.55	7.34	Pass
-11	-10	0.2	-11	6864	-26.45	-34.66	6.45	Pass
10	11	0.2	11	6886	-27.42	-35.63	7.42	Pass
11	20	0.2	11	6886	-26.49	-34.7	6.49	Pass
20	30	0.2	29.76	6904.76	-59.75	-67.96	20.03	Pass
30	60	0.2	55.02	6930.02	-59.23	-67.45	19.23	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-53.76	6961.24	-56.97	-64.38	16.97	Pass
-30	-20	0.2	-29.88	6985.12	-57.86	-65.26	18	Pass
-20	-11	0.2	-11.1	7003.9	-27.18	-34.59	7.09	Pass
-11	-10	0.2	-11	7004	-26.09	-33.49	6.09	Pass
10	11	0.2	11	7026	-27.74	-35.15	7.74	Pass
11	20	0.2	11	7026	-26.95	-34.35	6.95	Pass
20	30	0.2	30	7045	-57.96	-65.37	17.96	Pass
30	60	0.2	30	7045	-57.96	-65.37	17.96	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-56.1	7038.9	-57.88	-66.23	17.88	Pass
-30	-20	0.2	-29.58	7065.42	-58.41	-66.75	18.91	Pass
-20	-11	0.2	-11	7084	-26.84	-35.18	6.84	Pass
-11	-10	0.2	-10.94005	7084.0599	-25.18	-33.53	6.38	Pass
10	11	0.2	11	7106	-27.24	-35.59	7.24	Pass
11	20	0.2	11.1	7106.1	-27.12	-35.47	7.03	Pass
20	30	0.2	30	7125	-59.06	-67.41	19.06	Pass
30	60	0.2	30.6	7125.6	-58.95	-67.3	18.95	Pass

11ax20 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-55.26	7059.74	-58.23	-66.35	18.23	Pass
-30	-20	0.2	-29.82	7085.18	-59.22	-67.34	19.43	Pass
-20	-11	0.2	-11	7104	-26.37	-34.49	6.37	Pass
-11	-10	0.2	-11	7104	-26.01	-34.13	6.01	Pass
10	11	0.2	11	7126	-26.87	-34.99	6.87	Pass
11	20	0.2	11.16	7126.16	-26.74	-34.86	6.6	Pass
20	30	0.2	25.08	7140.08	-53.43	-61.55	19.33	Pass
30	60	0.2	30.18	7145.18	-58.77	-66.89	18.77	Pass

11ax40 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.04	6822.96	-50.21	-55.45	10.21	Pass
-60	-40	0.4	-59.52	6825.48	-50.88	-56.11	11.16	Pass
-40	-21	0.4	-21	6864	-30.82	-36.06	10.82	Pass
-21	-20	0.4	-21	6864	-30.82	-36.06	10.82	Pass
20	21	0.4	21	6906	-30.62	-35.85	10.62	Pass
21	40	0.4	21	6906	-30.62	-35.85	10.62	Pass
40	60	0.4	59.52	6944.52	-54.08	-59.32	14.37	Pass
60	120	0.4	63.72	6948.72	-53.77	-59.01	13.77	Pass

11ax40 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.44	6943.56	-41.8	-46.22	1.8	Pass
-60	-40	0.4	-59.28	6945.72	-42.2	-46.62	2.64	Pass
-40	-21	0.4	-21	6984	-28.25	-32.67	8.25	Pass
-21	-20	0.4	-21	6984	-28.25	-32.67	8.25	Pass
20	21	0.4	21	7026	-29.32	-33.74	9.32	Pass
21	40	0.4	39.52024	7044.5202	-35.64	-40.06	7.84	Pass
40	60	0.4	59.64	7064.64	-43.57	-47.99	3.79	Pass
60	120	0.4	61.56	7066.56	-44.05	-48.47	4.05	Pass

11ax40 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.24	7024.76	-41.51	-46.62	1.51	Pass
-60	-40	0.4	-59.16	7025.84	-41.92	-47.03	2.42	Pass
-40	-21	0.4	-21.28935	7063.7106	-28.09	-33.2	7.97	Pass
-21	-20	0.4	-21	7064	-28.33	-33.44	8.33	Pass
20	21	0.4	21	7106	-29.36	-34.48	9.36	Pass
21	40	0.4	40	7125	-34.36	-39.47	6.36	Pass
40	60	0.4	56.52	7141.52	-41.31	-46.43	3.4	Pass
60	120	0.4	60.48	7145.48	-41.92	-47.03	1.92	Pass

11ax80 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-252.69	-126.345	0.8	-128.6192	6736.3807	-43.74	-46.8	3.74	Pass
-126.345	-84.23	0.8	-120.0277	6744.9722	-41.55	-44.62	3.35	Pass
-84.23	-43.115	0.8	-64.53003	6800.4699	-32.44	-35.5	8.27	Pass
-43.115	-42.115	0.8	-43.115	6821.885	-32.31	-35.38	12.31	Pass
42.115	43.115	0.8	43.115	6908.115	-31.57	-34.64	11.57	Pass
43.115	84.23	0.8	63.267211	6928.2672	-30.21	-33.28	6.29	Pass
84.23	126.345	0.8	126.345	6991.345	-47.63	-50.69	7.63	Pass
126.345	252.69	0.8	128.11383	6993.1138	-48.26	-51.32	8.26	Pass

11ax80 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-251.64	-125.82	0.8	-126.5749	6818.4250	-41.97	-45.86	1.97	Pass
-125.82	-83.88	0.8	-125.82	6819.18	-41.37	-45.26	1.37	Pass
-83.88	-42.94	0.8	-61.49523	6883.5047	-33.79	-37.68	10.16	Pass
-42.94	-41.94	0.8	-42.94	6902.06	-32.76	-36.65	12.76	Pass
41.94	42.94	0.8	42.94	6987.94	-33.58	-37.47	13.58	Pass
42.94	83.88	0.8	65.51946	7010.5194	-32.6	-36.48	8.18	Pass
83.88	125.82	0.8	124.81344	7069.8134	-47.01	-50.89	7.29	Pass
125.82	251.64	0.8	126.82656	7071.8265	-47.78	-51.67	7.78	Pass

11ax80 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-455.7	-227.85	0.8	-235.5372	6789.4627	-44.88	-49.4	4.88	Pass
-227.85	-151.9	0.8	-225.2875	6799.7124	-45	-49.52	5.4	Pass
-151.9	-76.95	0.8	-124.4309	6900.5690	-39.27	-43.79	14.2	Pass
-76.95	-75.95	0.8	-76.95	6948.05	-35.28	-39.8	15.28	Pass
75.95	76.95	0.8	76.95	7101.95	-34.84	-39.36	14.84	Pass
76.95	151.9	0.8	76.95	7101.95	-34.39	-38.92	14.39	Pass
151.9	227.85	0.8	224.05762	7249.0576	-51.75	-56.27	12.35	Pass
227.85	455.7	0.8	231.84736	7256.8473	-51.76	-56.28	11.76	Pass

11ax160 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-941.1	-470.55	1.6	-471.5498	6513.4501	-47.1	-49.8	7.1	Pass
-470.55	-313.7	1.6	-402.7572	6582.242	-41.1	-43.79	6.28	Pass
-313.7	-157.85	1.6	-208.2008	6776.7991	-25.88	-28.57	3.29	Pass
-157.85	-156.85	1.6	-157.85	6827.15	-24.32	-27.01	4.32	Pass
156.85	157.85	1.6	157.85	7142.85	-23.54	-26.23	3.54	Pass
157.85	313.7	1.6	165.04216	7150.0421	-23.71	-26.4	3.34	Pass
313.7	470.55	1.6	466.75040	7451.7504	-48.88	-51.57	9.17	Pass
470.55	941.1	1.6	473.94963	7458.9496	-49.1	-51.8	9.1	Pass

11be20, U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-40.2	6834.8	-58.36	-66.62	18.36	Pass
-30	-20	0.2	-30	6845	-59.82	-68.08	19.82	Pass
-20	-11	0.2	-11	6864	-27.22	-35.48	7.22	Pass
-11	-10	0.2	-11	6864	-25.92	-34.17	5.92	Pass
10	11	0.2	11	6886	-26.5	-34.76	6.5	Pass
11	20	0.2	11	6886	-26.62	-34.87	6.62	Pass
20	30	0.2	30	6905	-59.81	-68.06	19.81	Pass
30	60	0.2	55.8	6930.8	-59.13	-67.39	19.13	Pass

11be20, U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-57	6958	-56.85	-64.02	16.85	Pass
-30	-20	0.2	-30	6985	-57.77	-64.94	17.77	Pass
-20	-11	0.2	-11.04	7003.96	-25.88	-33.05	5.84	Pass
-11	-10	0.2	-11	7004	-26.98	-34.15	6.98	Pass
10	11	0.2	11	7026	-27.85	-35.02	7.85	Pass
11	20	0.2	11	7026	-27.04	-34.21	7.04	Pass
20	30	0.2	29.58	7044.58	-57.43	-64.6	17.93	Pass
30	60	0.2	30.12	7045.12	-57.95	-65.13	17.95	Pass

11be20, U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-57.66	7037.34	-58	-66.26	18	Pass
-30	-20	0.2	-30	7065	-59.16	-67.42	19.16	Pass
-20	-11	0.2	-11	7084	-26.39	-34.65	6.39	Pass
-11	-10	0.2	-11	7084	-25.99	-34.25	5.99	Pass
10	11	0.2	11	7106	-27.01	-35.27	7.01	Pass
11	20	0.2	11.04	7106.04	-26.68	-34.94	6.64	Pass
20	30	0.2	29.4	7124.4	-58.54	-66.8	19.26	Pass
30	60	0.2	31.02	7126.02	-58.92	-67.18	18.92	Pass

11be20, U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-55.62	7059.38	-58.36	-66.44	18.36	Pass
-30	-20	0.2	-29.82	7085.18	-59.23	-67.31	19.45	Pass
-20	-11	0.2	-11	7104	-26.55	-34.63	6.55	Pass
-11	-10	0.2	-11	7104	-25.98	-34.05	5.98	Pass
10	11	0.2	11	7126	-27.5	-35.58	7.5	Pass
11	20	0.2	11.04	7126.04	-26.61	-34.68	6.57	Pass
20	30	0.2	24.78	7139.78	-52.94	-61.02	19.21	Pass
30	60	0.2	30.36	7145.36	-59.21	-67.29	19.21	Pass

11be40, U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.6	6824.4	-50.62	-56.41	10.62	Pass
-60	-40	0.4	-59.04	6825.96	-50.6	-56.39	11.18	Pass
-40	-21	0.4	-	6863.8305	-30.23	-36.03	10.16	Pass
-21	-20	0.4	-21	6864	-30.31	-36.1	10.31	Pass
20	21	0.4	21	6906	-29.67	-35.47	9.67	Pass
21	40	0.4	21	6906	-29.67	-35.47	9.67	Pass
40	60	0.4	59.88	6944.88	-54.44	-60.24	14.51	Pass
60	120	0.4	65.88	6950.88	-53.78	-59.57	13.78	Pass

11be40, U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.12	6944.88	-43.04	-47.26	3.04	Pass
-60	-40	0.4	-59.04	6945.96	-43.28	-47.5	3.85	Pass
-40	-21	0.4	-21.04947	6983.9505	-29.13	-33.35	9.11	Pass
-21	-20	0.4	-21	6984	-29.11	-33.33	9.11	Pass
20	21	0.4	21	7026	-29.91	-34.13	9.91	Pass
21	40	0.4	21	7026	-29.91	-34.13	9.91	Pass
40	60	0.4	59.64	7064.64	-44.41	-48.63	4.63	Pass
60	120	0.4	61.08	7066.08	-43.47	-47.69	3.47	Pass

11be40, U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.72	7024.28	-43.28	-48.43	3.28	Pass
-60	-40	0.4	-59.04	7025.96	-43.62	-48.77	4.19	Pass
-40	-21	0.4	-21.16941	7063.8305	-28.37	-33.53	8.3	Pass
-21	-20	0.4	-21	7064	-28.63	-33.79	8.63	Pass
20	21	0.4	21	7106	-29.16	-34.31	9.16	Pass
21	40	0.4	39.76012	7124.7601	-36.17	-41.33	8.28	Pass
40	60	0.4	60	7145	-42.74	-47.9	2.74	Pass
60	120	0.4	60.12	7145.12	-42.17	-47.33	2.17	Pass

11be80, U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-254.94	-127.47	0.8	-131.0391	6733.9608	-44.51	-47.46	4.51	Pass
-127.47	-84.98	0.8	-124.9206	6740.0794	-43.35	-46.29	4.07	Pass
-84.98	-43.49	0.8	-63.57574	6801.4242	-32.07	-35.01	8.19	Pass
-43.49	-42.49	0.8	-43.49	6821.51	-32.26	-35.2	12.26	Pass
42.49	43.49	0.8	43.49	6908.49	-31.46	-34.4	11.46	Pass
43.49	84.98	0.8	63.575742	6928.5757	-30.4	-33.34	6.53	Pass
84.98	127.47	0.8	127.47	6992.47	-48.46	-51.4	8.46	Pass
127.47	254.94	0.8	128.7447	6993.7447	-48.34	-51.29	8.34	Pass

11be80, U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-296.01	-148.005	0.8	-223.4875	6721.5124	-44.19	-47.97	4.19	Pass
-148.005	-98.67	0.8	-132.0204	6812.9795	-41.38	-45.16	5.27	Pass
-98.67	-50.335	0.8	-98.67	6846.33	-38.35	-42.13	10.35	Pass
-50.335	-49.335	0.8	-50.335	6894.665	-34.01	-37.79	14.01	Pass
49.335	50.335	0.8	50.335	6995.335	-33.49	-37.27	13.49	Pass
50.335	98.67	0.8	65.82931	7010.8293	-31.44	-35.22	8.87	Pass
98.67	148.005	0.8	147.70899	7092.7089	-50.97	-54.75	11.04	Pass
148.005	296.01	0.8	167.54166	7112.5416	-49.71	-53.49	9.71	Pass

11be80, U-NII-8, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-455.1	-227.55	0.8	-228.37	6796.63	-44.88	-49.68	4.88	Pass
-227.55	-151.7	0.8	-226.73	6798.27	-45.65	-50.45	5.78	Pass
-151.7	-76.85	0.8	-123.82	6901.18	-38.21	-43.01	13.19	Pass
-76.85	-75.85	0.8	-76.85	6948.15	-33.95	-38.75	13.95	Pass
75.85	76.85	0.8	76.85	7101.85	-33.87	-38.67	13.87	Pass
76.85	151.7	0.8	77.49	7102.49	-33.85	-38.65	13.78	Pass
151.7	227.55	0.8	227.14	7252.14	-52.17	-56.97	12.24	Pass
227.55	455.1	0.8	230.01	7255.01	-52.38	-57.18	12.38	Pass


11be160, U-NII-8, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-953.4	-476.7	1.6	-486.2979	6498.7020	-47.94	-51.18	7.94	Pass
-476.7	-317.8	1.6	-403.11543	6581.8845	-40.99	-44.24	6.55	Pass
-317.8	-159.9	1.6	-193.0784	6791.9215	-25.21	-28.45	3.53	Pass
-159.9	-158.9	1.6	-159.9	6825.1	-24.77	-28.01	4.77	Pass
158.9	159.9	1.6	159.9	7144.9	-24.27	-27.51	4.27	Pass
159.9	317.8	1.6	167.49459	7152.4945	-24.24	-27.48	3.86	Pass
317.8	476.7	1.6	476.7	7461.7	-49.15	-52.4	9.15	Pass
476.7	953.4	1.6	476.7	7461.7	-49.15	-52.4	9.15	Pass


Aux. Antenna:

11ax20 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.96	5921.04	-54.98	-69.86	14.98	Pass
-30	-20	0.2	-29.76	5925.24	-55.4	-70.28	15.69	Pass
-20	-11	0.2	-11.04	5943.96	-26.11	-40.98	6.07	Pass
-11	-10	0.2	-11	5944	-25.74	-40.61	5.74	Pass
10	11	0.2	11	5966	-26.18	-41.06	6.18	Pass
11	20	0.2	11	5966	-25.96	-40.84	5.96	Pass
20	30	0.2	30	5985	-56.1	-70.98	16.1	Pass
30	60	0.2	58.92	6013.92	-55.07	-69.94	15.07	Pass

11ax20 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.18	6144.82	-55.76	-62.59	15.76	Pass
-30	-20	0.2	-29.88	6145.12	-56	-62.84	16.15	Pass
-20	-11	0.2	-11.04	6163.96	-26.54	-33.37	6.5	Pass
-11	-10	0.2	-11	6164	-25.94	-32.77	5.94	Pass
10	11	0.2	11	6186	-26.56	-33.39	6.56	Pass
11	20	0.2	11	6186	-26.05	-32.89	6.05	Pass
20	30	0.2	30	6205	-56.61	-63.45	16.61	Pass
30	60	0.2	30.18	6205.18	-56.3	-63.13	16.3	Pass

11ax20 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-58.5	6356.5	-54.59	-70.75	14.59	Pass
-30	-20	0.2	-30	6385	-55.7	-71.86	15.7	Pass
-20	-11	0.2	-11	6404	-26.38	-42.54	6.38	Pass
-11	-10	0.2	-11	6404	-26.07	-42.22	6.07	Pass
10	11	0.2	11	6426	-26.75	-42.91	6.75	Pass
11	20	0.2	11	6426	-26.4	-42.55	6.4	Pass
20	30	0.2	29.88	6444.88	-56.08	-72.23	16.22	Pass
30	60	0.2	57.06	6472.06	-55	-71.15	15	Pass

11ax40 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.88	5902.12	-53.35	-64.78	13.35	Pass
-60	-40	0.4	-59.28	5905.72	-54.06	-65.5	14.5	Pass
-40	-21	0.4	-21	5944	-29.94	-41.38	9.94	Pass
-21	-20	0.4	-21	5944	-29.94	-41.38	9.94	Pass
20	21	0.4	21	5986	-30.83	-42.27	10.83	Pass
21	40	0.4	21.289355	5986.2893	-30.75	-42.19	10.63	Pass
40	60	0.4	59.52	6024.52	-54.4	-65.84	14.69	Pass
60	120	0.4	62.64	6027.64	-53.5	-64.94	13.5	Pass

11ax40 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-113.88	6051.12	-46.36	-50.33	6.36	Pass
-60	-40	0.4	-48.6	6116.4	-40.41	-44.38	7.25	Pass
-40	-21	0.4	-38.92054	6126.0794	-35.8	-39.76	8.25	Pass
-21	-20	0.4	-21	6144	-28.57	-32.54	8.57	Pass
20	21	0.4	21	6186	-29.82	-33.79	9.82	Pass
21	40	0.4	40	6205	-32.75	-36.72	4.75	Pass
40	60	0.4	60	6225	-40.35	-44.32	0.35	Pass
60	120	0.4	60.48	6225.48	-40.42	-44.39	0.42	Pass

11ax40 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-88.32	6316.68	-53.81	-66.86	13.81	Pass
-60	-40	0.4	-60	6345	-54.39	-67.44	14.39	Pass
-40	-21	0.4	-21	6384	-30.39	-43.44	10.39	Pass
-21	-20	0.4	-21	6384	-30.39	-43.44	10.39	Pass
20	21	0.4	21	6426	-31.15	-44.2	11.15	Pass
21	40	0.4	21	6426	-31.15	-44.2	11.15	Pass
40	60	0.4	60	6465	-54.66	-67.71	14.66	Pass
60	120	0.4	64.44	6469.44	-53.8	-66.85	13.8	Pass

11ax80 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-425.1	-212.55	0.8	-224.6430	5760.3569	-52.21	-59.63	12.21	Pass
-212.55	-141.7	0.8	-210.7053	5774.2946	-52.43	-59.85	12.74	Pass
-141.7	-71.85	0.8	-141.7	5843.3	-51.4	-58.82	23.4	Pass
-71.85	-70.85	0.8	-71.85	5913.15	-49.66	-57.08	29.66	Pass
70.85	71.85	0.8	71.85	6056.85	-50.26	-57.68	30.26	Pass
71.85	141.7	0.8	141.7	6126.7	-52.07	-59.49	24.07	Pass
141.7	212.55	0.8	211.93510	6196.9351	-53.11	-60.53	13.21	Pass
212.55	425.1	0.8	219.31388	6204.3138	-52.91	-60.33	12.91	Pass

11ax80 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-252.51	-126.255	0.8	-127.2650	6017.73496	-41.14	-45.12	1.14	Pass
-126.255	-84.17	0.8	-124.9924	6020.00755	-41.03	-45	1.39	Pass
-84.17	-43.085	0.8	-62.21269	6082.787391	-31.08	-35.05	7.35	Pass
-43.085	-42.085	0.8	-43.085	6101.915	-31.21	-35.19	11.21	Pass
42.085	43.085	0.8	43.085	6188.085	-31.41	-35.39	11.41	Pass
43.085	84.17	0.8	61.960225	6206.960225	-29.58	-33.56	5.91	Pass
84.17	126.255	0.8	126.255	6271.255	-46.98	-50.95	6.98	Pass
126.255	252.51	0.8	127.26504	6272.26504	-46.94	-50.91	6.94	Pass

11ax80 (SU), U-NII-5, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-442.8	-221.4	0.8	-250.92	6134.08	-51.88	-61.01	11.88	Pass
-221.4	-147.6	0.8	-220.17	6164.83	-52.21	-61.34	12.41	Pass
-147.6	-74.8	0.8	-145.14	6239.86	-50.66	-59.79	22.93	Pass
-74.8	-73.8	0.8	-74.8	6310.2	-47.7	-56.82	27.7	Pass
73.8	74.8	0.8	74.8	6459.8	-50.09	-59.22	30.09	Pass
74.8	147.6	0.8	147.6	6532.6	-51.22	-60.35	23.22	Pass
147.6	221.4	0.8	220.58	6605.58	-52.11	-61.23	12.24	Pass
221.4	442.8	0.8	247.64	6632.64	-51.66	-60.79	11.66	Pass

11ax160 (SU), U-NII-5, Low Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-860.1	-430.05	1.6	-433.8486	5591.1513	-52.35	-57.34	12.35	Pass
-430.05	-286.7	1.6	-397.0615	5627.9384	-48.89	-53.89	11.65	Pass
-286.7	-144.35	1.6	-285.1005	5739.8994	-41.79	-46.78	13.88	Pass
-144.35	-143.35	1.6	-144.35	5880.65	-42.36	-47.36	22.36	Pass
143.35	144.35	1.6	144.35	6169.35	-41.21	-46.21	21.21	Pass
144.35	286.7	1.6	286.7	6311.7	-42.78	-47.78	14.78	Pass
286.7	430.05	1.6	395.46206	6420.4620	-48.85	-53.85	11.75	Pass
430.05	860.1	1.6	436.24783	6461.2478	-52.4	-57.39	12.4	Pass