



11ax160 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-732.9	-366.45	1.6	-371.5803	5813.4197	-44.7	-48.65	4.7	Pass
-366.45	-244.3	1.6	-362.7855	5822.2145	-44.53	-48.49	4.89	Pass
-244.3	-123.15	1.6	-198.8829	5986.1170	-29.79	-33.75	4.79	Pass
-123.15	-122.15	1.6	-123.15	6061.85	-34.59	-38.55	14.59	Pass
122.15	123.15	1.6	123.15	6308.15	-28.9	-32.86	8.9	Pass
123.15	244.3	1.6	194.48770	6379.48770	-27.17	-31.13	2.46	Pass
244.3	366.45	1.6	365.7171	6550.7171	-42.27	-46.23	2.34	Pass
366.45	732.9	1.6	367.1829	6552.1829	-42.54	-46.49	2.54	Pass

11ax160 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-952.8	-476.4	1.6	-506.4	5838.6	-50.78	-57.66	10.78	Pass
-476.4	-317.6	1.6	-472.8	5872.2	-50.87	-57.75	11.14	Pass
-317.6	-159.8	1.6	-316	6029	-43.73	-50.61	15.81	Pass
-159.8	-158.8	1.6	-159.8	6185.2	-41.12	-48	21.12	Pass
158.8	159.8	1.6	159.8	6504.8	-40.08	-46.95	20.08	Pass
159.8	317.6	1.6	317.6	6662.6	-44.57	-51.44	16.57	Pass
317.6	476.4	1.6	475.2	6820.2	-52.6	-59.48	12.69	Pass
476.4	952.8	1.6	477.6	6822.6	-52.54	-59.42	12.54	Pass

11be20, U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-54.12	5900.88	-54.83	-69.66	14.83	Pass
-30	-20	0.2	-29.94	5925.06	-55.68	-70.5	15.75	Pass
-20	-11	0.2	-11.04	5943.96	-26.37	-41.2	6.33	Pass
-11	-10	0.2	-11	5944	-26.22	-41.05	6.22	Pass
10	11	0.2	11	5966	-26.27	-41.1	6.27	Pass
11	20	0.2	11	5966	-26.36	-41.19	6.36	Pass
20	30	0.2	29.64	5984.64	-55.49	-70.31	15.92	Pass
30	60	0.2	57.42	6012.42	-55.17	-70	15.17	Pass

11be20, U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.22	6142.78	-56.06	-63.09	16.06	Pass
-30	-20	0.2	-29.94	6145.06	-56.12	-63.16	16.2	Pass
-20	-11	0.2	-11	6164	-26.47	-33.5	6.47	Pass
-11	-10	0.2	-11	6164	-26.3	-33.33	6.3	Pass
10	11	0.2	11	6186	-26.27	-33.3	6.27	Pass
11	20	0.2	11.16	6186.16	-26.54	-33.57	6.4	Pass
20	30	0.2	29.82	6204.82	-56.27	-63.3	16.48	Pass
30	60	0.2	30.18	6205.18	-56.39	-63.42	16.39	Pass

11be20, U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-58.38	6356.62	-54.36	-70.63	14.36	Pass
-30	-20	0.2	-30	6385	-55.33	-71.6	15.33	Pass
-20	-11	0.2	-11	6404	-26.55	-42.82	6.55	Pass
-11	-10	0.2	-11	6404	-26.43	-42.71	6.43	Pass
10	11	0.2	11	6426	-27.03	-43.3	7.03	Pass
11	20	0.2	11.04	6426.04	-27.27	-43.54	7.23	Pass
20	30	0.2	30	6445	-56.15	-72.42	16.15	Pass
30	60	0.2	55.92	6470.92	-55.14	-71.41	15.14	Pass

11be40, U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-67.2	5897.8	-53.54	-65.06	13.54	Pass
-60	-40	0.4	-59.52	5905.48	-53.93	-65.45	14.21	Pass
-40	-21	0.4	-21	5944	-29.66	-41.19	9.66	Pass
-21	-20	0.4	-21	5944	-29.66	-41.19	9.66	Pass
20	21	0.4	21	5986	-30.82	-42.34	10.82	Pass
21	40	0.4	21	5986	-30.82	-42.34	10.82	Pass
40	60	0.4	60	6025	-54.18	-65.7	14.18	Pass
60	120	0.4	67.68	6032.68	-54.07	-65.59	14.07	Pass

11be40, U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-75.96	6089.04	-46.31	-50.58	6.31	Pass
-60	-40	0.4	-60	6105	-46.32	-50.59	6.32	Pass
-40	-21	0.4	-21	6144	-28.77	-33.05	8.77	Pass
-21	-20	0.4	-21	6144	-28.77	-33.05	8.77	Pass
20	21	0.4	21	6186	-29.75	-34.02	9.75	Pass
21	40	0.4	38.8006	6203.8006	-33	-37.28	5.51	Pass
40	60	0.4	59.64	6224.64	-40.89	-45.16	1.1	Pass
60	120	0.4	62.16	6227.16	-40.77	-45.04	0.77	Pass

11be40, U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-74.64	6330.36	-53.3	-66.73	13.3	Pass
-60	-40	0.4	-60	6345	-54.01	-67.44	14.01	Pass
-40	-21	0.4	-21	6384	-29.74	-43.18	9.74	Pass
-21	-20	0.4	-21	6384	-29.74	-43.18	9.74	Pass
20	21	0.4	21	6426	-30.57	-44.01	10.57	Pass
21	40	0.4	21	6426	-30.57	-44.01	10.57	Pass
40	60	0.4	59.88	6464.88	-54.44	-67.88	14.51	Pass
60	120	0.4	63.48	6468.48	-53.51	-66.95	13.51	Pass

11be80, U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-428.7	-214.35	0.8	-230.3340	5754.6659	-52.33	-59.67	12.33	Pass
-214.35	-142.9	0.8	-213.5303	5771.4696	-52.48	-59.83	12.62	Pass
-142.9	-72.45	0.8	-142.9	5842.1	-51.37	-58.72	23.37	Pass
-72.45	-71.45	0.8	-72.45	5912.55	-49.34	-56.69	29.34	Pass
71.45	72.45	0.8	72.45	6057.45	-50.45	-57.8	30.45	Pass
72.45	142.9	0.8	142.08108	6127.0810	-51.82	-59.17	23.91	Pass
142.9	214.35	0.8	213.94015	6198.9401	-53.09	-60.44	13.16	Pass
214.35	428.7	0.8	231.97342	6216.9734	-52.89	-60.24	12.89	Pass

11be80, U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-255.96	-127.98	0.8	-128.2359	6016.7640	-41.96	-45.74	1.96	Pass
-127.98	-85.32	0.8	-127.7240	6017.2759	-41.82	-45.6	1.9	Pass
-85.32	-43.66	0.8	-67.411754	6077.5882	-31.99	-35.76	7.43	Pass
-43.66	-42.66	0.8	-43.66	6101.34	-31.58	-35.36	11.58	Pass
42.66	43.66	0.8	43.66	6188.66	-30.99	-34.77	10.99	Pass
43.66	85.32	0.8	65.876762	6210.876	-30.41	-34.19	6.15	Pass
85.32	127.98	0.8	125.93232	6270.932	-45.98	-49.76	6.55	Pass
127.98	255.96	0.8	130.02768	6275.0276	-46.92	-50.69	6.92	Pass

11be80, U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-440.7	-220.35	0.8	-222.1947	6162.80520	-51.66	-60.89	11.66	Pass
-220.35	-146.9	0.8	-219.7350	6165.26493	-51.75	-60.98	11.85	Pass
-146.9	-74.45	0.8	-145.6707	6239.32928	-50.86	-60.09	22.99	Pass
-74.45	-73.45	0.8	-74.45	6310.55	-47.95	-57.18	27.95	Pass
73.45	74.45	0.8	74.45	6459.45	-50.32	-59.55	30.32	Pass
74.45	146.9	0.8	146.9	6531.9	-50.98	-60.21	22.98	Pass
146.9	220.35	0.8	219.32511	6604.32511	-51.75	-60.98	11.92	Pass
220.35	440.7	0.8	247.20195	6632.20195	-51.8	-61.03	11.8	Pass

11be160, U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-953.7	-476.85	1.6	-492.2451	5532.7548	-49.94	-51.85	9.94	Pass
-476.85	-317.9	1.6	-476.2501	5548.7498	-49.86	-51.78	9.91	Pass
-317.9	-159.95	1.6	-212.3332	5812.6667	-28.53	-30.45	5.88	Pass
-159.95	-158.95	1.6	-159.95	5865.05	-27.32	-29.24	7.32	Pass
158.95	159.95	1.6	159.95	6184.95	-24.63	-26.54	4.63	Pass
159.95	317.9	1.6	179.54352	6204.5435	-25.09	-27.01	4.1	Pass
317.9	476.85	1.6	467.45295	6492.4529	-44.57	-46.48	5.27	Pass
476.85	953.7	1.6	482.64817	6507.6481	-45.43	-47.35	5.43	Pass

11be160, U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-955.5	-477.75	1.6	-485.9491	5699.0508	-46.83	-49.11	6.83	Pass
-477.75	-318.5	1.6	-475.5502	5709.4497	-46.73	-49.02	6.9	Pass
-318.5	-160.25	1.6	-202.6091	5982.3908	-23.22	-25.51	1.08	Pass
-160.25	-159.25	1.6	-160.25	6024.75	-22.32	-24.6	2.32	Pass
159.25	160.25	1.6	160.25	6345.25	-21.27	-23.55	1.27	Pass
160.25	318.5	1.6	181.82873	6366.8287	-21.74	-24.03	0.65	Pass
318.5	477.75	1.6	464.35140	6649.3514	-43.22	-45.51	4.23	Pass
477.75	955.5	1.6	478.74989	6663.7498	-44.6	-46.89	4.6	Pass

11be160, U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-953.7	-476.85	1.6	-490.6456	5854.3543	-48.83	-52.16	8.83	Pass
-476.85	-317.9	1.6	-401.8735	5943.1264	-42.25	-45.58	7.91	Pass
-317.9	-159.95	1.6	-208.3344	6136.6655	-28.16	-31.49	5.71	Pass
-159.95	-158.95	1.6	-159.95	6185.05	-28.65	-31.98	8.65	Pass
158.95	159.95	1.6	159.95	6504.95	-22.73	-26.06	2.73	Pass
159.95	317.9	1.6	161.14930	6506.1493	-22.56	-25.88	2.5	Pass
317.9	476.85	1.6	475.45044	6820.4504	-47.77	-51.1	7.87	Pass
476.85	953.7	1.6	476.85	6821.85	-48.08	-51.41	8.08	Pass

11ax20 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-57.54	6377.46	-54.46	-70.77	14.46	Pass
-30	-20	0.2	-29.94	6405.06	-56.18	-72.5	16.25	Pass
-20	-11	0.2	-11.04	6423.96	-26.41	-42.72	6.37	Pass
-11	-10	0.2	-11	6424	-26.55	-42.86	6.55	Pass
10	11	0.2	11	6446	-27.17	-43.48	7.17	Pass
11	20	0.2	11.04	6446.04	-27	-43.32	6.97	Pass
20	30	0.2	30	6465	-56.1	-72.41	16.1	Pass
30	60	0.2	53.64	6488.64	-54.24	-70.55	14.24	Pass

11ax20 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-54.42	6420.58	-57.02	-64.59	17.02	Pass
-30	-20	0.2	-29.94	6445.06	-57.25	-64.83	17.32	Pass
-20	-11	0.2	-11	6464	-26.95	-34.52	6.95	Pass
-11	-10	0.2	-11	6464	-25.93	-33.5	5.93	Pass
10	11	0.2	11	6486	-27.09	-34.66	7.09	Pass
11	20	0.2	11	6486	-26.89	-34.47	6.89	Pass
20	30	0.2	29.94	6504.94	-56.87	-64.45	16.94	Pass
30	60	0.2	30	6505	-57.11	-64.68	17.11	Pass

11ax20 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-59.34	6455.66	-54.6	-70.59	14.6	Pass
-30	-20	0.2	-29.94	6485.06	-55.34	-71.33	15.41	Pass
-20	-11	0.2	-11	6504	-26.31	-42.3	6.31	Pass
-11	-10	0.2	-11	6504	-26.85	-42.85	6.85	Pass
10	11	0.2	11	6526	-27.33	-43.32	7.33	Pass
11	20	0.2	11.28	6526.28	-27.75	-43.74	7.5	Pass
20	30	0.2	29.94	6544.94	-55.46	-71.45	15.53	Pass
30	60	0.2	57.24	6572.24	-54.83	-70.83	14.83	Pass

11ax40 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-77.64	6367.36	-53.77	-66.6	13.77	Pass
-60	-40	0.4	-59.76	6385.24	-54.29	-67.12	14.43	Pass
-40	-21	0.4	-21.04947	6423.9505	-30.01	-42.84	9.99	Pass
-21	-20	0.4	-21	6424	-30.05	-42.88	10.05	Pass
20	21	0.4	21	6466	-30.48	-43.31	10.48	Pass
21	40	0.4	21	6466	-30.48	-43.31	10.48	Pass
40	60	0.4	59.52	6504.52	-54.22	-67.05	14.51	Pass
60	120	0.4	75.48	6520.48	-53.7	-66.53	13.7	Pass

11ax40 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-63.72	6421.28	-43.93	-48.66	3.93	Pass
-60	-40	0.4	-58.08	6426.92	-44.94	-49.67	6.09	Pass
-40	-21	0.4	-21.28935	6463.7106	-29.89	-34.62	9.77	Pass
-21	-20	0.4	-21	6464	-29.96	-34.69	9.96	Pass
20	21	0.4	21	6506	-29.5	-34.23	9.5	Pass
21	40	0.4	39.88006	6524.8800	-36.93	-41.66	8.98	Pass
40	60	0.4	58.68	6543.68	-42.12	-46.85	2.91	Pass
60	120	0.4	60.24	6545.24	-41.69	-46.42	1.69	Pass

11ax40 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.96	6464.04	-53.48	-65.96	13.48	Pass
-60	-40	0.4	-59.28	6465.72	-54.1	-66.58	14.53	Pass
-40	-21	0.4	-21.16941	6503.8305	-30.81	-43.29	10.74	Pass
-21	-20	0.4	-21	6504	-31	-43.48	11	Pass
20	21	0.4	21	6546	-30.78	-43.25	10.78	Pass
21	40	0.4	21	6546	-30.78	-43.25	10.78	Pass
40	60	0.4	60	6585	-54.38	-66.86	14.38	Pass
60	120	0.4	78.84	6603.84	-53.56	-66.04	13.56	Pass

11ax80 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-411.3	-205.65	0.8	-231.3690	6233.6309	-40.85	-43.74	0.85	Pass
-205.65	-137.1	0.8	-203.4982	6261.5017	-43.46	-46.35	3.84	Pass
-137.1	-69.55	0.8	-69.55	6395.45	-27.98	-30.88	7.98	Pass
-69.55	-68.55	0.8	-69.55	6395.45	-28.22	-31.12	8.22	Pass
68.55	69.55	0.8	69.55	6534.55	-26.02	-28.91	6.02	Pass
69.55	137.1	0.8	69.882063	6534.8820	-26.06	-28.96	6.03	Pass
137.1	205.65	0.8	205.54753	6670.5475	-45.05	-47.95	5.07	Pass
205.65	411.3	0.8	237.10717	6702.1071	-41.66	-44.56	1.66	Pass

11ax80 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-381.9	-190.95	0.8	-234.4866	6310.5134	-43.12	-45.94	3.12	Pass
-190.95	-127.3	0.8	-127.9365	6417.0635	-38.69	-41.51	10.57	Pass
-127.3	-64.65	0.8	-113.17676	6431.8232	-35.23	-38.05	9.03	Pass
-64.65	-63.65	0.8	-64.65	6480.35	-29.67	-32.5	9.67	Pass
63.65	64.65	0.8	64.65	6609.65	-27.23	-30.05	7.23	Pass
64.65	127.3	0.8	66.989955	6611.9899	-27.36	-30.18	7.06	Pass
127.3	190.95	0.8	180.6387	6725.6387	-47.55	-50.38	9.5	Pass
190.95	381.9	0.8	224.9391	6769.9391	-49.62	-52.44	9.62	Pass

11ax160 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-734.7	-367.35	1.6	-368.0847	6136.9153	-43.47	-46.42	3.47	Pass
-367.35	-244.9	1.6	-361.4724	6143.5276	-42.82	-45.77	3.39	Pass
-244.9	-123.45	1.6	-241.9626	6263.0373	-31.74	-34.69	3.94	Pass
-123.45	-122.45	1.6	-123.45	6381.55	-29.07	-32.02	9.07	Pass
122.45	123.45	1.6	123.45	6628.45	-24.42	-27.37	4.42	Pass
123.45	244.9	1.6	186.88770	6691.8877	-24.44	-27.39	0.26	Pass
244.9	367.35	1.6	346.7784	6851.7784	-39.28	-42.23	1.29	Pass
367.35	734.7	1.6	368.0847	6873.0847	-41.26	-44.21	1.26	Pass

11be20, U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-57.42	6377.58	-54.72	-70.93	14.72	Pass
-30	-20	0.2	-30	6405	-56.02	-72.24	16.02	Pass
-20	-11	0.2	-11	6424	-26.31	-42.53	6.31	Pass
-11	-10	0.2	-11	6424	-26.31	-42.52	6.31	Pass
10	11	0.2	11	6446	-27.08	-43.3	7.08	Pass
11	20	0.2	11	6446	-26.32	-42.53	6.32	Pass
20	30	0.2	29.52	6464.52	-55.5	-71.72	16.08	Pass
30	60	0.2	58.44	6493.44	-54.7	-70.91	14.7	Pass

11be20, U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.18	6444.82	-56.77	-64.3	16.77	Pass
-30	-20	0.2	-30	6445	-57.53	-65.06	17.53	Pass
-20	-11	0.2	-11	6464	-26.96	-34.49	6.96	Pass
-11	-10	0.2	-11	6464	-26.18	-33.71	6.18	Pass
10	11	0.2	11	6486	-27.16	-34.69	7.16	Pass
11	20	0.2	11.16	6486.16	-26.79	-34.32	6.65	Pass
20	30	0.2	29.82	6504.82	-57.5	-65.03	17.72	Pass
30	60	0.2	50.04	6525.04	-57.83	-65.36	17.83	Pass

11be20, U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-52.98	6462.02	-54.83	-70.81	14.83	Pass
-30	-20	0.2	-29.94	6485.06	-55.85	-71.82	15.92	Pass
-20	-11	0.2	-11	6504	-26.17	-42.14	6.17	Pass
-11	-10	0.2	-11	6504	-26.5	-42.47	6.5	Pass
10	11	0.2	11	6526	-27.57	-43.54	7.57	Pass
11	20	0.2	11	6526	-26.37	-42.35	6.37	Pass
20	30	0.2	29.7	6544.7	-55.76	-71.73	16.12	Pass
30	60	0.2	58.32	6573.32	-54.99	-70.96	14.99	Pass

11be40, U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-78.84	6366.16	-54.12	-66.9	14.12	Pass
-60	-40	0.4	-59.64	6385.36	-54.44	-67.22	14.66	Pass
-40	-21	0.4	-21	6424	-30.32	-43.1	10.32	Pass
-21	-20	0.4	-21	6424	-30.32	-43.1	10.32	Pass
20	21	0.4	21	6466	-30.77	-43.55	10.77	Pass
21	40	0.4	21	6466	-30.77	-43.55	10.77	Pass
40	60	0.4	59.16	6504.16	-54.35	-67.13	14.85	Pass
60	120	0.4	66	6511	-54.36	-67.14	14.36	Pass

11be40, U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-66.36	6418.64	-46.64	-51.7	6.64	Pass
-60	-40	0.4	-60	6425	-47.17	-52.23	7.17	Pass
-40	-21	0.4	-21	6464	-29.61	-34.67	9.61	Pass
-21	-20	0.4	-21	6464	-29.61	-34.67	9.61	Pass
20	21	0.4	21	6506	-29.71	-34.77	9.71	Pass
21	40	0.4	21	6506	-29.71	-34.77	9.71	Pass
40	60	0.4	59.52	6544.52	-43.74	-48.81	4.03	Pass
60	120	0.4	61.44	6546.44	-44.03	-49.09	4.03	Pass

11be40, U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-73.08	6451.92	-53.34	-66.04	13.34	Pass
-60	-40	0.4	-59.64	6465.36	-53.85	-66.55	14.07	Pass
-40	-21	0.4	-21	6504	-30.16	-42.86	10.16	Pass
-21	-20	0.4	-21	6504	-30.16	-42.86	10.16	Pass
20	21	0.4	21	6546	-30.13	-42.83	10.13	Pass
21	40	0.4	21	6546	-30.13	-42.83	10.13	Pass
40	60	0.4	59.88	6584.88	-54.13	-66.82	14.2	Pass
60	120	0.4	73.56	6598.56	-53.26	-65.96	13.26	Pass

11be80, U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-438.6	-219.3	0.8	-226.2684	6238.7315	-45.89	-49.17	5.89	Pass
-219.3	-146.2	0.8	-218.8900	6246.1099	-46.45	-49.73	6.52	Pass
-146.2	-74.1	0.8	-104.8380	6360.1619	-36.24	-39.52	12.82	Pass
-74.1	-73.1	0.8	-74.1	6390.9	-32.9	-36.18	12.9	Pass
73.1	74.1	0.8	74.1	6539.1	-30.01	-33.3	10.01	Pass
74.1	146.2	0.8	75.352381	6540.3523	-30.61	-33.9	10.48	Pass
146.2	219.3	0.8	219.3	6684.3	-50.25	-53.53	10.25	Pass
219.3	438.6	0.8	221.34953	6686.3495	-49	-52.28	9	Pass

11be80, U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-400.5	-200.25	0.8	-230.688	6314.312	-42.37	-45.35	2.37	Pass
-200.25	-133.5	0.8	-200.25	6344.75	-47.76	-50.74	7.76	Pass
-133.5	-67.75	0.8	-109.8823	6435.1176	-34.43	-37.41	9.3	Pass
-67.75	-66.75	0.8	-67.75	6477.25	-30.1	-33.09	10.1	Pass
66.75	67.75	0.8	67.75	6612.75	-27.57	-30.55	7.57	Pass
67.75	133.5	0.8	67.850825	6612.8508	-26.98	-29.96	6.97	Pass
133.5	200.25	0.8	173.817	6718.817	-45.78	-48.76	10.53	Pass
200.25	400.5	0.8	229.4865	6774.4865	-49.04	-52.02	9.04	Pass

11be160, U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-957.3	-478.65	1.6	-493.4453	6011.5546	-47.09	-50.08	7.09	Pass
-478.65	-319.1	1.6	-403.0736	6101.9263	-41.44	-44.43	7.13	Pass
-319.1	-160.55	1.6	-189.5406	6315.4593	-25.4	-28.39	3.94	Pass
-160.55	-159.55	1.6	-160.55	6344.45	-24.92	-27.9	4.92	Pass
159.55	160.55	1.6	160.55	6665.55	-21.13	-24.11	1.13	Pass
160.55	319.1	1.6	183.14260	6688.1426	-21.99	-24.98	0.85	Pass
319.1	478.65	1.6	407.07243	6912.0724	-41.38	-44.37	6.76	Pass
478.65	957.3	1.6	483.84837	6988.8483	-47.33	-50.31	7.33	Pass

11ax20 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-55.8	6479.2	-57.49	-64.63	17.49	Pass
-30	-20	0.2	-29.16	6505.84	-57.96	-65.1	18.97	Pass
-20	-11	0.2	-11	6524	-27.52	-34.65	7.52	Pass
-11	-10	0.2	-11	6524	-26.79	-33.93	6.79	Pass
10	11	0.2	11	6546	-27.28	-34.42	7.28	Pass
11	20	0.2	11	6546	-25.93	-33.07	5.93	Pass
20	30	0.2	29.64	6564.64	-58.92	-66.06	19.35	Pass
30	60	0.2	56.46	6591.46	-57.56	-64.69	17.56	Pass

11ax20 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-51.12	6663.88	-58.04	-66.65	18.04	Pass
-30	-20	0.2	-29.34	6685.66	-59.14	-67.75	19.94	Pass
-20	-11	0.2	-11.1	6703.9	-26.82	-35.42	6.73	Pass
-11	-10	0.2	-11	6704	-26.32	-34.93	6.32	Pass
10	11	0.2	11	6726	-27.29	-35.9	7.29	Pass
11	20	0.2	11.04	6726.04	-26.97	-35.58	6.94	Pass
20	30	0.2	29.7	6744.7	-60.04	-68.64	20.4	Pass
30	60	0.2	56.22	6771.22	-59.47	-68.07	19.47	Pass

11ax20 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-52.2	6802.8	-56.01	-64.11	16.01	Pass
-30	-20	0.2	-29.64	6825.36	-56.4	-64.51	16.83	Pass
-20	-11	0.2	-11.22	6843.78	-26.56	-34.66	6.36	Pass
-11	-10	0.2	-11	6844	-25.76	-33.87	5.76	Pass
10	11	0.2	11	6866	-26.42	-34.52	6.42	Pass
11	20	0.2	11	6866	-25.66	-33.76	5.66	Pass
20	30	0.2	29.46	6884.46	-57.73	-65.83	18.38	Pass
30	60	0.2	30.12	6885.12	-58.1	-66.2	18.1	Pass

11ax40 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.16	6502.84	-47.72	-51.9	7.72	Pass
-60	-40	0.4	-59.88	6505.12	-48.43	-52.61	8.5	Pass
-40	-21	0.4	-21	6544	-29.61	-33.8	9.61	Pass
-21	-20	0.4	-21	6544	-29.61	-33.8	9.61	Pass
20	21	0.4	21	6586	-29.97	-34.15	9.97	Pass
21	40	0.4	21.169415	6586.1694	-29.95	-34.14	9.88	Pass
40	60	0.4	59.88	6624.88	-46.21	-50.39	6.28	Pass
60	120	0.4	60.84	6625.84	-45.95	-50.14	5.95	Pass

11ax40 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-73.92	6651.08	-48.29	-54.58	8.29	Pass
-60	-40	0.4	-60	6665	-49.78	-56.08	9.78	Pass
-40	-21	0.4	-21	6704	-30.54	-36.83	10.54	Pass
-21	-20	0.4	-21	6704	-30.54	-36.83	10.54	Pass
20	21	0.4	21	6746	-30.79	-37.08	10.79	Pass
21	40	0.4	21	6746	-30.79	-37.08	10.79	Pass
40	60	0.4	59.28	6784.28	-52.76	-59.06	13.19	Pass
60	120	0.4	74.64	6799.64	-51.58	-57.87	11.58	Pass

11ax40 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.44	6783.56	-48.28	-53.32	8.28	Pass
-60	-40	0.4	-59.52	6785.48	-49.41	-54.46	9.7	Pass
-40	-21	0.4	-21	6824	-29.86	-34.9	9.86	Pass
-21	-20	0.4	-21	6824	-29.86	-34.9	9.86	Pass
20	21	0.4	21	6866	-30.53	-35.57	10.53	Pass
21	40	0.4	21	6866	-30.53	-35.57	10.53	Pass
40	60	0.4	59.76	6904.76	-46.32	-51.36	6.46	Pass
60	120	0.4	60.12	6905.12	-46.3	-51.35	6.3	Pass

11ax80 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-432.3	-216.15	0.8	-224.0416	6400.9583	-40.64	-42.41	0.64	Pass
-216.15	-144.1	0.8	-214.2027	6410.7972	-42	-43.78	2.33	Pass
-144.1	-73.05	0.8	-107.2038	6517.7961	-33.51	-35.29	9.67	Pass
-73.05	-72.05	0.8	-73.05	6551.95	-29.85	-31.62	9.85	Pass
72.05	73.05	0.8	73.05	6698.05	-27.68	-29.45	7.68	Pass
73.05	144.1	0.8	73.05	6698.05	-28.05	-29.83	8.05	Pass
144.1	216.15	0.8	215.02261	6840.0226	-46.31	-48.08	6.5	Pass
216.15	432.3	0.8	226.91138	6851.9113	-45.45	-47.22	5.45	Pass

11ax80 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-469.8	-234.9	0.8	-236.9497	6468.0502	-45.81	-49.1	5.81	Pass
-234.9	-156.6	0.8	-230.3905	6474.6094	-44.87	-48.15	5.56	Pass
-156.6	-79.3	0.8	-110.2759	6594.7240	-36.74	-40.03	13.54	Pass
-79.3	-78.3	0.8	-79.3	6625.7	-35.41	-38.7	15.41	Pass
78.3	79.3	0.8	79.3	6784.3	-33.85	-37.14	13.85	Pass
79.3	156.6	0.8	79.529843	6784.5298	-33.76	-37.05	13.74	Pass
156.6	234.9	0.8	233.26020	6938.2602	-48.96	-52.25	9.22	Pass
234.9	469.8	0.8	238.58952	6943.5895	-49.35	-52.64	9.35	Pass

11ax80 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.72	6664.28	-40.78	-45.42	0.78	Pass
-120	-80	0.8	-118.56	6666.44	-39.95	-44.59	0.38	Pass
-80	-41	0.8	-68.72563	6716.2743	-33.62	-38.26	7.93	Pass
-41	-40	0.8	-41	6744	-29.39	-34.03	9.39	Pass
40	41	0.8	41	6826	-30.61	-35.25	10.61	Pass
41	80	0.8	70.164918	6855.1649	-32.91	-37.54	6.92	Pass
80	120	0.8	81.84	6866.84	-37.49	-42.13	8.94	Pass
120	240	0.8	120.24	6905.24	-48.27	-52.9	8.27	Pass

11ax160 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-960	-480	1.6	-481.6	6183.4	-46.82	-48.91	6.82	Pass
-480	-320	1.6	-402.4	6262.6	-39.08	-41.18	4.9	Pass
-320	-161	1.6	-200	6465	-23.55	-25.64	1.58	Pass
-161	-160	1.6	-161	6504	-22.37	-24.47	2.37	Pass
160	161	1.6	161	6826	-21.95	-24.05	1.95	Pass
161	320	1.6	176.8	6841.8	-22.15	-24.25	1.35	Pass
320	480	1.6	405.6	7070.6	-41.98	-44.08	7.56	Pass
480	960	1.6	481.6	7146.6	-47.95	-50.04	7.95	Pass

11ax160 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-960	-480	1.6	-486.4	6338.6	-45.92	-49.09	5.92	Pass
-480	-320	1.6	-476.8	6348.2	-45.26	-48.43	5.5	Pass
-320	-161	1.6	-176	6649	-23	-26.17	2.24	Pass
-161	-160	1.6	-161	6664	-23.1	-26.27	3.1	Pass
160	161	1.6	161	6986	-22.94	-26.11	2.94	Pass
161	320	1.6	162.4	6987.4	-22.84	-26	2.77	Pass
320	480	1.6	471.2	7296.2	-48.11	-51.28	8.77	Pass
480	960	1.6	482.4	7307.4	-49.14	-52.31	9.14	Pass

11be20, U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-58.92	6476.08	-57.82	-64.84	17.82	Pass
-30	-20	0.2	-29.64	6505.36	-58.79	-65.81	19.22	Pass
-20	-11	0.2	-11.1	6523.9	-27.28	-34.3	7.19	Pass
-11	-10	0.2	-11	6524	-26.77	-33.78	6.77	Pass
10	11	0.2	11	6546	-26.99	-34.01	6.99	Pass
11	20	0.2	11	6546	-26.42	-33.44	6.42	Pass
20	30	0.2	29.88	6564.88	-59.53	-66.55	19.68	Pass
30	60	0.2	58.74	6593.74	-58.51	-65.53	18.51	Pass

11be20, U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-57.24	6657.76	-56.83	-65.48	16.83	Pass
-30	-20	0.2	-29.94	6685.06	-58.02	-66.67	18.09	Pass
-20	-11	0.2	-11.22	6703.78	-26.72	-35.38	6.53	Pass
-11	-10	0.2	-10.94005	6704.0599	-25.46	-34.12	6.66	Pass
10	11	0.2	11	6726	-26.93	-35.59	6.93	Pass
11	20	0.2	11.04	6726.04	-26.01	-34.67	5.98	Pass
20	30	0.2	29.28	6744.28	-58.36	-67.02	19.23	Pass
30	60	0.2	56.82	6771.82	-58.06	-66.71	18.06	Pass

11be20, U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.06	6824.94	-56.64	-64.73	16.64	Pass
-30	-20	0.2	-30	6825	-57.05	-65.14	17.05	Pass
-20	-11	0.2	-11.04	6843.96	-25.16	-33.25	5.13	Pass
-11	-10	0.2	-11	6844	-26.29	-34.38	6.29	Pass
10	11	0.2	11	6866	-26.8	-34.89	6.8	Pass
11	20	0.2	11.1	6866.1	-26.47	-34.56	6.38	Pass
20	30	0.2	29.76	6884.76	-58.35	-66.44	18.64	Pass
30	60	0.2	30.78	6885.78	-57.98	-66.07	17.98	Pass

11be40, U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.24	6504.76	-48.44	-53.04	8.44	Pass
-60	-40	0.4	-59.52	6505.48	-48.7	-53.3	8.99	Pass
-40	-21	0.4	-21	6544	-29.91	-34.51	9.91	Pass
-21	-20	0.4	-21	6544	-29.91	-34.51	9.91	Pass
20	21	0.4	21	6586	-29.52	-34.12	9.52	Pass
21	40	0.4	21.049475	6586.0494	-29.5	-34.1	9.48	Pass
40	60	0.4	59.76	6624.76	-47.59	-52.19	7.74	Pass
60	120	0.4	60	6625	-47.29	-51.89	7.29	Pass

11be40, U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-68.88	6656.12	-49.11	-55.45	9.11	Pass
-60	-40	0.4	-59.4	6665.6	-51.85	-58.18	12.21	Pass
-40	-21	0.4	-21	6704	-30.67	-37	10.67	Pass
-21	-20	0.4	-21	6704	-30.67	-37	10.67	Pass
20	21	0.4	21	6746	-30.84	-37.17	10.84	Pass
21	40	0.4	21	6746	-30.84	-37.17	10.84	Pass
40	60	0.4	59.28	6784.28	-54.09	-60.42	14.52	Pass
60	120	0.4	68.64	6793.64	-52.07	-58.4	12.07	Pass

11be40, U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.96	6784.04	-48.04	-53.91	8.04	Pass
-60	-40	0.4	-59.28	6785.72	-48.16	-54.03	8.59	Pass
-40	-21	0.4	-21	6824	-29.33	-35.2	9.33	Pass
-21	-20	0.4	-21	6824	-29.33	-35.2	9.33	Pass
20	21	0.4	21	6866	-30.17	-36.04	10.17	Pass
21	40	0.4	21.049475	6866.0494	-30.19	-36.05	10.17	Pass
40	60	0.4	58.8	6903.8	-47.25	-53.12	7.97	Pass
60	120	0.4	60.6	6905.6	-47.75	-53.62	7.75	Pass

11be80, U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-451.8	-225.9	0.8	-228.3598	6396.6401	-40.1	-42.32	0.1	Pass
-225.9	-150.6	0.8	-224.6700	6400.3299	-39.88	-42.11	0.08	Pass
-150.6	-76.3	0.8	-107.9812	6517.0187	-32.74	-34.97	9.33	Pass
-76.3	-75.3	0.8	-76.3	6548.7	-30.85	-33.07	10.85	Pass
75.3	76.3	0.8	76.3	6701.3	-28.11	-30.34	8.11	Pass
76.3	150.6	0.8	77.246531	6702.2465	-28.41	-30.63	8.3	Pass
150.6	225.9	0.8	225.08003	6850.0800	-44.25	-46.47	4.38	Pass
225.9	451.8	0.8	231.22976	6856.2297	-43.86	-46.09	3.86	Pass

11be80, U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-442.5	-221.25	0.8	-228.9358	6476.0641	-47.99	-52.1	7.99	Pass
-221.25	-147.5	0.8	-219.917	6485.0822	-47.93	-52.04	8.14	Pass
-147.5	-74.75	0.8	-105.2986	6599.7013	-37.37	-41.48	14.01	Pass
-74.75	-73.75	0.8	-74.75	6630.25	-35.46	-39.58	15.46	Pass
73.75	74.75	0.8	74.75	6779.75	-33.61	-37.72	13.61	Pass
74.75	147.5	0.8	74.979167	6779.9791	-33.39	-37.51	13.37	Pass
147.5	221.25	0.8	215.40875	6920.4087	-50.15	-54.26	11.1	Pass
221.25	442.5	0.8	227.29620	6932.2962	-50.57	-54.68	10.57	Pass

11be80, U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-458.1	-229.05	0.8	-229.05	6555.95	-48.19	-52.97	8.19	Pass
-229.05	-152.7	0.8	-228.9475	6556.0524	-47.86	-52.64	7.88	Pass
-152.7	-77.35	0.8	-105.9676	6679.0323	-36.99	-41.77	13.96	Pass
-77.35	-76.35	0.8	-77.35	6707.65	-37.09	-41.87	17.09	Pass
76.35	77.35	0.8	77.35	6862.35	-34.62	-39.39	14.62	Pass
77.35	152.7	0.8	77.35	6862.35	-34.61	-39.38	14.61	Pass
152.7	229.05	0.8	222.79852	7007.7985	-52.57	-57.34	13.55	Pass
229.05	458.1	0.8	237.96604	7022.9660	-53.35	-58.13	13.35	Pass

11be160, U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-955.8	-477.9	1.6	-477.9	6187.1	-51.8	-55.45	11.8	Pass
-477.9	-318.6	1.6	-472.7010	6192.2989	-51.08	-54.73	11.47	Pass
-318.6	-160.3	1.6	-274.6276	6390.3723	-34.65	-38.3	8.88	Pass
-160.3	-159.3	1.6	-160.3	6504.7	-34.22	-37.87	14.22	Pass
159.3	160.3	1.6	160.3	6825.3	-29.04	-32.69	9.04	Pass
160.3	318.6	1.6	175.48983	6840.4898	-28.9	-32.55	8.13	Pass
318.6	477.9	1.6	461.50343	7126.5034	-52.43	-56.08	13.66	Pass
477.9	955.8	1.6	479.89958	7144.8995	-53.71	-57.36	13.71	Pass

11be160, U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-955.5	-477.75	1.6	-494.7482	6330.2517	-50.86	-55.69	10.86	Pass
-477.75	-318.5	1.6	-476.3501	6348.6498	-50.65	-55.48	10.76	Pass
-318.5	-160.25	1.6	-265.7496	6559.2503	-33.44	-38.26	8.11	Pass
-160.25	-159.25	1.6	-160.25	6664.75	-32.89	-37.71	12.89	Pass
159.25	160.25	1.6	160.25	6985.25	-30.18	-35.01	10.18	Pass
160.25	318.5	1.6	171.4385	6996.4385	-30.18	-35.01	9.62	Pass
318.5	477.75	1.6	472.35056	7297.3505	-53.56	-58.39	13.97	Pass
477.75	955.5	1.6	478.74989	7303.7498	-53.85	-58.67	13.85	Pass

11ax20 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-59.1	6815.9	-56.56	-64.69	16.56	Pass
-30	-20	0.2	-30	6845	-57.57	-65.7	17.57	Pass
-20	-11	0.2	-11	6864	-26.29	-34.42	6.29	Pass
-11	-10	0.2	-11	6864	-26.01	-34.15	6.01	Pass
10	11	0.2	11	6886	-26.44	-34.57	6.44	Pass
11	20	0.2	11	6886	-26.91	-35.05	6.91	Pass
20	30	0.2	29.88	6904.88	-58.58	-66.71	18.72	Pass
30	60	0.2	31.26	6906.26	-58.56	-66.7	18.56	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.3	6984.7	-45.73	-52.64	5.73	Pass
-30	-20	0.2	-29.94	6985.06	-46.36	-53.26	6.43	Pass
-20	-11	0.2	-11.22	7003.78	-26.96	-33.87	6.77	Pass
-11	-10	0.2	-11	7004	-26.18	-33.09	6.18	Pass
10	11	0.2	11	7026	-27.78	-34.68	7.78	Pass
11	20	0.2	11.1	7026.1	-26.89	-33.79	6.8	Pass
20	30	0.2	29.7	7044.7	-45.79	-52.7	6.15	Pass
30	60	0.2	31.38	7046.38	-46.12	-53.02	6.12	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-68.43	-34.215	0.2	-35.37831	7059.6216	-47.82	-55.06	7.82	Pass
-34.215	-22.81	0.2	-23.06091	7071.9390	-30.41	-37.66	2.15	Pass
-22.81	-12.405	0.2	-20.87115	7074.1288	-28.13	-35.38	1.62	Pass
-12.405	-11.405	0.2	-12.405	7082.595	-24.03	-31.28	4.03	Pass
11.405	12.405	0.2	12.405	7107.405	-23.95	-31.2	3.95	Pass
12.405	22.81	0.2	20.87115	7115.8711	-27.82	-35.07	1.31	Pass
22.81	34.215	0.2	23.47149	7118.4714	-30.95	-38.19	2.25	Pass
34.215	68.43	0.2	34.48872	7129.4887	-49.11	-56.36	9.11	Pass

11ax20 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-69.33	-34.665	0.2	-41.11269	7073.8873	-44.21	-51.13	4.21	Pass
-34.665	-23.11	0.2	-25.02813	7089.9718	-31.77	-38.68	1.77	Pass
-23.11	-12.555	0.2	-22.39359	7092.6064	-30.63	-37.55	3.17	Pass
-12.555	-11.555	0.2	-12.555	7102.445	-31.61	-38.53	11.61	Pass
11.555	12.555	0.2	12.555	7127.555	-32.73	-39.65	12.73	Pass
12.555	23.11	0.2	23.01756	7138.0175	-30.55	-37.47	2.62	Pass
23.11	34.665	0.2	24.19617	7139.1961	-31.38	-38.3	2.25	Pass
34.665	69.33	0.2	35.28897	7150.2889	-44.76	-51.68	4.76	Pass

11ax40 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.24	6824.76	-45.77	-50.72	5.77	Pass
-60	-40	0.4	-59.4	6825.6	-46.59	-51.54	6.95	Pass
-40	-21	0.4	-21.16941	6863.8305	-29.36	-34.32	9.29	Pass
-21	-20	0.4	-21	6864	-29.47	-34.43	9.47	Pass
20	21	0.4	21	6906	-29.71	-34.66	9.71	Pass
21	40	0.4	21.049475	6906.0494	-29.59	-34.55	9.57	Pass
40	60	0.4	59.4	6944.4	-43.55	-48.51	3.91	Pass
60	120	0.4	61.32	6946.32	-44.33	-49.28	4.33	Pass

11ax40 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-128.94	-64.47	0.4	-68.85396	6936.1460	-41.35	-46.68	1.35	Pass
-64.47	-42.98	0.4	-64.34106	6940.6589	-42.22	-47.54	2.29	Pass
-42.98	-22.49	0.4	-41.56236	6963.4376	-32.18	-37.5	4.74	Pass
-22.49	-21.49	0.4	-22.49	6982.51	-30.39	-35.72	10.39	Pass
21.49	22.49	0.4	22.49	7027.49	-32.35	-37.67	12.35	Pass
22.49	42.98	0.4	41.691244	7046.6912	-31.35	-36.67	3.85	Pass
42.98	64.47	0.4	64.34106	7069.3410	-42.06	-47.38	2.13	Pass
64.47	128.94	0.4	64.47	7069.47	-41.94	-47.26	1.94	Pass

11ax40 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.4	-120	6965	-43.39	-50.4	3.39	Pass
-120	-80	0.4	-118.83021	6966.1697	-42.02	-49.03	2.38	Pass
-80	-41	0.4	-41.412911	7043.5870	-29.47	-36.48	9.39	Pass
-41	-40	0.4	-41	7044	-29.58	-36.58	9.58	Pass
40	41	0.4	41	7126	-28.75	-35.76	8.75	Pass
41	80	0.4	42.192448	7127.1924	-28.82	-35.82	8.58	Pass
80	120	0.4	114.93095	7199.9309	-45.82	-52.82	7.34	Pass
120	240	0.4	120.29244	7205.2924	-48.38	-55.38	8.38	Pass

11ax80 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-438	-219	0.8	-227.7108	6637.2891	-43.05	-47.21	3.05	Pass
-219	-146	0.8	-219	6646	-43.43	-47.6	3.43	Pass
-146	-74	0.8	-107.9130	6757.0869	-35.24	-39.41	11.48	Pass
-74	-73	0.8	-74	6791	-32.09	-36.25	12.09	Pass
73	74	0.8	74	6939	-30.79	-34.95	10.79	Pass
74	146	0.8	74	6939	-30.61	-34.77	10.61	Pass
146	219	0.8	219	7084	-52.25	-56.42	12.25	Pass
219	438	0.8	233.85961	7098.8596	-51.57	-55.73	11.57	Pass

11ax80 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-254.76	-127.38	0.8	-127.8895	6817.1104	-40.27	-44.56	0.27	Pass
-127.38	-84.92	0.8	-126.8704	6818.1295	-39.98	-44.27	0.13	Pass
-84.92	-43.46	0.8	-64.80401	6880.1959	-29	-33.29	4.88	Pass
-43.46	-42.46	0.8	-43.46	6901.54	-29.08	-33.37	9.08	Pass
42.46	43.46	0.8	43.46	6988.46	-28.36	-32.64	8.36	Pass
43.46	84.92	0.8	63.530855	7008.5308	-27.57	-31.85	3.69	Pass
84.92	127.38	0.8	127.38	7072.38	-45.96	-50.25	5.96	Pass
127.38	254.76	0.8	129.67284	7074.6728	-46.11	-50.39	6.11	Pass

11ax80 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-426.3	-213.15	0.8	-225.44711	6799.5528	-40.37	-46.03	0.37	Pass
-213.15	-142.1	0.8	-211.92028	6813.0797	-41.09	-46.75	1.3	Pass
-142.1	-72.05	0.8	-72.07377	6952.9262	-28.56	-34.21	8.55	Pass
-72.05	-71.05	0.8	-72.05	6952.95	-29.05	-34.71	9.05	Pass
71.05	72.05	0.8	72.05	7097.05	-28.81	-34.46	8.81	Pass
72.05	142.1	0.8	72.05	7097.05	-28.13	-33.79	8.13	Pass
142.1	213.15	0.8	209.87076	7234.8707	-50.73	-56.39	11.29	Pass
213.15	426.3	0.8	232.41548	7257.4154	-49.46	-55.12	9.46	Pass

11ax160 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-960	-480	1.6	-484	6501	-42.95	-46.91	2.95	Pass
-480	-320	1.6	-403.2	6581.8	-36.43	-40.39	2.19	Pass
-320	-161	1.6	-192	6793	-22.05	-26.02	0.49	Pass
-161	-160	1.6	-161	6824	-21.55	-25.52	1.55	Pass
160	161	1.6	161	7146	-23.43	-27.4	3.43	Pass
161	320	1.6	171.2	7156.2	-23.47	-27.44	2.95	Pass
320	480	1.6	475.2	7460.2	-46.01	-49.97	6.37	Pass
480	960	1.6	482.4	7467.4	-46.49	-50.46	6.49	Pass

11be20, U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-57.48	6817.52	-56.87	-65.03	16.87	Pass
-30	-20	0.2	-29.82	6845.18	-58.26	-66.42	18.47	Pass
-20	-11	0.2	-11	6864	-26.13	-34.29	6.13	Pass
-11	-10	0.2	-11	6864	-25.88	-34.04	5.88	Pass
10	11	0.2	11	6886	-27.04	-35.2	7.04	Pass
11	20	0.2	11	6886	-26.18	-34.34	6.18	Pass
20	30	0.2	29.76	6904.76	-58.51	-66.67	18.8	Pass
30	60	0.2	31.5	6906.5	-58.27	-66.43	18.27	Pass

11be20, U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.12	6984.88	-46.84	-53.96	6.84	Pass
-30	-20	0.2	-30	6985	-47.13	-54.25	7.13	Pass
-20	-11	0.2	-11	7004	-26.36	-33.48	6.36	Pass
-11	-10	0.2	-11	7004	-25.96	-33.07	5.96	Pass
10	11	0.2	11	7026	-26.72	-33.84	6.72	Pass
11	20	0.2	11	7026	-25.81	-32.93	5.81	Pass
20	30	0.2	29.76	7044.76	-46.86	-53.98	7.15	Pass
30	60	0.2	30.18	7045.18	-46.59	-53.71	6.59	Pass

11be20, U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-73.47	-36.735	0.2	-37.24929	7057.7507	-44.15	-51.21	4.15	Pass
-36.735	-24.49	0.2	-25.34715	7069.6528	-32.47	-39.53	3.63	Pass
-24.49	-13.245	0.2	-24.31857	7070.6814	-31.39	-38.45	3.51	Pass
-13.245	-12.245	0.2	-13.245	7081.755	-32.73	-39.8	12.73	Pass
12.245	13.245	0.2	13.245	7108.245	-33.15	-40.21	13.15	Pass
13.245	24.49	0.2	23.14305	7118.1430	-30.1	-37.17	3.06	Pass
24.49	36.735	0.2	25.78797	7120.7879	-32.93	-39.99	3.66	Pass
36.735	73.47	0.2	37.91052	7132.9105	-44.34	-51.41	4.34	Pass

11be20, U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-69.57	-34.785	0.2	-40.83759	7074.1624	-43.24	-50.24	3.24	Pass
-34.785	-23.19	0.2	-25.46262	7089.5373	-32.36	-39.36	2.01	Pass
-23.19	-12.595	0.2	-22.33197	7092.6680	-29.78	-36.78	2.43	Pass
-12.595	-11.595	0.2	-12.595	7102.405	-30.79	-37.8	10.79	Pass
11.595	12.595	0.2	12.595	7127.595	-31.91	-38.91	11.91	Pass
12.595	23.19	0.2	22.47111	7137.4711	-29.28	-36.28	1.82	Pass
23.19	34.785	0.2	24.00165	7139.0016	-30.21	-37.21	1.37	Pass
34.785	69.57	0.2	37.21995	7152.2199	-44.38	-51.38	4.38	Pass

11be40, U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.6	6824.4	-46.94	-52.19	6.94	Pass
-60	-40	0.4	-59.88	6825.12	-47.45	-52.69	7.52	Pass
-40	-21	0.4	-21	6864	-29.08	-34.32	9.08	Pass
-21	-20	0.4	-21	6864	-29.08	-34.32	9.08	Pass
20	21	0.4	21	6906	-29.76	-35	9.76	Pass
21	40	0.4	21	6906	-29.76	-35	9.76	Pass
40	60	0.4	59.64	6944.64	-44.5	-49.75	4.72	Pass
60	120	0.4	60	6945	-44.62	-49.87	4.62	Pass

11be40, U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-130.38	-65.19	0.4	-67.7976	6937.2024	-41.64	-47.51	1.64	Pass
-65.19	-43.46	0.4	-64.92924	6940.0707	-42.8	-48.67	2.94	Pass
-43.46	-22.73	0.4	-42.678111	6962.3218	-33.3	-39.18	5.61	Pass
-22.73	-21.73	0.4	-22.73	6982.27	-30.77	-36.65	10.77	Pass
21.73	22.73	0.4	22.73	7027.73	-32.39	-38.27	12.39	Pass
22.73	43.46	0.4	42.287166	7047.2871	-32.13	-38	4.58	Pass
43.46	65.19	0.4	64.14696	7069.1469	-42.26	-48.13	2.83	Pass
65.19	130.38	0.4	68.18874	7073.1887	-42.43	-48.31	2.43	Pass

11be40, U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-221.25	-110.625	0.4	-110.625	6974.375	-40.75	-48.12	0.75	Pass
-110.625	-73.75	0.4	-110.625	6974.375	-40.39	-47.76	0.39	Pass
-73.75	-37.875	0.4	-41.01552	7043.9844	-29.63	-37	8.93	Pass
-37.875	-36.875	0.4	-37.875	7047.125	-29.37	-36.74	9.37	Pass
36.875	37.875	0.4	37.875	7122.875	-28.91	-36.28	8.91	Pass
37.875	73.75	0.4	38.872193	7123.8721	-28.68	-36.05	8.45	Pass
73.75	110.625	0.4	109.65033	7194.6503	-45.21	-52.58	5.53	Pass
110.625	221.25	0.4	113.45154	7198.4515	-46.04	-53.41	6.04	Pass

11be80, U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-440.7	-220.35	0.8	-230.8038	6634.1961	-43.8	-48.12	3.8	Pass
-220.35	-146.9	0.8	-220.35	6644.65	-44.3	-48.62	4.3	Pass
-146.9	-74.45	0.8	-106.7432	6758.2567	-35.48	-39.8	11.91	Pass
-74.45	-73.45	0.8	-74.45	6790.55	-31.87	-36.19	11.87	Pass
73.45	74.45	0.8	74.45	6939.45	-30.71	-35.03	10.71	Pass
74.45	146.9	0.8	74.45	6939.45	-30.8	-35.12	10.8	Pass
146.9	220.35	0.8	219.3251	7084.3251	-53.19	-57.51	13.36	Pass
220.35	440.7	0.8	234.90334	7099.9033	-52.71	-57.03	12.71	Pass

11be80, U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-346.8	-173.4	0.8	-225.42	6719.58	-43.44	-47.69	3.44	Pass
-173.4	-115.6	0.8	-172.0128	6772.9872	-48.58	-52.83	8.87	Pass
-115.6	-58.8	0.8	-63.25937	6881.7406	-28.42	-32.68	7.8	Pass
-58.8	-57.8	0.8	-58.8	6886.2	-28.17	-32.42	8.17	Pass
57.8	58.8	0.8	58.8	7003.8	-27.51	-31.76	7.51	Pass
58.8	115.6	0.8	63.25937	7008.2593	-27.57	-31.83	6.95	Pass
115.6	173.4	0.8	170.6256	7115.6256	-50.63	-54.88	11.21	Pass
173.4	346.8	0.8	173.7468	7118.7468	-50.89	-55.14	10.89	Pass

11be80, U-NII-8, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-424.2	-212.1	0.8	-220.91188	6804.088116	-41.43	-46.89	1.43	Pass
-212.1	-141.4	0.8	-211.89507	6813.1049	-42.66	-48.13	2.7	Pass
-141.4	-71.7	0.8	-72.13449	6952.8655	-29.09	-34.56	9.04	Pass
-71.7	-70.7	0.8	-71.7	6953.3	-28.92	-34.39	8.92	Pass
70.7	71.7	0.8	71.7	7096.7	-28.25	-33.71	8.25	Pass
71.7	141.4	0.8	72.134493	7097.1344	-28.35	-33.82	8.3	Pass
141.4	212.1	0.8	211.48521	7236.4852	-51.74	-57.2	11.84	Pass
212.1	424.2	0.8	229.10898	7254.1089	-50.2	-55.67	10.2	Pass

11be160, U-NII-8, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-955.8	-477.9	1.6	-478.2999	6506.7000	-45.04	-49.32	5.04	Pass
-477.9	-318.6	1.6	-407.9146	6577.0853	-39.73	-44.01	5	Pass
-318.6	-160.3	1.6	-263.4346	6721.5653	-28.13	-32.42	2.92	Pass
-160.3	-159.3	1.6	-160.3	6824.7	-24.61	-28.9	4.61	Pass
159.3	160.3	1.6	160.3	7145.3	-24.5	-28.79	4.5	Pass
160.3	318.6	1.6	165.09636	7150.0963	-24.43	-28.72	4.19	Pass
318.6	477.9	1.6	475.90041	7460.9004	-47.9	-52.19	8.05	Pass
477.9	955.8	1.6	482.29908	7467.2990	-47.92	-52.2	7.92	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH2480613-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH2480613-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH2480613-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--