
Annex A.3 Occupied Bandwidth

LTE

1. LTE_Band2

1.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.09	1.35	1.4	Pass



1.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.1	1.34	1.4	Pass



1.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18607, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.1	1.37	1.4	Pass



1.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.1	1.35	1.4	Pass



1.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.1	1.34	1.4	Pass



1.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.1	1.38	1.4	Pass



1.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.1	1.36	1.4	Pass



1.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.09	1.33	1.4	Pass



1.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19193, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.1	1.32	1.4	Pass



1.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.7	3.04	3	Pass



1.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.71	3.03	3	Pass



1.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18615, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.7	3.07	3	Pass



1.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.7	3.04	3	Pass



1.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.71	3.01	3	Pass



1.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.7	3.05	3	Pass



1.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.7	3.08	3	Pass



1.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.7	3.04	3	Pass



1.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19185, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.7	3.04	3	Pass



1.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.51	5.17	5	Pass



1.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.5	5.14	5	Pass



1.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18625, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.5	5.1	5	Pass



1.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.5	5.12	5	Pass



1.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.5	5.12	5	Pass



1.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.51	5.2	5	Pass



1.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.51	5.1	5	Pass



1.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.5	5.12	5	Pass



1.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19175, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.51	5.15	5	Pass



1.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.99	10.04	10	Pass



1.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	9	10.07	10	Pass



1.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18650, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.99	10.03	10	Pass



1.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	9.01	10.03	10	Pass



1.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	9	10.17	10	Pass



1.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	9	10.01	10	Pass



1.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.99	10.04	10	Pass



1.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	9	9.96	10	Pass



1.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19150, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.99	10.02	10	Pass



1.37. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.49	14.93	15	Pass



1.38. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.47	14.73	15	Pass



1.39. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18675, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.46	14.92	15	Pass



1.40. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.48	14.98	15	Pass



1.41. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.5	14.97	15	Pass



1.42. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.5	14.94	15	Pass



1.43. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.48	14.94	15	Pass



1.44. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.48	15.06	15	Pass



1.45. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19125, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.46	14.96	15	Pass



1.46. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.96	19.73	20	Pass



1.47. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.96	19.62	20	Pass



1.48. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18700, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.94	19.67	20	Pass



1.49. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.94	19.81	20	Pass



1.50. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.97	19.85	20	Pass



1.51. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:18900, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.97	19.86	20	Pass



1.52. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.93	19.86	20	Pass



1.53. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.9	19.62	20	Pass



1.54. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19100, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.94	19.84	20	Pass



2. LTE_Band4

2.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.09	1.34	1.4	Pass



2.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.1	1.36	1.4	Pass



2.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19957, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.1	1.37	1.4	Pass



2.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.09	1.34	1.4	Pass



2.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.1	1.38	1.4	Pass



2.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.09	1.34	1.4	Pass



2.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.09	1.33	1.4	Pass



2.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.1	1.37	1.4	Pass



2.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20393, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.09	1.37	1.4	Pass



2.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.7	3	3	Pass



2.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.7	3.05	3	Pass



2.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19965, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.7	3.06	3	Pass



2.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.71	3.07	3	Pass



2.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.7	3.05	3	Pass



2.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.71	3.07	3	Pass



2.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.7	3.09	3	Pass



2.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.7	3.05	3	Pass



2.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20385, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.7	3.05	3	Pass



2.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.5	5.14	5	Pass



2.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.5	5.12	5	Pass



2.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:19975, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.5	5.19	5	Pass



2.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.5	5.12	5	Pass



2.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.51	5.13	5	Pass



2.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.5	5.14	5	Pass



2.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.5	5.1	5	Pass



2.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20375, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.51	5.14	5	Pass



2.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.98	10.07	10	Pass



2.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	9	9.95	10	Pass



2.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20000, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.98	9.92	10	Pass



2.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	9	10.02	10	Pass



2.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.99	10.12	10	Pass



2.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	9	10.12	10	Pass



2.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.99	9.99	10	Pass



2.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.97	10.18	10	Pass



2.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20350, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	9	10.02	10	Pass



2.37. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.48	14.9	15	Pass



2.38. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.48	14.9	15	Pass



2.39. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20025, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.46	14.94	15	Pass



2.40. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.49	14.93	15	Pass



2.41. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.48	14.93	15	Pass



2.42. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.48	14.95	15	Pass



2.43. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.48	14.95	15	Pass



2.44. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.46	14.94	15	Pass



2.45. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20325, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.49	14.99	15	Pass



2.46. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.93	19.82	20	Pass



2.47. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.95	19.74	20	Pass



2.48. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20050, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.95	19.78	20	Pass



2.49. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.94	19.89	20	Pass



2.50. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.98	19.66	20	Pass



2.51. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20175, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.94	19.79	20	Pass



2.52. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.98	19.59	20	Pass



2.53. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.96	19.76	20	Pass



2.54. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20300, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.96	19.84	20	Pass



3. LTE_Band5

3.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.09	1.36	1.4	Pass



3.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.1	1.33	1.4	Pass



3.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20407, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.1	1.32	1.4	Pass



3.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.09	1.36	1.4	Pass



3.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.1	1.38	1.4	Pass



3.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20525, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.09	1.35	1.4	Pass



3.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.09	1.33	1.4	Pass



3.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.1	1.34	1.4	Pass



3.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20643, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.1	1.33	1.4	Pass



3.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.7	3.05	3	Pass



3.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.7	3	3	Pass



3.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20415, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.7	3.06	3	Pass



3.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.7	3.06	3	Pass



3.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.7	3.05	3	Pass



3.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20525, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.71	3.05	3	Pass



3.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.7	3.04	3	Pass



3.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.7	3.06	3	Pass



3.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20635, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.7	3.05	3	Pass



3.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.51	5.11	5	Pass



3.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.5	5.09	5	Pass



3.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20425, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.5	5.14	5	Pass



3.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	5.15	5	Pass



3.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.5	5.14	5	Pass



3.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20525, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.51	5.1	5	Pass



3.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.51	5.14	5	Pass



3.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	5.16	5	Pass



3.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20625, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	5.19	5	Pass



3.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.99	10.1	10	Pass



3.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	9	9.91	10	Pass



3.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20450, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.99	10.02	10	Pass



3.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.98	9.98	10	Pass



3.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.97	9.92	10	Pass



3.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20525, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.98	9.9	10	Pass



3.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.98	9.95	10	Pass



3.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	9	10.06	10	Pass



3.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:20600, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.98	9.97	10	Pass



4. LTE_Band12

4.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
699.7	99	26	0.027	Peak	1.09	1.3	1.4	Pass



4.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
699.7	99	26	0.027	Peak	1.1	1.36	1.4	Pass



4.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23017, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
699.7	99	26	0.027	Peak	1.1	1.32	1.4	Pass



4.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.027	Peak	1.09	1.33	1.4	Pass



4.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.027	Peak	1.1	1.36	1.4	Pass



4.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23095, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.027	Peak	1.09	1.34	1.4	Pass



4.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
715.3	99	26	0.027	Peak	1.09	1.34	1.4	Pass



4.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
715.3	99	26	0.027	Peak	1.1	1.42	1.4	Pass



4.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23173, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
715.3	99	26	0.027	Peak	1.1	1.34	1.4	Pass



4.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
700.5	99	26	0.062	Peak	2.71	3.04	3	Pass



4.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
700.5	99	26	0.062	Peak	2.71	3.04	3	Pass



4.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23025, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
700.5	99	26	0.062	Peak	2.71	3.03	3	Pass



4.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.062	Peak	2.7	3.04	3	Pass



4.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.062	Peak	2.7	3.01	3	Pass



4.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23095, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.062	Peak	2.71	3.02	3	Pass



4.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
714.5	99	26	0.062	Peak	2.7	3.01	3	Pass



4.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
714.5	99	26	0.062	Peak	2.7	3.08	3	Pass



4.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23165, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
714.5	99	26	0.062	Peak	2.71	3.06	3	Pass



4.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.51	5.14	5	Pass



4.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.52	5.13	5	Pass



4.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23035, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.5	5.19	5	Pass



4.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.5	5.13	5	Pass



4.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.51	5.14	5	Pass



4.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23095, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.5	5.1	5	Pass



4.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.5	5.06	5	Pass



4.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.5	5.11	5	Pass



4.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23155, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.5	5.11	5	Pass



4.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.2	Peak	8.97	9.96	10	Pass



4.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.2	Peak	8.99	10	10	Pass



4.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23060, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.2	Peak	8.97	10.05	10	Pass



4.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.2	Peak	8.98	10.08	10	Pass



4.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23095, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.2	Peak	8.98	9.93	10	Pass



4.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.98	10.08	10	Pass



4.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.98	10.06	10	Pass



4.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23130, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.97	10	10	Pass



5. LTE_Band14

5.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
790.5	99	26	0.1	Peak	4.51	5.06	5	Pass



5.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
790.5	99	26	0.1	Peak	4.51	5.12	5	Pass



5.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23305, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
790.5	99	26	0.1	Peak	4.5	5.21	5	Pass



5.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.1	Peak	4.5	5.17	5	Pass



5.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.1	Peak	4.49	5.11	5	Pass



5.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23330, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.1	Peak	4.5	5.09	5	Pass



5.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
795.5	99	26	0.1	Peak	4.51	5.1	5	Pass



5.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
795.5	99	26	0.1	Peak	4.49	5.13	5	Pass



5.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23355, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
795.5	99	26	0.1	Peak	4.49	5.17	5	Pass



5.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.2	Peak	8.98	9.96	10	Pass



5.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.2	Peak	8.97	10.01	10	Pass



5.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:23330, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.2	Peak	8.95	9.88	10	Pass

