


NR

1. n2 15kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.59	-13	41.59	Pass	401
0.15	30	0.01	RMS	0.15	-56.78	-13	43.78	Pass	2986
30	1000	0.1	RMS	933.9	-60.92	-13	47.92	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	37.54	Pass	841
1840	1920	1	RMS	1853.6	12.79	60	47.21	Pass	401
1920	3000	1	RMS	2645	-47.86	-13	34.86	Pass	1081
3000	7000	1	RMS	6690	-65.81	-13	52.81	Pass	4001
7000	20000	1	RMS	19919	-50.78	-13	37.78	Pass	13001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.59	-13	40.59	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-13	44.24	Pass	2986
30	1000	0.1	RMS	914.7	-60.74	-13	47.74	Pass	9701
1000	1840	1	RMS	1840	-50.36	-13	37.36	Pass	841
1840	1920	1	RMS	1850.4	18.75	60	41.25	Pass	401
1920	3000	1	RMS	2643	-47.92	-13	34.92	Pass	1081
3000	7000	1	RMS	3701	-64.51	-13	51.51	Pass	4001
7000	20000	1	RMS	19951	-50.62	-13	37.62	Pass	13001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.98	-13	40.98	Pass	401
0.15	30	0.01	RMS	0.16	-58.42	-13	45.42	Pass	2986
30	1000	0.1	RMS	930.5	-60.96	-13	47.96	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	37.68	Pass	841
1840	1920	1	RMS	1854.6	18.77	60	41.23	Pass	401
1920	3000	1	RMS	2640	-47.9	-13	34.9	Pass	1081
3000	7000	1	RMS	3709	-63.02	-13	50.02	Pass	4001
7000	20000	1	RMS	19911	-50.7	-13	37.7	Pass	13001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-13	39.32	Pass	401
0.15	30	0.01	RMS	0.15	-56.74	-13	43.74	Pass	2986
30	1000	0.1	RMS	947.3	-60.99	-13	47.99	Pass	9701
1000	1840	1	RMS	1838	-50.79	-13	37.79	Pass	841
1840	1920	1	RMS	1879.8	12.68	60	47.32	Pass	401
1920	3000	1	RMS	3000	-47.88	-13	34.88	Pass	1081
3000	7000	1	RMS	6688	-65.7	-13	52.7	Pass	4001
7000	20000	1	RMS	19945	-50.67	-13	37.67	Pass	13001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.67	-13	41.67	Pass	401
0.15	30	0.01	RMS	0.15	-57.21	-13	44.21	Pass	2986
30	1000	0.1	RMS	924.1	-61.01	-13	48.01	Pass	9701
1000	1840	1	RMS	1839	-50.8	-13	37.8	Pass	841
1840	1920	1	RMS	1877.8	18.83	60	41.17	Pass	401
1920	3000	1	RMS	2640	-47.88	-13	34.88	Pass	1081
3000	7000	1	RMS	6689	-65.73	-13	52.73	Pass	4001
7000	20000	1	RMS	19907	-50.74	-13	37.74	Pass	13001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.7	-13	41.7	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	42.83	Pass	2986
30	1000	0.1	RMS	932.8	-61.11	-13	48.11	Pass	9701
1000	1840	1	RMS	1831	-50.72	-13	37.72	Pass	841
1840	1920	1	RMS	1882.2	18.69	60	41.31	Pass	401
1920	3000	1	RMS	2647	-47.9	-13	34.9	Pass	1081
3000	7000	1	RMS	3764	-65.21	-13	52.21	Pass	4001
7000	20000	1	RMS	19926	-50.63	-13	37.63	Pass	13001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.44	-13	41.44	Pass	401
0.15	30	0.01	RMS	0.15	-56.85	-13	43.85	Pass	2986
30	1000	0.1	RMS	966.6	-60.98	-13	47.98	Pass	9701
1000	1840	1	RMS	1838	-50.83	-13	37.83	Pass	841
1840	1920	1	RMS	1906.2	12.69	60	47.31	Pass	401
1920	3000	1	RMS	2652	-47.9	-13	34.9	Pass	1081
3000	7000	1	RMS	6690	-65.75	-13	52.75	Pass	4001
7000	20000	1	RMS	19939	-50.66	-13	37.66	Pass	13001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.07	-13	41.07	Pass	401
0.15	30	0.01	RMS	0.15	-57.66	-13	44.66	Pass	2986
30	1000	0.1	RMS	899.4	-61.01	-13	48.01	Pass	9701
1000	1840	1	RMS	1839	-50.78	-13	37.78	Pass	841
1840	1920	1	RMS	1905.4	18.66	60	41.34	Pass	401
1920	3000	1	RMS	3000	-47.81	-13	34.81	Pass	1081
3000	7000	1	RMS	6690	-65.72	-13	52.72	Pass	4001
7000	20000	1	RMS	19927	-50.68	-13	37.68	Pass	13001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-54.79	-13	41.79	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	42.14	Pass	2986
30	1000	0.1	RMS	935.4	-61.12	-13	48.12	Pass	9701
1000	1840	1	RMS	1831	-50.85	-13	37.85	Pass	841
1840	1920	1	RMS	1909.6	18.77	60	41.23	Pass	401
1920	3000	1	RMS	2651	-47.9	-13	34.9	Pass	1081
3000	7000	1	RMS	6688	-65.75	-13	52.75	Pass	4001
7000	20000	1	RMS	19931	-50.7	-13	37.7	Pass	13001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.47	-13	41.47	Pass	401
0.15	30	0.01	RMS	0.15	-56.81	-13	43.81	Pass	2986
30	1000	0.1	RMS	928.1	-61.04	-13	48.04	Pass	9701
1000	1840	1	RMS	1840	-37.77	-13	24.77	Pass	841
1840	1920	1	RMS	1863	8.23	60	51.77	Pass	401
1920	3000	1	RMS	2652	-47.89	-13	34.89	Pass	1081
3000	7000	1	RMS	6691	-65.74	-13	52.74	Pass	4001
7000	20000	1	RMS	19951	-50.68	-13	37.68	Pass	13001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.22	-13	41.22	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	42.93	Pass	2986
30	1000	0.1	RMS	920.5	-60.95	-13	47.95	Pass	9701
1000	1840	1	RMS	1840	-49.87	-13	36.87	Pass	841
1840	1920	1	RMS	1850.4	18.91	60	41.09	Pass	401
1920	3000	1	RMS	2642	-47.85	-13	34.85	Pass	1081
3000	7000	1	RMS	3701	-63.48	-13	50.48	Pass	4001
7000	20000	1	RMS	19942	-50.76	-13	37.76	Pass	13001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	40.3	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	43.46	Pass	2986
30	1000	0.1	RMS	964.4	-61.09	-13	48.09	Pass	9701
1000	1840	1	RMS	1840	-50.71	-13	37.71	Pass	841
1840	1920	1	RMS	1864.6	18.83	60	41.17	Pass	401
1920	3000	1	RMS	2646	-47.87	-13	34.87	Pass	1081
3000	7000	1	RMS	3729	-64.05	-13	51.05	Pass	4001
7000	20000	1	RMS	19932	-50.68	-13	37.68	Pass	13001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.21	-13	41.21	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	42.86	Pass	2986
30	1000	0.1	RMS	964.5	-60.94	-13	47.94	Pass	9701
1000	1840	1	RMS	1834	-50.73	-13	37.73	Pass	841
1840	1920	1	RMS	1874	8.02	60	51.98	Pass	401
1920	3000	1	RMS	2644	-47.84	-13	34.84	Pass	1081
3000	7000	1	RMS	6687	-65.75	-13	52.75	Pass	4001
7000	20000	1	RMS	19906	-50.64	-13	37.64	Pass	13001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.45	-13	41.45	Pass	401
0.15	30	0.01	RMS	0.16	-56.47	-13	43.47	Pass	2986
30	1000	0.1	RMS	931.1	-61.03	-13	48.03	Pass	9701
1000	1840	1	RMS	1840	-50.76	-13	37.76	Pass	841
1840	1920	1	RMS	1873	19.01	60	40.99	Pass	401
1920	3000	1	RMS	2649	-47.81	-13	34.81	Pass	1081
3000	7000	1	RMS	3746	-65.59	-13	52.59	Pass	4001
7000	20000	1	RMS	19911	-50.71	-13	37.71	Pass	13001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.16	-13	41.16	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	43.11	Pass	2986
30	1000	0.1	RMS	978	-61.13	-13	48.13	Pass	9701
1000	1840	1	RMS	1836	-50.42	-13	37.42	Pass	841
1840	1920	1	RMS	1887	18.79	60	41.21	Pass	401
1920	3000	1	RMS	2647	-47.9	-13	34.9	Pass	1081
3000	7000	1	RMS	3774	-64.39	-13	51.39	Pass	4001
7000	20000	1	RMS	19946	-50.67	-13	37.67	Pass	13001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.23	-13	41.23	Pass	401
0.15	30	0.01	RMS	0.15	-57.38	-13	44.38	Pass	2986
30	1000	0.1	RMS	960.7	-60.95	-13	47.95	Pass	9701
1000	1840	1	RMS	1836	-50.82	-13	37.82	Pass	841
1840	1920	1	RMS	1896.6	8.08	60	51.92	Pass	401
1920	3000	1	RMS	1920	-38.67	-13	25.67	Pass	1081
3000	7000	1	RMS	6687	-65.78	-13	52.78	Pass	4001
7000	20000	1	RMS	19926	-50.66	-13	37.66	Pass	13001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.71	-13	40.71	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-13	43.28	Pass	2986
30	1000	0.1	RMS	938.1	-61.1	-13	48.1	Pass	9701
1000	1840	1	RMS	1840	-50.78	-13	37.78	Pass	841
1840	1920	1	RMS	1895.4	18.81	60	41.19	Pass	401
1920	3000	1	RMS	2650	-47.84	-13	34.84	Pass	1081
3000	7000	1	RMS	3791	-63.17	-13	50.17	Pass	4001
7000	20000	1	RMS	19903	-50.7	-13	37.7	Pass	13001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.6	-13	40.6	Pass	401
0.15	30	0.01	RMS	0.15	-57.85	-13	44.85	Pass	2986
30	1000	0.1	RMS	946.4	-61.02	-13	48.02	Pass	9701
1000	1840	1	RMS	1811	-50.81	-13	37.81	Pass	841
1840	1920	1	RMS	1909.6	18.73	60	41.27	Pass	401
1920	3000	1	RMS	2641	-47.87	-13	34.87	Pass	1081
3000	7000	1	RMS	3819	-65.36	-13	52.36	Pass	4001
7000	20000	1	RMS	19948	-50.7	-13	37.7	Pass	13001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.77	-13	40.77	Pass	401
0.15	30	0.01	RMS	0.16	-56.32	-13	43.32	Pass	2986
30	1000	0.1	RMS	927.8	-61.15	-13	48.15	Pass	9701
1000	1840	1	RMS	1840	-36.19	-13	23.19	Pass	841
1840	1920	1	RMS	1866.8	6.98	60	53.02	Pass	401
1920	3000	1	RMS	2641	-47.87	-13	34.87	Pass	1081
3000	7000	1	RMS	6688	-65.77	-13	52.77	Pass	4001
7000	20000	1	RMS	19898	-50.73	-13	37.73	Pass	13001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.46	-13	41.46	Pass	401
0.15	30	0.01	RMS	0.15	-57.09	-13	44.09	Pass	2986
30	1000	0.1	RMS	881.3	-60.98	-13	47.98	Pass	9701
1000	1840	1	RMS	1840	-50.03	-13	37.03	Pass	841
1840	1920	1	RMS	1850.6	18.88	60	41.12	Pass	401
1920	3000	1	RMS	2646	-47.88	-13	34.88	Pass	1081
3000	7000	1	RMS	3701	-63.49	-13	50.49	Pass	4001
7000	20000	1	RMS	19911	-50.71	-13	37.71	Pass	13001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.28	-13	41.28	Pass	401
0.15	30	0.01	RMS	0.15	-56.88	-13	43.88	Pass	2986
30	1000	0.1	RMS	895.3	-61.03	-13	48.03	Pass	9701
1000	1840	1	RMS	1840	-50.76	-13	37.76	Pass	841
1840	1920	1	RMS	1869.4	18.89	60	41.11	Pass	401
1920	3000	1	RMS	2641	-47.88	-13	34.88	Pass	1081
3000	7000	1	RMS	6689	-65.76	-13	52.76	Pass	4001
7000	20000	1	RMS	19901	-50.73	-13	37.73	Pass	13001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.24	-13	41.24	Pass	401
0.15	30	0.01	RMS	0.16	-57.32	-13	44.32	Pass	2986
30	1000	0.1	RMS	934.3	-61.08	-13	48.08	Pass	9701
1000	1840	1	RMS	1840	-49.61	-13	36.61	Pass	841
1840	1920	1	RMS	1873.4	6.71	60	53.29	Pass	401
1920	3000	1	RMS	2650	-47.84	-13	34.84	Pass	1081
3000	7000	1	RMS	6683	-65.67	-13	52.67	Pass	4001
7000	20000	1	RMS	19943	-50.69	-13	37.69	Pass	13001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.81	-13	40.81	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-13	44.05	Pass	2986
30	1000	0.1	RMS	927.3	-60.98	-13	47.98	Pass	9701
1000	1840	1	RMS	1839	-50.77	-13	37.77	Pass	841
1840	1920	1	RMS	1870.6	18.86	60	41.14	Pass	401
1920	3000	1	RMS	2650	-47.84	-13	34.84	Pass	1081
3000	7000	1	RMS	6691	-65.73	-13	52.73	Pass	4001
7000	20000	1	RMS	19957	-50.66	-13	37.66	Pass	13001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.49	-13	41.49	Pass	401
0.15	30	0.01	RMS	0.16	-56.87	-13	43.87	Pass	2986
30	1000	0.1	RMS	923.4	-61.11	-13	48.11	Pass	9701
1000	1840	1	RMS	1838	-50.27	-13	37.27	Pass	841
1840	1920	1	RMS	1889.4	18.82	60	41.18	Pass	401
1920	3000	1	RMS	2640	-47.84	-13	34.84	Pass	1081
3000	7000	1	RMS	3779	-63.42	-13	50.42	Pass	4001
7000	20000	1	RMS	19928	-50.68	-13	37.68	Pass	13001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-13	40.86	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	42.86	Pass	2986
30	1000	0.1	RMS	931.1	-61.09	-13	48.09	Pass	9701
1000	1840	1	RMS	1838	-50.69	-13	37.69	Pass	841
1840	1920	1	RMS	1894.6	6.74	60	53.26	Pass	401
1920	3000	1	RMS	1920	-37.98	-13	24.98	Pass	1081
3000	7000	1	RMS	6691	-65.72	-13	52.72	Pass	4001
7000	20000	1	RMS	19924	-50.71	-13	37.71	Pass	13001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.58	-13	41.58	Pass	401
0.15	30	0.01	RMS	0.16	-57.5	-13	44.5	Pass	2986
30	1000	0.1	RMS	946	-61.07	-13	48.07	Pass	9701
1000	1840	1	RMS	1840	-50.39	-13	37.39	Pass	841
1840	1920	1	RMS	1890.6	18.78	60	41.22	Pass	401
1920	3000	1	RMS	2638	-47.9	-13	34.9	Pass	1081
3000	7000	1	RMS	3781	-63.02	-13	50.02	Pass	4001
7000	20000	1	RMS	19946	-50.66	-13	37.66	Pass	13001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.85	-13	41.85	Pass	401
0.15	30	0.01	RMS	0.15	-57.43	-13	44.43	Pass	2986
30	1000	0.1	RMS	908.4	-61.15	-13	48.15	Pass	9701
1000	1840	1	RMS	1839	-50.79	-13	37.79	Pass	841
1840	1920	1	RMS	1909.4	18.82	60	41.18	Pass	401
1920	3000	1	RMS	2642	-47.88	-13	34.88	Pass	1081
3000	7000	1	RMS	3819	-65.62	-13	52.62	Pass	4001
7000	20000	1	RMS	19957	-50.7	-13	37.7	Pass	13001



2. n5


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.53	-13	41.53	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	43.29	Pass	2986
30	814	0.1	RMS	810.9	-61.36	-13	48.36	Pass	7841
814	859	0.1	RMS	824.7	3.36	60	56.64	Pass	451
859	1000	0.1	RMS	912.1	-62.38	-13	49.38	Pass	1411
1000	3000	1	RMS	2649	-47.12	-13	34.12	Pass	2001
3000	10000	1	RMS	9740	-65.29	-13	52.29	Pass	7001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.94	-13	41.94	Pass	401
0.15	30	0.01	RMS	0.16	-57	-13	44	Pass	2986
30	814	0.1	RMS	791.3	-61.41	-13	48.41	Pass	7841
814	859	0.1	RMS	824.3	16.3	60	43.7	Pass	451
859	1000	0.1	RMS	960.5	-62.39	-13	49.39	Pass	1411
1000	3000	1	RMS	2648	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9752	-65.26	-13	52.26	Pass	7001




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.01	-13	42.01	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	43.4	Pass	2986
30	814	0.1	RMS	800	-61.43	-13	48.43	Pass	7841
814	859	0.1	RMS	828.7	15.73	60	44.27	Pass	451
859	1000	0.1	RMS	918.8	-62.41	-13	49.41	Pass	1411
1000	3000	1	RMS	2641	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9739	-65.27	-13	52.27	Pass	7001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-13	40.51	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	43.11	Pass	2986
30	814	0.1	RMS	798.2	-61.38	-13	48.38	Pass	7841
814	859	0.1	RMS	834.8	3.14	60	56.86	Pass	451
859	1000	0.1	RMS	901.3	-62.41	-13	49.41	Pass	1411
1000	3000	1	RMS	2639	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	9733	-65.24	-13	52.24	Pass	7001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.03	-13	42.03	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	44.39	Pass	2986
30	814	0.1	RMS	799.3	-61.5	-13	48.5	Pass	7841
814	859	0.1	RMS	834.3	16.29	60	43.71	Pass	451
859	1000	0.1	RMS	946.9	-62.44	-13	49.44	Pass	1411
1000	3000	1	RMS	2640	-47.15	-13	34.15	Pass	2001
3000	10000	1	RMS	9732	-65.3	-13	52.3	Pass	7001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.84	-13	40.84	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	42.96	Pass	2986
30	814	0.1	RMS	813.2	-61.47	-13	48.47	Pass	7841
814	859	0.1	RMS	838.6	15.81	60	44.19	Pass	451
859	1000	0.1	RMS	926.8	-62.42	-13	49.42	Pass	1411
1000	3000	1	RMS	2640	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9738	-65.22	-13	52.22	Pass	7001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.02	-13	42.02	Pass	401
0.15	30	0.01	RMS	0.15	-57	-13	44	Pass	2986
30	814	0.1	RMS	807.6	-61.43	-13	48.43	Pass	7841
814	859	0.1	RMS	844.5	3.47	60	56.53	Pass	451
859	1000	0.1	RMS	933.2	-62.48	-13	49.48	Pass	1411
1000	3000	1	RMS	2997	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9745	-65.22	-13	52.22	Pass	7001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.13	-13	41.13	Pass	401
0.15	30	0.01	RMS	0.15	-56.93	-13	43.93	Pass	2986
30	814	0.1	RMS	789	-61.41	-13	48.41	Pass	7841
814	859	0.1	RMS	844.3	16.18	60	43.82	Pass	451
859	1000	0.1	RMS	928.1	-62.56	-13	49.56	Pass	1411
1000	3000	1	RMS	2641	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9717	-65.29	-13	52.29	Pass	7001




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.95	-13	41.95	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	42.96	Pass	2986
30	814	0.1	RMS	788.5	-61.42	-13	48.42	Pass	7841
814	859	0.1	RMS	848.6	15.71	60	44.29	Pass	451
859	1000	0.1	RMS	922.5	-62.32	-13	49.32	Pass	1411
1000	3000	1	RMS	3000	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	9746	-65.29	-13	52.29	Pass	7001




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.22	-13	41.22	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-13	42.94	Pass	2986
30	814	0.1	RMS	813.8	-59.95	-13	46.95	Pass	7841
814	859	0.1	RMS	835.9	-1.34	60	61.34	Pass	451
859	1000	0.1	RMS	900.1	-62.43	-13	49.43	Pass	1411
1000	3000	1	RMS	2646	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9746	-65.28	-13	52.28	Pass	7001




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	40.3	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	43.46	Pass	2986
30	814	0.1	RMS	808.2	-61.5	-13	48.5	Pass	7841
814	859	0.1	RMS	824.5	16.26	60	43.74	Pass	451
859	1000	0.1	RMS	918.6	-62.26	-13	49.26	Pass	1411
1000	3000	1	RMS	2998	-47.1	-13	34.1	Pass	2001
3000	10000	1	RMS	9747	-65.25	-13	52.25	Pass	7001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-13	40.57	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	42.78	Pass	2986
30	814	0.1	RMS	800.5	-61.41	-13	48.41	Pass	7841
814	859	0.1	RMS	838.5	16.59	60	43.41	Pass	451
859	1000	0.1	RMS	917.8	-62.39	-13	49.39	Pass	1411
1000	3000	1	RMS	2642	-47.13	-13	34.13	Pass	2001
3000	10000	1	RMS	9742	-65.22	-13	52.22	Pass	7001




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.16	-13	42.16	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	42.74	Pass	2986
30	814	0.1	RMS	813.8	-60.79	-13	47.79	Pass	7841
814	859	0.1	RMS	836.2	-1.49	60	61.49	Pass	451
859	1000	0.1	RMS	859	-62.28	-13	49.28	Pass	1411
1000	3000	1	RMS	3000	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9745	-65.27	-13	52.27	Pass	7001




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.24	-13	41.24	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-13	43.26	Pass	2986
30	814	0.1	RMS	811.1	-61.42	-13	48.42	Pass	7841
814	859	0.1	RMS	829.5	16.38	60	43.62	Pass	451
859	1000	0.1	RMS	941.5	-62.52	-13	49.52	Pass	1411
1000	3000	1	RMS	2641	-47.15	-13	34.15	Pass	2001
3000	10000	1	RMS	9734	-65.22	-13	52.22	Pass	7001




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-13	40.93	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	43	Pass	2986
30	814	0.1	RMS	795.7	-61.39	-13	48.39	Pass	7841
814	859	0.1	RMS	843.5	16.46	60	43.54	Pass	451
859	1000	0.1	RMS	953.7	-62.48	-13	49.48	Pass	1411
1000	3000	1	RMS	2997	-47.15	-13	34.15	Pass	2001
3000	10000	1	RMS	9725	-65.29	-13	52.29	Pass	7001




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.03	-13	41.03	Pass	401
0.15	30	0.01	RMS	0.15	-56.61	-13	43.61	Pass	2986
30	814	0.1	RMS	813.1	-61.38	-13	48.38	Pass	7841
814	859	0.1	RMS	836.8	-1.62	60	61.62	Pass	451
859	1000	0.1	RMS	859	-60.87	-13	47.87	Pass	1411
1000	3000	1	RMS	2651	-47.08	-13	34.08	Pass	2001
3000	10000	1	RMS	9720	-65.3	-13	52.3	Pass	7001




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	40.87	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-13	43.16	Pass	2986
30	814	0.1	RMS	802.5	-61.49	-13	48.49	Pass	7841
814	859	0.1	RMS	834.5	16.35	60	43.65	Pass	451
859	1000	0.1	RMS	949.7	-62.48	-13	49.48	Pass	1411
1000	3000	1	RMS	2997	-47.16	-13	34.16	Pass	2001
3000	10000	1	RMS	9731	-65.3	-13	52.3	Pass	7001




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-13	40.21	Pass	401
0.15	30	0.01	RMS	0.15	-56.1	-13	43.1	Pass	2986
30	814	0.1	RMS	792.4	-61.27	-13	48.27	Pass	7841
814	859	0.1	RMS	848.5	16.55	60	43.45	Pass	451
859	1000	0.1	RMS	929.1	-62.51	-13	49.51	Pass	1411
1000	3000	1	RMS	2998	-47.12	-13	34.12	Pass	2001
3000	10000	1	RMS	9704	-65.26	-13	52.26	Pass	7001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	40.32	Pass	401
0.15	30	0.01	RMS	0.16	-56.72	-13	43.72	Pass	2986
30	814	0.1	RMS	813.6	-59.5	-13	46.5	Pass	7841
814	859	0.1	RMS	835.5	-2.56	60	62.56	Pass	451
859	1000	0.1	RMS	859	-61.42	-13	48.42	Pass	1411
1000	3000	1	RMS	3000	-47.13	-13	34.13	Pass	2001
3000	10000	1	RMS	9718	-65.21	-13	52.21	Pass	7001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.16	-13	40.16	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	43.4	Pass	2986
30	814	0.1	RMS	793.7	-61.36	-13	48.36	Pass	7841
814	859	0.1	RMS	824.5	16.15	60	43.85	Pass	451
859	1000	0.1	RMS	930.8	-62.37	-13	49.37	Pass	1411
1000	3000	1	RMS	2997	-47.13	-13	34.13	Pass	2001
3000	10000	1	RMS	9706	-65.27	-13	52.27	Pass	7001




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.41	-13	41.41	Pass	401
0.15	30	0.01	RMS	0.16	-56.87	-13	43.87	Pass	2986
30	814	0.1	RMS	776.6	-61.41	-13	48.41	Pass	7841
814	859	0.1	RMS	843.4	16.06	60	43.94	Pass	451
859	1000	0.1	RMS	916.8	-62.42	-13	49.42	Pass	1411
1000	3000	1	RMS	2999	-47.1	-13	34.1	Pass	2001
3000	10000	1	RMS	9745	-65.26	-13	52.26	Pass	7001




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.67	-13	41.67	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-13	43.57	Pass	2986
30	814	0.1	RMS	813.7	-59.71	-13	46.71	Pass	7841
814	859	0.1	RMS	838	-2.65	60	62.65	Pass	451
859	1000	0.1	RMS	859	-60.98	-13	47.98	Pass	1411
1000	3000	1	RMS	2643	-47.13	-13	34.13	Pass	2001
3000	10000	1	RMS	9724	-65.28	-13	52.28	Pass	7001




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.91	-13	41.91	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-13	43.15	Pass	2986
30	814	0.1	RMS	796.1	-61.41	-13	48.41	Pass	7841
814	859	0.1	RMS	827	16.1	60	43.9	Pass	451
859	1000	0.1	RMS	935.4	-62.45	-13	49.45	Pass	1411
1000	3000	1	RMS	2643	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9745	-65.27	-13	52.27	Pass	7001




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.19	-13	41.19	Pass	401
0.15	30	0.01	RMS	0.15	-56.73	-13	43.73	Pass	2986
30	814	0.1	RMS	793.3	-61.45	-13	48.45	Pass	7841
814	859	0.1	RMS	845.9	16.16	60	43.84	Pass	451
859	1000	0.1	RMS	930.8	-62.44	-13	49.44	Pass	1411
1000	3000	1	RMS	2650	-47.15	-13	34.15	Pass	2001
3000	10000	1	RMS	9755	-65.29	-13	52.29	Pass	7001




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.07	-13	42.07	Pass	401
0.15	30	0.01	RMS	0.15	-56.61	-13	43.61	Pass	2986
30	814	0.1	RMS	813.8	-60.54	-13	47.54	Pass	7841
814	859	0.1	RMS	835.5	-2.64	60	62.64	Pass	451
859	1000	0.1	RMS	859	-59.92	-13	46.92	Pass	1411
1000	3000	1	RMS	2641	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9735	-65.22	-13	52.22	Pass	7001




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.08	-13	41.08	Pass	401
0.15	30	0.01	RMS	0.15	-56.22	-13	43.22	Pass	2986
30	814	0.1	RMS	777.5	-61.42	-13	48.42	Pass	7841
814	859	0.1	RMS	829.5	16.17	60	43.83	Pass	451
859	1000	0.1	RMS	901.1	-62.34	-13	49.34	Pass	1411
1000	3000	1	RMS	2999	-47.12	-13	34.12	Pass	2001
3000	10000	1	RMS	9737	-65.29	-13	52.29	Pass	7001



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54	-13	41	Pass	401
0.15	30	0.01	RMS	0.16	-56.47	-13	43.47	Pass	2986
30	814	0.1	RMS	809.9	-61.46	-13	48.46	Pass	7841
814	859	0.1	RMS	848.4	16.04	60	43.96	Pass	451
859	1000	0.1	RMS	981.4	-62.48	-13	49.48	Pass	1411
1000	3000	1	RMS	2644	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9708	-65.24	-13	52.24	Pass	7001



3. n12 15kHz


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.88	-13	41.88	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	42.77	Pass	2986
30	689	0.1	RMS	670.7	-62.44	-13	49.44	Pass	6591
689	726	0.1	RMS	703.523	3.23	60	56.77	Pass	401
726	1000	0.1	RMS	948	-62.05	-13	49.05	Pass	2741
1000	3000	1	RMS	3000	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	9747	-65.24	-13	52.24	Pass	7001




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.58	-13	41.58	Pass	401
0.15	30	0.01	RMS	0.15	-56.43	-13	43.43	Pass	2986
30	689	0.1	RMS	671.1	-62.54	-13	49.54	Pass	6591
689	726	0.1	RMS	699.36	16.34	60	43.66	Pass	401
726	1000	0.1	RMS	946.1	-62.21	-13	49.21	Pass	2741
1000	3000	1	RMS	2641	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	9744	-65.28	-13	52.28	Pass	7001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.48	-13	41.48	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	43.4	Pass	2986
30	689	0.1	RMS	679.3	-62.53	-13	49.53	Pass	6591
689	726	0.1	RMS	703.615	16.28	60	43.72	Pass	401
726	1000	0.1	RMS	935	-62.03	-13	49.03	Pass	2741
1000	3000	1	RMS	2648	-47.13	-13	34.13	Pass	2001
3000	10000	1	RMS	9753	-65.28	-13	52.28	Pass	7001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	40.12	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	42.37	Pass	2986
30	689	0.1	RMS	687.6	-62.49	-13	49.49	Pass	6591
689	726	0.1	RMS	707.593	3.2	60	56.8	Pass	401
726	1000	0.1	RMS	884.4	-62.04	-13	49.04	Pass	2741
1000	3000	1	RMS	2650	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9749	-65.24	-13	52.24	Pass	7001




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.35	-13	41.35	Pass	401
0.15	30	0.01	RMS	0.16	-56.2	-13	43.2	Pass	2986
30	689	0.1	RMS	670.9	-62.49	-13	49.49	Pass	6591
689	726	0.1	RMS	705.373	16.07	60	43.93	Pass	401
726	1000	0.1	RMS	928.9	-62.23	-13	49.23	Pass	2741
1000	3000	1	RMS	3000	-47.13	-13	34.13	Pass	2001
3000	10000	1	RMS	9751	-65.21	-13	52.21	Pass	7001




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.47	-13	41.47	Pass	401
0.15	30	0.01	RMS	0.15	-56.66	-13	43.66	Pass	2986
30	689	0.1	RMS	660.9	-62.58	-13	49.58	Pass	6591
689	726	0.1	RMS	709.628	16.49	60	43.51	Pass	401
726	1000	0.1	RMS	926.8	-62.18	-13	49.18	Pass	2741
1000	3000	1	RMS	2642	-47.17	-13	34.17	Pass	2001
3000	10000	1	RMS	9706	-65.28	-13	52.28	Pass	7001




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.8	-13	41.8	Pass	401
0.15	30	0.01	RMS	0.15	-56.08	-13	43.08	Pass	2986
30	689	0.1	RMS	687.4	-62.53	-13	49.53	Pass	6591
689	726	0.1	RMS	711.755	3.21	60	56.79	Pass	401
726	1000	0.1	RMS	930.2	-62.27	-13	49.27	Pass	2741
1000	3000	1	RMS	3000	-47.09	-13	34.09	Pass	2001
3000	10000	1	RMS	9742	-65.24	-13	52.24	Pass	7001




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-13	40.34	Pass	401
0.15	30	0.01	RMS	0.16	-56.47	-13	43.47	Pass	2986
30	689	0.1	RMS	688.5	-62.41	-13	49.41	Pass	6591
689	726	0.1	RMS	711.293	16.1	60	43.9	Pass	401
726	1000	0.1	RMS	915	-62.04	-13	49.04	Pass	2741
1000	3000	1	RMS	2647	-47.1	-13	34.1	Pass	2001
3000	10000	1	RMS	9731	-65.29	-13	52.29	Pass	7001




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54	-13	41	Pass	401
0.15	30	0.01	RMS	0.15	-56.01	-13	43.01	Pass	2986
30	689	0.1	RMS	681.7	-62.57	-13	49.57	Pass	6591
689	726	0.1	RMS	715.64	16.41	60	43.59	Pass	401
726	1000	0.1	RMS	907.2	-62.16	-13	49.16	Pass	2741
1000	3000	1	RMS	2646	-47.16	-13	34.16	Pass	2001
3000	10000	1	RMS	9734	-65.3	-13	52.3	Pass	7001




1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-13	40.45	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	42.7	Pass	2986
30	689	0.1	RMS	685.6	-62.38	-13	49.38	Pass	6591
689	726	0.1	RMS	705.928	0.33	60	59.67	Pass	401
726	1000	0.1	RMS	904.6	-62.08	-13	49.08	Pass	2741
1000	3000	1	RMS	2646	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	9754	-65.2	-13	52.2	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.97	-13	40.97	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-13	42.94	Pass	2986
30	689	0.1	RMS	687.2	-62.31	-13	49.31	Pass	6591
689	726	0.1	RMS	699.36	16.37	60	43.63	Pass	401
726	1000	0.1	RMS	909.6	-62.12	-13	49.12	Pass	2741
1000	3000	1	RMS	2642	-47.05	-13	34.05	Pass	2001
3000	10000	1	RMS	9756	-65.25	-13	52.25	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.02	-13	41.02	Pass	401
0.15	30	0.01	RMS	0.16	-56.69	-13	43.69	Pass	2986
30	689	0.1	RMS	673.2	-62.34	-13	49.34	Pass	6591
689	726	0.1	RMS	708.61	16.55	60	43.45	Pass	401
726	1000	0.1	RMS	962.6	-62.12	-13	49.12	Pass	2741
1000	3000	1	RMS	2640	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	9710	-65.3	-13	52.3	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.23	-13	41.23	Pass	401
0.15	30	0.01	RMS	0.15	-56.21	-13	43.21	Pass	2986
30	689	0.1	RMS	672.2	-62.43	-13	49.43	Pass	6591
689	726	0.1	RMS	707.5	0.29	60	59.71	Pass	401
726	1000	0.1	RMS	916.8	-61.99	-13	48.99	Pass	2741
1000	3000	1	RMS	2644	-47.06	-13	34.06	Pass	2001
3000	10000	1	RMS	9714	-65.25	-13	52.25	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.32	-13	40.32	Pass	401
0.15	30	0.01	RMS	0.15	-57.03	-13	44.03	Pass	2986
30	689	0.1	RMS	676.3	-62.5	-13	49.5	Pass	6591
689	726	0.1	RMS	702.875	16.57	60	43.43	Pass	401
726	1000	0.1	RMS	936.6	-61.99	-13	48.99	Pass	2741
1000	3000	1	RMS	2649	-46.99	-13	33.99	Pass	2001
3000	10000	1	RMS	9736	-65.27	-13	52.27	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.68	-13	41.68	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-13	43.04	Pass	2986
30	689	0.1	RMS	688.1	-62.44	-13	49.44	Pass	6591
689	726	0.1	RMS	712.125	16.18	60	43.82	Pass	401
726	1000	0.1	RMS	916.3	-62.19	-13	49.19	Pass	2741
1000	3000	1	RMS	2641	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	9708	-65.25	-13	52.25	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.12	-13	41.12	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	43.25	Pass	2986
30	689	0.1	RMS	676.1	-62.46	-13	49.46	Pass	6591
689	726	0.1	RMS	711.478	0.4	60	59.6	Pass	401
726	1000	0.1	RMS	943.4	-61.9	-13	48.9	Pass	2741
1000	3000	1	RMS	2999	-46.98	-13	33.98	Pass	2001
3000	10000	1	RMS	9750	-65.33	-13	52.33	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-13	40.59	Pass	401
0.15	30	0.01	RMS	0.15	-56.5	-13	43.5	Pass	2986
30	689	0.1	RMS	648.5	-62.42	-13	49.42	Pass	6591
689	726	0.1	RMS	706.39	16.7	60	43.3	Pass	401
726	1000	0.1	RMS	903.3	-62.19	-13	49.19	Pass	2741
1000	3000	1	RMS	2646	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	9733	-65.22	-13	52.22	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.69	-13	41.69	Pass	401
0.15	30	0.01	RMS	0.15	-56.88	-13	43.88	Pass	2986
30	689	0.1	RMS	670.1	-62.4	-13	49.4	Pass	6591
689	726	0.1	RMS	715.548	16.49	60	43.51	Pass	401
726	1000	0.1	RMS	940.7	-62.17	-13	49.17	Pass	2741
1000	3000	1	RMS	2650	-47.02	-13	34.02	Pass	2001
3000	10000	1	RMS	9733	-65.28	-13	52.28	Pass	7001




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-13	40.85	Pass	401
0.15	30	0.01	RMS	0.15	-56.33	-13	43.33	Pass	2986
30	689	0.1	RMS	653.8	-62.56	-13	49.56	Pass	6591
689	726	0.1	RMS	707.685	-1.53	60	61.53	Pass	401
726	1000	0.1	RMS	882.8	-62.22	-13	49.22	Pass	2741
1000	3000	1	RMS	2641	-47.12	-13	34.12	Pass	2001
3000	10000	1	RMS	9745	-65.28	-13	52.28	Pass	7001




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.32	-13	41.32	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-13	43.57	Pass	2986
30	689	0.1	RMS	677.4	-62.55	-13	49.55	Pass	6591
689	726	0.1	RMS	699.453	16.57	60	43.43	Pass	401
726	1000	0.1	RMS	902.2	-62.16	-13	49.16	Pass	2741
1000	3000	1	RMS	2648	-47.1	-13	34.1	Pass	2001
3000	10000	1	RMS	9706	-65.32	-13	52.32	Pass	7001




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	40.02	Pass	401
0.15	30	0.01	RMS	0.15	-56.39	-13	43.39	Pass	2986
30	689	0.1	RMS	672	-62.33	-13	49.33	Pass	6591
689	726	0.1	RMS	713.513	16.6	60	43.4	Pass	401
726	1000	0.1	RMS	905.4	-62.17	-13	49.17	Pass	2741
1000	3000	1	RMS	2650	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9742	-65.25	-13	52.25	Pass	7001




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.56	-13	41.56	Pass	401
0.15	30	0.01	RMS	0.15	-55.72	-13	42.72	Pass	2986
30	689	0.1	RMS	688.1	-62.44	-13	49.44	Pass	6591
689	726	0.1	RMS	707.685	-1.58	60	61.58	Pass	401
726	1000	0.1	RMS	963.9	-62.22	-13	49.22	Pass	2741
1000	3000	1	RMS	2999	-47.12	-13	34.12	Pass	2001
3000	10000	1	RMS	9735	-65.26	-13	52.26	Pass	7001




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-13	40.03	Pass	401
0.15	30	0.01	RMS	0.15	-57.04	-13	44.04	Pass	2986
30	689	0.1	RMS	688.8	-62.46	-13	49.46	Pass	6591
689	726	0.1	RMS	700.47	16.64	60	43.36	Pass	401
726	1000	0.1	RMS	904.2	-62.14	-13	49.14	Pass	2741
1000	3000	1	RMS	2639	-47.1	-13	34.1	Pass	2001
3000	10000	1	RMS	9753	-65.28	-13	52.28	Pass	7001




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.19	-13	41.19	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-13	42.94	Pass	2986
30	689	0.1	RMS	684.4	-62.56	-13	49.56	Pass	6591
689	726	0.1	RMS	714.53	16.63	60	43.37	Pass	401
726	1000	0.1	RMS	927.8	-62.02	-13	49.02	Pass	2741
1000	3000	1	RMS	2642	-47.12	-13	34.12	Pass	2001
3000	10000	1	RMS	9732	-65.24	-13	52.24	Pass	7001




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.4	-13	41.4	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	43.17	Pass	2986
30	689	0.1	RMS	663.9	-62.5	-13	49.5	Pass	6591
689	726	0.1	RMS	707.408	-1.62	60	61.62	Pass	401
726	1000	0.1	RMS	913	-62.29	-13	49.29	Pass	2741
1000	3000	1	RMS	2640	-47.13	-13	34.13	Pass	2001
3000	10000	1	RMS	9709	-65.3	-13	52.3	Pass	7001




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.18	-13	41.18	Pass	401
0.15	30	0.01	RMS	0.15	-56.38	-13	43.38	Pass	2986
30	689	0.1	RMS	688	-62.43	-13	49.43	Pass	6591
689	726	0.1	RMS	701.488	16.65	60	43.35	Pass	401
726	1000	0.1	RMS	952	-62.22	-13	49.22	Pass	2741
1000	3000	1	RMS	3000	-47.13	-13	34.13	Pass	2001
3000	10000	1	RMS	9752	-65.31	-13	52.31	Pass	7001



3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.49	-13	40.49	Pass	401
0.15	30	0.01	RMS	0.15	-56.89	-13	43.89	Pass	2986
30	689	0.1	RMS	684.3	-62.49	-13	49.49	Pass	6591
689	726	0.1	RMS	715.548	16.13	60	43.87	Pass	401
726	1000	0.1	RMS	927.4	-62.15	-13	49.15	Pass	2741
1000	3000	1	RMS	2998	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	9752	-65.28	-13	52.28	Pass	7001



1. n14 15kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	40.23	Pass	401
0.15	30	0.01	RMS	0.15	-55.87	-13	42.87	Pass	2986
30	778	0.1	RMS	774	-61.39	-13	48.39	Pass	7481
778	808	0.1	RMS	792.625	3.66	60	56.34	Pass	401
808	1000	0.1	RMS	914.8	-62.17	-13	49.17	Pass	1921
1000	3000	1	RMS	2644	-47.05	-13	34.05	Pass	2001
3000	10000	1	RMS	9733	-65.32	-13	52.32	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	40.91	Pass	401
0.15	30	0.01	RMS	0.15	-56.22	-13	43.22	Pass	2986
30	778	0.1	RMS	777.1	-61.6	-13	48.6	Pass	7481
778	808	0.1	RMS	788.35	16.7	60	43.3	Pass	401
808	1000	0.1	RMS	947.3	-62.22	-13	49.22	Pass	1921
1000	3000	1	RMS	2645	-46.96	-13	33.96	Pass	2001
3000	10000	1	RMS	9751	-65.31	-13	52.31	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.13	-13	41.13	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-13	44.35	Pass	2986
30	778	0.1	RMS	775.7	-61.56	-13	48.56	Pass	7481
778	808	0.1	RMS	792.625	16.7	60	43.3	Pass	401
808	1000	0.1	RMS	930.8	-62.3	-13	49.3	Pass	1921
1000	3000	1	RMS	2645	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	9743	-65.33	-13	52.33	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.46	-13	41.46	Pass	401
0.15	30	0.01	RMS	0.15	-57.43	-13	44.43	Pass	2986
30	778	0.1	RMS	776.8	-61.46	-13	48.46	Pass	7481
778	808	0.1	RMS	793.375	3.52	60	56.48	Pass	401
808	1000	0.1	RMS	967.6	-62.27	-13	49.27	Pass	1921
1000	3000	1	RMS	2645	-47.01	-13	34.01	Pass	2001
3000	10000	1	RMS	9753	-65.29	-13	52.29	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.84	-13	40.84	Pass	401
0.15	30	0.01	RMS	0.15	-56.53	-13	43.53	Pass	2986
30	778	0.1	RMS	771.2	-61.52	-13	48.52	Pass	7481
778	808	0.1	RMS	790.825	16.87	60	43.13	Pass	401
808	1000	0.1	RMS	922	-62.26	-13	49.26	Pass	1921
1000	3000	1	RMS	2641	-47.02	-13	34.02	Pass	2001
3000	10000	1	RMS	9751	-65.26	-13	52.26	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.06	-13	41.06	Pass	401
0.15	30	0.01	RMS	0.15	-57.18	-13	44.18	Pass	2986
30	778	0.1	RMS	766.7	-61.49	-13	48.49	Pass	7481
778	808	0.1	RMS	795.175	16.66	60	43.34	Pass	401
808	1000	0.1	RMS	950.5	-62.35	-13	49.35	Pass	1921
1000	3000	1	RMS	2647	-47.06	-13	34.06	Pass	2001
3000	10000	1	RMS	9743	-65.26	-13	52.26	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.77	-13	41.77	Pass	401
0.15	30	0.01	RMS	0.15	-56.47	-13	43.47	Pass	2986
30	778	0.1	RMS	776	-61.47	-13	48.47	Pass	7481
778	808	0.1	RMS	795.25	3.44	60	56.56	Pass	401
808	1000	0.1	RMS	808.2	-62.05	-13	49.05	Pass	1921
1000	3000	1	RMS	2649	-47.07	-13	34.07	Pass	2001
3000	10000	1	RMS	9724	-65.25	-13	52.25	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.33	-13	41.33	Pass	401
0.15	30	0.01	RMS	0.15	-56.75	-13	43.75	Pass	2986
30	778	0.1	RMS	771.9	-61.44	-13	48.44	Pass	7481
778	808	0.1	RMS	793.3	16.59	60	43.41	Pass	401
808	1000	0.1	RMS	930.8	-62.21	-13	49.21	Pass	1921
1000	3000	1	RMS	2999	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	9751	-65.17	-13	52.17	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.41	-13	41.41	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	43.51	Pass	2986
30	778	0.1	RMS	776.5	-61.07	-13	48.07	Pass	7481
778	808	0.1	RMS	797.65	16.71	60	43.29	Pass	401
808	1000	0.1	RMS	983	-62.11	-13	49.11	Pass	1921
1000	3000	1	RMS	2650	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	9753	-65.31	-13	52.31	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.52	-13	41.52	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	42.61	Pass	2986
30	778	0.1	RMS	778	-61.28	-13	48.28	Pass	7481
778	808	0.1	RMS	794.875	0.6	60	59.4	Pass	401
808	1000	0.1	RMS	808.2	-55.89	-13	42.89	Pass	1921
1000	3000	1	RMS	3000	-47.03	-13	34.03	Pass	2001
3000	10000	1	RMS	9756	-65.26	-13	52.26	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.63	-13	41.63	Pass	401
0.15	30	0.01	RMS	0.17	-57.48	-13	44.48	Pass	2986
30	778	0.1	RMS	775.3	-61.39	-13	48.39	Pass	7481
778	808	0.1	RMS	788.425	16.68	60	43.32	Pass	401
808	1000	0.1	RMS	932.4	-62.21	-13	49.21	Pass	1921
1000	3000	1	RMS	2647	-47.02	-13	34.02	Pass	2001
3000	10000	1	RMS	9731	-65.21	-13	52.21	Pass	7001



1.12. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.01	-13	41.01	Pass	401
0.15	30	0.01	RMS	0.15	-56.75	-13	43.75	Pass	2986
30	778	0.1	RMS	777.8	-61.39	-13	48.39	Pass	7481
778	808	0.1	RMS	797.575	16.7	60	43.3	Pass	401
808	1000	0.1	RMS	906.4	-62.12	-13	49.12	Pass	1921
1000	3000	1	RMS	2642	-47.02	-13	34.02	Pass	2001
3000	10000	1	RMS	9740	-65.27	-13	52.27	Pass	7001



4. n25 15kHz


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-13	40.2	Pass	401
0.15	30	0.01	RMS	0.16	-56.35	-13	43.35	Pass	2986
30	1000	0.1	RMS	926.3	-61	-13	48	Pass	9701
1000	1840	1	RMS	1840	-50.43	-13	37.43	Pass	841
1840	1925	1	RMS	1853.388	12.69	60	47.31	Pass	401
1925	3000	1	RMS	2642	-47.86	-13	34.86	Pass	1076
3000	7000	1	RMS	6688	-65.76	-13	52.76	Pass	4001
7000	20000	1	RMS	19915	-50.71	-13	37.71	Pass	13001




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.65	-13	41.65	Pass	401
0.15	30	0.01	RMS	0.15	-55.79	-13	42.79	Pass	2986
30	1000	0.1	RMS	898.4	-61.07	-13	48.07	Pass	9701
1000	1840	1	RMS	1840	-50.4	-13	37.4	Pass	841
1840	1925	1	RMS	1850.413	18.67	60	41.33	Pass	401
1925	3000	1	RMS	2650	-47.86	-13	34.86	Pass	1076
3000	7000	1	RMS	3701	-64.47	-13	51.47	Pass	4001
7000	20000	1	RMS	19952	-50.66	-13	37.66	Pass	13001




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.28	-13	41.28	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-13	43.76	Pass	2986
30	1000	0.1	RMS	919.9	-60.8	-13	47.8	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	37.68	Pass	841
1840	1925	1	RMS	1854.663	18.78	60	41.22	Pass	401
1925	3000	1	RMS	2648	-47.87	-13	34.87	Pass	1076
3000	7000	1	RMS	3709	-62.75	-13	49.75	Pass	4001
7000	20000	1	RMS	19955	-50.7	-13	37.7	Pass	13001




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.2	-13	41.2	Pass	401
0.15	30	0.01	RMS	0.15	-56.7	-13	43.7	Pass	2986
30	1000	0.1	RMS	919.8	-61.1	-13	48.1	Pass	9701
1000	1840	1	RMS	1833	-50.69	-13	37.69	Pass	841
1840	1925	1	RMS	1883.563	12.58	60	47.42	Pass	401
1925	3000	1	RMS	2647	-47.88	-13	34.88	Pass	1076
3000	7000	1	RMS	6690	-65.71	-13	52.71	Pass	4001
7000	20000	1	RMS	19943	-50.66	-13	37.66	Pass	13001




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.37	-13	41.37	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	43.18	Pass	2986
30	1000	0.1	RMS	930.1	-61.07	-13	48.07	Pass	9701
1000	1840	1	RMS	1840	-50.78	-13	37.78	Pass	841
1840	1925	1	RMS	1880.375	18.78	60	41.22	Pass	401
1925	3000	1	RMS	3000	-47.86	-13	34.86	Pass	1076
3000	7000	1	RMS	6687	-65.78	-13	52.78	Pass	4001
7000	20000	1	RMS	19921	-50.7	-13	37.7	Pass	13001




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.16	-13	41.16	Pass	401
0.15	30	0.01	RMS	0.15	-56.83	-13	43.83	Pass	2986
30	1000	0.1	RMS	917.1	-61.04	-13	48.04	Pass	9701
1000	1840	1	RMS	1833	-50.52	-13	37.52	Pass	841
1840	1925	1	RMS	1884.625	18.62	60	41.38	Pass	401
1925	3000	1	RMS	2646	-47.91	-13	34.91	Pass	1076
3000	7000	1	RMS	3769	-65.65	-13	52.65	Pass	4001
7000	20000	1	RMS	19931	-50.68	-13	37.68	Pass	13001




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.63	-13	40.63	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-13	43.28	Pass	2986
30	1000	0.1	RMS	951.6	-61.09	-13	48.09	Pass	9701
1000	1840	1	RMS	1840	-50.8	-13	37.8	Pass	841
1840	1925	1	RMS	1911.188	12.73	60	47.27	Pass	401
1925	3000	1	RMS	2999	-47.86	-13	34.86	Pass	1076
3000	7000	1	RMS	6689	-65.75	-13	52.75	Pass	4001
7000	20000	1	RMS	19954	-50.71	-13	37.71	Pass	13001




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.95	-13	41.95	Pass	401
0.15	30	0.01	RMS	0.15	-56.77	-13	43.77	Pass	2986
30	1000	0.1	RMS	905.5	-61.08	-13	48.08	Pass	9701
1000	1840	1	RMS	1806	-50.83	-13	37.83	Pass	841
1840	1925	1	RMS	1910.338	18.75	60	41.25	Pass	401
1925	3000	1	RMS	2642	-47.89	-13	34.89	Pass	1076
3000	7000	1	RMS	3821	-65.1	-13	52.1	Pass	4001
7000	20000	1	RMS	19915	-50.73	-13	37.73	Pass	13001




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.34	-13	41.34	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	44.19	Pass	2986
30	1000	0.1	RMS	915.8	-61.07	-13	48.07	Pass	9701
1000	1840	1	RMS	1840	-50.83	-13	37.83	Pass	841
1840	1925	1	RMS	1914.588	18.73	60	41.27	Pass	401
1925	3000	1	RMS	3000	-47.92	-13	34.92	Pass	1076
3000	7000	1	RMS	3829	-65.68	-13	52.68	Pass	4001
7000	20000	1	RMS	19930	-50.69	-13	37.69	Pass	13001




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.61	-13	41.61	Pass	401
0.15	30	0.01	RMS	0.15	-57.59	-13	44.59	Pass	2986
30	1000	0.1	RMS	930.5	-61.13	-13	48.13	Pass	9701
1000	1840	1	RMS	1840	-37.78	-13	24.78	Pass	841
1840	1925	1	RMS	1862.738	8.17	60	51.83	Pass	401
1925	3000	1	RMS	2641	-47.81	-13	34.81	Pass	1076
3000	7000	1	RMS	6687	-65.71	-13	52.71	Pass	4001
7000	20000	1	RMS	19962	-50.68	-13	37.68	Pass	13001




4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.92	-13	41.92	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	43.11	Pass	2986
30	1000	0.1	RMS	957.8	-61.11	-13	48.11	Pass	9701
1000	1840	1	RMS	1840	-50.26	-13	37.26	Pass	841
1840	1925	1	RMS	1850.413	18.86	60	41.14	Pass	401
1925	3000	1	RMS	2643	-47.88	-13	34.88	Pass	1076
3000	7000	1	RMS	3701	-63.38	-13	50.38	Pass	4001
7000	20000	1	RMS	19941	-50.7	-13	37.7	Pass	13001




4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-13	40.28	Pass	401
0.15	30	0.01	RMS	0.15	-56.96	-13	43.96	Pass	2986
30	1000	0.1	RMS	886.3	-60.93	-13	47.93	Pass	9701
1000	1840	1	RMS	1839	-50.78	-13	37.78	Pass	841
1840	1925	1	RMS	1864.438	18.71	60	41.29	Pass	401
1925	3000	1	RMS	2649	-47.87	-13	34.87	Pass	1076
3000	7000	1	RMS	3729	-64.06	-13	51.06	Pass	4001
7000	20000	1	RMS	19941	-50.68	-13	37.68	Pass	13001




4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-13	40.48	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-13	43.84	Pass	2986
30	1000	0.1	RMS	927.4	-61.03	-13	48.03	Pass	9701
1000	1840	1	RMS	1837	-50.73	-13	37.73	Pass	841
1840	1925	1	RMS	1876.55	7.85	60	52.15	Pass	401
1925	3000	1	RMS	2999	-47.89	-13	34.89	Pass	1076
3000	7000	1	RMS	6687	-65.76	-13	52.76	Pass	4001
7000	20000	1	RMS	19931	-50.71	-13	37.71	Pass	13001




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-13	39.25	Pass	401
0.15	30	0.01	RMS	0.16	-56.02	-13	43.02	Pass	2986
30	1000	0.1	RMS	958.2	-61.07	-13	48.07	Pass	9701
1000	1840	1	RMS	1838	-50.79	-13	37.79	Pass	841
1840	1925	1	RMS	1875.488	18.8	60	41.2	Pass	401
1925	3000	1	RMS	2650	-47.89	-13	34.89	Pass	1076
3000	7000	1	RMS	6692	-65.74	-13	52.74	Pass	4001
7000	20000	1	RMS	19919	-50.65	-13	37.65	Pass	13001




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.03	-13	41.03	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	42.57	Pass	2986
30	1000	0.1	RMS	913.4	-61.06	-13	48.06	Pass	9701
1000	1840	1	RMS	1838	-50.44	-13	37.44	Pass	841
1840	1925	1	RMS	1889.513	18.81	60	41.19	Pass	401
1925	3000	1	RMS	3000	-47.92	-13	34.92	Pass	1076
3000	7000	1	RMS	3779	-63.35	-13	50.35	Pass	4001
7000	20000	1	RMS	19923	-50.67	-13	37.67	Pass	13001




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.76	-13	41.76	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	42.76	Pass	2986
30	1000	0.1	RMS	901.3	-61.08	-13	48.08	Pass	9701
1000	1840	1	RMS	1840	-50.73	-13	37.73	Pass	841
1840	1925	1	RMS	1902.263	8.2	60	51.8	Pass	401
1925	3000	1	RMS	2641	-47.88	-13	34.88	Pass	1076
3000	7000	1	RMS	6691	-65.75	-13	52.75	Pass	4001
7000	20000	1	RMS	19913	-50.64	-13	37.64	Pass	13001




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.15	30	0.01	RMS	0.15	-57.12	-13	44.12	Pass	2986
30	1000	0.1	RMS	947.3	-61.03	-13	48.03	Pass	9701
1000	1840	1	RMS	1837	-50.79	-13	37.79	Pass	841
1840	1925	1	RMS	1900.563	18.78	60	41.22	Pass	401
1925	3000	1	RMS	2643	-47.86	-13	34.86	Pass	1076
3000	7000	1	RMS	6683	-65.7	-13	52.7	Pass	4001
7000	20000	1	RMS	19946	-50.65	-13	37.65	Pass	13001




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-13	40.86	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	43.32	Pass	2986
30	1000	0.1	RMS	936	-60.97	-13	47.97	Pass	9701
1000	1840	1	RMS	1835	-50.79	-13	37.79	Pass	841
1840	1925	1	RMS	1914.588	18.71	60	41.29	Pass	401
1925	3000	1	RMS	2640	-47.82	-13	34.82	Pass	1076
3000	7000	1	RMS	6691	-65.75	-13	52.75	Pass	4001
7000	20000	1	RMS	19909	-50.73	-13	37.73	Pass	13001




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-13	41.04	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	42.73	Pass	2986
30	1000	0.1	RMS	924.7	-61.09	-13	48.09	Pass	9701
1000	1840	1	RMS	1840	-36.19	-13	23.19	Pass	841
1840	1925	1	RMS	1866.988	6.86	60	53.14	Pass	401
1925	3000	1	RMS	2648	-47.9	-13	34.9	Pass	1076
3000	7000	1	RMS	6685	-65.77	-13	52.77	Pass	4001
7000	20000	1	RMS	19940	-50.63	-13	37.63	Pass	13001




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.62	-13	41.62	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	43.4	Pass	2986
30	1000	0.1	RMS	908.4	-61.11	-13	48.11	Pass	9701
1000	1840	1	RMS	1839	-49.84	-13	36.84	Pass	841
1840	1925	1	RMS	1850.625	18.81	60	41.19	Pass	401
1925	3000	1	RMS	2650	-47.84	-13	34.84	Pass	1076
3000	7000	1	RMS	3701	-63.53	-13	50.53	Pass	4001
7000	20000	1	RMS	19952	-50.75	-13	37.75	Pass	13001




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-13	40.86	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	43.41	Pass	2986
30	1000	0.1	RMS	963.2	-61.06	-13	48.06	Pass	9701
1000	1840	1	RMS	1839	-50.77	-13	37.77	Pass	841
1840	1925	1	RMS	1869.538	18.67	60	41.33	Pass	401
1925	3000	1	RMS	3000	-47.89	-13	34.89	Pass	1076
3000	7000	1	RMS	6685	-65.81	-13	52.81	Pass	4001
7000	20000	1	RMS	19921	-50.68	-13	37.68	Pass	13001




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.56	-13	41.56	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	42.65	Pass	2986
30	1000	0.1	RMS	913.8	-60.89	-13	47.89	Pass	9701
1000	1840	1	RMS	1840	-50.5	-13	37.5	Pass	841
1840	1925	1	RMS	1874	6.51	60	53.49	Pass	401
1925	3000	1	RMS	2791	-47.89	-13	34.89	Pass	1076
3000	7000	1	RMS	6691	-65.73	-13	52.73	Pass	4001
7000	20000	1	RMS	19952	-50.69	-13	37.69	Pass	13001




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	43.07	Pass	2986
30	1000	0.1	RMS	949.7	-61	-13	48	Pass	9701
1000	1840	1	RMS	1838	-50.76	-13	37.76	Pass	841
1840	1925	1	RMS	1872.938	18.82	60	41.18	Pass	401
1925	3000	1	RMS	2646	-47.89	-13	34.89	Pass	1076
3000	7000	1	RMS	3746	-65.68	-13	52.68	Pass	4001
7000	20000	1	RMS	19952	-50.7	-13	37.7	Pass	13001




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.65	-13	41.65	Pass	401
0.15	30	0.01	RMS	0.15	-56.66	-13	43.66	Pass	2986
30	1000	0.1	RMS	913	-61.07	-13	48.07	Pass	9701
1000	1840	1	RMS	1840	-50.58	-13	37.58	Pass	841
1840	1925	1	RMS	1891.85	18.61	60	41.39	Pass	401
1925	3000	1	RMS	3000	-47.86	-13	34.86	Pass	1076
3000	7000	1	RMS	3784	-63.24	-13	50.24	Pass	4001
7000	20000	1	RMS	19900	-50.73	-13	37.73	Pass	13001




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.01	-13	41.01	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	42.97	Pass	2986
30	1000	0.1	RMS	919.7	-61.03	-13	48.03	Pass	9701
1000	1840	1	RMS	1823	-50.81	-13	37.81	Pass	841
1840	1925	1	RMS	1899.713	6.91	60	53.09	Pass	401
1925	3000	1	RMS	2643	-47.9	-13	34.9	Pass	1076
3000	7000	1	RMS	6689	-65.78	-13	52.78	Pass	4001
7000	20000	1	RMS	19920	-50.67	-13	37.67	Pass	13001




4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.22	-13	41.22	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-13	43.86	Pass	2986
30	1000	0.1	RMS	907	-61.03	-13	48.03	Pass	9701
1000	1840	1	RMS	1840	-50.79	-13	37.79	Pass	841
1840	1925	1	RMS	1895.463	18.77	60	41.23	Pass	401
1925	3000	1	RMS	2642	-47.82	-13	34.82	Pass	1076
3000	7000	1	RMS	3791	-62.95	-13	49.95	Pass	4001
7000	20000	1	RMS	19953	-50.7	-13	37.7	Pass	13001



4.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	40.3	Pass	401
0.15	30	0.01	RMS	0.15	-56.7	-13	43.7	Pass	2986
30	1000	0.1	RMS	901.7	-61.1	-13	48.1	Pass	9701
1000	1840	1	RMS	1840	-50.79	-13	37.79	Pass	841
1840	1925	1	RMS	1914.375	18.76	60	41.24	Pass	401
1925	3000	1	RMS	2650	-47.88	-13	34.88	Pass	1076
3000	7000	1	RMS	6690	-65.7	-13	52.7	Pass	4001
7000	20000	1	RMS	19949	-50.74	-13	37.74	Pass	13001



2. n41


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.84	-25	28.84	Pass	401
0.15	30	0.01	RMS	0.15	-56.37	-25	31.37	Pass	2986
30	1000	0.1	RMS	953.9	-60.94	-25	35.94	Pass	9701
1000	2486	1	RMS	2486	-43.11	-25	18.11	Pass	1487
2486	2700	1	RMS	2503.655	10.21	60	49.79	Pass	401
2700	3000	1	RMS	2999.25	-47.87	-25	22.87	Pass	401
3000	7000	1	RMS	6690	-65.71	-25	40.71	Pass	4001
7000	26500	1	RMS	25291	-46.22	-25	21.22	Pass	19501




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.37	-25	29.37	Pass	401
0.15	30	0.01	RMS	0.15	-56.55	-25	31.55	Pass	2986
30	1000	0.1	RMS	943.4	-60.84	-25	35.84	Pass	9701
1000	2486	1	RMS	2484	-48.22	-25	23.22	Pass	1487
2486	2700	1	RMS	2496.7	18.39	60	41.61	Pass	401
2700	3000	1	RMS	3000	-47.84	-25	22.84	Pass	401
3000	7000	1	RMS	6690	-65.7	-25	40.7	Pass	4001
7000	26500	1	RMS	25293	-46.24	-25	21.24	Pass	19501




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.33	-25	29.33	Pass	401
0.15	30	0.01	RMS	0.15	-57.46	-25	32.46	Pass	2986
30	1000	0.1	RMS	957.6	-60.94	-25	35.94	Pass	9701
1000	2486	1	RMS	2486	-48.3	-25	23.3	Pass	1487
2486	2700	1	RMS	2505.26	18.38	60	41.62	Pass	401
2700	3000	1	RMS	2999.25	-47.88	-25	22.88	Pass	401
3000	7000	1	RMS	6690	-65.6	-25	40.6	Pass	4001
7000	26500	1	RMS	25288	-46.25	-25	21.25	Pass	19501




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-25	28.66	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-25	31.18	Pass	2986
30	1000	0.1	RMS	932.1	-60.96	-25	35.96	Pass	9701
1000	2486	1	RMS	2410	-48.31	-25	23.31	Pass	1487
2486	2700	1	RMS	2589.79	10.28	60	49.72	Pass	401
2700	3000	1	RMS	3000	-47.86	-25	22.86	Pass	401
3000	7000	1	RMS	6690	-65.71	-25	40.71	Pass	4001
7000	26500	1	RMS	25295	-46.14	-25	21.14	Pass	19501




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.5	-25	29.5	Pass	401
0.15	30	0.01	RMS	0.15	-56.95	-25	31.95	Pass	2986
30	1000	0.1	RMS	914.1	-60.82	-25	35.82	Pass	9701
1000	2486	1	RMS	2486	-48.36	-25	23.36	Pass	1487
2486	2700	1	RMS	2588.72	18.71	60	41.29	Pass	401
2700	3000	1	RMS	3000	-47.88	-25	22.88	Pass	401
3000	7000	1	RMS	6688	-65.74	-25	40.74	Pass	4001
7000	26500	1	RMS	25295	-46.26	-25	21.26	Pass	19501




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.98	-25	29.98	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-25	31.57	Pass	2986
30	1000	0.1	RMS	936.4	-60.99	-25	35.99	Pass	9701
1000	2486	1	RMS	2409	-48.37	-25	23.37	Pass	1487
2486	2700	1	RMS	2597.28	18.57	60	41.43	Pass	401
2700	3000	1	RMS	2998.5	-47.87	-25	22.87	Pass	401
3000	7000	1	RMS	6687	-65.67	-25	40.67	Pass	4001
7000	26500	1	RMS	25297	-46.29	-25	21.29	Pass	19501




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.73	-25	28.73	Pass	401
0.15	30	0.01	RMS	0.15	-56.62	-25	31.62	Pass	2986
30	1000	0.1	RMS	994.6	-60.91	-25	35.91	Pass	9701
1000	2486	1	RMS	2486	-48.35	-25	23.35	Pass	1487
2486	2700	1	RMS	2681.81	10.44	60	49.56	Pass	401
2700	3000	1	RMS	2700	-43.6	-25	18.6	Pass	401
3000	7000	1	RMS	6687	-65.78	-25	40.78	Pass	4001
7000	26500	1	RMS	25293	-46.26	-25	21.26	Pass	19501




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.61	-25	28.61	Pass	401
0.15	30	0.01	RMS	0.15	-56.54	-25	31.54	Pass	2986
30	1000	0.1	RMS	906.1	-61	-25	36	Pass	9701
1000	2486	1	RMS	2409	-48.29	-25	23.29	Pass	1487
2486	2700	1	RMS	2680.74	18.92	60	41.08	Pass	401
2700	3000	1	RMS	3000	-47.79	-25	22.79	Pass	401
3000	7000	1	RMS	6688	-65.74	-25	40.74	Pass	4001
7000	26500	1	RMS	25297	-46.22	-25	21.22	Pass	19501




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.16	-25	29.16	Pass	401
0.15	30	0.01	RMS	0.15	-56.93	-25	31.93	Pass	2986
30	1000	0.1	RMS	937.7	-60.88	-25	35.88	Pass	9701
1000	2486	1	RMS	2410	-48.23	-25	23.23	Pass	1487
2486	2700	1	RMS	2689.3	18.7	60	41.3	Pass	401
2700	3000	1	RMS	2999.25	-47.84	-25	22.84	Pass	401
3000	7000	1	RMS	6683	-65.8	-25	40.8	Pass	4001
7000	26500	1	RMS	25294	-46.19	-25	21.19	Pass	19501




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.48	-25	29.48	Pass	401
0.15	30	0.01	RMS	0.15	-56.35	-25	31.35	Pass	2986
30	1000	0.1	RMS	911.8	-60.83	-25	35.83	Pass	9701
1000	2481	1	RMS	2481	-44.58	-25	19.58	Pass	1482
2481	2705	1	RMS	2509	8.45	60	51.55	Pass	401
2705	3000	1	RMS	2999.263	-47.85	-25	22.85	Pass	401
3000	7000	1	RMS	6685	-65.74	-25	40.74	Pass	4001
7000	26500	1	RMS	25295	-46.17	-25	21.17	Pass	19501




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.13	-25	29.13	Pass	401
0.15	30	0.01	RMS	0.15	-56.58	-25	31.58	Pass	2986
30	1000	0.1	RMS	897	-61.01	-25	36.01	Pass	9701
1000	2481	1	RMS	2410	-48.24	-25	23.24	Pass	1482
2481	2705	1	RMS	2496.68	18.44	60	41.56	Pass	401
2705	3000	1	RMS	2999.263	-47.87	-25	22.87	Pass	401
3000	7000	1	RMS	6690	-65.67	-25	40.67	Pass	4001
7000	26500	1	RMS	25292	-46.24	-25	21.24	Pass	19501




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.85	-25	28.85	Pass	401
0.15	30	0.01	RMS	0.15	-56.53	-25	31.53	Pass	2986
30	1000	0.1	RMS	906.1	-61.01	-25	36.01	Pass	9701
1000	2481	1	RMS	2413	-48.09	-25	23.09	Pass	1482
2481	2705	1	RMS	2510.12	18.68	60	41.32	Pass	401
2705	3000	1	RMS	2997.05	-47.88	-25	22.88	Pass	401
3000	7000	1	RMS	6686	-65.71	-25	40.71	Pass	4001
7000	26500	1	RMS	25294	-46.3	-25	21.3	Pass	19501




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.4	-25	29.4	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-25	30.92	Pass	2986
30	1000	0.1	RMS	958.2	-61.14	-25	36.14	Pass	9701
1000	2481	1	RMS	2415	-48.49	-25	23.49	Pass	1482
2481	2705	1	RMS	2587.4	8.34	60	51.66	Pass	401
2705	3000	1	RMS	2999.263	-48.04	-25	23.04	Pass	401
3000	7000	1	RMS	6690	-65.89	-25	40.89	Pass	4001
7000	26500	1	RMS	25295	-46.35	-25	21.35	Pass	19501




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.41	-25	29.41	Pass	401
0.15	30	0.01	RMS	0.15	-57.26	-25	32.26	Pass	2986
30	1000	0.1	RMS	926.7	-60.92	-25	35.92	Pass	9701
1000	2481	1	RMS	2416	-48.61	-25	23.61	Pass	1482
2481	2705	1	RMS	2586.28	18.8	60	41.2	Pass	401
2705	3000	1	RMS	2997.788	-48.1	-25	23.1	Pass	401
3000	7000	1	RMS	6686	-65.9	-25	40.9	Pass	4001
7000	26500	1	RMS	25305	-46.39	-25	21.39	Pass	19501




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.6	-25	28.6	Pass	401
0.15	30	0.01	RMS	0.15	-55.1	-25	30.1	Pass	2986
30	1000	0.1	RMS	898.1	-61.1	-25	36.1	Pass	9701
1000	2481	1	RMS	2412	-48.37	-25	23.37	Pass	1482
2481	2705	1	RMS	2599.72	18.76	60	41.24	Pass	401
2705	3000	1	RMS	3000	-48.06	-25	23.06	Pass	401
3000	7000	1	RMS	6690	-65.92	-25	40.92	Pass	4001
7000	26500	1	RMS	25298	-46.3	-25	21.3	Pass	19501




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.3	-25	29.3	Pass	401
0.15	30	0.01	RMS	0.15	-56.63	-25	31.63	Pass	2986
30	1000	0.1	RMS	953.2	-61.04	-25	36.04	Pass	9701
1000	2481	1	RMS	2417	-48.64	-25	23.64	Pass	1482
2481	2705	1	RMS	2678.68	8.17	60	51.83	Pass	401
2705	3000	1	RMS	2705	-45.13	-25	20.13	Pass	401
3000	7000	1	RMS	6689	-65.9	-25	40.9	Pass	4001
7000	26500	1	RMS	25299	-46.42	-25	21.42	Pass	19501




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.6	-25	28.6	Pass	401
0.15	30	0.01	RMS	0.15	-56.5	-25	31.5	Pass	2986
30	1000	0.1	RMS	895.8	-61.12	-25	36.12	Pass	9701
1000	2481	1	RMS	2415	-48.55	-25	23.55	Pass	1482
2481	2705	1	RMS	2675.88	18.71	60	41.29	Pass	401
2705	3000	1	RMS	2999.263	-48.04	-25	23.04	Pass	401
3000	7000	1	RMS	6690	-65.86	-25	40.86	Pass	4001
7000	26500	1	RMS	25302	-46.39	-25	21.39	Pass	19501




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.06	-25	30.06	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-25	31.94	Pass	2986
30	1000	0.1	RMS	944.8	-61.13	-25	36.13	Pass	9701
1000	2481	1	RMS	2410	-48.56	-25	23.56	Pass	1482
2481	2705	1	RMS	2689.32	18.45	60	41.55	Pass	401
2705	3000	1	RMS	2997.788	-48.06	-25	23.06	Pass	401
3000	7000	1	RMS	6688	-65.9	-25	40.9	Pass	4001
7000	26500	1	RMS	25297	-46.48	-25	21.48	Pass	19501




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.31	-25	30.31	Pass	401
0.15	30	0.01	RMS	0.15	-57.26	-25	32.26	Pass	2986
30	1000	0.1	RMS	965.1	-61.18	-25	36.18	Pass	9701
1000	2476	1	RMS	2476	-45.96	-25	20.96	Pass	1477
2476	2710	1	RMS	2511.685	6.93	60	53.07	Pass	401
2710	3000	1	RMS	3000	-48.05	-25	23.05	Pass	401
3000	7000	1	RMS	6691	-65.87	-25	40.87	Pass	4001
7000	26500	1	RMS	25301	-46.35	-25	21.35	Pass	19501




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.21	-25	29.21	Pass	401
0.15	30	0.01	RMS	0.16	-57.48	-25	32.48	Pass	2986
30	1000	0.1	RMS	907.9	-61.16	-25	36.16	Pass	9701
1000	2476	1	RMS	2414	-48.53	-25	23.53	Pass	1477
2476	2710	1	RMS	2497.06	18.35	60	41.65	Pass	401
2710	3000	1	RMS	3000	-48.03	-25	23.03	Pass	401
3000	7000	1	RMS	6686	-65.92	-25	40.92	Pass	4001
7000	26500	1	RMS	25297	-46.3	-25	21.3	Pass	19501




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.47	-25	29.47	Pass	401
0.15	30	0.01	RMS	0.15	-57.17	-25	32.17	Pass	2986
30	1000	0.1	RMS	928.8	-61.1	-25	36.1	Pass	9701
1000	2476	1	RMS	2436	-48.46	-25	23.46	Pass	1477
2476	2710	1	RMS	2515.195	18.1	60	41.9	Pass	401
2710	3000	1	RMS	2999.275	-48.05	-25	23.05	Pass	401
3000	7000	1	RMS	6687	-65.84	-25	40.84	Pass	4001
7000	26500	1	RMS	25302	-46.4	-25	21.4	Pass	19501




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-25	28.39	Pass	401
0.15	30	0.01	RMS	0.15	-56.82	-25	31.82	Pass	2986
30	1000	0.1	RMS	926.4	-61.46	-25	36.46	Pass	9701
1000	2476	1	RMS	2446	-48.92	-25	23.92	Pass	1477
2476	2710	1	RMS	2587.15	6.99	60	53.01	Pass	401
2710	3000	1	RMS	2999.275	-48.33	-25	23.33	Pass	401
3000	7000	1	RMS	6690	-66.56	-25	41.56	Pass	4001
7000	26500	1	RMS	25292	-46.95	-25	21.95	Pass	19501




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.57	-25	29.57	Pass	401
0.15	30	0.01	RMS	0.15	-57.55	-25	32.55	Pass	2986
30	1000	0.1	RMS	915.1	-61.1	-25	36.1	Pass	9701
1000	2476	1	RMS	2464	-48.38	-25	23.38	Pass	1477
2476	2710	1	RMS	2584.225	18.18	60	41.82	Pass	401
2710	3000	1	RMS	2997.1	-47.9	-25	22.9	Pass	401
3000	7000	1	RMS	6690	-65.67	-25	40.67	Pass	4001
7000	26500	1	RMS	25300	-46.3	-25	21.3	Pass	19501




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.81	-25	28.81	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-25	30.97	Pass	2986
30	1000	0.1	RMS	922.6	-60.91	-25	35.91	Pass	9701
1000	2476	1	RMS	2412	-48.34	-25	23.34	Pass	1477
2476	2710	1	RMS	2601.775	18.62	60	41.38	Pass	401
2710	3000	1	RMS	2999.275	-47.69	-25	22.69	Pass	401
3000	7000	1	RMS	5208	-65.49	-25	40.49	Pass	4001
7000	26500	1	RMS	25296	-46.16	-25	21.16	Pass	19501




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-25	28.93	Pass	401
0.15	30	0.01	RMS	0.16	-57.12	-25	32.12	Pass	2986
30	1000	0.1	RMS	943.2	-60.99	-25	35.99	Pass	9701
1000	2476	1	RMS	2414	-48.33	-25	23.33	Pass	1477
2476	2710	1	RMS	2685.43	6.98	60	53.02	Pass	401
2710	3000	1	RMS	2710	-45.17	-25	20.17	Pass	401
3000	7000	1	RMS	6690	-66.52	-25	41.52	Pass	4001
7000	26500	1	RMS	25295	-46.36	-25	21.36	Pass	19501




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.47	-25	29.47	Pass	401
0.15	30	0.01	RMS	0.15	-57.17	-25	32.17	Pass	2986
30	1000	0.1	RMS	931.2	-61.01	-25	36.01	Pass	9701
1000	2476	1	RMS	2410	-48.32	-25	23.32	Pass	1477
2476	2710	1	RMS	2670.805	18.56	60	41.44	Pass	401
2710	3000	1	RMS	2999.275	-47.88	-25	22.88	Pass	401
3000	7000	1	RMS	6689	-66.49	-25	41.49	Pass	4001
7000	26500	1	RMS	25298	-46.29	-25	21.29	Pass	19501



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.41	-25	29.41	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-25	31.18	Pass	2986
30	1000	0.1	RMS	941.9	-60.99	-25	35.99	Pass	9701
1000	2476	1	RMS	2476	-48.45	-25	23.45	Pass	1477
2476	2710	1	RMS	2688.94	18.87	60	41.13	Pass	401
2710	3000	1	RMS	2999.275	-47.82	-25	22.82	Pass	401
3000	7000	1	RMS	6691	-66.5	-25	41.5	Pass	4001
7000	26500	1	RMS	25295	-46.09	-25	21.09	Pass	19501



5. n66 15kHz


5.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.84	-13	41.84	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-13	43.84	Pass	2986
30	1000	0.1	RMS	935.9	-61.12	-13	48.12	Pass	9701
1000	1700	1	RMS	1700	-51.12	-13	38.12	Pass	701
1700	1790	1	RMS	1713.5	12.83	60	47.17	Pass	401
1790	3000	1	RMS	2640	-47.63	-13	34.63	Pass	1211
3000	7000	1	RMS	3425	-64.4	-13	51.4	Pass	4001
7000	20000	1	RMS	19941	-50.69	-13	37.69	Pass	13001




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.7	-13	41.7	Pass	401
0.15	30	0.01	RMS	0.15	-56.59	-13	43.59	Pass	2986
30	1000	0.1	RMS	935.7	-61.08	-13	48.08	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	38.15	Pass	701
1700	1790	1	RMS	1710.35	18.79	60	41.21	Pass	401
1790	3000	1	RMS	3000	-47.59	-13	34.59	Pass	1211
3000	7000	1	RMS	3421	-60.86	-13	47.86	Pass	4001
7000	20000	1	RMS	19922	-50.76	-13	37.76	Pass	13001




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.16	-13	41.16	Pass	401
0.15	30	0.01	RMS	0.15	-56.63	-13	43.63	Pass	2986
30	1000	0.1	RMS	931.3	-60.98	-13	47.98	Pass	9701
1000	1700	1	RMS	1698	-51.26	-13	38.26	Pass	701
1700	1790	1	RMS	1714.625	18.83	60	41.17	Pass	401
1790	3000	1	RMS	2640	-47.61	-13	34.61	Pass	1211
3000	7000	1	RMS	3429	-61.03	-13	48.03	Pass	4001
7000	20000	1	RMS	19955	-50.67	-13	37.67	Pass	13001




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.16	-13	41.16	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	43.32	Pass	2986
30	1000	0.1	RMS	941.7	-60.65	-13	47.65	Pass	9701
1000	1700	1	RMS	1697	-50.95	-13	37.95	Pass	701
1700	1790	1	RMS	1745.9	13.06	60	46.94	Pass	401
1790	3000	1	RMS	2647	-47.34	-13	34.34	Pass	1211
3000	7000	1	RMS	6689	-65.71	-13	52.71	Pass	4001
7000	20000	1	RMS	19924	-50.62	-13	37.62	Pass	13001




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.77	-13	42.77	Pass	401
0.15	30	0.01	RMS	0.15	-56.62	-13	43.62	Pass	2986
30	1000	0.1	RMS	923.3	-60.66	-13	47.66	Pass	9701
1000	1700	1	RMS	1615	-50.98	-13	37.98	Pass	701
1700	1790	1	RMS	1742.75	19.15	60	40.85	Pass	401
1790	3000	1	RMS	2642	-47.27	-13	34.27	Pass	1211
3000	7000	1	RMS	3486	-64.25	-13	51.25	Pass	4001
7000	20000	1	RMS	19931	-50.63	-13	37.63	Pass	13001




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.7	-13	40.7	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-13	43.57	Pass	2986
30	1000	0.1	RMS	957.6	-60.6	-13	47.6	Pass	9701
1000	1700	1	RMS	1696	-50.85	-13	37.85	Pass	701
1700	1790	1	RMS	1747.025	19.05	60	40.95	Pass	401
1790	3000	1	RMS	2645	-47.31	-13	34.31	Pass	1211
3000	7000	1	RMS	3494	-63.04	-13	50.04	Pass	4001
7000	20000	1	RMS	19890	-50.64	-13	37.64	Pass	13001




5.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.67	-13	40.67	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	42.64	Pass	2986
30	1000	0.1	RMS	909.3	-60.68	-13	47.68	Pass	9701
1000	1700	1	RMS	1699	-50.73	-13	37.73	Pass	701
1700	1790	1	RMS	1776.275	13.1	60	46.9	Pass	401
1790	3000	1	RMS	2642	-47.31	-13	34.31	Pass	1211
3000	7000	1	RMS	6690	-65.65	-13	52.65	Pass	4001
7000	20000	1	RMS	19952	-50.61	-13	37.61	Pass	13001




5.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.9	-13	40.9	Pass	401
0.15	30	0.01	RMS	0.15	-56.54	-13	43.54	Pass	2986
30	1000	0.1	RMS	935.1	-60.74	-13	47.74	Pass	9701
1000	1700	1	RMS	1619	-51	-13	38	Pass	701
1700	1790	1	RMS	1775.375	19.19	60	40.81	Pass	401
1790	3000	1	RMS	2646	-47.28	-13	34.28	Pass	1211
3000	7000	1	RMS	3551	-64.36	-13	51.36	Pass	4001
7000	20000	1	RMS	19948	-50.63	-13	37.63	Pass	13001




5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.98	-13	40.98	Pass	401
0.15	30	0.01	RMS	0.17	-57.52	-13	44.52	Pass	2986
30	1000	0.1	RMS	935.3	-60.75	-13	47.75	Pass	9701
1000	1700	1	RMS	1631	-51.02	-13	38.02	Pass	701
1700	1790	1	RMS	1779.65	19.17	60	40.83	Pass	401
1790	3000	1	RMS	2640	-47.31	-13	34.31	Pass	1211
3000	7000	1	RMS	3559	-64.01	-13	51.01	Pass	4001
7000	20000	1	RMS	19952	-50.61	-13	37.61	Pass	13001




5.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	43.29	Pass	2986
30	1000	0.1	RMS	932.2	-60.68	-13	47.68	Pass	9701
1000	1700	1	RMS	1700	-43.63	-13	30.63	Pass	701
1700	1790	1	RMS	1723.175	8.57	60	51.43	Pass	401
1790	3000	1	RMS	2997	-47.34	-13	34.34	Pass	1211
3000	7000	1	RMS	6690	-65.69	-13	52.69	Pass	4001
7000	20000	1	RMS	19907	-50.65	-13	37.65	Pass	13001




5.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.39	-13	41.39	Pass	401
0.15	30	0.01	RMS	0.15	-57.03	-13	44.03	Pass	2986
30	1000	0.1	RMS	962	-60.74	-13	47.74	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	37.59	Pass	701
1700	1790	1	RMS	1710.575	19.1	60	40.9	Pass	401
1790	3000	1	RMS	2647	-47.28	-13	34.28	Pass	1211
3000	7000	1	RMS	3421	-59.52	-13	46.52	Pass	4001
7000	20000	1	RMS	19910	-50.51	-13	37.51	Pass	13001




5.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.1	-13	40.1	Pass	401
0.15	30	0.01	RMS	0.15	-56.7	-13	43.7	Pass	2986
30	1000	0.1	RMS	911.2	-60.73	-13	47.73	Pass	9701
1000	1700	1	RMS	1699	-50.98	-13	37.98	Pass	701
1700	1790	1	RMS	1724.525	19.32	60	40.68	Pass	401
1790	3000	1	RMS	2650	-47.28	-13	34.28	Pass	1211
3000	7000	1	RMS	3449	-65.09	-13	52.09	Pass	4001
7000	20000	1	RMS	19911	-50.53	-13	37.53	Pass	13001




5.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.3	-13	41.3	Pass	401
0.15	30	0.01	RMS	0.15	-57.18	-13	44.18	Pass	2986
30	1000	0.1	RMS	920.7	-60.7	-13	47.7	Pass	9701
1000	1700	1	RMS	1698	-50.95	-13	37.95	Pass	701
1700	1790	1	RMS	1749.5	8.3	60	51.7	Pass	401
1790	3000	1	RMS	2645	-47.32	-13	34.32	Pass	1211
3000	7000	1	RMS	6690	-65.68	-13	52.68	Pass	4001
7000	20000	1	RMS	19908	-50.61	-13	37.61	Pass	13001




5.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.67	-13	40.67	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	42.6	Pass	2986
30	1000	0.1	RMS	898.7	-60.69	-13	47.69	Pass	9701
1000	1700	1	RMS	1627	-50.97	-13	37.97	Pass	701
1700	1790	1	RMS	1738.025	19.23	60	40.77	Pass	401
1790	3000	1	RMS	2654	-47.31	-13	34.31	Pass	1211
3000	7000	1	RMS	3476	-64.74	-13	51.74	Pass	4001
7000	20000	1	RMS	19935	-50.56	-13	37.56	Pass	13001




5.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.19	-13	41.19	Pass	401
0.15	30	0.01	RMS	0.15	-57.53	-13	44.53	Pass	2986
30	1000	0.1	RMS	947.2	-60.77	-13	47.77	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	37.84	Pass	701
1700	1790	1	RMS	1751.975	19.23	60	40.77	Pass	401
1790	3000	1	RMS	2646	-47.28	-13	34.28	Pass	1211
3000	7000	1	RMS	3504	-60.01	-13	47.01	Pass	4001
7000	20000	1	RMS	19908	-50.62	-13	37.62	Pass	13001




5.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.08	-13	41.08	Pass	401
0.15	30	0.01	RMS	0.15	-56.08	-13	43.08	Pass	2986
30	1000	0.1	RMS	934.6	-60.74	-13	47.74	Pass	9701
1000	1700	1	RMS	1598	-51.01	-13	38.01	Pass	701
1700	1790	1	RMS	1766.6	8.31	60	51.69	Pass	401
1790	3000	1	RMS	1790	-38	-13	25	Pass	1211
3000	7000	1	RMS	6690	-65.67	-13	52.67	Pass	4001
7000	20000	1	RMS	19956	-50.56	-13	37.56	Pass	13001




5.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	39.98	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-13	42.53	Pass	2986
30	1000	0.1	RMS	905.9	-60.81	-13	47.81	Pass	9701
1000	1700	1	RMS	1640	-50.98	-13	37.98	Pass	701
1700	1790	1	RMS	1765.475	19.21	60	40.79	Pass	401
1790	3000	1	RMS	2643	-47.28	-13	34.28	Pass	1211
3000	7000	1	RMS	3531	-60.41	-13	47.41	Pass	4001
7000	20000	1	RMS	19953	-50.63	-13	37.63	Pass	13001




5.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.59	-13	41.59	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	43.32	Pass	2986
30	1000	0.1	RMS	934.6	-60.75	-13	47.75	Pass	9701
1000	1700	1	RMS	1604	-51.03	-13	38.03	Pass	701
1700	1790	1	RMS	1779.425	19.27	60	40.73	Pass	401
1790	3000	1	RMS	2653	-47.3	-13	34.3	Pass	1211
3000	7000	1	RMS	3559	-63.47	-13	50.47	Pass	4001
7000	20000	1	RMS	19916	-50.54	-13	37.54	Pass	13001




5.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.67	-13	40.67	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	43.32	Pass	2986
30	1000	0.1	RMS	932.3	-60.56	-13	47.56	Pass	9701
1000	1700	1	RMS	1700	-42.85	-13	29.85	Pass	701
1700	1790	1	RMS	1727.675	7.31	60	52.69	Pass	401
1790	3000	1	RMS	2642	-47.29	-13	34.29	Pass	1211
3000	7000	1	RMS	6690	-65.71	-13	52.71	Pass	4001
7000	20000	1	RMS	19950	-50.66	-13	37.66	Pass	13001




5.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.81	-13	41.81	Pass	401
0.15	30	0.01	RMS	0.15	-56.9	-13	43.9	Pass	2986
30	1000	0.1	RMS	922.6	-60.75	-13	47.75	Pass	9701
1000	1700	1	RMS	1700	-50.35	-13	37.35	Pass	701
1700	1790	1	RMS	1710.575	19.19	60	40.81	Pass	401
1790	3000	1	RMS	2644	-47.3	-13	34.3	Pass	1211
3000	7000	1	RMS	3421	-59.51	-13	46.51	Pass	4001
7000	20000	1	RMS	19937	-50.61	-13	37.61	Pass	13001




5.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-13	40.66	Pass	401
0.15	30	0.01	RMS	0.15	-56.8	-13	43.8	Pass	2986
30	1000	0.1	RMS	937.9	-60.72	-13	47.72	Pass	9701
1000	1700	1	RMS	1636	-50.94	-13	37.94	Pass	701
1700	1790	1	RMS	1729.475	19.25	60	40.75	Pass	401
1790	3000	1	RMS	2641	-47.29	-13	34.29	Pass	1211
3000	7000	1	RMS	3459	-65.18	-13	52.18	Pass	4001
7000	20000	1	RMS	19915	-50.59	-13	37.59	Pass	13001




5.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.42	-13	41.42	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	42.36	Pass	2986
30	1000	0.1	RMS	923.7	-60.72	-13	47.72	Pass	9701
1000	1700	1	RMS	1621	-50.96	-13	37.96	Pass	701
1700	1790	1	RMS	1750.85	6.93	60	53.07	Pass	401
1790	3000	1	RMS	2643	-47.25	-13	34.25	Pass	1211
3000	7000	1	RMS	6690	-65.63	-13	52.63	Pass	4001
7000	20000	1	RMS	19898	-50.62	-13	37.62	Pass	13001




5.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.44	-13	41.44	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	43.41	Pass	2986
30	1000	0.1	RMS	959.8	-60.7	-13	47.7	Pass	9701
1000	1700	1	RMS	1700	-50.99	-13	37.99	Pass	701
1700	1790	1	RMS	1735.55	19.33	60	40.67	Pass	401
1790	3000	1	RMS	2643	-47.3	-13	34.3	Pass	1211
3000	7000	1	RMS	3471	-63.47	-13	50.47	Pass	4001
7000	20000	1	RMS	19919	-50.64	-13	37.64	Pass	13001




5.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.89	-13	40.89	Pass	401
0.15	30	0.01	RMS	0.16	-57.11	-13	44.11	Pass	2986
30	1000	0.1	RMS	897.8	-60.71	-13	47.71	Pass	9701
1000	1700	1	RMS	1633	-51.01	-13	38.01	Pass	701
1700	1790	1	RMS	1754.45	19.23	60	40.77	Pass	401
1790	3000	1	RMS	2646	-47.38	-13	34.38	Pass	1211
3000	7000	1	RMS	3509	-58.77	-13	45.77	Pass	4001
7000	20000	1	RMS	19906	-50.61	-13	37.61	Pass	13001




5.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.42	-13	41.42	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	42.9	Pass	2986
30	1000	0.1	RMS	929.6	-60.81	-13	47.81	Pass	9701
1000	1700	1	RMS	1620	-50.96	-13	37.96	Pass	701
1700	1790	1	RMS	1764.125	7.01	60	52.99	Pass	401
1790	3000	1	RMS	1790	-36.71	-13	23.71	Pass	1211
3000	7000	1	RMS	6688	-65.68	-13	52.68	Pass	4001
7000	20000	1	RMS	19957	-50.6	-13	37.6	Pass	13001




5.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-13	40.39	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	43.07	Pass	2986
30	1000	0.1	RMS	923.1	-60.74	-13	47.74	Pass	9701
1000	1700	1	RMS	1625	-50.96	-13	37.96	Pass	701
1700	1790	1	RMS	1760.525	19.19	60	40.81	Pass	401
1790	3000	1	RMS	2644	-47.32	-13	34.32	Pass	1211
3000	7000	1	RMS	3521	-58.64	-13	45.64	Pass	4001
7000	20000	1	RMS	19908	-50.64	-13	37.64	Pass	13001



5.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.87	-13	41.87	Pass	401
0.15	30	0.01	RMS	0.15	-56.6	-13	43.6	Pass	2986
30	1000	0.1	RMS	947.1	-60.73	-13	47.73	Pass	9701
1000	1700	1	RMS	1636	-50.99	-13	37.99	Pass	701
1700	1790	1	RMS	1779.425	19.33	60	40.67	Pass	401
1790	3000	1	RMS	2645	-47.31	-13	34.31	Pass	1211
3000	7000	1	RMS	3559	-63.67	-13	50.67	Pass	4001
7000	20000	1	RMS	19955	-50.6	-13	37.6	Pass	13001



3. n71 15kHz


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.86	-13	41.86	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	42.46	Pass	2986
30	653	0.1	RMS	650.2	-62.45	-13	49.45	Pass	6231
653	708	0.1	RMS	663.8	3.35	60	56.65	Pass	551
708	1000	0.1	RMS	890.7	-61.96	-13	48.96	Pass	2921
1000	3000	1	RMS	2642	-46.83	-13	33.83	Pass	2001
3000	10000	1	RMS	9721	-65.33	-13	52.33	Pass	7001




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-13	40.26	Pass	401
0.15	30	0.01	RMS	0.16	-56.33	-13	43.33	Pass	2986
30	653	0.1	RMS	645.4	-62.56	-13	49.56	Pass	6231
653	708	0.1	RMS	663.3	16.38	60	43.62	Pass	551
708	1000	0.1	RMS	890.5	-61.94	-13	48.94	Pass	2921
1000	3000	1	RMS	2649	-46.86	-13	33.86	Pass	2001
3000	10000	1	RMS	9746	-65.31	-13	52.31	Pass	7001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	40.2	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-13	43.44	Pass	2986
30	653	0.1	RMS	645.1	-62.6	-13	49.6	Pass	6231
653	708	0.1	RMS	667.7	15.87	60	44.13	Pass	551
708	1000	0.1	RMS	901.4	-62.1	-13	49.1	Pass	2921
1000	3000	1	RMS	2647	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	9733	-65.33	-13	52.33	Pass	7001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-13	39.15	Pass	401
0.15	30	0.01	RMS	0.15	-56.23	-13	43.23	Pass	2986
30	653	0.1	RMS	649	-62.59	-13	49.59	Pass	6231
653	708	0.1	RMS	679	3.17	60	56.83	Pass	551
708	1000	0.1	RMS	894.2	-62.1	-13	49.1	Pass	2921
1000	3000	1	RMS	2643	-46.84	-13	33.84	Pass	2001
3000	10000	1	RMS	9755	-65.35	-13	52.35	Pass	7001




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.06	-13	41.06	Pass	401
0.15	30	0.01	RMS	0.15	-56.75	-13	43.75	Pass	2986
30	653	0.1	RMS	650	-62.56	-13	49.56	Pass	6231
653	708	0.1	RMS	678.3	16.27	60	43.73	Pass	551
708	1000	0.1	RMS	931.9	-61.95	-13	48.95	Pass	2921
1000	3000	1	RMS	2650	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	9739	-65.29	-13	52.29	Pass	7001




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.72	-13	41.72	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	43.51	Pass	2986
30	653	0.1	RMS	645.7	-62.58	-13	49.58	Pass	6231
653	708	0.1	RMS	682.7	15.85	60	44.15	Pass	551
708	1000	0.1	RMS	921.1	-61.96	-13	48.96	Pass	2921
1000	3000	1	RMS	2647	-46.86	-13	33.86	Pass	2001
3000	10000	1	RMS	9728	-65.26	-13	52.26	Pass	7001




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.9	-13	40.9	Pass	401
0.15	30	0.01	RMS	0.15	-57.27	-13	44.27	Pass	2986
30	653	0.1	RMS	651.3	-62.47	-13	49.47	Pass	6231
653	708	0.1	RMS	695.8	3.36	60	56.64	Pass	551
708	1000	0.1	RMS	909.2	-62.12	-13	49.12	Pass	2921
1000	3000	1	RMS	2650	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	9748	-65.26	-13	52.26	Pass	7001




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-13	40.47	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-13	42.71	Pass	2986
30	653	0.1	RMS	651.4	-62.5	-13	49.5	Pass	6231
653	708	0.1	RMS	693.3	16.4	60	43.6	Pass	551
708	1000	0.1	RMS	921.9	-61.95	-13	48.95	Pass	2921
1000	3000	1	RMS	2645	-46.83	-13	33.83	Pass	2001
3000	10000	1	RMS	9749	-65.33	-13	52.33	Pass	7001




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	39.74	Pass	401
0.15	30	0.01	RMS	0.15	-57.11	-13	44.11	Pass	2986
30	653	0.1	RMS	478.5	-62.54	-13	49.54	Pass	6231
653	708	0.1	RMS	697.6	15.97	60	44.03	Pass	551
708	1000	0.1	RMS	920.5	-61.87	-13	48.87	Pass	2921
1000	3000	1	RMS	2646	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	9730	-65.19	-13	52.19	Pass	7001




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.39	-13	41.39	Pass	401
0.15	30	0.01	RMS	0.15	-55.87	-13	42.87	Pass	2986
30	653	0.1	RMS	637.1	-62.54	-13	49.54	Pass	6231
653	708	0.1	RMS	672.2	0.83	60	59.17	Pass	551
708	1000	0.1	RMS	941.3	-61.85	-13	48.85	Pass	2921
1000	3000	1	RMS	2646	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	9715	-65.32	-13	52.32	Pass	7001




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.53	-13	40.53	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	42.39	Pass	2986
30	653	0.1	RMS	646.6	-62.6	-13	49.6	Pass	6231
653	708	0.1	RMS	663.4	16.56	60	43.44	Pass	551
708	1000	0.1	RMS	928.2	-61.99	-13	48.99	Pass	2921
1000	3000	1	RMS	2998	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	9753	-65.29	-13	52.29	Pass	7001




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-13	40.93	Pass	401
0.15	30	0.01	RMS	0.15	-57.09	-13	44.09	Pass	2986
30	653	0.1	RMS	645.6	-62.63	-13	49.63	Pass	6231
653	708	0.1	RMS	672.6	16.33	60	43.67	Pass	551
708	1000	0.1	RMS	925.7	-61.96	-13	48.96	Pass	2921
1000	3000	1	RMS	2997	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	9746	-65.35	-13	52.35	Pass	7001




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-13	40.24	Pass	401
0.15	30	0.01	RMS	0.15	-55.81	-13	42.81	Pass	2986
30	653	0.1	RMS	642.6	-62.57	-13	49.57	Pass	6231
653	708	0.1	RMS	677	0.18	60	59.82	Pass	551
708	1000	0.1	RMS	907.5	-62.02	-13	49.02	Pass	2921
1000	3000	1	RMS	2999	-46.84	-13	33.84	Pass	2001
3000	10000	1	RMS	9753	-65.3	-13	52.3	Pass	7001




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	40.11	Pass	401
0.15	30	0.01	RMS	0.15	-56.99	-13	43.99	Pass	2986
30	653	0.1	RMS	487.8	-62.52	-13	49.52	Pass	6231
653	708	0.1	RMS	675.9	16.37	60	43.63	Pass	551
708	1000	0.1	RMS	937.5	-62.08	-13	49.08	Pass	2921
1000	3000	1	RMS	2645	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	9755	-65.33	-13	52.33	Pass	7001




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.58	-13	41.58	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-13	44.35	Pass	2986
30	653	0.1	RMS	639.8	-62.52	-13	49.52	Pass	6231
653	708	0.1	RMS	685.1	16.35	60	43.65	Pass	551
708	1000	0.1	RMS	975	-62.03	-13	49.03	Pass	2921
1000	3000	1	RMS	2998	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	9757	-65.3	-13	52.3	Pass	7001




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.1	-13	41.1	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	43.51	Pass	2986
30	653	0.1	RMS	649.3	-62.47	-13	49.47	Pass	6231
653	708	0.1	RMS	694.9	0.46	60	59.54	Pass	551
708	1000	0.1	RMS	708.3	-58.56	-13	45.56	Pass	2921
1000	3000	1	RMS	2651	-46.84	-13	33.84	Pass	2001
3000	10000	1	RMS	9705	-65.36	-13	52.36	Pass	7001




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.92	-13	40.92	Pass	401
0.15	30	0.01	RMS	0.15	-56.99	-13	43.99	Pass	2986
30	653	0.1	RMS	647.9	-62.49	-13	49.49	Pass	6231
653	708	0.1	RMS	688.4	16.48	60	43.52	Pass	551
708	1000	0.1	RMS	899.4	-62.03	-13	49.03	Pass	2921
1000	3000	1	RMS	2647	-46.83	-13	33.83	Pass	2001
3000	10000	1	RMS	9743	-65.3	-13	52.3	Pass	7001




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-13	40.63	Pass	401
0.15	30	0.01	RMS	0.15	-56.19	-13	43.19	Pass	2986
30	653	0.1	RMS	648.6	-62.48	-13	49.48	Pass	6231
653	708	0.1	RMS	697.6	16.46	60	43.54	Pass	551
708	1000	0.1	RMS	963.9	-62.03	-13	49.03	Pass	2921
1000	3000	1	RMS	2647	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	9733	-65.3	-13	52.3	Pass	7001




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	39.92	Pass	401
0.15	30	0.01	RMS	0.15	-56.9	-13	43.9	Pass	2986
30	653	0.1	RMS	652.1	-62.48	-13	49.48	Pass	6231
653	708	0.1	RMS	674.5	-1.11	60	61.11	Pass	551
708	1000	0.1	RMS	925.1	-61.9	-13	48.9	Pass	2921
1000	3000	1	RMS	2644	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	9716	-65.29	-13	52.29	Pass	7001




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.78	-13	41.78	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	42.98	Pass	2986
30	653	0.1	RMS	634.9	-62.53	-13	49.53	Pass	6231
653	708	0.1	RMS	663.5	16.27	60	43.73	Pass	551
708	1000	0.1	RMS	921.3	-61.97	-13	48.97	Pass	2921
1000	3000	1	RMS	2649	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	9753	-65.27	-13	52.27	Pass	7001




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.73	-13	41.73	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	42.96	Pass	2986
30	653	0.1	RMS	648.8	-62.56	-13	49.56	Pass	6231
653	708	0.1	RMS	677.5	16.53	60	43.47	Pass	551
708	1000	0.1	RMS	948.7	-62.15	-13	49.15	Pass	2921
1000	3000	1	RMS	2648	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	9733	-65.28	-13	52.28	Pass	7001




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-13	40.28	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-13	43.76	Pass	2986
30	653	0.1	RMS	635.3	-62.6	-13	49.6	Pass	6231
653	708	0.1	RMS	675.9	-1.5	60	61.5	Pass	551
708	1000	0.1	RMS	936	-62.02	-13	49.02	Pass	2921
1000	3000	1	RMS	2641	-46.86	-13	33.86	Pass	2001
3000	10000	1	RMS	9736	-65.33	-13	52.33	Pass	7001




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-13	40.74	Pass	401
0.15	30	0.01	RMS	0.15	-56.7	-13	43.7	Pass	2986
30	653	0.1	RMS	650.5	-62.4	-13	49.4	Pass	6231
653	708	0.1	RMS	673.5	16.27	60	43.73	Pass	551
708	1000	0.1	RMS	802.1	-62	-13	49	Pass	2921
1000	3000	1	RMS	2998	-46.86	-13	33.86	Pass	2001
3000	10000	1	RMS	9755	-65.34	-13	52.34	Pass	7001




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	40.36	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	42.46	Pass	2986
30	653	0.1	RMS	652.8	-62.58	-13	49.58	Pass	6231
653	708	0.1	RMS	687.5	16.47	60	43.53	Pass	551
708	1000	0.1	RMS	899.4	-61.97	-13	48.97	Pass	2921
1000	3000	1	RMS	2650	-46.86	-13	33.86	Pass	2001
3000	10000	1	RMS	9753	-65.35	-13	52.35	Pass	7001




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	40.42	Pass	401
0.15	30	0.01	RMS	0.15	-56.91	-13	43.91	Pass	2986
30	653	0.1	RMS	643.9	-62.52	-13	49.52	Pass	6231
653	708	0.1	RMS	694.9	-1.15	60	61.15	Pass	551
708	1000	0.1	RMS	708.3	-48.31	-13	35.31	Pass	2921
1000	3000	1	RMS	2651	-46.82	-13	33.82	Pass	2001
3000	10000	1	RMS	9749	-65.35	-13	52.35	Pass	7001




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-13	41	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	42.73	Pass	2986
30	653	0.1	RMS	640.8	-62.56	-13	49.56	Pass	6231
653	708	0.1	RMS	683.5	16.37	60	43.63	Pass	551
708	1000	0.1	RMS	942.8	-61.99	-13	48.99	Pass	2921
1000	3000	1	RMS	2998	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	9750	-65.22	-13	52.22	Pass	7001




3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	40.91	Pass	401
0.15	30	0.01	RMS	0.15	-56.74	-13	43.74	Pass	2986
30	653	0.1	RMS	502.7	-62.57	-13	49.57	Pass	6231
653	708	0.1	RMS	697.5	16.76	60	43.24	Pass	551
708	1000	0.1	RMS	932.1	-61.93	-13	48.93	Pass	2921
1000	3000	1	RMS	2644	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	9744	-65.31	-13	52.31	Pass	7001




3.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.34	-13	41.34	Pass	401
0.15	30	0.01	RMS	0.15	-57.02	-13	44.02	Pass	2986
30	653	0.1	RMS	647.1	-62.32	-13	49.32	Pass	6231
653	708	0.1	RMS	674.5	-2.06	60	62.06	Pass	551
708	1000	0.1	RMS	708.9	-61.79	-13	48.79	Pass	2921
1000	3000	1	RMS	2640	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	9737	-65.33	-13	52.33	Pass	7001




3.29. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.14	-13	40.14	Pass	401
0.15	30	0.01	RMS	0.15	-56.83	-13	43.83	Pass	2986
30	653	0.1	RMS	504.4	-62.53	-13	49.53	Pass	6231
653	708	0.1	RMS	663.5	16.1	60	43.9	Pass	551
708	1000	0.1	RMS	937.5	-61.99	-13	48.99	Pass	2921
1000	3000	1	RMS	2651	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	9711	-65.34	-13	52.34	Pass	7001




3.30. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	40.91	Pass	401
0.15	30	0.01	RMS	0.16	-56.13	-13	43.13	Pass	2986
30	653	0.1	RMS	538.5	-62.56	-13	49.56	Pass	6231
653	708	0.1	RMS	682.4	16.06	60	43.94	Pass	551
708	1000	0.1	RMS	948.3	-61.75	-13	48.75	Pass	2921
1000	3000	1	RMS	2641	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	9745	-65.28	-13	52.28	Pass	7001




3.31. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.2	-13	41.2	Pass	401
0.15	30	0.01	RMS	0.15	-56.88	-13	43.88	Pass	2986
30	653	0.1	RMS	488.9	-62.55	-13	49.55	Pass	6231
653	708	0.1	RMS	675.3	-2.76	60	62.76	Pass	551
708	1000	0.1	RMS	708	-59.09	-13	46.09	Pass	2921
1000	3000	1	RMS	2641	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	9740	-65.34	-13	52.34	Pass	7001




3.32. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-13	40.48	Pass	401
0.15	30	0.01	RMS	0.15	-56.38	-13	43.38	Pass	2986
30	653	0.1	RMS	651.3	-62.5	-13	49.5	Pass	6231
653	708	0.1	RMS	671	16.06	60	43.94	Pass	551
708	1000	0.1	RMS	931.9	-62.08	-13	49.08	Pass	2921
1000	3000	1	RMS	2648	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	9752	-65.3	-13	52.3	Pass	7001




3.33. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-13	40.58	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	42.76	Pass	2986
30	653	0.1	RMS	652.6	-62.54	-13	49.54	Pass	6231
653	708	0.1	RMS	689.9	16.25	60	43.75	Pass	551
708	1000	0.1	RMS	883.1	-61.82	-13	48.82	Pass	2921
1000	3000	1	RMS	2647	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	9752	-65.35	-13	52.35	Pass	7001




3.34. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.23	-13	41.23	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	43.17	Pass	2986
30	653	0.1	RMS	652.3	-62.58	-13	49.58	Pass	6231
653	708	0.1	RMS	694.3	-2.63	60	62.63	Pass	551
708	1000	0.1	RMS	708.2	-46.63	-13	33.63	Pass	2921
1000	3000	1	RMS	2651	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	9754	-65.27	-13	52.27	Pass	7001




3.35. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.41	-13	40.41	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-13	43.34	Pass	2986
30	653	0.1	RMS	486.3	-62.43	-13	49.43	Pass	6231
653	708	0.1	RMS	678.5	16.04	60	43.96	Pass	551
708	1000	0.1	RMS	947.3	-62.04	-13	49.04	Pass	2921
1000	3000	1	RMS	2644	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	9750	-65.27	-13	52.27	Pass	7001



3.36. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.62	-13	41.62	Pass	401
0.15	30	0.01	RMS	0.15	-56.92	-13	43.92	Pass	2986
30	653	0.1	RMS	488.3	-62.47	-13	49.47	Pass	6231
653	708	0.1	RMS	697.4	16.13	60	43.87	Pass	551
708	1000	0.1	RMS	709.3	-61.88	-13	48.88	Pass	2921
1000	3000	1	RMS	2652	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	9745	-65.32	-13	52.32	Pass	7001



1. n77 30kHz(3450-3550)


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.18	-13	41.18	Pass	401
0.15	30	0.01	RMS	0.16	-55.98	-13	42.98	Pass	2986
30	1000	0.1	RMS	831.1	-58.7	-13	45.7	Pass	9701
1000	3000	1	RMS	2988	-46.95	-13	33.95	Pass	2001
3000	3440	1	RMS	3382	-44.81	-13	31.81	Pass	441
3440	3560	1	RMS	3457.1	9.77	60	50.23	Pass	401
3560	7000	1	RMS	6908	-64.08	-13	51.08	Pass	3441
7000	26500	1	RMS	26344	-45.55	-13	32.55	Pass	19501




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	39.97	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-13	41.37	Pass	2986
30	1000	0.1	RMS	965.2	-59.05	-13	46.05	Pass	9701
1000	3000	1	RMS	2642	-46.93	-13	33.93	Pass	2001
3000	3440	1	RMS	3130	-46.26	-13	33.26	Pass	441
3440	3560	1	RMS	3450.8	18.55	60	41.45	Pass	401
3560	7000	1	RMS	6902	-57.79	-13	44.79	Pass	3441
7000	26500	1	RMS	26342	-45.22	-13	32.22	Pass	19501




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-13	39.32	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	42.48	Pass	2986
30	1000	0.1	RMS	770.8	-58.6	-13	45.6	Pass	9701
1000	3000	1	RMS	2647	-46.84	-13	33.84	Pass	2001
3000	3440	1	RMS	3146	-46.27	-13	33.27	Pass	441
3440	3560	1	RMS	3459.2	18.44	60	41.56	Pass	401
3560	7000	1	RMS	6918	-59.5	-13	46.5	Pass	3441
7000	26500	1	RMS	25294	-45.44	-13	32.44	Pass	19501




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.62	-13	40.62	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	42.7	Pass	2986
30	1000	0.1	RMS	941.8	-58.83	-13	45.83	Pass	9701
1000	3000	1	RMS	2658	-46.94	-13	33.94	Pass	2001
3000	3440	1	RMS	3427	-44.38	-13	31.38	Pass	441
3440	3560	1	RMS	3498.8	9.61	60	50.39	Pass	401
3560	7000	1	RMS	3573	-47.57	-13	34.57	Pass	3441
7000	26500	1	RMS	26357	-45.22	-13	32.22	Pass	19501




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	39.37	Pass	401
0.15	30	0.01	RMS	0.17	-56.15	-13	43.15	Pass	2986
30	1000	0.1	RMS	889	-58.87	-13	45.87	Pass	9701
1000	3000	1	RMS	2986	-46.99	-13	33.99	Pass	2001
3000	3440	1	RMS	3145	-46.3	-13	33.3	Pass	441
3440	3560	1	RMS	3495.8	18.36	60	41.64	Pass	401
3560	7000	1	RMS	3803	-60.28	-13	47.28	Pass	3441
7000	26500	1	RMS	24191	-45.68	-13	32.68	Pass	19501




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.48	-13	42.48	Pass	401
0.15	30	0.01	RMS	0.16	-54.12	-13	41.12	Pass	2986
30	1000	0.1	RMS	937.3	-58.09	-13	45.09	Pass	9701
1000	3000	1	RMS	2993	-46.98	-13	33.98	Pass	2001
3000	3440	1	RMS	3131	-46.24	-13	33.24	Pass	441
3440	3560	1	RMS	3504.2	18.19	60	41.81	Pass	401
3560	7000	1	RMS	3581	-60.95	-13	47.95	Pass	3441
7000	26500	1	RMS	26421	-45.46	-13	32.46	Pass	19501




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-13	40.09	Pass	401
0.15	30	0.01	RMS	0.15	-56.95	-13	43.95	Pass	2986
30	1000	0.1	RMS	889.4	-58.04	-13	45.04	Pass	9701
1000	3000	1	RMS	2657	-46.86	-13	33.86	Pass	2001
3000	3440	1	RMS	3149	-46.24	-13	33.24	Pass	441
3440	3560	1	RMS	3542.9	9.28	60	50.72	Pass	401
3560	7000	1	RMS	3618	-49.27	-13	36.27	Pass	3441
7000	26500	1	RMS	24071	-45.49	-13	32.49	Pass	19501




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	40.25	Pass	401
0.15	30	0.01	RMS	0.15	-57.26	-13	44.26	Pass	2986
30	1000	0.1	RMS	956.4	-58.47	-13	45.47	Pass	9701
1000	3000	1	RMS	2978	-46.87	-13	33.87	Pass	2001
3000	3440	1	RMS	3146	-46.25	-13	33.25	Pass	441
3440	3560	1	RMS	3540.8	17.93	60	42.07	Pass	401
3560	7000	1	RMS	3560	-57.89	-13	44.89	Pass	3441
7000	26500	1	RMS	26438	-45.7	-13	32.7	Pass	19501




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.82	-13	40.82	Pass	401
0.15	30	0.01	RMS	0.15	-57.23	-13	44.23	Pass	2986
30	1000	0.1	RMS	993.1	-58.82	-13	45.82	Pass	9701
1000	3000	1	RMS	3000	-46.67	-13	33.67	Pass	2001
3000	3440	1	RMS	3141	-46.26	-13	33.26	Pass	441
3440	3560	1	RMS	3549.2	17.79	60	42.21	Pass	401
3560	7000	1	RMS	3563	-53.46	-13	40.46	Pass	3441
7000	26500	1	RMS	25321	-45.71	-13	32.71	Pass	19501




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-54.41	-13	41.41	Pass	401
0.15	30	0.01	RMS	0.16	-55.82	-13	42.82	Pass	2986
30	1000	0.1	RMS	957.5	-58.52	-13	45.52	Pass	9701
1000	3000	1	RMS	2650	-46.72	-13	33.72	Pass	2001
3000	3440	1	RMS	3440	-42.09	-13	29.09	Pass	441
3440	3560	1	RMS	3463.1	7.69	60	52.31	Pass	401
3560	7000	1	RMS	3605	-59.29	-13	46.29	Pass	3441
7000	26500	1	RMS	25138	-44.88	-13	31.88	Pass	19501




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.61	-13	39.61	Pass	401
0.15	30	0.01	RMS	0.15	-55.55	-13	42.55	Pass	2986
30	1000	0.1	RMS	947.7	-57.63	-13	44.63	Pass	9701
1000	3000	1	RMS	2641	-46.65	-13	33.65	Pass	2001
3000	3440	1	RMS	3143	-46	-13	33	Pass	441
3440	3560	1	RMS	3450.8	18.66	60	41.34	Pass	401
3560	7000	1	RMS	6902	-57.64	-13	44.64	Pass	3441
7000	26500	1	RMS	25307	-45.07	-13	32.07	Pass	19501




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	0.17	-56.06	-13	43.06	Pass	2986
30	1000	0.1	RMS	928.1	-57.28	-13	44.28	Pass	9701
1000	3000	1	RMS	2643	-46.68	-13	33.68	Pass	2001
3000	3440	1	RMS	3146	-46.01	-13	33.01	Pass	441
3440	3560	1	RMS	3464	18.28	60	41.72	Pass	401
3560	7000	1	RMS	6928	-59.55	-13	46.55	Pass	3441
7000	26500	1	RMS	25307	-45.11	-13	32.11	Pass	19501




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-13	40.4	Pass	401
0.15	30	0.01	RMS	0.18	-57.02	-13	44.02	Pass	2986
30	1000	0.1	RMS	959.4	-58.48	-13	45.48	Pass	9701
1000	3000	1	RMS	2642	-46.44	-13	33.44	Pass	2001
3000	3440	1	RMS	3129	-45.97	-13	32.97	Pass	441
3440	3560	1	RMS	3496.1	7.68	60	52.32	Pass	401
3560	7000	1	RMS	3647	-60.67	-13	47.67	Pass	3441
7000	26500	1	RMS	26397	-45.12	-13	32.12	Pass	19501




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.11	-13	41.11	Pass	401
0.15	30	0.01	RMS	0.15	-56.73	-13	43.73	Pass	2986
30	1000	0.1	RMS	964.6	-58.09	-13	45.09	Pass	9701
1000	3000	1	RMS	3000	-46.7	-13	33.7	Pass	2001
3000	3440	1	RMS	3156	-45.94	-13	32.94	Pass	441
3440	3560	1	RMS	3493.4	18.33	60	41.67	Pass	401
3560	7000	1	RMS	6987	-60.98	-13	47.98	Pass	3441
7000	26500	1	RMS	25296	-44.06	-13	31.06	Pass	19501




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.05	-13	41.05	Pass	401
0.15	30	0.01	RMS	0.16	-57.36	-13	44.36	Pass	2986
30	1000	0.1	RMS	978.1	-58.4	-13	45.4	Pass	9701
1000	3000	1	RMS	2647	-46.56	-13	33.56	Pass	2001
3000	3440	1	RMS	3156	-45.95	-13	32.95	Pass	441
3440	3560	1	RMS	3506.6	18.19	60	41.81	Pass	401
3560	7000	1	RMS	3814	-60.77	-13	47.77	Pass	3441
7000	26500	1	RMS	26345	-44.45	-13	31.45	Pass	19501




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.63	-13	41.63	Pass	401
0.15	30	0.01	RMS	0.17	-56.47	-13	43.47	Pass	2986
30	1000	0.1	RMS	824	-58.38	-13	45.38	Pass	9701
1000	3000	1	RMS	2641	-46.58	-13	33.58	Pass	2001
3000	3440	1	RMS	3133	-45.95	-13	32.95	Pass	441
3440	3560	1	RMS	3537.5	7.35	60	52.65	Pass	401
3560	7000	1	RMS	3560	-44.83	-13	31.83	Pass	3441
7000	26500	1	RMS	26465	-44.99	-13	31.99	Pass	19501




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.61	-13	40.61	Pass	401
0.15	30	0.01	RMS	0.15	-57.95	-13	44.95	Pass	2986
30	1000	0.1	RMS	826.5	-57.84	-13	44.84	Pass	9701
1000	3000	1	RMS	2661	-46.6	-13	33.6	Pass	2001
3000	3440	1	RMS	3127	-46	-13	33	Pass	441
3440	3560	1	RMS	3535.7	17.94	60	42.06	Pass	401
3560	7000	1	RMS	3560	-58.91	-13	45.91	Pass	3441
7000	26500	1	RMS	26429	-44.54	-13	31.54	Pass	19501




1.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	40.05	Pass	401
0.15	30	0.01	RMS	0.19	-57.69	-13	44.69	Pass	2986
30	1000	0.1	RMS	945.6	-58.37	-13	45.37	Pass	9701
1000	3000	1	RMS	2651	-46.54	-13	33.54	Pass	2001
3000	3440	1	RMS	3123	-45.98	-13	32.98	Pass	441
3440	3560	1	RMS	3549.2	18.08	60	41.92	Pass	401
3560	7000	1	RMS	3560	-51.58	-13	38.58	Pass	3441
7000	26500	1	RMS	26369	-45.08	-13	32.08	Pass	19501




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.26	-13	39.26	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	42.06	Pass	2986
30	1000	0.1	RMS	794.5	-58.19	-13	45.19	Pass	9701
1000	3000	1	RMS	2982	-46.93	-13	33.93	Pass	2001
3000	3440	1	RMS	3440	-39.78	-13	26.78	Pass	441
3440	3560	1	RMS	3463.4	6.51	60	53.49	Pass	401
3560	7000	1	RMS	3605	-56.39	-13	43.39	Pass	3441
7000	26500	1	RMS	25305	-45.51	-13	32.51	Pass	19501




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.46	-13	39.46	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	42.04	Pass	2986
30	1000	0.1	RMS	753.9	-58.74	-13	45.74	Pass	9701
1000	3000	1	RMS	3000	-47.03	-13	34.03	Pass	2001
3000	3440	1	RMS	3440	-45.95	-13	32.95	Pass	441
3440	3560	1	RMS	3451.1	18.62	60	41.38	Pass	401
3560	7000	1	RMS	6902	-57.33	-13	44.33	Pass	3441
7000	26500	1	RMS	25122	-45.47	-13	32.47	Pass	19501




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.34	-13	41.34	Pass	401
0.15	30	0.01	RMS	0.16	-52.91	-13	39.91	Pass	2986
30	1000	0.1	RMS	937.1	-58.8	-13	45.8	Pass	9701
1000	3000	1	RMS	2979	-46.96	-13	33.96	Pass	2001
3000	3440	1	RMS	3146	-46.27	-13	33.27	Pass	441
3440	3560	1	RMS	3469.1	18.53	60	41.47	Pass	401
3560	7000	1	RMS	3776	-60.48	-13	47.48	Pass	3441
7000	26500	1	RMS	25299	-45.63	-13	32.63	Pass	19501




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.57	-13	41.57	Pass	401
0.15	30	0.01	RMS	0.16	-56.17	-13	43.17	Pass	2986
30	1000	0.1	RMS	895.5	-59.27	-13	46.27	Pass	9701
1000	3000	1	RMS	2778	-47.28	-13	34.28	Pass	2001
3000	3440	1	RMS	3128	-46.72	-13	33.72	Pass	441
3440	3560	1	RMS	3494.3	5.44	60	54.56	Pass	401
3560	7000	1	RMS	3645	-56.84	-13	43.84	Pass	3441
7000	26500	1	RMS	26331	-45.53	-13	32.53	Pass	19501




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-54.49	-13	41.49	Pass	401
0.15	30	0.01	RMS	0.16	-57.33	-13	44.33	Pass	2986
30	1000	0.1	RMS	836.9	-59.89	-13	46.89	Pass	9701
1000	3000	1	RMS	2998	-48.16	-13	35.16	Pass	2001
3000	3440	1	RMS	3129	-47.77	-13	34.77	Pass	441
3440	3560	1	RMS	3491	16.96	60	43.04	Pass	401
3560	7000	1	RMS	6982	-61.58	-13	48.58	Pass	3441
7000	26500	1	RMS	25308	-46.7	-13	33.7	Pass	19501




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.61	-13	41.61	Pass	401
0.15	30	0.01	RMS	0.15	-53.03	-13	40.03	Pass	2986
30	1000	0.1	RMS	939.6	-59.78	-13	46.78	Pass	9701
1000	3000	1	RMS	2648	-48.37	-13	35.37	Pass	2001
3000	3440	1	RMS	3133	-47.77	-13	34.77	Pass	441
3440	3560	1	RMS	3509	16.71	60	43.29	Pass	401
3560	7000	1	RMS	3816	-62.18	-13	49.18	Pass	3441
7000	26500	1	RMS	25297	-46.76	-13	33.76	Pass	19501




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.25	-13	42.25	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	43.14	Pass	2986
30	1000	0.1	RMS	818.8	-59.95	-13	46.95	Pass	9701
1000	3000	1	RMS	2655	-48.36	-13	35.36	Pass	2001
3000	3440	1	RMS	3139	-47.83	-13	34.83	Pass	441
3440	3560	1	RMS	3534.5	4.59	60	55.41	Pass	401
3560	7000	1	RMS	3560	-44.71	-13	31.71	Pass	3441
7000	26500	1	RMS	25293	-46.99	-13	33.99	Pass	19501




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.8	-13	40.8	Pass	401
0.15	30	0.01	RMS	0.15	-57.83	-13	44.83	Pass	2986
30	1000	0.1	RMS	985.6	-60.04	-13	47.04	Pass	9701
1000	3000	1	RMS	2804	-48.46	-13	35.46	Pass	2001
3000	3440	1	RMS	3145	-47.79	-13	34.79	Pass	441
3440	3560	1	RMS	3530.9	16.51	60	43.49	Pass	401
3560	7000	1	RMS	3838	-62.48	-13	49.48	Pass	3441
7000	26500	1	RMS	25321	-46.99	-13	33.99	Pass	19501



1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.83	-13	41.83	Pass	401
0.15	30	0.01	RMS	0.16	-56.25	-13	43.25	Pass	2986
30	1000	0.1	RMS	925.7	-59.9	-13	46.9	Pass	9701
1000	3000	1	RMS	2999	-48.29	-13	35.29	Pass	2001
3000	3440	1	RMS	3143	-47.79	-13	34.79	Pass	441
3440	3560	1	RMS	3548.9	16.5	60	43.5	Pass	401
3560	7000	1	RMS	3561	-53.47	-13	40.47	Pass	3441
7000	26500	1	RMS	26356	-46.95	-13	33.95	Pass	19501



2. n77 30kHz(3700-3980)


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.23	-13	41.23	Pass	401
0.15	30	0.01	RMS	0.16	-58.43	-13	45.43	Pass	2986
30	1000	0.1	RMS	899.2	-59.63	-13	46.63	Pass	9701
1000	3000	1	RMS	2651	-48.44	-13	35.44	Pass	2001
3000	3690	1	RMS	3632	-45.56	-13	32.56	Pass	691
3690	3990	1	RMS	3703.5	6.78	60	53.22	Pass	401
3990	7000	1	RMS	4014	-67.46	-13	54.46	Pass	3011
7000	26500	1	RMS	25294	-46.55	-13	33.55	Pass	19501




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.77	-13	40.77	Pass	401
0.15	30	0.01	RMS	0.15	-59.13	-13	46.13	Pass	2986
30	1000	0.1	RMS	888.4	-60.08	-13	47.08	Pass	9701
1000	3000	1	RMS	2638	-48.37	-13	35.37	Pass	2001
3000	3690	1	RMS	3127	-47.7	-13	34.7	Pass	691
3690	3990	1	RMS	3700.5	14.14	60	45.86	Pass	401
3990	7000	1	RMS	4008	-61.88	-13	48.88	Pass	3011
7000	26500	1	RMS	26380	-47.14	-13	34.14	Pass	19501




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.81	-13	40.81	Pass	401
0.15	30	0.01	RMS	0.15	-57.97	-13	44.97	Pass	2986
30	1000	0.1	RMS	932.5	-60.13	-13	47.13	Pass	9701
1000	3000	1	RMS	2784	-48.26	-13	35.26	Pass	2001
3000	3690	1	RMS	3163	-47.77	-13	34.77	Pass	691
3690	3990	1	RMS	3708.75	14.01	60	45.99	Pass	401
3990	7000	1	RMS	4016	-62.28	-13	49.28	Pass	3011
7000	26500	1	RMS	26432	-46.96	-13	33.96	Pass	19501




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.56	-13	40.56	Pass	401
0.15	30	0.01	RMS	0.16	-56.9	-13	43.9	Pass	2986
30	1000	0.1	RMS	930	-60.22	-13	47.22	Pass	9701
1000	3000	1	RMS	3000	-48.28	-13	35.28	Pass	2001
3000	3690	1	RMS	3128	-47.7	-13	34.7	Pass	691
3690	3990	1	RMS	3837	8.08	60	51.92	Pass	401
3990	7000	1	RMS	3990	-65.62	-13	52.62	Pass	3011
7000	26500	1	RMS	25311	-46.67	-13	33.67	Pass	19501




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.41	-13	41.41	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-13	43.09	Pass	2986
30	1000	0.1	RMS	784	-58.06	-13	45.06	Pass	9701
1000	3000	1	RMS	2996	-46.6	-13	33.6	Pass	2001
3000	3690	1	RMS	3155	-45.97	-13	32.97	Pass	691
3690	3990	1	RMS	3835.5	17.12	60	42.88	Pass	401
3990	7000	1	RMS	4143	-59.91	-13	46.91	Pass	3011
7000	26500	1	RMS	26410	-45.42	-13	32.42	Pass	19501




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.99	-13	40.99	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-13	42.53	Pass	2986
30	1000	0.1	RMS	972.6	-58.24	-13	45.24	Pass	9701
1000	3000	1	RMS	3000	-46.58	-13	33.58	Pass	2001
3000	3690	1	RMS	3142	-45.92	-13	32.92	Pass	691
3690	3990	1	RMS	3843.75	16.93	60	43.07	Pass	401
3990	7000	1	RMS	4151	-60.51	-13	47.51	Pass	3011
7000	26500	1	RMS	26384	-45.42	-13	32.42	Pass	19501




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.61	-13	39.61	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-13	42.49	Pass	2986
30	1000	0.1	RMS	930.6	-58.48	-13	45.48	Pass	9701
1000	3000	1	RMS	2789	-46.61	-13	33.61	Pass	2001
3000	3690	1	RMS	3135	-46	-13	33	Pass	691
3690	3990	1	RMS	3972	9.6	60	50.4	Pass	401
3990	7000	1	RMS	4048	-46.92	-13	33.92	Pass	3011
7000	26500	1	RMS	25300	-45.45	-13	32.45	Pass	19501




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-13	41.09	Pass	401
0.15	30	0.01	RMS	0.19	-57.2	-13	44.2	Pass	2986
30	1000	0.1	RMS	976.8	-58.05	-13	45.05	Pass	9701
1000	3000	1	RMS	2637	-46.51	-13	33.51	Pass	2001
3000	3690	1	RMS	3109	-46.04	-13	33.04	Pass	691
3690	3990	1	RMS	3970.5	16.95	60	43.05	Pass	401
3990	7000	1	RMS	3990	-55.4	-13	42.4	Pass	3011
7000	26500	1	RMS	25299	-45.16	-13	32.16	Pass	19501




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.81	-13	40.81	Pass	401
0.15	30	0.01	RMS	0.15	-57.97	-13	44.97	Pass	2986
30	1000	0.1	RMS	947.5	-58.33	-13	45.33	Pass	9701
1000	3000	1	RMS	2638	-46.61	-13	33.61	Pass	2001
3000	3690	1	RMS	3135	-46.08	-13	33.08	Pass	691
3690	3990	1	RMS	3978.75	16.65	60	43.35	Pass	401
3990	7000	1	RMS	3990	-52.57	-13	39.57	Pass	3011
7000	26500	1	RMS	26346	-45.57	-13	32.57	Pass	19501




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.06	-13	41.06	Pass	401
0.15	30	0.01	RMS	0.15	-58.29	-13	45.29	Pass	2986
30	1000	0.1	RMS	933.4	-58.26	-13	45.26	Pass	9701
1000	3000	1	RMS	2638	-46.59	-13	33.59	Pass	2001
3000	3690	1	RMS	3690	-44.63	-13	31.63	Pass	691
3690	3990	1	RMS	3702	6.58	60	53.42	Pass	401
3990	7000	1	RMS	6220	-66.17	-13	53.17	Pass	3011
7000	26500	1	RMS	25299	-45.19	-13	32.19	Pass	19501




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.54	-13	39.54	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	42.67	Pass	2986
30	1000	0.1	RMS	995.1	-58.2	-13	45.2	Pass	9701
1000	3000	1	RMS	2999	-46.69	-13	33.69	Pass	2001
3000	3690	1	RMS	3155	-45.95	-13	32.95	Pass	691
3690	3990	1	RMS	3700.5	15.81	60	44.19	Pass	401
3990	7000	1	RMS	4008	-60.88	-13	47.88	Pass	3011
7000	26500	1	RMS	25316	-45.64	-13	32.64	Pass	19501




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	39.64	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	42.91	Pass	2986
30	1000	0.1	RMS	927.2	-58.13	-13	45.13	Pass	9701
1000	3000	1	RMS	2993	-46.76	-13	33.76	Pass	2001
3000	3690	1	RMS	3129	-46.05	-13	33.05	Pass	691
3690	3990	1	RMS	3714	16.85	60	43.15	Pass	401
3990	7000	1	RMS	4021	-61.34	-13	48.34	Pass	3011
7000	26500	1	RMS	26465	-45.4	-13	32.4	Pass	19501




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.45	-13	39.45	Pass	401
0.15	30	0.01	RMS	0.17	-56.1	-13	43.1	Pass	2986
30	1000	0.1	RMS	980.1	-58.64	-13	45.64	Pass	9701
1000	3000	1	RMS	2983	-46.69	-13	33.69	Pass	2001
3000	3690	1	RMS	3132	-45.97	-13	32.97	Pass	691
3690	3990	1	RMS	3836.25	7.87	60	52.13	Pass	401
3990	7000	1	RMS	4000	-60.88	-13	47.88	Pass	3011
7000	26500	1	RMS	26411	-45.43	-13	32.43	Pass	19501




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.09	-13	42.09	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-13	43.94	Pass	2986
30	1000	0.1	RMS	962.4	-58.71	-13	45.71	Pass	9701
1000	3000	1	RMS	2996	-46.65	-13	33.65	Pass	2001
3000	3690	1	RMS	3160	-45.95	-13	32.95	Pass	691
3690	3990	1	RMS	3833.25	18.22	60	41.78	Pass	401
3990	7000	1	RMS	4141	-61.61	-13	48.61	Pass	3011
7000	26500	1	RMS	26361	-45.08	-13	32.08	Pass	19501




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.74	-13	41.74	Pass	401
0.15	30	0.01	RMS	0.16	-55.73	-13	42.73	Pass	2986
30	1000	0.1	RMS	970.7	-58.19	-13	45.19	Pass	9701
1000	3000	1	RMS	2646	-46.72	-13	33.72	Pass	2001
3000	3690	1	RMS	3137	-46	-13	33	Pass	691
3690	3990	1	RMS	3846.75	18.04	60	41.96	Pass	401
3990	7000	1	RMS	4154	-60.35	-13	47.35	Pass	3011
7000	26500	1	RMS	25924	-44.92	-13	31.92	Pass	19501




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:664832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	40.06	Pass	401
0.15	30	0.01	RMS	0.16	-55.13	-13	42.13	Pass	2986
30	1000	0.1	RMS	898.8	-58.48	-13	45.48	Pass	9701
1000	3000	1	RMS	2651	-46.71	-13	33.71	Pass	2001
3000	3690	1	RMS	3130	-45.86	-13	32.86	Pass	691
3690	3990	1	RMS	3970.5	7.59	60	52.41	Pass	401
3990	7000	1	RMS	3990	-44.2	-13	31.2	Pass	3011
7000	26500	1	RMS	26463	-45.67	-13	32.67	Pass	19501




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:664832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.54	-13	39.54	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-13	40.92	Pass	2986
30	1000	0.1	RMS	947	-58.72	-13	45.72	Pass	9701
1000	3000	1	RMS	2787	-46.58	-13	33.58	Pass	2001
3000	3690	1	RMS	3148	-46.02	-13	33.02	Pass	691
3690	3990	1	RMS	3966	17.74	60	42.26	Pass	401
3990	7000	1	RMS	4273	-58.53	-13	45.53	Pass	3011
7000	26500	1	RMS	26431	-45.48	-13	32.48	Pass	19501




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:664832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.05	-13	39.05	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-13	44.93	Pass	2986
30	1000	0.1	RMS	967.3	-58.2	-13	45.2	Pass	9701
1000	3000	1	RMS	2633	-46.67	-13	33.67	Pass	2001
3000	3690	1	RMS	3154	-46.04	-13	33.04	Pass	691
3690	3990	1	RMS	3835.5	6.59	60	53.41	Pass	401
3990	7000	1	RMS	4002	-58.38	-13	45.38	Pass	3011
7000	26500	1	RMS	26406	-45.52	-13	32.52	Pass	19501




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.9	-13	40.9	Pass	401
0.15	30	0.01	RMS	0.16	-54.82	-13	41.82	Pass	2986
30	1000	0.1	RMS	908.9	-58.47	-13	45.47	Pass	9701
1000	3000	1	RMS	2646	-46.67	-13	33.67	Pass	2001
3000	3690	1	RMS	3690	-42.58	-13	29.58	Pass	691
3690	3990	1	RMS	3705	5.34	60	54.66	Pass	401
3990	7000	1	RMS	6216	-66.3	-13	53.3	Pass	3011
7000	26500	1	RMS	25284	-45.64	-13	32.64	Pass	19501




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55	-13	42	Pass	401
0.15	30	0.01	RMS	0.15	-51.72	-13	38.72	Pass	2986
30	1000	0.1	RMS	791.5	-58.05	-13	45.05	Pass	9701
1000	3000	1	RMS	2638	-46.61	-13	33.61	Pass	2001
3000	3690	1	RMS	3130	-45.96	-13	32.96	Pass	691
3690	3990	1	RMS	3701.25	16.33	60	43.67	Pass	401
3990	7000	1	RMS	4008	-61.1	-13	48.1	Pass	3011
7000	26500	1	RMS	25301	-45.6	-13	32.6	Pass	19501




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.65	-13	38.65	Pass	401
0.15	30	0.01	RMS	0.15	-57.28	-13	44.28	Pass	2986
30	1000	0.1	RMS	911.7	-58.4	-13	45.4	Pass	9701
1000	3000	1	RMS	2637	-46.6	-13	33.6	Pass	2001
3000	3690	1	RMS	3149	-46	-13	33	Pass	691
3690	3990	1	RMS	3719.25	16.71	60	43.29	Pass	401
3990	7000	1	RMS	4026	-60.97	-13	47.97	Pass	3011
7000	26500	1	RMS	25278	-45.51	-13	32.51	Pass	19501




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.05	-13	39.05	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-13	44.93	Pass	2986
30	1000	0.1	RMS	967.3	-58.2	-13	45.2	Pass	9701
1000	3000	1	RMS	2633	-46.67	-13	33.67	Pass	2001
3000	3690	1	RMS	3154	-46.04	-13	33.04	Pass	691
3690	3990	1	RMS	3835.5	6.59	60	53.41	Pass	401
3990	7000	1	RMS	4002	-58.38	-13	45.38	Pass	3011
7000	26500	1	RMS	26406	-45.52	-13	32.52	Pass	19501




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-13	40.09	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	42.03	Pass	2986
30	1000	0.1	RMS	937.3	-58.4	-13	45.4	Pass	9701
1000	3000	1	RMS	2999	-46.53	-13	33.53	Pass	2001
3000	3690	1	RMS	3130	-46	-13	33	Pass	691
3690	3990	1	RMS	3831	18.23	60	41.77	Pass	401
3990	7000	1	RMS	4138	-59.54	-13	46.54	Pass	3011
7000	26500	1	RMS	26470	-45.39	-13	32.39	Pass	19501




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.43	-13	40.43	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	42.4	Pass	2986
30	1000	0.1	RMS	884.1	-58.59	-13	45.59	Pass	9701
1000	3000	1	RMS	2758	-46.78	-13	33.78	Pass	2001
3000	3690	1	RMS	3136	-46.03	-13	33.03	Pass	691
3690	3990	1	RMS	3849	18.14	60	41.86	Pass	401
3990	7000	1	RMS	4156	-59.33	-13	46.33	Pass	3011
7000	26500	1	RMS	25298	-45.66	-13	32.66	Pass	19501




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	39.76	Pass	401
0.15	30	0.01	RMS	0.17	-55.3	-13	42.3	Pass	2986
30	1000	0.1	RMS	989.3	-57.99	-13	44.99	Pass	9701
1000	3000	1	RMS	2777	-46.67	-13	33.67	Pass	2001
3000	3690	1	RMS	3131	-46.04	-13	33.04	Pass	691
3690	3990	1	RMS	3969.75	6.44	60	53.56	Pass	401
3990	7000	1	RMS	3990	-42.53	-13	29.53	Pass	3011
7000	26500	1	RMS	25301	-45.38	-13	32.38	Pass	19501




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	40.27	Pass	401
0.15	30	0.01	RMS	0.17	-56.98	-13	43.98	Pass	2986
30	1000	0.1	RMS	784.9	-58.61	-13	45.61	Pass	9701
1000	3000	1	RMS	2985	-46.54	-13	33.54	Pass	2001
3000	3690	1	RMS	3149	-46.01	-13	33.01	Pass	691
3690	3990	1	RMS	3960.75	17.62	60	42.38	Pass	401
3990	7000	1	RMS	4268	-59.07	-13	46.07	Pass	3011
7000	26500	1	RMS	26411	-45.53	-13	32.53	Pass	19501



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	39.93	Pass	401
0.15	30	0.01	RMS	0.17	-58.16	-13	45.16	Pass	2986
30	1000	0.1	RMS	954.4	-58.67	-13	45.67	Pass	9701
1000	3000	1	RMS	2646	-46.62	-13	33.62	Pass	2001
3000	3690	1	RMS	3153	-45.99	-13	32.99	Pass	691
3690	3990	1	RMS	3978.75	17.48	60	42.52	Pass	401
3990	7000	1	RMS	3991	-49.78	-13	36.78	Pass	3011
7000	26500	1	RMS	26397	-45.66	-13	32.66	Pass	19501



--BLANK BELOW--