

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 1 of 4

# Appendix B.31

## NR Band n26(814-824)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, non-acceptance and jurisdiction issues defined therein. Any non-English document is advisory only. The information contained herein reflects the status of the document at the time of its intervention, and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)**



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SEWM2210000221RG02  
 Rev.: 01  
 Page: 2 of 4

## Transmitter Conducted Power Output

### Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	limit	Verdict
N26-814-824	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	23.43	50	pass
N26-814-824	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	23.4	50	pass
N26-814-824	15	5	DFT-PI2BPSK	L	Outer_Full	23.43	50	pass
N26-814-824	15	5	DFT-QPSK	L	Inner_1RB_Left	23.51	50	pass
N26-814-824	15	5	DFT-QPSK	L	Inner_1RB_Right	23.48	50	pass
N26-814-824	15	5	DFT-QPSK	L	Outer_Full	23.44	50	pass
N26-814-824	15	5	DFT-16QAM	L	Inner_1RB_Left	23.34	50	pass
N26-814-824	15	5	DFT-16QAM	L	Inner_1RB_Right	23.45	50	pass
N26-814-824	15	5	DFT-16QAM	L	Outer_Full	22.51	50	pass
N26-814-824	15	5	DFT-64QAM	L	Inner_1RB_Left	21.74	50	pass
N26-814-824	15	5	DFT-64QAM	L	Inner_1RB_Right	21.84	50	pass
N26-814-824	15	5	DFT-64QAM	L	Outer_Full	22.06	50	pass
N26-814-824	15	5	DFT-256QAM	L	Inner_1RB_Left	19.75	50	pass
N26-814-824	15	5	DFT-256QAM	L	Inner_1RB_Right	19.75	50	pass
N26-814-824	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	23.22	50	pass
N26-814-824	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	23.34	50	pass
N26-814-824	15	5	DFT-PI2BPSK	M	Outer_Full	23.49	50	pass
N26-814-824	15	5	DFT-QPSK	M	Inner_1RB_Left	23.46	50	pass
N26-814-824	15	5	DFT-QPSK	M	Inner_1RB_Right	23.4	50	pass
N26-814-824	15	5	DFT-QPSK	M	Outer_Full	23.44	50	pass
N26-814-824	15	5	DFT-16QAM	M	Inner_1RB_Left	23.77	50	pass
N26-814-824	15	5	DFT-16QAM	M	Inner_1RB_Right	23.82	50	pass
N26-814-824	15	5	DFT-16QAM	M	Outer_Full	22.47	50	pass
N26-814-824	15	5	DFT-64QAM	M	Inner_1RB_Left	21.73	50	pass
N26-814-824	15	5	DFT-64QAM	M	Inner_1RB_Right	21.52	50	pass
N26-814-824	15	5	DFT-64QAM	M	Outer_Full	21.99	50	pass
N26-814-824	15	5	DFT-256QAM	M	Inner_1RB_Left	19.65	50	pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, non-discrimination and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein is valid from the date of issue, final and at the time of investigation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
Wireless Laboratory Inspection & Testing Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号6号厂房南部 邮编: 215000

t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



Report No.: SEWM2210000221RG02

Rev.: 01

Page: 3 of 4

N26-814-824	15	5	DFT-256QAM	M	Inner_1RB_Right	19.69	50	pass
N26-814-824	15	5	DFT-256QAM	M	Outer_Full	19.87	50	pass
N26-814-824	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	23.4	50	pass
N26-814-824	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.27	50	pass
N26-814-824	15	5	DFT-PI2BPSK	H	Outer_Full	23.41	50	pass
N26-814-824	15	5	DFT-QPSK	H	Inner_1RB_Left	23.41	50	pass
N26-814-824	15	5	DFT-QPSK	H	Inner_1RB_Right	23.31	50	pass
N26-814-824	15	5	DFT-QPSK	H	Outer_Full	23.42	50	pass
N26-814-824	15	5	DFT-16QAM	H	Inner_1RB_Left	23.84	50	pass
N26-814-824	15	5	DFT-16QAM	H	Inner_1RB_Right	23.72	50	pass
N26-814-824	15	5	DFT-16QAM	H	Outer_Full	22.4	50	pass
N26-814-824	15	5	DFT-64QAM	H	Inner_1RB_Left	21.81	50	pass
N26-814-824	15	5	DFT-64QAM	H	Inner_1RB_Right	21.72	50	pass
N26-814-824	15	5	DFT-64QAM	H	Outer_Full	22.04	50	pass
N26-814-824	15	5	DFT-256QAM	H	Inner_1RB_Left	19.71	50	pass
N26-814-824	15	5	DFT-256QAM	H	Inner_1RB_Right	19.59	50	pass
N26-814-824	15	5	DFT-256QAM	H	Outer_Full	19.83	50	pass
N26-814-824	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	23.48	50	pass
N26-814-824	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	23.33	50	pass
N26-814-824	15	10	DFT-PI2BPSK	M	Outer_Full	23.5	50	pass
N26-814-824	15	10	DFT-QPSK	M	Inner_1RB_Left	23.4	50	pass
N26-814-824	15	10	DFT-QPSK	M	Inner_1RB_Right	23.29	50	pass
N26-814-824	15	10	DFT-QPSK	M	Outer_Full	23.44	50	pass
N26-814-824	15	10	DFT-16QAM	M	Inner_1RB_Left	23.88	50	pass
N26-814-824	15	10	DFT-16QAM	M	Inner_1RB_Right	23.77	50	pass
N26-814-824	15	10	DFT-16QAM	M	Outer_Full	22.42	50	pass
N26-814-824	15	10	DFT-64QAM	M	Inner_1RB_Left	21.81	50	pass
N26-814-824	15	10	DFT-64QAM	M	Inner_1RB_Right	21.64	50	pass
N26-814-824	15	10	DFT-64QAM	M	Outer_Full	22.02	50	pass
N26-814-824	15	10	DFT-256QAM	M	Inner_1RB_Left	19.66	50	pass
N26-814-824	15	10	DFT-256QAM	M	Inner_1RB_Right	19.6	50	pass
N26-814-824	15	10	DFT-256QAM	M	Outer_Full	19.9	50	pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, non-discrimination and jurisdiction issues defined therein. Any non-compliance with this document is advised to the appropriate authority in the company's first instance at the time of intervention and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号6号厂房南侧 邮编: 215000

t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SEWM2210000221RG02  
 Rev.: 01  
 Page: 4 of 4

## Field Strength of Spurious Radiation

Test Band = 5G NR SA n26\_ TM1

Test Channel = Mid

Final Data List										
NO.	Frequency [MHz]	Reading [dB $\mu$ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1634.2857	59.32	-48.24	25.36	-58.82	-13.00	45.82	245	277	Horizontal
2	2373.7143	51.70	-47.46	27.43	-63.60	-13.00	50.60	166	120	Horizontal
3	3275.4286	50.25	-46.58	29.59	-62.01	-13.00	49.01	254	331	Horizontal
4	4090.8571	48.08	-45.93	30.94	-62.17	-13.00	49.17	198	173	Horizontal
5	4904	52.31	-45.59	32.61	-55.93	-13.00	42.93	175	251	Horizontal
6	5976.5714	42.61	-44.56	34.09	-63.12	-13.00	50.12	143	356	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dB $\mu$ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1636	56.87	-48.24	25.36	-61.26	-13.00	48.26	254	238	Vertical
2	2457.1429	60.39	-47.35	27.63	-54.59	-13.00	41.59	175	304	Vertical
3	3275.4286	55.03	-46.58	29.59	-57.23	-13.00	44.23	145	212	Vertical
4	4098.2857	54.53	-45.91	30.95	-55.69	-13.00	42.69	165	304	Vertical
5	4911.4286	60.11	-45.61	32.63	-48.12	-13.00	35.12	135	264	Vertical
6	5737.7143	46.72	-44.60	33.52	-59.62	-13.00	46.62	188	264	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, non-acceptation and non-delivery conditions defined therein. Any non-delivered document is advised to the information contained herein reflects the sample findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)