



Report No.: SEWM2210000221RG02

Rev.: 01

Page: 1 of 37

Appendix B.41

NR Band n78(3450-3550)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power	EIRP	LIMIT	verdict
N78-3450-3550	30	10	DFT-PI2BPSK	L	Inner_1RB_Left	26.31	29.25	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	L	Inner_1RB_Right	26.22	29.16	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	L	Outer_Full	25.8	28.74	30	pass
N78-3450-3550	30	10	DFT-QPSK	L	Inner_1RB_Left	26.35	29.29	30	pass
N78-3450-3550	30	10	DFT-QPSK	L	Inner_1RB_Right	26.2	29.14	30	pass
N78-3450-3550	30	10	DFT-QPSK	L	Outer_Full	25.33	28.27	30	pass
N78-3450-3550	30	10	DFT-16QAM	L	Inner_1RB_Left	25.33	28.27	30	pass
N78-3450-3550	30	10	DFT-16QAM	L	Inner_1RB_Right	25.27	28.21	30	pass
N78-3450-3550	30	10	DFT-16QAM	L	Outer_Full	24.28	27.22	30	pass
N78-3450-3550	30	10	DFT-64QAM	L	Inner_1RB_Left	23.82	26.76	30	pass
N78-3450-3550	30	10	DFT-64QAM	L	Inner_1RB_Right	23.69	26.63	30	pass
N78-3450-3550	30	10	DFT-64QAM	L	Outer_Full	23.79	26.73	30	pass
N78-3450-3550	30	10	DFT-256QAM	L	Inner_1RB_Left	21.76	24.7	30	pass
N78-3450-3550	30	10	DFT-256QAM	L	Inner_1RB_Right	21.72	24.66	30	pass
N78-3450-3550	30	10	DFT-256QAM	L	Outer_Full	21.82	24.76	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	M	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	M	Inner_1RB_Right	26.17	29.11	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	M	Outer_Full	25.75	28.69	30	pass
N78-3450-3550	30	10	DFT-QPSK	M	Inner_1RB_Left	26.27	29.21	30	pass
N78-3450-3550	30	10	DFT-QPSK	M	Inner_1RB_Right	26.17	29.11	30	pass
N78-3450-3550	30	10	DFT-QPSK	M	Outer_Full	25.26	28.2	30	pass
N78-3450-3550	30	10	DFT-16QAM	M	Inner_1RB_Left	25.18	28.12	30	pass
N78-3450-3550	30	10	DFT-16QAM	M	Inner_1RB_Right	25.16	28.1	30	pass
N78-3450-3550	30	10	DFT-16QAM	M	Outer_Full	24.22	27.16	30	pass
N78-3450-3550	30	10	DFT-64QAM	M	Inner_1RB_Left	23.7	26.64	30	pass
N78-3450-3550	30	10	DFT-64QAM	M	Inner_1RB_Right	23.66	26.6	30	pass
N78-3450-3550	30	10	DFT-64QAM	M	Outer_Full	23.71	26.65	30	pass
N78-3450-3550	30	10	DFT-256QAM	M	Inner_1RB_Left	21.75	24.69	30	pass
N78-3450-3550	30	10	DFT-256QAM	M	Inner_1RB_Right	21.67	24.61	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 3 of 37

N78-3450-3550	30	10	DFT-256QAM	M	Outer_Full	21.72	24.66	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	H	Inner_1RB_Left	26	28.94	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	H	Inner_1RB_Right	25.99	28.93	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	H	Outer_Full	25.5	28.44	30	pass
N78-3450-3550	30	10	DFT-QPSK	H	Inner_1RB_Left	25.98	28.92	30	pass
N78-3450-3550	30	10	DFT-QPSK	H	Inner_1RB_Right	25.99	28.93	30	pass
N78-3450-3550	30	10	DFT-QPSK	H	Outer_Full	25	27.94	30	pass
N78-3450-3550	30	10	DFT-16QAM	H	Inner_1RB_Left	24.99	27.93	30	pass
N78-3450-3550	30	10	DFT-16QAM	H	Inner_1RB_Right	24.98	27.92	30	pass
N78-3450-3550	30	10	DFT-16QAM	H	Outer_Full	23.98	26.92	30	pass
N78-3450-3550	30	10	DFT-64QAM	H	Inner_1RB_Left	23.44	26.38	30	pass
N78-3450-3550	30	10	DFT-64QAM	H	Inner_1RB_Right	23.45	26.39	30	pass
N78-3450-3550	30	10	DFT-64QAM	H	Outer_Full	23.51	26.45	30	pass
N78-3450-3550	30	10	DFT-256QAM	H	Inner_1RB_Left	21.48	24.42	30	pass
N78-3450-3550	30	10	DFT-256QAM	H	Inner_1RB_Right	21.61	24.55	30	pass
N78-3450-3550	30	10	DFT-256QAM	H	Outer_Full	21.52	24.46	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	L	Inner_1RB_Left	26.53	29.47	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	L	Inner_1RB_Right	26.42	29.36	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	L	Outer_Full	26.02	28.96	30	pass
N78-3450-3550	30	15	DFT-QPSK	L	Inner_1RB_Left	26.53	29.47	30	pass
N78-3450-3550	30	15	DFT-QPSK	L	Inner_1RB_Right	26.38	29.32	30	pass
N78-3450-3550	30	15	DFT-QPSK	L	Outer_Full	25.5	28.44	30	pass
N78-3450-3550	30	15	DFT-16QAM	L	Inner_1RB_Left	25.52	28.46	30	pass
N78-3450-3550	30	15	DFT-16QAM	L	Inner_1RB_Right	25.37	28.31	30	pass
N78-3450-3550	30	15	DFT-16QAM	L	Outer_Full	24.41	27.35	30	pass
N78-3450-3550	30	15	DFT-64QAM	L	Inner_1RB_Left	24	26.94	30	pass
N78-3450-3550	30	15	DFT-64QAM	L	Inner_1RB_Right	23.8	26.74	30	pass
N78-3450-3550	30	15	DFT-64QAM	L	Outer_Full	23.9	26.84	30	pass
N78-3450-3550	30	15	DFT-256QAM	L	Inner_1RB_Left	21.94	24.88	30	pass
N78-3450-3550	30	15	DFT-256QAM	L	Inner_1RB_Right	21.8	24.74	30	pass
N78-3450-3550	30	15	DFT-256QAM	L	Outer_Full	21.95	24.89	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	M	Inner_1RB_Left	26.51	29.45	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	M	Inner_1RB_Right	26.19	29.13	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	M	Outer_Full	25.87	28.81	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 4 of 37

N78-3450-3550	30	15	DFT-QPSK	M	Inner_1RB_Left	26.43	29.37	30	pass
N78-3450-3550	30	15	DFT-QPSK	M	Inner_1RB_Right	26.23	29.17	30	pass
N78-3450-3550	30	15	DFT-QPSK	M	Outer_Full	25.37	28.31	30	pass
N78-3450-3550	30	15	DFT-16QAM	M	Inner_1RB_Left	25.33	28.27	30	pass
N78-3450-3550	30	15	DFT-16QAM	M	Inner_1RB_Right	25.26	28.2	30	pass
N78-3450-3550	30	15	DFT-16QAM	M	Outer_Full	24.34	27.28	30	pass
N78-3450-3550	30	15	DFT-64QAM	M	Inner_1RB_Left	23.84	26.78	30	pass
N78-3450-3550	30	15	DFT-64QAM	M	Inner_1RB_Right	23.73	26.67	30	pass
N78-3450-3550	30	15	DFT-64QAM	M	Outer_Full	23.87	26.81	30	pass
N78-3450-3550	30	15	DFT-256QAM	M	Inner_1RB_Left	21.9	24.84	30	pass
N78-3450-3550	30	15	DFT-256QAM	M	Inner_1RB_Right	21.77	24.71	30	pass
N78-3450-3550	30	15	DFT-256QAM	M	Outer_Full	21.91	24.85	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	H	Inner_1RB_Left	26.12	29.06	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	H	Inner_1RB_Right	26.12	29.06	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	H	Outer_Full	25.63	28.57	30	pass
N78-3450-3550	30	15	DFT-QPSK	H	Inner_1RB_Left	26.09	29.03	30	pass
N78-3450-3550	30	15	DFT-QPSK	H	Inner_1RB_Right	26.12	29.06	30	pass
N78-3450-3550	30	15	DFT-QPSK	H	Outer_Full	25.14	28.08	30	pass
N78-3450-3550	30	15	DFT-16QAM	H	Inner_1RB_Left	25.13	28.07	30	pass
N78-3450-3550	30	15	DFT-16QAM	H	Inner_1RB_Right	25.07	28.01	30	pass
N78-3450-3550	30	15	DFT-16QAM	H	Outer_Full	24.16	27.1	30	pass
N78-3450-3550	30	15	DFT-64QAM	H	Inner_1RB_Left	23.61	26.55	30	pass
N78-3450-3550	30	15	DFT-64QAM	H	Inner_1RB_Right	23.63	26.57	30	pass
N78-3450-3550	30	15	DFT-64QAM	H	Outer_Full	23.63	26.57	30	pass
N78-3450-3550	30	15	DFT-256QAM	H	Inner_1RB_Left	21.7	24.64	30	pass
N78-3450-3550	30	15	DFT-256QAM	H	Inner_1RB_Right	21.6	24.54	30	pass
N78-3450-3550	30	15	DFT-256QAM	H	Outer_Full	21.63	24.57	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	L	Inner_1RB_Left	26.5	29.44	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	L	Inner_1RB_Right	26.33	29.27	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	L	Outer_Full	25.93	28.87	30	pass
N78-3450-3550	30	20	DFT-QPSK	L	Inner_1RB_Left	26.52	29.46	30	pass
N78-3450-3550	30	20	DFT-QPSK	L	Inner_1RB_Right	26.32	29.26	30	pass
N78-3450-3550	30	20	DFT-QPSK	L	Outer_Full	25.41	28.35	30	pass
N78-3450-3550	30	20	DFT-16QAM	L	Inner_1RB_Left	25.39	28.33	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Q.N.Doecheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 5 of 37

N78-3450-3550	30	20	DFT-16QAM	L	Inner_1RB_Right	25.32	28.26	30	pass
N78-3450-3550	30	20	DFT-16QAM	L	Outer_Full	24.45	27.39	30	pass
N78-3450-3550	30	20	DFT-64QAM	L	Inner_1RB_Left	24.01	26.95	30	pass
N78-3450-3550	30	20	DFT-64QAM	L	Inner_1RB_Right	23.71	26.65	30	pass
N78-3450-3550	30	20	DFT-64QAM	L	Outer_Full	23.92	26.86	30	pass
N78-3450-3550	30	20	DFT-256QAM	L	Inner_1RB_Left	22	24.94	30	pass
N78-3450-3550	30	20	DFT-256QAM	L	Inner_1RB_Right	21.87	24.81	30	pass
N78-3450-3550	30	20	DFT-256QAM	L	Outer_Full	21.93	24.87	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	M	Inner_1RB_Left	26.45	29.39	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	M	Inner_1RB_Right	26.28	29.22	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	M	Outer_Full	25.85	28.79	30	pass
N78-3450-3550	30	20	DFT-QPSK	M	Inner_1RB_Left	26.4	29.34	30	pass
N78-3450-3550	30	20	DFT-QPSK	M	Inner_1RB_Right	26.33	29.27	30	pass
N78-3450-3550	30	20	DFT-QPSK	M	Outer_Full	25.36	28.3	30	pass
N78-3450-3550	30	20	DFT-16QAM	M	Inner_1RB_Left	25.41	28.35	30	pass
N78-3450-3550	30	20	DFT-16QAM	M	Inner_1RB_Right	25.26	28.2	30	pass
N78-3450-3550	30	20	DFT-16QAM	M	Outer_Full	24.36	27.3	30	pass
N78-3450-3550	30	20	DFT-64QAM	M	Inner_1RB_Left	23.89	26.83	30	pass
N78-3450-3550	30	20	DFT-64QAM	M	Inner_1RB_Right	23.79	26.73	30	pass
N78-3450-3550	30	20	DFT-64QAM	M	Outer_Full	23.87	26.81	30	pass
N78-3450-3550	30	20	DFT-256QAM	M	Inner_1RB_Left	22.02	24.96	30	pass
N78-3450-3550	30	20	DFT-256QAM	M	Inner_1RB_Right	21.88	24.82	30	pass
N78-3450-3550	30	20	DFT-256QAM	M	Outer_Full	21.85	24.79	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	H	Inner_1RB_Left	26.2	29.14	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	H	Inner_1RB_Right	26.17	29.11	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	H	Outer_Full	25.65	28.59	30	pass
N78-3450-3550	30	20	DFT-QPSK	H	Inner_1RB_Left	26.23	29.17	30	pass
N78-3450-3550	30	20	DFT-QPSK	H	Inner_1RB_Right	26.15	29.09	30	pass
N78-3450-3550	30	20	DFT-QPSK	H	Outer_Full	25.17	28.11	30	pass
N78-3450-3550	30	20	DFT-16QAM	H	Inner_1RB_Left	25.18	28.12	30	pass
N78-3450-3550	30	20	DFT-16QAM	H	Inner_1RB_Right	25.12	28.06	30	pass
N78-3450-3550	30	20	DFT-16QAM	H	Outer_Full	24.14	27.08	30	pass
N78-3450-3550	30	20	DFT-64QAM	H	Inner_1RB_Left	23.6	26.54	30	pass
N78-3450-3550	30	20	DFT-64QAM	H	Inner_1RB_Right	23.62	26.56	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Q.N.Doecheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2210000221RG02

Rev.: 01

Page: 6 of 37

N78-3450-3550	30	20	DFT-64QAM	H	Outer_Full	23.66	26.6	30	pass
N78-3450-3550	30	20	DFT-256QAM	H	Inner_1RB_Left	21.53	24.47	30	pass
N78-3450-3550	30	20	DFT-256QAM	H	Inner_1RB_Right	21.56	24.5	30	pass
N78-3450-3550	30	20	DFT-256QAM	H	Outer_Full	21.62	24.56	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	L	Inner_1RB_Left	26.55	29.49	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	L	Inner_1RB_Right	26.34	29.28	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	L	Outer_Full	25.92	28.86	30	pass
N78-3450-3550	30	30	DFT-QPSK	L	Inner_1RB_Left	26.36	29.3	30	pass
N78-3450-3550	30	30	DFT-QPSK	L	Inner_1RB_Right	26.34	29.28	30	pass
N78-3450-3550	30	30	DFT-QPSK	L	Outer_Full	25.39	28.33	30	pass
N78-3450-3550	30	30	DFT-16QAM	L	Inner_1RB_Left	25.53	28.47	30	pass
N78-3450-3550	30	30	DFT-16QAM	L	Inner_1RB_Right	25.24	28.18	30	pass
N78-3450-3550	30	30	DFT-16QAM	L	Outer_Full	24.4	27.34	30	pass
N78-3450-3550	30	30	DFT-64QAM	L	Inner_1RB_Left	24.07	27.01	30	pass
N78-3450-3550	30	30	DFT-64QAM	L	Inner_1RB_Right	23.85	26.79	30	pass
N78-3450-3550	30	30	DFT-64QAM	L	Outer_Full	23.9	26.84	30	pass
N78-3450-3550	30	30	DFT-256QAM	L	Inner_1RB_Left	22.12	25.06	30	pass
N78-3450-3550	30	30	DFT-256QAM	L	Inner_1RB_Right	21.76	24.7	30	pass
N78-3450-3550	30	30	DFT-256QAM	L	Outer_Full	21.88	24.82	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	M	Inner_1RB_Left	26.51	29.45	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	M	Inner_1RB_Right	26.26	29.2	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	M	Outer_Full	25.9	28.84	30	pass
N78-3450-3550	30	30	DFT-QPSK	M	Inner_1RB_Left	26.62	29.56	30	pass
N78-3450-3550	30	30	DFT-QPSK	M	Inner_1RB_Right	26.24	29.18	30	pass
N78-3450-3550	30	30	DFT-QPSK	M	Outer_Full	25.41	28.35	30	pass
N78-3450-3550	30	30	DFT-16QAM	M	Inner_1RB_Left	25.45	28.39	30	pass
N78-3450-3550	30	30	DFT-16QAM	M	Inner_1RB_Right	25.31	28.25	30	pass
N78-3450-3550	30	30	DFT-16QAM	M	Outer_Full	24.41	27.35	30	pass
N78-3450-3550	30	30	DFT-64QAM	M	Inner_1RB_Left	24.01	26.95	30	pass
N78-3450-3550	30	30	DFT-64QAM	M	Inner_1RB_Right	23.84	26.78	30	pass
N78-3450-3550	30	30	DFT-64QAM	M	Outer_Full	23.89	26.83	30	pass
N78-3450-3550	30	30	DFT-256QAM	M	Inner_1RB_Left	21.95	24.89	30	pass
N78-3450-3550	30	30	DFT-256QAM	M	Inner_1RB_Right	21.71	24.65	30	pass
N78-3450-3550	30	30	DFT-256QAM	M	Outer_Full	21.9	24.84	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Q.N.Doecheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 7 of 37

N78-3450-3550	30	30	DFT-PI2BPSK	H	Inner_1RB_Left	26.24	29.18	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	H	Inner_1RB_Right	26.08	29.02	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	H	Outer_Full	25.61	28.55	30	pass
N78-3450-3550	30	30	DFT-QPSK	H	Inner_1RB_Left	26.26	29.2	30	pass
N78-3450-3550	30	30	DFT-QPSK	H	Inner_1RB_Right	26.05	28.99	30	pass
N78-3450-3550	30	30	DFT-QPSK	H	Outer_Full	25.12	28.06	30	pass
N78-3450-3550	30	30	DFT-16QAM	H	Inner_1RB_Left	25.14	28.08	30	pass
N78-3450-3550	30	30	DFT-16QAM	H	Inner_1RB_Right	25.04	27.98	30	pass
N78-3450-3550	30	30	DFT-16QAM	H	Outer_Full	24.1	27.04	30	pass
N78-3450-3550	30	30	DFT-64QAM	H	Inner_1RB_Left	23.74	26.68	30	pass
N78-3450-3550	30	30	DFT-64QAM	H	Inner_1RB_Right	23.57	26.51	30	pass
N78-3450-3550	30	30	DFT-64QAM	H	Outer_Full	23.59	26.53	30	pass
N78-3450-3550	30	30	DFT-256QAM	H	Inner_1RB_Left	21.7	24.64	30	pass
N78-3450-3550	30	30	DFT-256QAM	H	Inner_1RB_Right	21.48	24.42	30	pass
N78-3450-3550	30	30	DFT-256QAM	H	Outer_Full	21.56	24.5	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	L	Inner_1RB_Left	26.66	29.6	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	L	Inner_1RB_Right	26.4	29.34	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	L	Outer_Full	25.94	28.88	30	pass
N78-3450-3550	30	40	DFT-QPSK	L	Inner_1RB_Left	26.66	29.6	30	pass
N78-3450-3550	30	40	DFT-QPSK	L	Inner_1RB_Right	26.43	29.37	30	pass
N78-3450-3550	30	40	DFT-QPSK	L	Outer_Full	25.42	28.36	30	pass
N78-3450-3550	30	40	DFT-16QAM	L	Inner_1RB_Left	25.65	28.59	30	pass
N78-3450-3550	30	40	DFT-16QAM	L	Inner_1RB_Right	25.4	28.34	30	pass
N78-3450-3550	30	40	DFT-16QAM	L	Outer_Full	24.46	27.4	30	pass
N78-3450-3550	30	40	DFT-64QAM	L	Inner_1RB_Left	24.12	27.06	30	pass
N78-3450-3550	30	40	DFT-64QAM	L	Inner_1RB_Right	23.83	26.77	30	pass
N78-3450-3550	30	40	DFT-64QAM	L	Outer_Full	23.92	26.86	30	pass
N78-3450-3550	30	40	DFT-256QAM	L	Inner_1RB_Left	22.13	25.07	30	pass
N78-3450-3550	30	40	DFT-256QAM	L	Inner_1RB_Right	21.87	24.81	30	pass
N78-3450-3550	30	40	DFT-256QAM	L	Outer_Full	21.92	24.86	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	M	Inner_1RB_Left	26.61	29.55	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	M	Inner_1RB_Right	26.24	29.18	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	M	Outer_Full	25.89	28.83	30	pass
N78-3450-3550	30	40	DFT-QPSK	M	Inner_1RB_Left	26.56	29.5	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Q.N.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 8 of 37

N78-3450-3550	30	40	DFT-QPSK	M	Inner_1RB_Right	26.24	29.18	30	pass
N78-3450-3550	30	40	DFT-QPSK	M	Outer_Full	25.39	28.33	30	pass
N78-3450-3550	30	40	DFT-16QAM	M	Inner_1RB_Left	25.48	28.42	30	pass
N78-3450-3550	30	40	DFT-16QAM	M	Inner_1RB_Right	25.32	28.26	30	pass
N78-3450-3550	30	40	DFT-16QAM	M	Outer_Full	24.36	27.3	30	pass
N78-3450-3550	30	40	DFT-64QAM	M	Inner_1RB_Left	24.04	26.98	30	pass
N78-3450-3550	30	40	DFT-64QAM	M	Inner_1RB_Right	23.74	26.68	30	pass
N78-3450-3550	30	40	DFT-64QAM	M	Outer_Full	23.85	26.79	30	pass
N78-3450-3550	30	40	DFT-256QAM	M	Inner_1RB_Left	22.04	24.98	30	pass
N78-3450-3550	30	40	DFT-256QAM	M	Inner_1RB_Right	21.89	24.83	30	pass
N78-3450-3550	30	40	DFT-256QAM	M	Outer_Full	21.91	24.85	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	H	Inner_1RB_Left	26.33	29.27	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	H	Inner_1RB_Right	26.07	29.01	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	H	Outer_Full	25.63	28.57	30	pass
N78-3450-3550	30	40	DFT-QPSK	H	Inner_1RB_Left	26.32	29.26	30	pass
N78-3450-3550	30	40	DFT-QPSK	H	Inner_1RB_Right	26.07	29.01	30	pass
N78-3450-3550	30	40	DFT-QPSK	H	Outer_Full	25.12	28.06	30	pass
N78-3450-3550	30	40	DFT-16QAM	H	Inner_1RB_Left	25.33	28.27	30	pass
N78-3450-3550	30	40	DFT-16QAM	H	Inner_1RB_Right	25.05	27.99	30	pass
N78-3450-3550	30	40	DFT-16QAM	H	Outer_Full	24.1	27.04	30	pass
N78-3450-3550	30	40	DFT-64QAM	H	Inner_1RB_Left	23.79	26.73	30	pass
N78-3450-3550	30	40	DFT-64QAM	H	Inner_1RB_Right	23.56	26.5	30	pass
N78-3450-3550	30	40	DFT-64QAM	H	Outer_Full	23.62	26.56	30	pass
N78-3450-3550	30	40	DFT-256QAM	H	Inner_1RB_Left	21.87	24.81	30	pass
N78-3450-3550	30	40	DFT-256QAM	H	Inner_1RB_Right	21.59	24.53	30	pass
N78-3450-3550	30	40	DFT-256QAM	H	Outer_Full	21.6	24.54	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	L	Inner_1RB_Left	26.53	29.47	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	L	Inner_1RB_Right	26.21	29.15	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	L	Outer_Full	25.92	28.86	30	pass
N78-3450-3550	30	50	DFT-QPSK	L	Inner_1RB_Left	26.49	29.43	30	pass
N78-3450-3550	30	50	DFT-QPSK	L	Inner_1RB_Right	26.21	29.15	30	pass
N78-3450-3550	30	50	DFT-QPSK	L	Outer_Full	25.43	28.37	30	pass
N78-3450-3550	30	50	DFT-16QAM	L	Inner_1RB_Left	25.41	28.35	30	pass
N78-3450-3550	30	50	DFT-16QAM	L	Inner_1RB_Right	25.24	28.18	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2210000221RG02

Rev.: 01

Page: 9 of 37

N78-3450-3550	30	50	DFT-16QAM	L	Outer_Full	24.37	27.31	30	pass
N78-3450-3550	30	50	DFT-64QAM	L	Inner_1RB_Left	24.04	26.98	30	pass
N78-3450-3550	30	50	DFT-64QAM	L	Inner_1RB_Right	23.68	26.62	30	pass
N78-3450-3550	30	50	DFT-64QAM	L	Outer_Full	23.94	26.88	30	pass
N78-3450-3550	30	50	DFT-256QAM	L	Inner_1RB_Left	22	24.94	30	pass
N78-3450-3550	30	50	DFT-256QAM	L	Inner_1RB_Right	21.79	24.73	30	pass
N78-3450-3550	30	50	DFT-256QAM	L	Outer_Full	21.94	24.88	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	M	Inner_1RB_Left	26.33	29.27	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	M	Inner_1RB_Right	26.09	29.03	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	M	Outer_Full	25.85	28.79	30	pass
N78-3450-3550	30	50	DFT-QPSK	M	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	50	DFT-QPSK	M	Inner_1RB_Right	26.02	28.96	30	pass
N78-3450-3550	30	50	DFT-QPSK	M	Outer_Full	25.33	28.27	30	pass
N78-3450-3550	30	50	DFT-16QAM	M	Inner_1RB_Left	25.35	28.29	30	pass
N78-3450-3550	30	50	DFT-16QAM	M	Inner_1RB_Right	24.96	27.9	30	pass
N78-3450-3550	30	50	DFT-16QAM	M	Outer_Full	24.29	27.23	30	pass
N78-3450-3550	30	50	DFT-64QAM	M	Inner_1RB_Left	23.76	26.7	30	pass
N78-3450-3550	30	50	DFT-64QAM	M	Inner_1RB_Right	23.47	26.41	30	pass
N78-3450-3550	30	50	DFT-64QAM	M	Outer_Full	23.81	26.75	30	pass
N78-3450-3550	30	50	DFT-256QAM	M	Inner_1RB_Left	21.79	24.73	30	pass
N78-3450-3550	30	50	DFT-256QAM	M	Inner_1RB_Right	21.54	24.48	30	pass
N78-3450-3550	30	50	DFT-256QAM	M	Outer_Full	21.82	24.76	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	H	Inner_1RB_Left	26.16	29.1	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	H	Inner_1RB_Right	25.89	28.83	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	H	Outer_Full	25.48	28.42	30	pass
N78-3450-3550	30	50	DFT-QPSK	H	Inner_1RB_Left	26.2	29.14	30	pass
N78-3450-3550	30	50	DFT-QPSK	H	Inner_1RB_Right	25.89	28.83	30	pass
N78-3450-3550	30	50	DFT-QPSK	H	Outer_Full	25.05	27.99	30	pass
N78-3450-3550	30	50	DFT-16QAM	H	Inner_1RB_Left	25.13	28.07	30	pass
N78-3450-3550	30	50	DFT-16QAM	H	Inner_1RB_Right	24.83	27.77	30	pass
N78-3450-3550	30	50	DFT-16QAM	H	Outer_Full	23.94	26.88	30	pass
N78-3450-3550	30	50	DFT-64QAM	H	Inner_1RB_Left	23.66	26.6	30	pass
N78-3450-3550	30	50	DFT-64QAM	H	Inner_1RB_Right	23.34	26.28	30	pass
N78-3450-3550	30	50	DFT-64QAM	H	Outer_Full	23.47	26.41	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Q.N.Doecheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 10 of 37

N78-3450-3550	30	50	DFT-256QAM	H	Inner_1RB_Left	21.57	24.51	30	pass
N78-3450-3550	30	50	DFT-256QAM	H	Inner_1RB_Right	21.26	24.2	30	pass
N78-3450-3550	30	50	DFT-256QAM	H	Outer_Full	21.48	24.42	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	L	Inner_1RB_Left	26.67	29.61	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	L	Inner_1RB_Right	26.21	29.15	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	L	Outer_Full	26.02	28.96	30	pass
N78-3450-3550	30	60	DFT-QPSK	L	Inner_1RB_Left	26.64	29.58	30	pass
N78-3450-3550	30	60	DFT-QPSK	L	Inner_1RB_Right	26.22	29.16	30	pass
N78-3450-3550	30	60	DFT-QPSK	L	Outer_Full	25.51	28.45	30	pass
N78-3450-3550	30	60	DFT-16QAM	L	Inner_1RB_Left	25.6	28.54	30	pass
N78-3450-3550	30	60	DFT-16QAM	L	Inner_1RB_Right	25	27.94	30	pass
N78-3450-3550	30	60	DFT-16QAM	L	Outer_Full	24.4	27.34	30	pass
N78-3450-3550	30	60	DFT-64QAM	L	Inner_1RB_Left	24.02	26.96	30	pass
N78-3450-3550	30	60	DFT-64QAM	L	Inner_1RB_Right	23.59	26.53	30	pass
N78-3450-3550	30	60	DFT-64QAM	L	Outer_Full	23.92	26.86	30	pass
N78-3450-3550	30	60	DFT-256QAM	L	Inner_1RB_Left	22.13	25.07	30	pass
N78-3450-3550	30	60	DFT-256QAM	L	Inner_1RB_Right	21.58	24.52	30	pass
N78-3450-3550	30	60	DFT-256QAM	L	Outer_Full	21.93	24.87	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	M	Inner_1RB_Left	26.38	29.32	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	M	Inner_1RB_Right	25.98	28.92	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	M	Outer_Full	25.71	28.65	30	pass
N78-3450-3550	30	60	DFT-QPSK	M	Inner_1RB_Left	26.35	29.29	30	pass
N78-3450-3550	30	60	DFT-QPSK	M	Inner_1RB_Right	25.86	28.8	30	pass
N78-3450-3550	30	60	DFT-QPSK	M	Outer_Full	25.31	28.25	30	pass
N78-3450-3550	30	60	DFT-16QAM	M	Inner_1RB_Left	25.25	28.19	30	pass
N78-3450-3550	30	60	DFT-16QAM	M	Inner_1RB_Right	24.99	27.93	30	pass
N78-3450-3550	30	60	DFT-16QAM	M	Outer_Full	24.19	27.13	30	pass
N78-3450-3550	30	60	DFT-64QAM	M	Inner_1RB_Left	23.87	26.81	30	pass
N78-3450-3550	30	60	DFT-64QAM	M	Inner_1RB_Right	23.39	26.33	30	pass
N78-3450-3550	30	60	DFT-64QAM	M	Outer_Full	23.7	26.64	30	pass
N78-3450-3550	30	60	DFT-256QAM	M	Inner_1RB_Left	21.75	24.69	30	pass
N78-3450-3550	30	60	DFT-256QAM	M	Inner_1RB_Right	21.4	24.34	30	pass
N78-3450-3550	30	60	DFT-256QAM	M	Outer_Full	21.73	24.67	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	H	Inner_1RB_Left	26.42	29.36	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Q.N.Doecheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 11 of 37

N78-3450-3550	30	60	DFT-PI2BPSK	H	Inner_1RB_Right	25.84	28.78	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	H	Outer_Full	25.65	28.59	30	pass
N78-3450-3550	30	60	DFT-QPSK	H	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	60	DFT-QPSK	H	Inner_1RB_Right	25.96	28.9	30	pass
N78-3450-3550	30	60	DFT-QPSK	H	Outer_Full	25.12	28.06	30	pass
N78-3450-3550	30	60	DFT-16QAM	H	Inner_1RB_Left	25.31	28.25	30	pass
N78-3450-3550	30	60	DFT-16QAM	H	Inner_1RB_Right	24.85	27.79	30	pass
N78-3450-3550	30	60	DFT-16QAM	H	Outer_Full	24.12	27.06	30	pass
N78-3450-3550	30	60	DFT-64QAM	H	Inner_1RB_Left	23.86	26.8	30	pass
N78-3450-3550	30	60	DFT-64QAM	H	Inner_1RB_Right	23.25	26.19	30	pass
N78-3450-3550	30	60	DFT-64QAM	H	Outer_Full	23.61	26.55	30	pass
N78-3450-3550	30	60	DFT-256QAM	H	Inner_1RB_Left	21.82	24.76	30	pass
N78-3450-3550	30	60	DFT-256QAM	H	Inner_1RB_Right	21.48	24.42	30	pass
N78-3450-3550	30	60	DFT-256QAM	H	Outer_Full	21.66	24.6	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	L	Inner_1RB_Left	26.54	29.48	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	L	Inner_1RB_Right	25.99	28.93	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	L	Outer_Full	25.83	28.77	30	pass
N78-3450-3550	30	70	DFT-QPSK	L	Inner_1RB_Left	26.6	29.54	30	pass
N78-3450-3550	30	70	DFT-QPSK	L	Inner_1RB_Right	26.03	28.97	30	pass
N78-3450-3550	30	70	DFT-QPSK	L	Outer_Full	25.31	28.25	30	pass
N78-3450-3550	30	70	DFT-16QAM	L	Inner_1RB_Left	25.48	28.42	30	pass
N78-3450-3550	30	70	DFT-16QAM	L	Inner_1RB_Right	24.98	27.92	30	pass
N78-3450-3550	30	70	DFT-16QAM	L	Outer_Full	24.29	27.23	30	pass
N78-3450-3550	30	70	DFT-64QAM	L	Inner_1RB_Left	24.04	26.98	30	pass
N78-3450-3550	30	70	DFT-64QAM	L	Inner_1RB_Right	23.39	26.33	30	pass
N78-3450-3550	30	70	DFT-64QAM	L	Outer_Full	23.8	26.74	30	pass
N78-3450-3550	30	70	DFT-256QAM	L	Inner_1RB_Left	21.96	24.9	30	pass
N78-3450-3550	30	70	DFT-256QAM	L	Inner_1RB_Right	21.57	24.51	30	pass
N78-3450-3550	30	70	DFT-256QAM	L	Outer_Full	21.77	24.71	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	M	Inner_1RB_Left	26.32	29.26	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	M	Inner_1RB_Right	25.77	28.71	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	M	Outer_Full	25.67	28.61	30	pass
N78-3450-3550	30	70	DFT-QPSK	M	Inner_1RB_Left	26.37	29.31	30	pass
N78-3450-3550	30	70	DFT-QPSK	M	Inner_1RB_Right	25.73	28.67	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 12 of 37

N78-3450-3550	30	70	DFT-QPSK	M	Outer_Full	25.15	28.09	30	pass
N78-3450-3550	30	70	DFT-16QAM	M	Inner_1RB_Left	25.22	28.16	30	pass
N78-3450-3550	30	70	DFT-16QAM	M	Inner_1RB_Right	24.8	27.74	30	pass
N78-3450-3550	30	70	DFT-16QAM	M	Outer_Full	24.18	27.12	30	pass
N78-3450-3550	30	70	DFT-64QAM	M	Inner_1RB_Left	23.75	26.69	30	pass
N78-3450-3550	30	70	DFT-64QAM	M	Inner_1RB_Right	23.43	26.37	30	pass
N78-3450-3550	30	70	DFT-64QAM	M	Outer_Full	23.64	26.58	30	pass
N78-3450-3550	30	70	DFT-256QAM	M	Inner_1RB_Left	21.76	24.7	30	pass
N78-3450-3550	30	70	DFT-256QAM	M	Inner_1RB_Right	21.22	24.16	30	pass
N78-3450-3550	30	70	DFT-256QAM	M	Outer_Full	21.69	24.63	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	H	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	H	Inner_1RB_Right	25.77	28.71	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	H	Outer_Full	25.57	28.51	30	pass
N78-3450-3550	30	70	DFT-QPSK	H	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	70	DFT-QPSK	H	Inner_1RB_Right	25.77	28.71	30	pass
N78-3450-3550	30	70	DFT-QPSK	H	Outer_Full	25.08	28.02	30	pass
N78-3450-3550	30	70	DFT-16QAM	H	Inner_1RB_Left	25.23	28.17	30	pass
N78-3450-3550	30	70	DFT-16QAM	H	Inner_1RB_Right	24.77	27.71	30	pass
N78-3450-3550	30	70	DFT-16QAM	H	Outer_Full	24.04	26.98	30	pass
N78-3450-3550	30	70	DFT-64QAM	H	Inner_1RB_Left	23.81	26.75	30	pass
N78-3450-3550	30	70	DFT-64QAM	H	Inner_1RB_Right	23.32	26.26	30	pass
N78-3450-3550	30	70	DFT-64QAM	H	Outer_Full	23.59	26.53	30	pass
N78-3450-3550	30	70	DFT-256QAM	H	Inner_1RB_Left	21.82	24.76	30	pass
N78-3450-3550	30	70	DFT-256QAM	H	Inner_1RB_Right	21.28	24.22	30	pass
N78-3450-3550	30	70	DFT-256QAM	H	Outer_Full	21.63	24.57	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	L	Inner_1RB_Left	26.54	29.48	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	L	Inner_1RB_Right	25.91	28.85	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	L	Outer_Full	25.77	28.71	30	pass
N78-3450-3550	30	80	DFT-QPSK	L	Inner_1RB_Left	26.45	29.39	30	pass
N78-3450-3550	30	80	DFT-QPSK	L	Inner_1RB_Right	25.96	28.9	30	pass
N78-3450-3550	30	80	DFT-QPSK	L	Outer_Full	25.29	28.23	30	pass
N78-3450-3550	30	80	DFT-16QAM	L	Inner_1RB_Left	25.41	28.35	30	pass
N78-3450-3550	30	80	DFT-16QAM	L	Inner_1RB_Right	24.79	27.73	30	pass
N78-3450-3550	30	80	DFT-16QAM	L	Outer_Full	24.23	27.17	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Q.N.Doecheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 13 of 37

N78-3450-3550	30	80	DFT-64QAM	L	Inner_1RB_Left	23.91	26.85	30	pass
N78-3450-3550	30	80	DFT-64QAM	L	Inner_1RB_Right	23.33	26.27	30	pass
N78-3450-3550	30	80	DFT-64QAM	L	Outer_Full	23.79	26.73	30	pass
N78-3450-3550	30	80	DFT-256QAM	L	Inner_1RB_Left	21.91	24.85	30	pass
N78-3450-3550	30	80	DFT-256QAM	L	Inner_1RB_Right	21.46	24.4	30	pass
N78-3450-3550	30	80	DFT-256QAM	L	Outer_Full	21.79	24.73	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	M	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	M	Inner_1RB_Right	25.75	28.69	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	M	Outer_Full	25.66	28.6	30	pass
N78-3450-3550	30	80	DFT-QPSK	M	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	80	DFT-QPSK	M	Inner_1RB_Right	25.75	28.69	30	pass
N78-3450-3550	30	80	DFT-QPSK	M	Outer_Full	25.15	28.09	30	pass
N78-3450-3550	30	80	DFT-16QAM	M	Inner_1RB_Left	25.14	28.08	30	pass
N78-3450-3550	30	80	DFT-16QAM	M	Inner_1RB_Right	24.7	27.64	30	pass
N78-3450-3550	30	80	DFT-16QAM	M	Outer_Full	24.14	27.08	30	pass
N78-3450-3550	30	80	DFT-64QAM	M	Inner_1RB_Left	23.6	26.54	30	pass
N78-3450-3550	30	80	DFT-64QAM	M	Inner_1RB_Right	23.29	26.23	30	pass
N78-3450-3550	30	80	DFT-64QAM	M	Outer_Full	23.63	26.57	30	pass
N78-3450-3550	30	80	DFT-256QAM	M	Inner_1RB_Left	21.91	24.85	30	pass
N78-3450-3550	30	80	DFT-256QAM	M	Inner_1RB_Right	21.29	24.23	30	pass
N78-3450-3550	30	80	DFT-256QAM	M	Outer_Full	21.64	24.58	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	H	Inner_1RB_Left	26.15	29.09	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	H	Inner_1RB_Right	25.8	28.74	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	H	Outer_Full	25.57	28.51	30	pass
N78-3450-3550	30	80	DFT-QPSK	H	Inner_1RB_Left	26.19	29.13	30	pass
N78-3450-3550	30	80	DFT-QPSK	H	Inner_1RB_Right	25.73	28.67	30	pass
N78-3450-3550	30	80	DFT-QPSK	H	Outer_Full	25.1	28.04	30	pass
N78-3450-3550	30	80	DFT-16QAM	H	Inner_1RB_Left	25.08	28.02	30	pass
N78-3450-3550	30	80	DFT-16QAM	H	Inner_1RB_Right	24.79	27.73	30	pass
N78-3450-3550	30	80	DFT-16QAM	H	Outer_Full	24.11	27.05	30	pass
N78-3450-3550	30	80	DFT-64QAM	H	Inner_1RB_Left	23.62	26.56	30	pass
N78-3450-3550	30	80	DFT-64QAM	H	Inner_1RB_Right	23.15	26.09	30	pass
N78-3450-3550	30	80	DFT-64QAM	H	Outer_Full	23.59	26.53	30	pass
N78-3450-3550	30	80	DFT-256QAM	H	Inner_1RB_Left	21.64	24.58	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Q.N.Doecheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980

www.sgs.com.cn

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2210000221RG02

Rev.: 01

Page: 14 of 37

N78-3450-3550	30	80	DFT-256QAM	H	Inner_1RB_Right	21.27	24.21	30	pass
N78-3450-3550	30	80	DFT-256QAM	H	Outer_Full	21.48	24.42	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	L	Inner_1RB_Left	26.42	29.36	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	L	Inner_1RB_Right	25.84	28.78	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	L	Outer_Full	25.75	28.69	30	pass
N78-3450-3550	30	90	DFT-QPSK	L	Inner_1RB_Left	26.42	29.36	30	pass
N78-3450-3550	30	90	DFT-QPSK	L	Inner_1RB_Right	25.87	28.81	30	pass
N78-3450-3550	30	90	DFT-QPSK	L	Outer_Full	25.24	28.18	30	pass
N78-3450-3550	30	90	DFT-16QAM	L	Inner_1RB_Left	25.47	28.41	30	pass
N78-3450-3550	30	90	DFT-16QAM	L	Inner_1RB_Right	24.81	27.75	30	pass
N78-3450-3550	30	90	DFT-16QAM	L	Outer_Full	24.23	27.17	30	pass
N78-3450-3550	30	90	DFT-64QAM	L	Inner_1RB_Left	23.92	26.86	30	pass
N78-3450-3550	30	90	DFT-64QAM	L	Inner_1RB_Right	23.3	26.24	30	pass
N78-3450-3550	30	90	DFT-64QAM	L	Outer_Full	23.76	26.7	30	pass
N78-3450-3550	30	90	DFT-256QAM	L	Inner_1RB_Left	21.82	24.76	30	pass
N78-3450-3550	30	90	DFT-256QAM	L	Inner_1RB_Right	21.36	24.3	30	pass
N78-3450-3550	30	90	DFT-256QAM	L	Outer_Full	21.77	24.71	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	M	Inner_1RB_Left	26.32	29.26	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	M	Inner_1RB_Right	25.8	28.74	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	M	Outer_Full	25.66	28.6	30	pass
N78-3450-3550	30	90	DFT-QPSK	M	Inner_1RB_Left	26.35	29.29	30	pass
N78-3450-3550	30	90	DFT-QPSK	M	Inner_1RB_Right	25.8	28.74	30	pass
N78-3450-3550	30	90	DFT-QPSK	M	Outer_Full	25.12	28.06	30	pass
N78-3450-3550	30	90	DFT-16QAM	M	Inner_1RB_Left	25.31	28.25	30	pass
N78-3450-3550	30	90	DFT-16QAM	M	Inner_1RB_Right	24.92	27.86	30	pass
N78-3450-3550	30	90	DFT-16QAM	M	Outer_Full	24.11	27.05	30	pass
N78-3450-3550	30	90	DFT-64QAM	M	Inner_1RB_Left	23.94	26.88	30	pass
N78-3450-3550	30	90	DFT-64QAM	M	Inner_1RB_Right	23.34	26.28	30	pass
N78-3450-3550	30	90	DFT-64QAM	M	Outer_Full	23.62	26.56	30	pass
N78-3450-3550	30	90	DFT-256QAM	M	Inner_1RB_Left	21.95	24.89	30	pass
N78-3450-3550	30	90	DFT-256QAM	M	Inner_1RB_Right	21.46	24.4	30	pass
N78-3450-3550	30	90	DFT-256QAM	M	Outer_Full	21.64	24.58	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	H	Inner_1RB_Left	26.27	29.21	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	H	Inner_1RB_Right	25.84	28.78	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Q.N.Doecheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2210000221RG02

Rev.: 01

Page: 15 of 37

N78-3450-3550	30	90	DFT-PI2BPSK	H	Outer_Full	25.67	28.61	30	pass
N78-3450-3550	30	90	DFT-QPSK	H	Inner_1RB_Left	26.28	29.22	30	pass
N78-3450-3550	30	90	DFT-QPSK	H	Inner_1RB_Right	25.8	28.74	30	pass
N78-3450-3550	30	90	DFT-QPSK	H	Outer_Full	25.14	28.08	30	pass
N78-3450-3550	30	90	DFT-16QAM	H	Inner_1RB_Left	25.26	28.2	30	pass
N78-3450-3550	30	90	DFT-16QAM	H	Inner_1RB_Right	24.83	27.77	30	pass
N78-3450-3550	30	90	DFT-16QAM	H	Outer_Full	24.14	27.08	30	pass
N78-3450-3550	30	90	DFT-64QAM	H	Inner_1RB_Left	23.73	26.67	30	pass
N78-3450-3550	30	90	DFT-64QAM	H	Inner_1RB_Right	23.37	26.31	30	pass
N78-3450-3550	30	90	DFT-64QAM	H	Outer_Full	23.65	26.59	30	pass
N78-3450-3550	30	90	DFT-256QAM	H	Inner_1RB_Left	21.85	24.79	30	pass
N78-3450-3550	30	90	DFT-256QAM	H	Inner_1RB_Right	21.34	24.28	30	pass
N78-3450-3550	30	90	DFT-256QAM	H	Outer_Full	21.62	24.56	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	L	Inner_1RB_Left	26.31	29.25	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	L	Inner_1RB_Right	25.79	28.73	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	L	Outer_Full	25.66	28.6	30	pass
N78-3450-3550	30	100	DFT-QPSK	L	Inner_1RB_Left	26.32	29.26	30	pass
N78-3450-3550	30	100	DFT-QPSK	L	Inner_1RB_Right	25.79	28.73	30	pass
N78-3450-3550	30	100	DFT-QPSK	L	Outer_Full	25.15	28.09	30	pass
N78-3450-3550	30	100	DFT-16QAM	L	Inner_1RB_Left	25.3	28.24	30	pass
N78-3450-3550	30	100	DFT-16QAM	L	Inner_1RB_Right	24.73	27.67	30	pass
N78-3450-3550	30	100	DFT-16QAM	L	Outer_Full	24.11	27.05	30	pass
N78-3450-3550	30	100	DFT-64QAM	L	Inner_1RB_Left	23.86	26.8	30	pass
N78-3450-3550	30	100	DFT-64QAM	L	Inner_1RB_Right	23.36	26.3	30	pass
N78-3450-3550	30	100	DFT-64QAM	L	Outer_Full	22.36	25.3	30	pass
N78-3450-3550	30	100	DFT-256QAM	L	Inner_1RB_Left	21.84	24.78	30	pass
N78-3450-3550	30	100	DFT-256QAM	L	Inner_1RB_Right	21.26	24.2	30	pass
N78-3450-3550	30	100	DFT-256QAM	L	Outer_Full	21.54	24.48	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	M	Inner_1RB_Left	26.38	29.32	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	M	Inner_1RB_Right	25.82	28.76	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	25.65	28.59	30	pass
N78-3450-3550	30	100	DFT-QPSK	M	Inner_1RB_Left	26.35	29.29	30	pass
N78-3450-3550	30	100	DFT-QPSK	M	Inner_1RB_Right	25.78	28.72	30	pass
N78-3450-3550	30	100	DFT-QPSK	M	Outer_Full	25.13	28.07	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Q.N.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 16 of 37

N78-3450-3550	30	100	DFT-16QAM	M	Inner_1RB_Left	25.36	28.3	30	pass
N78-3450-3550	30	100	DFT-16QAM	M	Inner_1RB_Right	24.83	27.77	30	pass
N78-3450-3550	30	100	DFT-16QAM	M	Outer_Full	24.13	27.07	30	pass
N78-3450-3550	30	100	DFT-64QAM	M	Inner_1RB_Left	23.8	26.74	30	pass
N78-3450-3550	30	100	DFT-64QAM	M	Inner_1RB_Right	23.23	26.17	30	pass
N78-3450-3550	30	100	DFT-64QAM	M	Outer_Full	23.64	26.58	30	pass
N78-3450-3550	30	100	DFT-256QAM	M	Inner_1RB_Left	21.8	24.74	30	pass
N78-3450-3550	30	100	DFT-256QAM	M	Inner_1RB_Right	21.3	24.24	30	pass
N78-3450-3550	30	100	DFT-256QAM	M	Outer_Full	21.6	24.54	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	H	Inner_1RB_Left	26.37	29.31	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	H	Inner_1RB_Right	25.8	28.74	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	H	Outer_Full	25.68	28.62	30	pass
N78-3450-3550	30	100	DFT-QPSK	H	Inner_1RB_Left	26.33	29.27	30	pass
N78-3450-3550	30	100	DFT-QPSK	H	Inner_1RB_Right	25.84	28.78	30	pass
N78-3450-3550	30	100	DFT-QPSK	H	Outer_Full	25.11	28.05	30	pass
N78-3450-3550	30	100	DFT-16QAM	H	Inner_1RB_Left	25.24	28.18	30	pass
N78-3450-3550	30	100	DFT-16QAM	H	Inner_1RB_Right	24.81	27.75	30	pass
N78-3450-3550	30	100	DFT-16QAM	H	Outer_Full	24.13	27.07	30	pass
N78-3450-3550	30	100	DFT-64QAM	H	Inner_1RB_Left	23.83	26.77	30	pass
N78-3450-3550	30	100	DFT-64QAM	H	Inner_1RB_Right	23.27	26.21	30	pass
N78-3450-3550	30	100	DFT-64QAM	H	Outer_Full	23.66	26.6	30	pass
N78-3450-3550	30	100	DFT-256QAM	H	Inner_1RB_Left	21.87	24.81	30	pass
N78-3450-3550	30	100	DFT-256QAM	H	Inner_1RB_Right	21.28	24.22	30	pass
N78-3450-3550	30	100	DFT-256QAM	H	Outer_Full	21.66	24.6	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: QN.Doccheck@sgs.com

South of No. 6 Plant No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

**Effective (Isotropic) Radiated Power Output Data for UL MIMO****Test Result**

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power	EIRP	LIMIT	verdict
N78-3450-3550	30	10	DFT-PI2BPSK	L	Inner_1RB_Left	26.31	29.25	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	L	Inner_1RB_Right	26.22	29.16	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	L	Outer_Full	25.8	28.74	30	pass
N78-3450-3550	30	10	DFT-QPSK	L	Inner_1RB_Left	26.35	29.29	30	pass
N78-3450-3550	30	10	DFT-QPSK	L	Inner_1RB_Right	26.2	29.14	30	pass
N78-3450-3550	30	10	DFT-QPSK	L	Outer_Full	25.33	28.27	30	pass
N78-3450-3550	30	10	DFT-16QAM	L	Inner_1RB_Left	25.33	28.27	30	pass
N78-3450-3550	30	10	DFT-16QAM	L	Inner_1RB_Right	25.27	28.21	30	pass
N78-3450-3550	30	10	DFT-16QAM	L	Outer_Full	24.28	27.22	30	pass
N78-3450-3550	30	10	DFT-64QAM	L	Inner_1RB_Left	23.82	26.76	30	pass
N78-3450-3550	30	10	DFT-64QAM	L	Inner_1RB_Right	23.69	26.63	30	pass
N78-3450-3550	30	10	DFT-64QAM	L	Outer_Full	23.79	26.73	30	pass
N78-3450-3550	30	10	DFT-256QAM	L	Inner_1RB_Left	21.76	24.7	30	pass
N78-3450-3550	30	10	DFT-256QAM	L	Inner_1RB_Right	21.72	24.66	30	pass
N78-3450-3550	30	10	DFT-256QAM	L	Outer_Full	21.82	24.76	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	M	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	M	Inner_1RB_Right	26.17	29.11	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	M	Outer_Full	25.75	28.69	30	pass
N78-3450-3550	30	10	DFT-QPSK	M	Inner_1RB_Left	26.27	29.21	30	pass
N78-3450-3550	30	10	DFT-QPSK	M	Inner_1RB_Right	26.17	29.11	30	pass
N78-3450-3550	30	10	DFT-QPSK	M	Outer_Full	25.26	28.2	30	pass
N78-3450-3550	30	10	DFT-16QAM	M	Inner_1RB_Left	25.18	28.12	30	pass
N78-3450-3550	30	10	DFT-16QAM	M	Inner_1RB_Right	25.16	28.1	30	pass
N78-3450-3550	30	10	DFT-16QAM	M	Outer_Full	24.22	27.16	30	pass
N78-3450-3550	30	10	DFT-64QAM	M	Inner_1RB_Left	23.7	26.64	30	pass
N78-3450-3550	30	10	DFT-64QAM	M	Inner_1RB_Right	23.66	26.6	30	pass
N78-3450-3550	30	10	DFT-64QAM	M	Outer_Full	23.71	26.65	30	pass
N78-3450-3550	30	10	DFT-256QAM	M	Inner_1RB_Left	21.75	24.69	30	pass
N78-3450-3550	30	10	DFT-256QAM	M	Inner_1RB_Right	21.67	24.61	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: QN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2210000221RG02

Rev.: 01

Page: 18 of 37

N78-3450-3550	30	10	DFT-256QAM	M	Outer_Full	21.72	24.66	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	H	Inner_1RB_Left	26	28.94	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	H	Inner_1RB_Right	25.99	28.93	30	pass
N78-3450-3550	30	10	DFT-PI2BPSK	H	Outer_Full	25.5	28.44	30	pass
N78-3450-3550	30	10	DFT-QPSK	H	Inner_1RB_Left	25.98	28.92	30	pass
N78-3450-3550	30	10	DFT-QPSK	H	Inner_1RB_Right	25.99	28.93	30	pass
N78-3450-3550	30	10	DFT-QPSK	H	Outer_Full	25	27.94	30	pass
N78-3450-3550	30	10	DFT-16QAM	H	Inner_1RB_Left	24.99	27.93	30	pass
N78-3450-3550	30	10	DFT-16QAM	H	Inner_1RB_Right	24.98	27.92	30	pass
N78-3450-3550	30	10	DFT-16QAM	H	Outer_Full	23.98	26.92	30	pass
N78-3450-3550	30	10	DFT-64QAM	H	Inner_1RB_Left	23.44	26.38	30	pass
N78-3450-3550	30	10	DFT-64QAM	H	Inner_1RB_Right	23.45	26.39	30	pass
N78-3450-3550	30	10	DFT-64QAM	H	Outer_Full	23.51	26.45	30	pass
N78-3450-3550	30	10	DFT-256QAM	H	Inner_1RB_Left	21.48	24.42	30	pass
N78-3450-3550	30	10	DFT-256QAM	H	Inner_1RB_Right	21.61	24.55	30	pass
N78-3450-3550	30	10	DFT-256QAM	H	Outer_Full	21.52	24.46	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	L	Inner_1RB_Left	26.53	29.47	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	L	Inner_1RB_Right	26.42	29.36	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	L	Outer_Full	26.02	28.96	30	pass
N78-3450-3550	30	15	DFT-QPSK	L	Inner_1RB_Left	26.53	29.47	30	pass
N78-3450-3550	30	15	DFT-QPSK	L	Inner_1RB_Right	26.38	29.32	30	pass
N78-3450-3550	30	15	DFT-QPSK	L	Outer_Full	25.5	28.44	30	pass
N78-3450-3550	30	15	DFT-16QAM	L	Inner_1RB_Left	25.52	28.46	30	pass
N78-3450-3550	30	15	DFT-16QAM	L	Inner_1RB_Right	25.37	28.31	30	pass
N78-3450-3550	30	15	DFT-16QAM	L	Outer_Full	24.41	27.35	30	pass
N78-3450-3550	30	15	DFT-64QAM	L	Inner_1RB_Left	24	26.94	30	pass
N78-3450-3550	30	15	DFT-64QAM	L	Inner_1RB_Right	23.8	26.74	30	pass
N78-3450-3550	30	15	DFT-64QAM	L	Outer_Full	23.9	26.84	30	pass
N78-3450-3550	30	15	DFT-256QAM	L	Inner_1RB_Left	21.94	24.88	30	pass
N78-3450-3550	30	15	DFT-256QAM	L	Inner_1RB_Right	21.8	24.74	30	pass
N78-3450-3550	30	15	DFT-256QAM	L	Outer_Full	21.95	24.89	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	M	Inner_1RB_Left	26.51	29.45	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	M	Inner_1RB_Right	26.19	29.13	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	M	Outer_Full	25.87	28.81	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 19 of 37

N78-3450-3550	30	15	DFT-QPSK	M	Inner_1RB_Left	26.43	29.37	30	pass
N78-3450-3550	30	15	DFT-QPSK	M	Inner_1RB_Right	26.23	29.17	30	pass
N78-3450-3550	30	15	DFT-QPSK	M	Outer_Full	25.37	28.31	30	pass
N78-3450-3550	30	15	DFT-16QAM	M	Inner_1RB_Left	25.33	28.27	30	pass
N78-3450-3550	30	15	DFT-16QAM	M	Inner_1RB_Right	25.26	28.2	30	pass
N78-3450-3550	30	15	DFT-16QAM	M	Outer_Full	24.34	27.28	30	pass
N78-3450-3550	30	15	DFT-64QAM	M	Inner_1RB_Left	23.84	26.78	30	pass
N78-3450-3550	30	15	DFT-64QAM	M	Inner_1RB_Right	23.73	26.67	30	pass
N78-3450-3550	30	15	DFT-64QAM	M	Outer_Full	23.87	26.81	30	pass
N78-3450-3550	30	15	DFT-256QAM	M	Inner_1RB_Left	21.9	24.84	30	pass
N78-3450-3550	30	15	DFT-256QAM	M	Inner_1RB_Right	21.77	24.71	30	pass
N78-3450-3550	30	15	DFT-256QAM	M	Outer_Full	21.91	24.85	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	H	Inner_1RB_Left	26.12	29.06	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	H	Inner_1RB_Right	26.12	29.06	30	pass
N78-3450-3550	30	15	DFT-PI2BPSK	H	Outer_Full	25.63	28.57	30	pass
N78-3450-3550	30	15	DFT-QPSK	H	Inner_1RB_Left	26.09	29.03	30	pass
N78-3450-3550	30	15	DFT-QPSK	H	Inner_1RB_Right	26.12	29.06	30	pass
N78-3450-3550	30	15	DFT-QPSK	H	Outer_Full	25.14	28.08	30	pass
N78-3450-3550	30	15	DFT-16QAM	H	Inner_1RB_Left	25.13	28.07	30	pass
N78-3450-3550	30	15	DFT-16QAM	H	Inner_1RB_Right	25.07	28.01	30	pass
N78-3450-3550	30	15	DFT-16QAM	H	Outer_Full	24.16	27.1	30	pass
N78-3450-3550	30	15	DFT-64QAM	H	Inner_1RB_Left	23.61	26.55	30	pass
N78-3450-3550	30	15	DFT-64QAM	H	Inner_1RB_Right	23.63	26.57	30	pass
N78-3450-3550	30	15	DFT-64QAM	H	Outer_Full	23.63	26.57	30	pass
N78-3450-3550	30	15	DFT-256QAM	H	Inner_1RB_Left	21.7	24.64	30	pass
N78-3450-3550	30	15	DFT-256QAM	H	Inner_1RB_Right	21.6	24.54	30	pass
N78-3450-3550	30	15	DFT-256QAM	H	Outer_Full	21.63	24.57	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	L	Inner_1RB_Left	26.5	29.44	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	L	Inner_1RB_Right	26.33	29.27	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	L	Outer_Full	25.93	28.87	30	pass
N78-3450-3550	30	20	DFT-QPSK	L	Inner_1RB_Left	26.52	29.46	30	pass
N78-3450-3550	30	20	DFT-QPSK	L	Inner_1RB_Right	26.32	29.26	30	pass
N78-3450-3550	30	20	DFT-QPSK	L	Outer_Full	25.41	28.35	30	pass
N78-3450-3550	30	20	DFT-16QAM	L	Inner_1RB_Left	25.39	28.33	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 20 of 37

N78-3450-3550	30	20	DFT-16QAM	L	Inner_1RB_Right	25.32	28.26	30	pass
N78-3450-3550	30	20	DFT-16QAM	L	Outer_Full	24.45	27.39	30	pass
N78-3450-3550	30	20	DFT-64QAM	L	Inner_1RB_Left	24.01	26.95	30	pass
N78-3450-3550	30	20	DFT-64QAM	L	Inner_1RB_Right	23.71	26.65	30	pass
N78-3450-3550	30	20	DFT-64QAM	L	Outer_Full	23.92	26.86	30	pass
N78-3450-3550	30	20	DFT-256QAM	L	Inner_1RB_Left	22	24.94	30	pass
N78-3450-3550	30	20	DFT-256QAM	L	Inner_1RB_Right	21.87	24.81	30	pass
N78-3450-3550	30	20	DFT-256QAM	L	Outer_Full	21.93	24.87	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	M	Inner_1RB_Left	26.45	29.39	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	M	Inner_1RB_Right	26.28	29.22	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	M	Outer_Full	25.85	28.79	30	pass
N78-3450-3550	30	20	DFT-QPSK	M	Inner_1RB_Left	26.4	29.34	30	pass
N78-3450-3550	30	20	DFT-QPSK	M	Inner_1RB_Right	26.33	29.27	30	pass
N78-3450-3550	30	20	DFT-QPSK	M	Outer_Full	25.36	28.3	30	pass
N78-3450-3550	30	20	DFT-16QAM	M	Inner_1RB_Left	25.41	28.35	30	pass
N78-3450-3550	30	20	DFT-16QAM	M	Inner_1RB_Right	25.26	28.2	30	pass
N78-3450-3550	30	20	DFT-16QAM	M	Outer_Full	24.36	27.3	30	pass
N78-3450-3550	30	20	DFT-64QAM	M	Inner_1RB_Left	23.89	26.83	30	pass
N78-3450-3550	30	20	DFT-64QAM	M	Inner_1RB_Right	23.79	26.73	30	pass
N78-3450-3550	30	20	DFT-64QAM	M	Outer_Full	23.87	26.81	30	pass
N78-3450-3550	30	20	DFT-256QAM	M	Inner_1RB_Left	22.02	24.96	30	pass
N78-3450-3550	30	20	DFT-256QAM	M	Inner_1RB_Right	21.88	24.82	30	pass
N78-3450-3550	30	20	DFT-256QAM	M	Outer_Full	21.85	24.79	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	H	Inner_1RB_Left	26.2	29.14	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	H	Inner_1RB_Right	26.17	29.11	30	pass
N78-3450-3550	30	20	DFT-PI2BPSK	H	Outer_Full	25.65	28.59	30	pass
N78-3450-3550	30	20	DFT-QPSK	H	Inner_1RB_Left	26.23	29.17	30	pass
N78-3450-3550	30	20	DFT-QPSK	H	Inner_1RB_Right	26.15	29.09	30	pass
N78-3450-3550	30	20	DFT-QPSK	H	Outer_Full	25.17	28.11	30	pass
N78-3450-3550	30	20	DFT-16QAM	H	Inner_1RB_Left	25.18	28.12	30	pass
N78-3450-3550	30	20	DFT-16QAM	H	Inner_1RB_Right	25.12	28.06	30	pass
N78-3450-3550	30	20	DFT-16QAM	H	Outer_Full	24.14	27.08	30	pass
N78-3450-3550	30	20	DFT-64QAM	H	Inner_1RB_Left	23.6	26.54	30	pass
N78-3450-3550	30	20	DFT-64QAM	H	Inner_1RB_Right	23.62	26.56	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 21 of 37

N78-3450-3550	30	20	DFT-64QAM	H	Outer_Full	23.66	26.6	30	pass
N78-3450-3550	30	20	DFT-256QAM	H	Inner_1RB_Left	21.53	24.47	30	pass
N78-3450-3550	30	20	DFT-256QAM	H	Inner_1RB_Right	21.56	24.5	30	pass
N78-3450-3550	30	20	DFT-256QAM	H	Outer_Full	21.62	24.56	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	L	Inner_1RB_Left	26.55	29.49	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	L	Inner_1RB_Right	26.34	29.28	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	L	Outer_Full	25.92	28.86	30	pass
N78-3450-3550	30	30	DFT-QPSK	L	Inner_1RB_Left	26.36	29.3	30	pass
N78-3450-3550	30	30	DFT-QPSK	L	Inner_1RB_Right	26.34	29.28	30	pass
N78-3450-3550	30	30	DFT-QPSK	L	Outer_Full	25.39	28.33	30	pass
N78-3450-3550	30	30	DFT-16QAM	L	Inner_1RB_Left	25.53	28.47	30	pass
N78-3450-3550	30	30	DFT-16QAM	L	Inner_1RB_Right	25.24	28.18	30	pass
N78-3450-3550	30	30	DFT-16QAM	L	Outer_Full	24.4	27.34	30	pass
N78-3450-3550	30	30	DFT-64QAM	L	Inner_1RB_Left	24.07	27.01	30	pass
N78-3450-3550	30	30	DFT-64QAM	L	Inner_1RB_Right	23.85	26.79	30	pass
N78-3450-3550	30	30	DFT-64QAM	L	Outer_Full	23.9	26.84	30	pass
N78-3450-3550	30	30	DFT-256QAM	L	Inner_1RB_Left	22.12	25.06	30	pass
N78-3450-3550	30	30	DFT-256QAM	L	Inner_1RB_Right	21.76	24.7	30	pass
N78-3450-3550	30	30	DFT-256QAM	L	Outer_Full	21.88	24.82	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	M	Inner_1RB_Left	26.51	29.45	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	M	Inner_1RB_Right	26.26	29.2	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	M	Outer_Full	25.9	28.84	30	pass
N78-3450-3550	30	30	DFT-QPSK	M	Inner_1RB_Left	26.62	29.56	30	pass
N78-3450-3550	30	30	DFT-QPSK	M	Inner_1RB_Right	26.24	29.18	30	pass
N78-3450-3550	30	30	DFT-QPSK	M	Outer_Full	25.41	28.35	30	pass
N78-3450-3550	30	30	DFT-16QAM	M	Inner_1RB_Left	25.45	28.39	30	pass
N78-3450-3550	30	30	DFT-16QAM	M	Inner_1RB_Right	25.31	28.25	30	pass
N78-3450-3550	30	30	DFT-16QAM	M	Outer_Full	24.41	27.35	30	pass
N78-3450-3550	30	30	DFT-64QAM	M	Inner_1RB_Left	24.01	26.95	30	pass
N78-3450-3550	30	30	DFT-64QAM	M	Inner_1RB_Right	23.84	26.78	30	pass
N78-3450-3550	30	30	DFT-64QAM	M	Outer_Full	23.89	26.83	30	pass
N78-3450-3550	30	30	DFT-256QAM	M	Inner_1RB_Left	21.95	24.89	30	pass
N78-3450-3550	30	30	DFT-256QAM	M	Inner_1RB_Right	21.71	24.65	30	pass
N78-3450-3550	30	30	DFT-256QAM	M	Outer_Full	21.9	24.84	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 22 of 37

N78-3450-3550	30	30	DFT-PI2BPSK	H	Inner_1RB_Left	26.24	29.18	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	H	Inner_1RB_Right	26.08	29.02	30	pass
N78-3450-3550	30	30	DFT-PI2BPSK	H	Outer_Full	25.61	28.55	30	pass
N78-3450-3550	30	30	DFT-QPSK	H	Inner_1RB_Left	26.26	29.2	30	pass
N78-3450-3550	30	30	DFT-QPSK	H	Inner_1RB_Right	26.05	28.99	30	pass
N78-3450-3550	30	30	DFT-QPSK	H	Outer_Full	25.12	28.06	30	pass
N78-3450-3550	30	30	DFT-16QAM	H	Inner_1RB_Left	25.14	28.08	30	pass
N78-3450-3550	30	30	DFT-16QAM	H	Inner_1RB_Right	25.04	27.98	30	pass
N78-3450-3550	30	30	DFT-16QAM	H	Outer_Full	24.1	27.04	30	pass
N78-3450-3550	30	30	DFT-64QAM	H	Inner_1RB_Left	23.74	26.68	30	pass
N78-3450-3550	30	30	DFT-64QAM	H	Inner_1RB_Right	23.57	26.51	30	pass
N78-3450-3550	30	30	DFT-64QAM	H	Outer_Full	23.59	26.53	30	pass
N78-3450-3550	30	30	DFT-256QAM	H	Inner_1RB_Left	21.7	24.64	30	pass
N78-3450-3550	30	30	DFT-256QAM	H	Inner_1RB_Right	21.48	24.42	30	pass
N78-3450-3550	30	30	DFT-256QAM	H	Outer_Full	21.56	24.5	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	L	Inner_1RB_Left	26.66	29.6	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	L	Inner_1RB_Right	26.4	29.34	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	L	Outer_Full	25.94	28.88	30	pass
N78-3450-3550	30	40	DFT-QPSK	L	Inner_1RB_Left	26.66	29.6	30	pass
N78-3450-3550	30	40	DFT-QPSK	L	Inner_1RB_Right	26.43	29.37	30	pass
N78-3450-3550	30	40	DFT-QPSK	L	Outer_Full	25.42	28.36	30	pass
N78-3450-3550	30	40	DFT-16QAM	L	Inner_1RB_Left	25.65	28.59	30	pass
N78-3450-3550	30	40	DFT-16QAM	L	Inner_1RB_Right	25.4	28.34	30	pass
N78-3450-3550	30	40	DFT-16QAM	L	Outer_Full	24.46	27.4	30	pass
N78-3450-3550	30	40	DFT-64QAM	L	Inner_1RB_Left	24.12	27.06	30	pass
N78-3450-3550	30	40	DFT-64QAM	L	Inner_1RB_Right	23.83	26.77	30	pass
N78-3450-3550	30	40	DFT-64QAM	L	Outer_Full	23.92	26.86	30	pass
N78-3450-3550	30	40	DFT-256QAM	L	Inner_1RB_Left	22.13	25.07	30	pass
N78-3450-3550	30	40	DFT-256QAM	L	Inner_1RB_Right	21.87	24.81	30	pass
N78-3450-3550	30	40	DFT-256QAM	L	Outer_Full	21.92	24.86	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	M	Inner_1RB_Left	26.61	29.55	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	M	Inner_1RB_Right	26.24	29.18	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	M	Outer_Full	25.89	28.83	30	pass
N78-3450-3550	30	40	DFT-QPSK	M	Inner_1RB_Left	26.56	29.5	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2210000221RG02

Rev.: 01

Page: 23 of 37

N78-3450-3550	30	40	DFT-QPSK	M	Inner_1RB_Right	26.24	29.18	30	pass
N78-3450-3550	30	40	DFT-QPSK	M	Outer_Full	25.39	28.33	30	pass
N78-3450-3550	30	40	DFT-16QAM	M	Inner_1RB_Left	25.48	28.42	30	pass
N78-3450-3550	30	40	DFT-16QAM	M	Inner_1RB_Right	25.32	28.26	30	pass
N78-3450-3550	30	40	DFT-16QAM	M	Outer_Full	24.36	27.3	30	pass
N78-3450-3550	30	40	DFT-64QAM	M	Inner_1RB_Left	24.04	26.98	30	pass
N78-3450-3550	30	40	DFT-64QAM	M	Inner_1RB_Right	23.74	26.68	30	pass
N78-3450-3550	30	40	DFT-64QAM	M	Outer_Full	23.85	26.79	30	pass
N78-3450-3550	30	40	DFT-256QAM	M	Inner_1RB_Left	22.04	24.98	30	pass
N78-3450-3550	30	40	DFT-256QAM	M	Inner_1RB_Right	21.89	24.83	30	pass
N78-3450-3550	30	40	DFT-256QAM	M	Outer_Full	21.91	24.85	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	H	Inner_1RB_Left	26.33	29.27	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	H	Inner_1RB_Right	26.07	29.01	30	pass
N78-3450-3550	30	40	DFT-PI2BPSK	H	Outer_Full	25.63	28.57	30	pass
N78-3450-3550	30	40	DFT-QPSK	H	Inner_1RB_Left	26.32	29.26	30	pass
N78-3450-3550	30	40	DFT-QPSK	H	Inner_1RB_Right	26.07	29.01	30	pass
N78-3450-3550	30	40	DFT-QPSK	H	Outer_Full	25.12	28.06	30	pass
N78-3450-3550	30	40	DFT-16QAM	H	Inner_1RB_Left	25.33	28.27	30	pass
N78-3450-3550	30	40	DFT-16QAM	H	Inner_1RB_Right	25.05	27.99	30	pass
N78-3450-3550	30	40	DFT-16QAM	H	Outer_Full	24.1	27.04	30	pass
N78-3450-3550	30	40	DFT-64QAM	H	Inner_1RB_Left	23.79	26.73	30	pass
N78-3450-3550	30	40	DFT-64QAM	H	Inner_1RB_Right	23.56	26.5	30	pass
N78-3450-3550	30	40	DFT-64QAM	H	Outer_Full	23.62	26.56	30	pass
N78-3450-3550	30	40	DFT-256QAM	H	Inner_1RB_Left	21.87	24.81	30	pass
N78-3450-3550	30	40	DFT-256QAM	H	Inner_1RB_Right	21.59	24.53	30	pass
N78-3450-3550	30	40	DFT-256QAM	H	Outer_Full	21.6	24.54	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	L	Inner_1RB_Left	26.53	29.47	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	L	Inner_1RB_Right	26.21	29.15	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	L	Outer_Full	25.92	28.86	30	pass
N78-3450-3550	30	50	DFT-QPSK	L	Inner_1RB_Left	26.49	29.43	30	pass
N78-3450-3550	30	50	DFT-QPSK	L	Inner_1RB_Right	26.21	29.15	30	pass
N78-3450-3550	30	50	DFT-QPSK	L	Outer_Full	25.43	28.37	30	pass
N78-3450-3550	30	50	DFT-16QAM	L	Inner_1RB_Left	25.41	28.35	30	pass
N78-3450-3550	30	50	DFT-16QAM	L	Inner_1RB_Right	25.24	28.18	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Q.N.Doecheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2210000221RG02

Rev.: 01

Page: 24 of 37

N78-3450-3550	30	50	DFT-16QAM	L	Outer_Full	24.37	27.31	30	pass
N78-3450-3550	30	50	DFT-64QAM	L	Inner_1RB_Left	24.04	26.98	30	pass
N78-3450-3550	30	50	DFT-64QAM	L	Inner_1RB_Right	23.68	26.62	30	pass
N78-3450-3550	30	50	DFT-64QAM	L	Outer_Full	23.94	26.88	30	pass
N78-3450-3550	30	50	DFT-256QAM	L	Inner_1RB_Left	22	24.94	30	pass
N78-3450-3550	30	50	DFT-256QAM	L	Inner_1RB_Right	21.79	24.73	30	pass
N78-3450-3550	30	50	DFT-256QAM	L	Outer_Full	21.94	24.88	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	M	Inner_1RB_Left	26.33	29.27	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	M	Inner_1RB_Right	26.09	29.03	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	M	Outer_Full	25.85	28.79	30	pass
N78-3450-3550	30	50	DFT-QPSK	M	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	50	DFT-QPSK	M	Inner_1RB_Right	26.02	28.96	30	pass
N78-3450-3550	30	50	DFT-QPSK	M	Outer_Full	25.33	28.27	30	pass
N78-3450-3550	30	50	DFT-16QAM	M	Inner_1RB_Left	25.35	28.29	30	pass
N78-3450-3550	30	50	DFT-16QAM	M	Inner_1RB_Right	24.96	27.9	30	pass
N78-3450-3550	30	50	DFT-16QAM	M	Outer_Full	24.29	27.23	30	pass
N78-3450-3550	30	50	DFT-64QAM	M	Inner_1RB_Left	23.76	26.7	30	pass
N78-3450-3550	30	50	DFT-64QAM	M	Inner_1RB_Right	23.47	26.41	30	pass
N78-3450-3550	30	50	DFT-64QAM	M	Outer_Full	23.81	26.75	30	pass
N78-3450-3550	30	50	DFT-256QAM	M	Inner_1RB_Left	21.79	24.73	30	pass
N78-3450-3550	30	50	DFT-256QAM	M	Inner_1RB_Right	21.54	24.48	30	pass
N78-3450-3550	30	50	DFT-256QAM	M	Outer_Full	21.82	24.76	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	H	Inner_1RB_Left	26.16	29.1	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	H	Inner_1RB_Right	25.89	28.83	30	pass
N78-3450-3550	30	50	DFT-PI2BPSK	H	Outer_Full	25.48	28.42	30	pass
N78-3450-3550	30	50	DFT-QPSK	H	Inner_1RB_Left	26.2	29.14	30	pass
N78-3450-3550	30	50	DFT-QPSK	H	Inner_1RB_Right	25.89	28.83	30	pass
N78-3450-3550	30	50	DFT-QPSK	H	Outer_Full	25.05	27.99	30	pass
N78-3450-3550	30	50	DFT-16QAM	H	Inner_1RB_Left	25.13	28.07	30	pass
N78-3450-3550	30	50	DFT-16QAM	H	Inner_1RB_Right	24.83	27.77	30	pass
N78-3450-3550	30	50	DFT-16QAM	H	Outer_Full	23.94	26.88	30	pass
N78-3450-3550	30	50	DFT-64QAM	H	Inner_1RB_Left	23.66	26.6	30	pass
N78-3450-3550	30	50	DFT-64QAM	H	Inner_1RB_Right	23.34	26.28	30	pass
N78-3450-3550	30	50	DFT-64QAM	H	Outer_Full	23.47	26.41	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 25 of 37

N78-3450-3550	30	50	DFT-256QAM	H	Inner_1RB_Left	21.57	24.51	30	pass
N78-3450-3550	30	50	DFT-256QAM	H	Inner_1RB_Right	21.26	24.2	30	pass
N78-3450-3550	30	50	DFT-256QAM	H	Outer_Full	21.48	24.42	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	L	Inner_1RB_Left	26.67	29.61	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	L	Inner_1RB_Right	26.21	29.15	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	L	Outer_Full	26.02	28.96	30	pass
N78-3450-3550	30	60	DFT-QPSK	L	Inner_1RB_Left	26.64	29.58	30	pass
N78-3450-3550	30	60	DFT-QPSK	L	Inner_1RB_Right	26.22	29.16	30	pass
N78-3450-3550	30	60	DFT-QPSK	L	Outer_Full	25.51	28.45	30	pass
N78-3450-3550	30	60	DFT-16QAM	L	Inner_1RB_Left	25.6	28.54	30	pass
N78-3450-3550	30	60	DFT-16QAM	L	Inner_1RB_Right	25	27.94	30	pass
N78-3450-3550	30	60	DFT-16QAM	L	Outer_Full	24.4	27.34	30	pass
N78-3450-3550	30	60	DFT-64QAM	L	Inner_1RB_Left	24.02	26.96	30	pass
N78-3450-3550	30	60	DFT-64QAM	L	Inner_1RB_Right	23.59	26.53	30	pass
N78-3450-3550	30	60	DFT-64QAM	L	Outer_Full	23.92	26.86	30	pass
N78-3450-3550	30	60	DFT-256QAM	L	Inner_1RB_Left	22.13	25.07	30	pass
N78-3450-3550	30	60	DFT-256QAM	L	Inner_1RB_Right	21.58	24.52	30	pass
N78-3450-3550	30	60	DFT-256QAM	L	Outer_Full	21.93	24.87	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	M	Inner_1RB_Left	26.38	29.32	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	M	Inner_1RB_Right	25.98	28.92	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	M	Outer_Full	25.71	28.65	30	pass
N78-3450-3550	30	60	DFT-QPSK	M	Inner_1RB_Left	26.35	29.29	30	pass
N78-3450-3550	30	60	DFT-QPSK	M	Inner_1RB_Right	25.86	28.8	30	pass
N78-3450-3550	30	60	DFT-QPSK	M	Outer_Full	25.31	28.25	30	pass
N78-3450-3550	30	60	DFT-16QAM	M	Inner_1RB_Left	25.25	28.19	30	pass
N78-3450-3550	30	60	DFT-16QAM	M	Inner_1RB_Right	24.99	27.93	30	pass
N78-3450-3550	30	60	DFT-16QAM	M	Outer_Full	24.19	27.13	30	pass
N78-3450-3550	30	60	DFT-64QAM	M	Inner_1RB_Left	23.87	26.81	30	pass
N78-3450-3550	30	60	DFT-64QAM	M	Inner_1RB_Right	23.39	26.33	30	pass
N78-3450-3550	30	60	DFT-64QAM	M	Outer_Full	23.7	26.64	30	pass
N78-3450-3550	30	60	DFT-256QAM	M	Inner_1RB_Left	21.75	24.69	30	pass
N78-3450-3550	30	60	DFT-256QAM	M	Inner_1RB_Right	21.4	24.34	30	pass
N78-3450-3550	30	60	DFT-256QAM	M	Outer_Full	21.73	24.67	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	H	Inner_1RB_Left	26.42	29.36	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 26 of 37

N78-3450-3550	30	60	DFT-PI2BPSK	H	Inner_1RB_Right	25.84	28.78	30	pass
N78-3450-3550	30	60	DFT-PI2BPSK	H	Outer_Full	25.65	28.59	30	pass
N78-3450-3550	30	60	DFT-QPSK	H	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	60	DFT-QPSK	H	Inner_1RB_Right	25.96	28.9	30	pass
N78-3450-3550	30	60	DFT-QPSK	H	Outer_Full	25.12	28.06	30	pass
N78-3450-3550	30	60	DFT-16QAM	H	Inner_1RB_Left	25.31	28.25	30	pass
N78-3450-3550	30	60	DFT-16QAM	H	Inner_1RB_Right	24.85	27.79	30	pass
N78-3450-3550	30	60	DFT-16QAM	H	Outer_Full	24.12	27.06	30	pass
N78-3450-3550	30	60	DFT-64QAM	H	Inner_1RB_Left	23.86	26.8	30	pass
N78-3450-3550	30	60	DFT-64QAM	H	Inner_1RB_Right	23.25	26.19	30	pass
N78-3450-3550	30	60	DFT-64QAM	H	Outer_Full	23.61	26.55	30	pass
N78-3450-3550	30	60	DFT-256QAM	H	Inner_1RB_Left	21.82	24.76	30	pass
N78-3450-3550	30	60	DFT-256QAM	H	Inner_1RB_Right	21.48	24.42	30	pass
N78-3450-3550	30	60	DFT-256QAM	H	Outer_Full	21.66	24.6	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	L	Inner_1RB_Left	26.54	29.48	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	L	Inner_1RB_Right	25.99	28.93	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	L	Outer_Full	25.83	28.77	30	pass
N78-3450-3550	30	70	DFT-QPSK	L	Inner_1RB_Left	26.6	29.54	30	pass
N78-3450-3550	30	70	DFT-QPSK	L	Inner_1RB_Right	26.03	28.97	30	pass
N78-3450-3550	30	70	DFT-QPSK	L	Outer_Full	25.31	28.25	30	pass
N78-3450-3550	30	70	DFT-16QAM	L	Inner_1RB_Left	25.48	28.42	30	pass
N78-3450-3550	30	70	DFT-16QAM	L	Inner_1RB_Right	24.98	27.92	30	pass
N78-3450-3550	30	70	DFT-16QAM	L	Outer_Full	24.29	27.23	30	pass
N78-3450-3550	30	70	DFT-64QAM	L	Inner_1RB_Left	24.04	26.98	30	pass
N78-3450-3550	30	70	DFT-64QAM	L	Inner_1RB_Right	23.39	26.33	30	pass
N78-3450-3550	30	70	DFT-64QAM	L	Outer_Full	23.8	26.74	30	pass
N78-3450-3550	30	70	DFT-256QAM	L	Inner_1RB_Left	21.96	24.9	30	pass
N78-3450-3550	30	70	DFT-256QAM	L	Inner_1RB_Right	21.57	24.51	30	pass
N78-3450-3550	30	70	DFT-256QAM	L	Outer_Full	21.77	24.71	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	M	Inner_1RB_Left	26.32	29.26	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	M	Inner_1RB_Right	25.77	28.71	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	M	Outer_Full	25.67	28.61	30	pass
N78-3450-3550	30	70	DFT-QPSK	M	Inner_1RB_Left	26.37	29.31	30	pass
N78-3450-3550	30	70	DFT-QPSK	M	Inner_1RB_Right	25.73	28.67	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 27 of 37

N78-3450-3550	30	70	DFT-QPSK	M	Outer_Full	25.15	28.09	30	pass
N78-3450-3550	30	70	DFT-16QAM	M	Inner_1RB_Left	25.22	28.16	30	pass
N78-3450-3550	30	70	DFT-16QAM	M	Inner_1RB_Right	24.8	27.74	30	pass
N78-3450-3550	30	70	DFT-16QAM	M	Outer_Full	24.18	27.12	30	pass
N78-3450-3550	30	70	DFT-64QAM	M	Inner_1RB_Left	23.75	26.69	30	pass
N78-3450-3550	30	70	DFT-64QAM	M	Inner_1RB_Right	23.43	26.37	30	pass
N78-3450-3550	30	70	DFT-64QAM	M	Outer_Full	23.64	26.58	30	pass
N78-3450-3550	30	70	DFT-256QAM	M	Inner_1RB_Left	21.76	24.7	30	pass
N78-3450-3550	30	70	DFT-256QAM	M	Inner_1RB_Right	21.22	24.16	30	pass
N78-3450-3550	30	70	DFT-256QAM	M	Outer_Full	21.69	24.63	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	H	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	H	Inner_1RB_Right	25.77	28.71	30	pass
N78-3450-3550	30	70	DFT-PI2BPSK	H	Outer_Full	25.57	28.51	30	pass
N78-3450-3550	30	70	DFT-QPSK	H	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	70	DFT-QPSK	H	Inner_1RB_Right	25.77	28.71	30	pass
N78-3450-3550	30	70	DFT-QPSK	H	Outer_Full	25.08	28.02	30	pass
N78-3450-3550	30	70	DFT-16QAM	H	Inner_1RB_Left	25.23	28.17	30	pass
N78-3450-3550	30	70	DFT-16QAM	H	Inner_1RB_Right	24.77	27.71	30	pass
N78-3450-3550	30	70	DFT-16QAM	H	Outer_Full	24.04	26.98	30	pass
N78-3450-3550	30	70	DFT-64QAM	H	Inner_1RB_Left	23.81	26.75	30	pass
N78-3450-3550	30	70	DFT-64QAM	H	Inner_1RB_Right	23.32	26.26	30	pass
N78-3450-3550	30	70	DFT-64QAM	H	Outer_Full	23.59	26.53	30	pass
N78-3450-3550	30	70	DFT-256QAM	H	Inner_1RB_Left	21.82	24.76	30	pass
N78-3450-3550	30	70	DFT-256QAM	H	Inner_1RB_Right	21.28	24.22	30	pass
N78-3450-3550	30	70	DFT-256QAM	H	Outer_Full	21.63	24.57	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	L	Inner_1RB_Left	26.54	29.48	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	L	Inner_1RB_Right	25.91	28.85	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	L	Outer_Full	25.77	28.71	30	pass
N78-3450-3550	30	80	DFT-QPSK	L	Inner_1RB_Left	26.45	29.39	30	pass
N78-3450-3550	30	80	DFT-QPSK	L	Inner_1RB_Right	25.96	28.9	30	pass
N78-3450-3550	30	80	DFT-QPSK	L	Outer_Full	25.29	28.23	30	pass
N78-3450-3550	30	80	DFT-16QAM	L	Inner_1RB_Left	25.41	28.35	30	pass
N78-3450-3550	30	80	DFT-16QAM	L	Inner_1RB_Right	24.79	27.73	30	pass
N78-3450-3550	30	80	DFT-16QAM	L	Outer_Full	24.23	27.17	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 28 of 37

N78-3450-3550	30	80	DFT-64QAM	L	Inner_1RB_Left	23.91	26.85	30	pass
N78-3450-3550	30	80	DFT-64QAM	L	Inner_1RB_Right	23.33	26.27	30	pass
N78-3450-3550	30	80	DFT-64QAM	L	Outer_Full	23.79	26.73	30	pass
N78-3450-3550	30	80	DFT-256QAM	L	Inner_1RB_Left	21.91	24.85	30	pass
N78-3450-3550	30	80	DFT-256QAM	L	Inner_1RB_Right	21.46	24.4	30	pass
N78-3450-3550	30	80	DFT-256QAM	L	Outer_Full	21.79	24.73	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	M	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	M	Inner_1RB_Right	25.75	28.69	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	M	Outer_Full	25.66	28.6	30	pass
N78-3450-3550	30	80	DFT-QPSK	M	Inner_1RB_Left	26.3	29.24	30	pass
N78-3450-3550	30	80	DFT-QPSK	M	Inner_1RB_Right	25.75	28.69	30	pass
N78-3450-3550	30	80	DFT-QPSK	M	Outer_Full	25.15	28.09	30	pass
N78-3450-3550	30	80	DFT-16QAM	M	Inner_1RB_Left	25.14	28.08	30	pass
N78-3450-3550	30	80	DFT-16QAM	M	Inner_1RB_Right	24.7	27.64	30	pass
N78-3450-3550	30	80	DFT-16QAM	M	Outer_Full	24.14	27.08	30	pass
N78-3450-3550	30	80	DFT-64QAM	M	Inner_1RB_Left	23.6	26.54	30	pass
N78-3450-3550	30	80	DFT-64QAM	M	Inner_1RB_Right	23.29	26.23	30	pass
N78-3450-3550	30	80	DFT-64QAM	M	Outer_Full	23.63	26.57	30	pass
N78-3450-3550	30	80	DFT-256QAM	M	Inner_1RB_Left	21.91	24.85	30	pass
N78-3450-3550	30	80	DFT-256QAM	M	Inner_1RB_Right	21.29	24.23	30	pass
N78-3450-3550	30	80	DFT-256QAM	M	Outer_Full	21.64	24.58	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	H	Inner_1RB_Left	26.15	29.09	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	H	Inner_1RB_Right	25.8	28.74	30	pass
N78-3450-3550	30	80	DFT-PI2BPSK	H	Outer_Full	25.57	28.51	30	pass
N78-3450-3550	30	80	DFT-QPSK	H	Inner_1RB_Left	26.19	29.13	30	pass
N78-3450-3550	30	80	DFT-QPSK	H	Inner_1RB_Right	25.73	28.67	30	pass
N78-3450-3550	30	80	DFT-QPSK	H	Outer_Full	25.1	28.04	30	pass
N78-3450-3550	30	80	DFT-16QAM	H	Inner_1RB_Left	25.08	28.02	30	pass
N78-3450-3550	30	80	DFT-16QAM	H	Inner_1RB_Right	24.79	27.73	30	pass
N78-3450-3550	30	80	DFT-16QAM	H	Outer_Full	24.11	27.05	30	pass
N78-3450-3550	30	80	DFT-64QAM	H	Inner_1RB_Left	23.62	26.56	30	pass
N78-3450-3550	30	80	DFT-64QAM	H	Inner_1RB_Right	23.15	26.09	30	pass
N78-3450-3550	30	80	DFT-64QAM	H	Outer_Full	23.59	26.53	30	pass
N78-3450-3550	30	80	DFT-256QAM	H	Inner_1RB_Left	21.64	24.58	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2210000221RG02

Rev.: 01

Page: 29 of 37

N78-3450-3550	30	80	DFT-256QAM	H	Inner_1RB_Right	21.27	24.21	30	pass
N78-3450-3550	30	80	DFT-256QAM	H	Outer_Full	21.48	24.42	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	L	Inner_1RB_Left	26.42	29.36	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	L	Inner_1RB_Right	25.84	28.78	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	L	Outer_Full	25.75	28.69	30	pass
N78-3450-3550	30	90	DFT-QPSK	L	Inner_1RB_Left	26.42	29.36	30	pass
N78-3450-3550	30	90	DFT-QPSK	L	Inner_1RB_Right	25.87	28.81	30	pass
N78-3450-3550	30	90	DFT-QPSK	L	Outer_Full	25.24	28.18	30	pass
N78-3450-3550	30	90	DFT-16QAM	L	Inner_1RB_Left	25.47	28.41	30	pass
N78-3450-3550	30	90	DFT-16QAM	L	Inner_1RB_Right	24.81	27.75	30	pass
N78-3450-3550	30	90	DFT-16QAM	L	Outer_Full	24.23	27.17	30	pass
N78-3450-3550	30	90	DFT-64QAM	L	Inner_1RB_Left	23.92	26.86	30	pass
N78-3450-3550	30	90	DFT-64QAM	L	Inner_1RB_Right	23.3	26.24	30	pass
N78-3450-3550	30	90	DFT-64QAM	L	Outer_Full	23.76	26.7	30	pass
N78-3450-3550	30	90	DFT-256QAM	L	Inner_1RB_Left	21.82	24.76	30	pass
N78-3450-3550	30	90	DFT-256QAM	L	Inner_1RB_Right	21.36	24.3	30	pass
N78-3450-3550	30	90	DFT-256QAM	L	Outer_Full	21.77	24.71	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	M	Inner_1RB_Left	26.32	29.26	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	M	Inner_1RB_Right	25.8	28.74	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	M	Outer_Full	25.66	28.6	30	pass
N78-3450-3550	30	90	DFT-QPSK	M	Inner_1RB_Left	26.35	29.29	30	pass
N78-3450-3550	30	90	DFT-QPSK	M	Inner_1RB_Right	25.8	28.74	30	pass
N78-3450-3550	30	90	DFT-QPSK	M	Outer_Full	25.12	28.06	30	pass
N78-3450-3550	30	90	DFT-16QAM	M	Inner_1RB_Left	25.31	28.25	30	pass
N78-3450-3550	30	90	DFT-16QAM	M	Inner_1RB_Right	24.92	27.86	30	pass
N78-3450-3550	30	90	DFT-16QAM	M	Outer_Full	24.11	27.05	30	pass
N78-3450-3550	30	90	DFT-64QAM	M	Inner_1RB_Left	23.94	26.88	30	pass
N78-3450-3550	30	90	DFT-64QAM	M	Inner_1RB_Right	23.34	26.28	30	pass
N78-3450-3550	30	90	DFT-64QAM	M	Outer_Full	23.62	26.56	30	pass
N78-3450-3550	30	90	DFT-256QAM	M	Inner_1RB_Left	21.95	24.89	30	pass
N78-3450-3550	30	90	DFT-256QAM	M	Inner_1RB_Right	21.46	24.4	30	pass
N78-3450-3550	30	90	DFT-256QAM	M	Outer_Full	21.64	24.58	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	H	Inner_1RB_Left	26.27	29.21	30	pass
N78-3450-3550	30	90	DFT-PI2BPSK	H	Inner_1RB_Right	25.84	28.78	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2210000221RG02

Rev.: 01

Page: 30 of 37

N78-3450-3550	30	90	DFT-PI2BPSK	H	Outer_Full	25.67	28.61	30	pass
N78-3450-3550	30	90	DFT-QPSK	H	Inner_1RB_Left	26.28	29.22	30	pass
N78-3450-3550	30	90	DFT-QPSK	H	Inner_1RB_Right	25.8	28.74	30	pass
N78-3450-3550	30	90	DFT-QPSK	H	Outer_Full	25.14	28.08	30	pass
N78-3450-3550	30	90	DFT-16QAM	H	Inner_1RB_Left	25.26	28.2	30	pass
N78-3450-3550	30	90	DFT-16QAM	H	Inner_1RB_Right	24.83	27.77	30	pass
N78-3450-3550	30	90	DFT-16QAM	H	Outer_Full	24.14	27.08	30	pass
N78-3450-3550	30	90	DFT-64QAM	H	Inner_1RB_Left	23.73	26.67	30	pass
N78-3450-3550	30	90	DFT-64QAM	H	Inner_1RB_Right	23.37	26.31	30	pass
N78-3450-3550	30	90	DFT-64QAM	H	Outer_Full	23.65	26.59	30	pass
N78-3450-3550	30	90	DFT-256QAM	H	Inner_1RB_Left	21.85	24.79	30	pass
N78-3450-3550	30	90	DFT-256QAM	H	Inner_1RB_Right	21.34	24.28	30	pass
N78-3450-3550	30	90	DFT-256QAM	H	Outer_Full	21.62	24.56	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	L	Inner_1RB_Left	26.31	29.25	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	L	Inner_1RB_Right	25.79	28.73	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	L	Outer_Full	25.66	28.6	30	pass
N78-3450-3550	30	100	DFT-QPSK	L	Inner_1RB_Left	26.32	29.26	30	pass
N78-3450-3550	30	100	DFT-QPSK	L	Inner_1RB_Right	25.79	28.73	30	pass
N78-3450-3550	30	100	DFT-QPSK	L	Outer_Full	25.15	28.09	30	pass
N78-3450-3550	30	100	DFT-16QAM	L	Inner_1RB_Left	25.3	28.24	30	pass
N78-3450-3550	30	100	DFT-16QAM	L	Inner_1RB_Right	24.73	27.67	30	pass
N78-3450-3550	30	100	DFT-16QAM	L	Outer_Full	24.11	27.05	30	pass
N78-3450-3550	30	100	DFT-64QAM	L	Inner_1RB_Left	23.86	26.8	30	pass
N78-3450-3550	30	100	DFT-64QAM	L	Inner_1RB_Right	23.36	26.3	30	pass
N78-3450-3550	30	100	DFT-64QAM	L	Outer_Full	22.36	25.3	30	pass
N78-3450-3550	30	100	DFT-256QAM	L	Inner_1RB_Left	21.84	24.78	30	pass
N78-3450-3550	30	100	DFT-256QAM	L	Inner_1RB_Right	21.26	24.2	30	pass
N78-3450-3550	30	100	DFT-256QAM	L	Outer_Full	21.54	24.48	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	M	Inner_1RB_Left	26.38	29.32	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	M	Inner_1RB_Right	25.82	28.76	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	25.65	28.59	30	pass
N78-3450-3550	30	100	DFT-QPSK	M	Inner_1RB_Left	26.35	29.29	30	pass
N78-3450-3550	30	100	DFT-QPSK	M	Inner_1RB_Right	25.78	28.72	30	pass
N78-3450-3550	30	100	DFT-QPSK	M	Outer_Full	25.13	28.07	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 31 of 37

N78-3450-3550	30	100	DFT-16QAM	M	Inner_1RB_Left	25.36	28.3	30	pass
N78-3450-3550	30	100	DFT-16QAM	M	Inner_1RB_Right	24.83	27.77	30	pass
N78-3450-3550	30	100	DFT-16QAM	M	Outer_Full	24.13	27.07	30	pass
N78-3450-3550	30	100	DFT-64QAM	M	Inner_1RB_Left	23.8	26.74	30	pass
N78-3450-3550	30	100	DFT-64QAM	M	Inner_1RB_Right	23.23	26.17	30	pass
N78-3450-3550	30	100	DFT-64QAM	M	Outer_Full	23.64	26.58	30	pass
N78-3450-3550	30	100	DFT-256QAM	M	Inner_1RB_Left	21.8	24.74	30	pass
N78-3450-3550	30	100	DFT-256QAM	M	Inner_1RB_Right	21.3	24.24	30	pass
N78-3450-3550	30	100	DFT-256QAM	M	Outer_Full	21.6	24.54	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	H	Inner_1RB_Left	26.37	29.31	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	H	Inner_1RB_Right	25.8	28.74	30	pass
N78-3450-3550	30	100	DFT-PI2BPSK	H	Outer_Full	25.68	28.62	30	pass
N78-3450-3550	30	100	DFT-QPSK	H	Inner_1RB_Left	26.33	29.27	30	pass
N78-3450-3550	30	100	DFT-QPSK	H	Inner_1RB_Right	25.84	28.78	30	pass
N78-3450-3550	30	100	DFT-QPSK	H	Outer_Full	25.11	28.05	30	pass
N78-3450-3550	30	100	DFT-16QAM	H	Inner_1RB_Left	25.24	28.18	30	pass
N78-3450-3550	30	100	DFT-16QAM	H	Inner_1RB_Right	24.81	27.75	30	pass
N78-3450-3550	30	100	DFT-16QAM	H	Outer_Full	24.13	27.07	30	pass
N78-3450-3550	30	100	DFT-64QAM	H	Inner_1RB_Left	23.83	26.77	30	pass
N78-3450-3550	30	100	DFT-64QAM	H	Inner_1RB_Right	23.27	26.21	30	pass
N78-3450-3550	30	100	DFT-64QAM	H	Outer_Full	23.66	26.6	30	pass
N78-3450-3550	30	100	DFT-256QAM	H	Inner_1RB_Left	21.87	24.81	30	pass
N78-3450-3550	30	100	DFT-256QAM	H	Inner_1RB_Right	21.28	24.22	30	pass
N78-3450-3550	30	100	DFT-256QAM	H	Outer_Full	21.66	24.6	30	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 32 of 37

Field Strength of Spurious Radiation

Test Band = 5G NR SA n78_TM1
Test Channel = Low 3450-3550
Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7310.1800	39.72	-43.27	36.54	-62.27	-13.00	49.27	254	300	Horizontal
2	8344.025	41.37	-41.65	37.26	-58.28	-13.00	45.28	126	0	Horizontal
3	9807.975	38.39	-39.07	38.23	-57.71	-13.00	44.71	185	330	Horizontal
4	10965.2700	34.76	-37.67	39.10	-59.07	-13.00	46.07	145	130	Horizontal
5	12676.075	35.41	-36.92	39.41	-57.36	-13.00	44.36	163	193	Horizontal
6	14620.3600	33.42	-35.23	39.91	-57.16	-13.00	44.16	236	0	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7310.1800	40.43	-43.27	36.54	-61.56	-13.00	48.56	245	47	Vertical
2	8410.15	41.50	-41.41	37.35	-57.82	-13.00	44.82	196	317	Vertical
3	9422.725	39.20	-39.93	38.48	-57.50	-13.00	44.50	142	357	Vertical
4	10965.2700	34.53	-37.67	39.10	-59.30	-13.00	46.30	125	227	Vertical
5	12830.175	35.62	-36.70	39.66	-56.68	-13.00	43.68	188	120	Vertical
6	14620.3600	33.06	-35.23	39.91	-57.52	-13.00	44.52	176	300	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 33 of 37

Test Band = 5G NR SA n78_ TM1
Test Channel = Mid 3450-3550
Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7590.1800	40.24	-42.78	36.39	-61.41	-13.00	48.41	255	274	Horizontal
2	8874.175	39.80	-40.97	38.12	-58.30	-13.00	45.30	142	92	Horizontal
3	10503.15	39.16	-38.74	38.96	-55.87	-13.00	42.87	136	243	Horizontal
4	11835.2700	33.34	-37.25	38.79	-60.38	-13.00	47.38	256	0	Horizontal
5	13632.875	34.44	-36.02	40.12	-56.72	-13.00	43.72	132	348	Horizontal
6	15180.3600	32.59	-33.90	38.98	-57.59	-13.00	44.59	199	243	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.1800	41.37	-43.80	35.97	-61.72	-13.00	48.72	211	195	Vertical
2	7001.975	54.33	-43.00	36.09	-47.85	-13.00	34.85	145	330	Vertical
3	10365.2700	35.60	-38.81	38.85	-59.61	-13.00	46.61	199	287	Vertical
4	10503.15	43.84	-38.74	38.96	-51.19	-13.00	38.19	142	356	Vertical
5	13820.3600	33.42	-36.11	39.98	-57.97	-13.00	44.97	136	273	Vertical
6	17275.4500	33.53	-35.16	38.70	-58.18	-13.00	45.18	266	273	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 34 of 37

Test Band = 5G NR SA n78_ TM1
Test Channel = High 3450-3550
Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7010.1800	40.47	-43.06	36.11	-61.74	-13.00	48.74	148	59	Horizontal
2	7969.125	41.36	-42.32	36.97	-59.24	-13.00	46.24	175	211	Horizontal
3	9807.975	38.03	-39.07	38.23	-58.07	-13.00	45.07	146	299	Horizontal
4	10515.2700	35.12	-38.64	38.98	-59.81	-13.00	46.81	215	73	Horizontal
5	14020.3600	31.75	-35.04	40.15	-58.40	-13.00	45.40	109	239	Horizontal
6	17525.4500	33.31	-33.81	39.28	-56.48	-13.00	43.48	235	269	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7010.1800	40.74	-43.06	36.11	-61.47	-13.00	48.47	254	58	Vertical
2	7402.175	45.95	-42.80	36.49	-55.62	-13.00	42.62	175	285	Vertical
3	10515.2700	35.34	-38.64	38.98	-59.59	-13.00	46.59	146	15	Vertical
4	12213.775	36.09	-37.05	39.13	-57.09	-13.00	44.09	129	209	Vertical
5	14020.3600	31.56	-35.04	40.15	-58.59	-13.00	45.59	183	240	Vertical
6	17525.4500	33.04	-33.81	39.28	-56.75	-13.00	43.75	265	0	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 35 of 37

Test Band = NSA 25A-n78A_ TM1
Test Channel = Low 3450-3550
Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6810.1800	42.22	-43.61	35.85	-60.80	-13.00	47.80	214	360	Horizontal
2	8411.3	41.19	-41.42	37.35	-58.13	-13.00	45.13	135	360	Horizontal
3	9410.075	39.42	-39.92	38.49	-57.28	-13.00	44.28	185	105	Horizontal
4	10215.2700	36.12	-39.23	38.81	-59.56	-13.00	46.56	174	151	Horizontal
5	13620.3600	33.79	-36.03	40.13	-57.37	-13.00	44.37	169	359	Horizontal
6	17025.4500	34.13	-33.71	38.51	-56.33	-13.00	43.33	223	30	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6810.1800	41.70	-43.61	35.85	-61.32	-13.00	48.32	225	273	Vertical
2	8021.45	40.85	-41.96	37.02	-59.35	-13.00	46.35	142	29	Vertical
3	9212.275	39.14	-39.96	38.35	-57.74	-13.00	44.74	185	359	Vertical
4	10215.2700	36.55	-39.23	38.81	-59.13	-13.00	46.13	145	4	Vertical
5	13620.3600	33.69	-36.03	40.13	-57.47	-13.00	44.47	136	90	Vertical
6	17025.4500	34.01	-33.71	38.51	-56.45	-13.00	43.45	291	346	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Suzhou of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 36 of 37

Test Band = NSA 25A-n78A_TM1
Test Channel = Mid 3450-3550
Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.1800	40.95	-43.80	35.97	-62.14	-13.00	49.14	217	284	Horizontal
2	7969.125	41.86	-42.32	36.97	-58.74	-13.00	45.74	145	209	Horizontal
3	8818.975	40.57	-41.10	38.09	-57.69	-13.00	44.69	183	284	Horizontal
4	10365.2700	35.98	-38.81	38.85	-59.23	-13.00	46.23	235	343	Horizontal
5	13820.3600	32.87	-36.11	39.98	-58.52	-13.00	45.52	169	3	Horizontal
6	17275.4500	34.65	-35.16	38.70	-57.06	-13.00	44.06	192	3	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.1800	41.26	-43.80	35.97	-61.83	-13.00	48.83	214	329	Vertical
2	8012.25	41.02	-42.03	37.01	-59.26	-13.00	46.26	175	13	Vertical
3	8859.225	40.79	-41.00	38.12	-57.36	-13.00	44.36	142	3	Vertical
4	10365.2700	36.01	-38.81	38.85	-59.20	-13.00	46.20	135	148	Vertical
5	13820.3600	33.50	-36.11	39.98	-57.89	-13.00	44.89	126	3	Vertical
6	17275.4500	33.95	-35.16	38.70	-57.76	-13.00	44.76	288	360	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2210000221RG02

Rev.: 01

Page: 37 of 37

Test Band = NSA 25A-n78A_TM1
Test Channel = High 3450-3550

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7010.1800	41.36	-43.06	36.11	-60.85	-13.00	47.85	211	120	Horizontal
2	7969.125	42.08	-42.32	36.97	-58.52	-13.00	45.52	132	209	Horizontal
3	10515.2700	35.33	-38.64	38.98	-59.60	-13.00	46.60	156	359	Horizontal
4	12642.725	36.16	-37.04	39.35	-56.79	-13.00	43.79	192	43	Horizontal
5	14020.3600	31.77	-35.04	40.15	-58.38	-13.00	45.38	145	195	Horizontal
6	17525.4500	33.14	-33.81	39.28	-56.65	-13.00	43.65	172	360	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7010.1800	40.83	-43.06	36.11	-61.38	-13.00	48.38	215	359	Vertical
2	8411.3	41.23	-41.42	37.35	-58.09	-13.00	45.09	142	60	Vertical
3	9429.05	39.74	-39.93	38.48	-56.97	-13.00	43.97	132	136	Vertical
4	10515.2700	34.86	-38.64	38.98	-60.07	-13.00	47.07	155	360	Vertical
5	14020.3600	32.47	-35.04	40.15	-57.68	-13.00	44.68	136	182	Vertical
6	17525.4500	33.49	-33.81	39.28	-56.30	-13.00	43.30	281	91	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

---End of Attachment---

