

Report No.: SEWM2306000190RG02

Rev.: 01 Page: 1 of 23

# Appendix B.34

NR Band n38



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 2 of 23

#### Effective (Isotropic) Radiated Power Output Data for SA

#### **Test Result**

| Band | scs | Bandwidth | Modulation  | Channel | RB Config       | Power (dBm) | EIRP  | LIMIT | verdict |
|------|-----|-----------|-------------|---------|-----------------|-------------|-------|-------|---------|
| N38  | 30  | 10        | DFT-PI2BPSK | L       | Inner_1RB_Left  | 26.34       | 28.48 | 33    | pass    |
| N38  | 30  | 10        | DFT-PI2BPSK | L       | Inner_1RB_Right | 26.27       | 28.41 | 33    | pass    |
| N38  | 30  | 10        | DFT-PI2BPSK | L       | Outer_Full      | 26.35       | 28.49 | 33    | pass    |
| N38  | 30  | 10        | DFT-QPSK    | L       | Inner_1RB_Left  | 26.33       | 28.47 | 33    | pass    |
| N38  | 30  | 10        | DFT-QPSK    | L       | Inner_1RB_Right | 26.28       | 28.42 | 33    | pass    |
| N38  | 30  | 10        | DFT-QPSK    | L       | Outer_Full      | 26.33       | 28.47 | 33    | pass    |
| N38  | 30  | 10        | DFT-16QAM   | L       | Inner_1RB_Left  | 26.26       | 28.4  | 33    | pass    |
| N38  | 30  | 10        | DFT-16QAM   | L       | Inner_1RB_Right | 26.24       | 28.38 | 33    | pass    |
| N38  | 30  | 10        | DFT-16QAM   | L       | Outer_Full      | 25.36       | 27.5  | 33    | pass    |
| N38  | 30  | 10        | DFT-64QAM   | L       | Inner_1RB_Left  | 24.79       | 26.93 | 33    | pass    |
| N38  | 30  | 10        | DFT-64QAM   | L       | Inner_1RB_Right | 24.71       | 26.85 | 33    | pass    |
| N38  | 30  | 10        | DFT-64QAM   | L       | Outer_Full      | 24.85       | 26.99 | 33    | pass    |
| N38  | 30  | 10        | DFT-256QAM  | L       | Inner_1RB_Left  | 22.77       | 24.91 | 33    | pass    |
| N38  | 30  | 10        | DFT-256QAM  | L       | Inner_1RB_Right | 22.79       | 24.93 | 33    | pass    |
| N38  | 30  | 10        | DFT-256QAM  | L       | Outer_Full      | 22.85       | 24.99 | 33    | pass    |
| N38  | 30  | 10        | DFT-PI2BPSK | М       | Inner_1RB_Left  | 26.2        | 28.34 | 33    | pass    |
| N38  | 30  | 10        | DFT-PI2BPSK | М       | Inner_1RB_Right | 26.13       | 28.27 | 33    | pass    |
| N38  | 30  | 10        | DFT-PI2BPSK | М       | Outer_Full      | 26.15       | 28.29 | 33    | pass    |
| N38  | 30  | 10        | DFT-QPSK    | М       | Inner_1RB_Left  | 26.15       | 28.29 | 33    | pass    |
| N38  | 30  | 10        | DFT-QPSK    | М       | Inner_1RB_Right | 26.11       | 28.25 | 33    | pass    |
| N38  | 30  | 10        | DFT-QPSK    | М       | Outer_Full      | 26.15       | 28.29 | 33    | pass    |
| N38  | 30  | 10        | DFT-16QAM   | М       | Inner_1RB_Left  | 26.13       | 28.27 | 33    | pass    |
| N38  | 30  | 10        | DFT-16QAM   | М       | Inner_1RB_Right | 26.05       | 28.19 | 33    | pass    |
| N38  | 30  | 10        | DFT-16QAM   | М       | Outer_Full      | 25.15       | 27.29 | 33    | pass    |
| N38  | 30  | 10        | DFT-64QAM   | М       | Inner_1RB_Left  | 24.65       | 26.79 | 33    | pass    |
| N38  | 30  | 10        | DFT-64QAM   | М       | Inner_1RB_Right | 24.75       | 26.89 | 33    | pass    |
| N38  | 30  | 10        | DFT-64QAM   | М       | Outer_Full      | 24.7        | 26.84 | 33    | pass    |
| N38  | 30  | 10        | DFT-256QAM  | М       | Inner_1RB_Left  | 22.74       | 24.88 | 33    | pass    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 3 of 23

| N38 | 30 | 10 | DFT-256QAM  | М | Page:<br>Inner_1RB_Right | 22.59 | 24.73 | 33 | pass |
|-----|----|----|-------------|---|--------------------------|-------|-------|----|------|
| -   |    |    |             | M |                          |       |       |    |      |
| N38 | 30 | 10 | DFT-256QAM  |   | Outer_Full               | 22.65 | 24.79 | 33 | pass |
| N38 | 30 | 10 | DFT-PI2BPSK | H | Inner_1RB_Left           | 26.2  | 28.34 | 33 | pass |
| N38 | 30 | 10 | DFT-PI2BPSK | H | Inner_1RB_Right          | 26.31 | 28.45 | 33 | pass |
| N38 | 30 | 10 | DFT-PI2BPSK | Н | Outer_Full               | 26.32 | 28.46 | 33 | pass |
| N38 | 30 | 10 | DFT-QPSK    | Н | Inner_1RB_Left           | 26.12 | 28.26 | 33 | pass |
| N38 | 30 | 10 | DFT-QPSK    | Н | Inner_1RB_Right          | 26.28 | 28.42 | 33 | pass |
| N38 | 30 | 10 | DFT-QPSK    | Н | Outer_Full               | 26.33 | 28.47 | 33 | pass |
| N38 | 30 | 10 | DFT-16QAM   | Н | Inner_1RB_Left           | 26.18 | 28.32 | 33 | pass |
| N38 | 30 | 10 | DFT-16QAM   | Н | Inner_1RB_Right          | 26.22 | 28.36 | 33 | pass |
| N38 | 30 | 10 | DFT-16QAM   | Н | Outer_Full               | 25.33 | 27.47 | 33 | pass |
| N38 | 30 | 10 | DFT-64QAM   | Н | Inner_1RB_Left           | 24.64 | 26.78 | 33 | pass |
| N38 | 30 | 10 | DFT-64QAM   | Н | Inner_1RB_Right          | 24.78 | 26.92 | 33 | pass |
| N38 | 30 | 10 | DFT-64QAM   | Н | Outer_Full               | 24.79 | 26.93 | 33 | pass |
| N38 | 30 | 10 | DFT-256QAM  | Н | Inner_1RB_Left           | 22.64 | 24.78 | 33 | pass |
| N38 | 30 | 10 | DFT-256QAM  | Н | Inner_1RB_Right          | 22.77 | 24.91 | 33 | pass |
| N38 | 30 | 10 | DFT-256QAM  | Н | Outer_Full               | 22.81 | 24.95 | 33 | pass |
| N38 | 30 | 15 | DFT-PI2BPSK | L | Inner_1RB_Left           | 26.43 | 28.57 | 33 | pass |
| N38 | 30 | 15 | DFT-PI2BPSK | L | Inner_1RB_Right          | 26.45 | 28.59 | 33 | pass |
| N38 | 30 | 15 | DFT-PI2BPSK | L | Outer_Full               | 26.51 | 28.65 | 33 | pass |
| N38 | 30 | 15 | DFT-QPSK    | L | Inner_1RB_Left           | 26.39 | 28.53 | 33 | pass |
| N38 | 30 | 15 | DFT-QPSK    | L | Inner_1RB_Right          | 26.45 | 28.59 | 33 | pass |
| N38 | 30 | 15 | DFT-QPSK    | L | Outer_Full               | 26.52 | 28.66 | 33 | pass |
| N38 | 30 | 15 | DFT-16QAM   | L | Inner_1RB_Left           | 26.38 | 28.52 | 33 | pass |
| N38 | 30 | 15 | DFT-16QAM   | L | Inner_1RB_Right          | 26.39 | 28.53 | 33 | pass |
| N38 | 30 | 15 | DFT-16QAM   | L | Outer_Full               | 25.51 | 27.65 | 33 | pass |
| N38 | 30 | 15 | DFT-64QAM   | L | Inner_1RB_Left           | 24.94 | 27.08 | 33 | pass |
| N38 | 30 | 15 | DFT-64QAM   | L | Inner_1RB_Right          | 24.96 | 27.1  | 33 | pass |
| N38 | 30 | 15 | DFT-64QAM   | L | Outer_Full               | 25.02 | 27.16 | 33 | pass |
| N38 | 30 | 15 | DFT-256QAM  | L | Inner_1RB_Left           | 22.86 | 25    | 33 | pass |
| N38 | 30 | 15 | DFT-256QAM  | L | Inner_1RB_Right          | 22.92 | 25.06 | 33 | pass |
| N38 | 30 | 15 | DFT-256QAM  | L | Outer_Full               | 23.02 | 25.16 | 33 | pass |
| N38 | 30 | 15 | DFT-PI2BPSK | M | Inner 1RB Left           | 26.33 | 28.47 | 33 | pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 4 of 23

| N38 | 30 | 15 | DFT-PI2BPSK | М | Page:<br>Inner_1RB_Right | 26.3  | 28.44 | 33 | pass |
|-----|----|----|-------------|---|--------------------------|-------|-------|----|------|
| N38 | 30 | 15 | DFT-PI2BPSK | M | Outer_Full               | 26.32 | 28.46 | 33 |      |
| N38 |    |    |             | M | _                        |       |       |    | pass |
| -   | 30 | 15 | DFT-QPSK    |   | Inner_1RB_Left           | 26.27 | 28.41 | 33 | pass |
| N38 | 30 | 15 | DFT-QPSK    | M | Inner_1RB_Right          | 26.3  | 28.44 | 33 | pass |
| N38 | 30 | 15 | DFT-QPSK    | М | Outer_Full               | 26.27 | 28.41 | 33 | pass |
| N38 | 30 | 15 | DFT-16QAM   | М | Inner_1RB_Left           | 26.33 | 28.47 | 33 | pass |
| N38 | 30 | 15 | DFT-16QAM   | М | Inner_1RB_Right          | 26.22 | 28.36 | 33 | pass |
| N38 | 30 | 15 | DFT-16QAM   | М | Outer_Full               | 25.32 | 27.46 | 33 | pass |
| N38 | 30 | 15 | DFT-64QAM   | М | Inner_1RB_Left           | 24.75 | 26.89 | 33 | pass |
| N38 | 30 | 15 | DFT-64QAM   | М | Inner_1RB_Right          | 24.77 | 26.91 | 33 | pass |
| N38 | 30 | 15 | DFT-64QAM   | М | Outer_Full               | 24.81 | 26.95 | 33 | pass |
| N38 | 30 | 15 | DFT-256QAM  | М | Inner_1RB_Left           | 22.85 | 24.99 | 33 | pass |
| N38 | 30 | 15 | DFT-256QAM  | М | Inner_1RB_Right          | 22.72 | 24.86 | 33 | pass |
| N38 | 30 | 15 | DFT-256QAM  | М | Outer_Full               | 22.78 | 24.92 | 33 | pass |
| N38 | 30 | 15 | DFT-PI2BPSK | Н | Inner_1RB_Left           | 26.25 | 28.39 | 33 | pass |
| N38 | 30 | 15 | DFT-PI2BPSK | Η | Inner_1RB_Right          | 26.42 | 28.56 | 33 | pass |
| N38 | 30 | 15 | DFT-PI2BPSK | Н | Outer_Full               | 26.31 | 28.45 | 33 | pass |
| N38 | 30 | 15 | DFT-QPSK    | Н | Inner_1RB_Left           | 26.29 | 28.43 | 33 | pass |
| N38 | 30 | 15 | DFT-QPSK    | Н | Inner_1RB_Right          | 26.38 | 28.52 | 33 | pass |
| N38 | 30 | 15 | DFT-QPSK    | Н | Outer_Full               | 26.3  | 28.44 | 33 | pass |
| N38 | 30 | 15 | DFT-16QAM   | Н | Inner_1RB_Left           | 26.21 | 28.35 | 33 | pass |
| N38 | 30 | 15 | DFT-16QAM   | Н | Inner_1RB_Right          | 26.27 | 28.41 | 33 | pass |
| N38 | 30 | 15 | DFT-16QAM   | Н | Outer_Full               | 25.29 | 27.43 | 33 | pass |
| N38 | 30 | 15 | DFT-64QAM   | Н | Inner_1RB_Left           | 24.72 | 26.86 | 33 | pass |
| N38 | 30 | 15 | DFT-64QAM   | Н | Inner_1RB_Right          | 24.79 | 26.93 | 33 | pass |
| N38 | 30 | 15 | DFT-64QAM   | Н | Outer_Full               | 24.81 | 26.95 | 33 | pass |
| N38 | 30 | 15 | DFT-256QAM  | Н | Inner_1RB_Left           | 22.75 | 24.89 | 33 | pass |
| N38 | 30 | 15 | DFT-256QAM  | Н | Inner_1RB_Right          | 22.82 | 24.96 | 33 | pass |
| N38 | 30 | 15 | DFT-256QAM  | Н | Outer_Full               | 22.79 | 24.93 | 33 | pass |
| N38 | 30 | 20 | DFT-PI2BPSK | L | Inner_1RB_Left           | 26.4  | 28.54 | 33 | pass |
| N38 | 30 | 20 | DFT-PI2BPSK | L | Inner_1RB_Right          | 26.33 | 28.47 | 33 | pass |
| N38 | 30 | 20 | DFT-PI2BPSK | L | Outer_Full               | 25.36 | 27.5  | 33 | pass |
| N38 | 30 | 20 | DFT-QPSK    | L | Inner_1RB_Left           | 26.32 | 28.46 | 33 | pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or latesification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM\_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 5 of 23

| Luca | 00 | -00 | DET ODOK    |   | Page:           | 5 01  |       |    | l i  |
|------|----|-----|-------------|---|-----------------|-------|-------|----|------|
| N38  | 30 | 20  | DFT-QPSK    | L | Inner_1RB_Right | 26.25 | 28.39 | 33 | pass |
| N38  | 30 | 20  | DFT-QPSK    | L | Outer_Full      | 25.21 | 27.35 | 33 | pass |
| N38  | 30 | 20  | DFT-16QAM   | L | Inner_1RB_Left  | 24.52 | 26.66 | 33 | pass |
| N38  | 30 | 20  | DFT-16QAM   | L | Inner_1RB_Right | 24.36 | 26.5  | 33 | pass |
| N38  | 30 | 20  | DFT-16QAM   | L | Outer_Full      | 24.72 | 26.86 | 33 | pass |
| N38  | 30 | 20  | DFT-64QAM   | L | Inner_1RB_Left  | 24.23 | 26.37 | 33 | pass |
| N38  | 30 | 20  | DFT-64QAM   | L | Inner_1RB_Right | 24.36 | 26.5  | 33 | pass |
| N38  | 30 | 20  | DFT-64QAM   | L | Outer_Full      | 23.32 | 25.46 | 33 | pass |
| N38  | 30 | 20  | DFT-256QAM  | L | Inner_1RB_Left  | 22.36 | 24.5  | 33 | pass |
| N38  | 30 | 20  | DFT-256QAM  | L | Inner_1RB_Right | 22.52 | 24.66 | 33 | pass |
| N38  | 30 | 20  | DFT-256QAM  | L | Outer_Full      | 22.36 | 24.5  | 33 | pass |
| N38  | 30 | 20  | DFT-PI2BPSK | М | Inner_1RB_Left  | 26.36 | 28.5  | 33 | pass |
| N38  | 30 | 20  | DFT-PI2BPSK | М | Inner_1RB_Right | 26.31 | 28.45 | 33 | pass |
| N38  | 30 | 20  | DFT-PI2BPSK | М | Outer_Full      | 26.29 | 28.43 | 33 | pass |
| N38  | 30 | 20  | DFT-QPSK    | М | Inner_1RB_Left  | 26.35 | 28.49 | 33 | pass |
| N38  | 30 | 20  | DFT-QPSK    | М | Inner_1RB_Right | 26.3  | 28.44 | 33 | pass |
| N38  | 30 | 20  | DFT-QPSK    | М | Outer_Full      | 26.28 | 28.42 | 33 | pass |
| N38  | 30 | 20  | DFT-16QAM   | М | Inner_1RB_Left  | 26.32 | 28.46 | 33 | pass |
| N38  | 30 | 20  | DFT-16QAM   | М | Inner_1RB_Right | 26.23 | 28.37 | 33 | pass |
| N38  | 30 | 20  | DFT-16QAM   | М | Outer_Full      | 25.28 | 27.42 | 33 | pass |
| N38  | 30 | 20  | DFT-64QAM   | М | Inner_1RB_Left  | 24.23 | 26.37 | 33 | pass |
| N38  | 30 | 20  | DFT-64QAM   | М | Inner_1RB_Right | 24.29 | 26.43 | 33 | pass |
| N38  | 30 | 20  | DFT-64QAM   | М | Outer_Full      | 24.81 | 26.95 | 33 | pass |
| N38  | 30 | 20  | DFT-256QAM  | М | Inner_1RB_Left  | 22.6  | 24.74 | 33 | pass |
| N38  | 30 | 20  | DFT-256QAM  | М | Inner_1RB_Right | 22.59 | 24.73 | 33 | pass |
| N38  | 30 | 20  | DFT-256QAM  | М | Outer_Full      | 22.74 | 24.88 | 33 | pass |
| N38  | 30 | 20  | DFT-PI2BPSK | Н | Inner_1RB_Left  | 26.21 | 28.35 | 33 | pass |
| N38  | 30 | 20  | DFT-PI2BPSK | Н | Inner_1RB_Right | 26.35 | 28.49 | 33 | pass |
| N38  | 30 | 20  | DFT-PI2BPSK | Н | Outer_Full      | 26.28 | 28.42 | 33 | pass |
| N38  | 30 | 20  | DFT-QPSK    | Н | Inner_1RB_Left  | 26.23 | 28.37 | 33 | pass |
| N38  | 30 | 20  | DFT-QPSK    | Н | Inner_1RB_Right | 26.38 | 28.52 | 33 | pass |
| N38  | 30 | 20  | DFT-QPSK    | Н | Outer_Full      | 26.32 | 28.46 | 33 | pass |
| N38  | 30 | 20  | DFT-16QAM   | Н | Inner_1RB_Left  | 26.25 | 28.39 | 33 | pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or latesification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM\_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 6 of 23

|     |    |    |             |   | i aye.          | . 0 01 |       |    |      |
|-----|----|----|-------------|---|-----------------|--------|-------|----|------|
| N38 | 30 | 20 | DFT-16QAM   | Н | Inner_1RB_Right | 26.33  | 28.47 | 33 | pass |
| N38 | 30 | 20 | DFT-16QAM   | Н | Outer_Full      | 25.29  | 27.43 | 33 | pass |
| N38 | 30 | 20 | DFT-64QAM   | Н | Inner_1RB_Left  | 24.58  | 26.72 | 33 | pass |
| N38 | 30 | 20 | DFT-64QAM   | Н | Inner_1RB_Right | 24.84  | 26.98 | 33 | pass |
| N38 | 30 | 20 | DFT-64QAM   | Н | Outer_Full      | 24.82  | 26.96 | 33 | pass |
| N38 | 30 | 20 | DFT-256QAM  | Η | Inner_1RB_Left  | 22.65  | 24.79 | 33 | pass |
| N38 | 30 | 20 | DFT-256QAM  | Η | Inner_1RB_Right | 22.89  | 25.03 | 33 | pass |
| N38 | 30 | 20 | DFT-256QAM  | Η | Outer_Full      | 22.8   | 24.94 | 33 | pass |
| N38 | 30 | 30 | DFT-PI2BPSK | L | Inner_1RB_Left  | 26.46  | 28.6  | 33 | pass |
| N38 | 30 | 30 | DFT-PI2BPSK | L | Inner_1RB_Right | 26.44  | 28.58 | 33 | pass |
| N38 | 30 | 30 | DFT-PI2BPSK | L | Outer_Full      | 26.41  | 28.55 | 33 | pass |
| N38 | 30 | 30 | DFT-QPSK    | L | Inner_1RB_Left  | 26.49  | 28.63 | 33 | pass |
| N38 | 30 | 30 | DFT-QPSK    | L | Inner_1RB_Right | 26.4   | 28.54 | 33 | pass |
| N38 | 30 | 30 | DFT-QPSK    | L | Outer_Full      | 26.41  | 28.55 | 33 | pass |
| N38 | 30 | 30 | DFT-16QAM   | L | Inner_1RB_Left  | 26.43  | 28.57 | 33 | pass |
| N38 | 30 | 30 | DFT-16QAM   | L | Inner_1RB_Right | 26.43  | 28.57 | 33 | pass |
| N38 | 30 | 30 | DFT-16QAM   | L | Outer_Full      | 25.42  | 27.56 | 33 | pass |
| N38 | 30 | 30 | DFT-64QAM   | L | Inner_1RB_Left  | 24.84  | 26.98 | 33 | pass |
| N38 | 30 | 30 | DFT-64QAM   | L | Inner_1RB_Right | 24.3   | 26.44 | 33 | pass |
| N38 | 30 | 30 | DFT-64QAM   | L | Outer_Full      | 24.97  | 27.11 | 33 | pass |
| N38 | 30 | 30 | DFT-256QAM  | L | Inner_1RB_Left  | 22.74  | 24.88 | 33 | pass |
| N38 | 30 | 30 | DFT-256QAM  | L | Inner_1RB_Right | 22.7   | 24.84 | 33 | pass |
| N38 | 30 | 30 | DFT-256QAM  | L | Outer_Full      | 22.9   | 25.04 | 33 | pass |
| N38 | 30 | 30 | DFT-PI2BPSK | М | Inner_1RB_Left  | 26.47  | 28.61 | 33 | pass |
| N38 | 30 | 30 | DFT-PI2BPSK | М | Inner_1RB_Right | 26.47  | 28.61 | 33 | pass |
| N38 | 30 | 30 | DFT-PI2BPSK | М | Outer_Full      | 26.29  | 28.43 | 33 | pass |
| N38 | 30 | 30 | DFT-QPSK    | М | Inner_1RB_Left  | 26.46  | 28.6  | 33 | pass |
| N38 | 30 | 30 | DFT-QPSK    | М | Inner_1RB_Right | 26.46  | 28.6  | 33 | pass |
| N38 | 30 | 30 | DFT-QPSK    | М | Outer_Full      | 26.33  | 28.47 | 33 | pass |
| N38 | 30 | 30 | DFT-16QAM   | М | Inner_1RB_Left  | 26.39  | 28.53 | 33 | pass |
| N38 | 30 | 30 | DFT-16QAM   | М | Inner_1RB_Right | 26.41  | 28.55 | 33 | pass |
| N38 | 30 | 30 | DFT-16QAM   | М | Outer_Full      | 25.34  | 27.48 | 33 | pass |
| N38 | 30 | 30 | DFT-64QAM   | М | Inner_1RB_Left  | 24.91  | 27.05 | 33 | pass |
|     |    |    |             |   |                 |        | ·     |    |      |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and,">http://www.sgs.com/en/Terms-and-Conditions.aspx.and,</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days ones, otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days ones, otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days ones, otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days ones, otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days ones, otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days ones, otherwise stated the r

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 7 of 23

| Luca | 00 |    | DET 040444  |   | Page:           | / 01  | i i   | 00 | 1 1  |
|------|----|----|-------------|---|-----------------|-------|-------|----|------|
| N38  | 30 | 30 | DFT-64QAM   | М | Inner_1RB_Right | 24.96 | 27.1  | 33 | pass |
| N38  | 30 | 30 | DFT-64QAM   | М | Outer_Full      | 24.87 | 27.01 | 33 | pass |
| N38  | 30 | 30 | DFT-256QAM  | М | Inner_1RB_Left  | 22.91 | 25.05 | 33 | pass |
| N38  | 30 | 30 | DFT-256QAM  | М | Inner_1RB_Right | 22.95 | 25.09 | 33 | pass |
| N38  | 30 | 30 | DFT-256QAM  | М | Outer_Full      | 22.82 | 24.96 | 33 | pass |
| N38  | 30 | 30 | DFT-PI2BPSK | Н | Inner_1RB_Left  | 26.35 | 28.49 | 33 | pass |
| N38  | 30 | 30 | DFT-PI2BPSK | Н | Inner_1RB_Right | 26.49 | 28.63 | 33 | pass |
| N38  | 30 | 30 | DFT-PI2BPSK | Н | Outer_Full      | 26.47 | 28.61 | 33 | pass |
| N38  | 30 | 30 | DFT-QPSK    | Η | Inner_1RB_Left  | 26.38 | 28.52 | 33 | pass |
| N38  | 30 | 30 | DFT-QPSK    | Н | Inner_1RB_Right | 26.49 | 28.63 | 33 | pass |
| N38  | 30 | 30 | DFT-QPSK    | Ι | Outer_Full      | 26.43 | 28.57 | 33 | pass |
| N38  | 30 | 30 | DFT-16QAM   | H | Inner_1RB_Left  | 26.26 | 28.4  | 33 | pass |
| N38  | 30 | 30 | DFT-16QAM   | Н | Inner_1RB_Right | 26.47 | 28.61 | 33 | pass |
| N38  | 30 | 30 | DFT-16QAM   | Н | Outer_Full      | 25.43 | 27.57 | 33 | pass |
| N38  | 30 | 30 | DFT-64QAM   | Н | Inner_1RB_Left  | 24.87 | 27.01 | 33 | pass |
| N38  | 30 | 30 | DFT-64QAM   | Н | Inner_1RB_Right | 25.06 | 27.2  | 33 | pass |
| N38  | 30 | 30 | DFT-64QAM   | Ι | Outer_Full      | 24.92 | 27.06 | 33 | pass |
| N38  | 30 | 30 | DFT-256QAM  | Н | Inner_1RB_Left  | 22.86 | 25    | 33 | pass |
| N38  | 30 | 30 | DFT-256QAM  | Ι | Inner_1RB_Right | 23.02 | 25.16 | 33 | pass |
| N38  | 30 | 30 | DFT-256QAM  | Н | Outer_Full      | 22.95 | 25.09 | 33 | pass |
| N38  | 30 | 40 | DFT-PI2BPSK | L | Inner_1RB_Left  | 26.45 | 28.59 | 33 | pass |
| N38  | 30 | 40 | DFT-PI2BPSK | L | Inner_1RB_Right | 26.45 | 28.59 | 33 | pass |
| N38  | 30 | 40 | DFT-PI2BPSK | L | Outer_Full      | 26.38 | 28.52 | 33 | pass |
| N38  | 30 | 40 | DFT-QPSK    | L | Inner_1RB_Left  | 26.44 | 28.58 | 33 | pass |
| N38  | 30 | 40 | DFT-QPSK    | L | Inner_1RB_Right | 26.43 | 28.57 | 33 | pass |
| N38  | 30 | 40 | DFT-QPSK    | L | Outer_Full      | 25.63 | 27.77 | 33 | pass |
| N38  | 30 | 40 | DFT-16QAM   | L | Inner_1RB_Left  | 26.46 | 28.6  | 33 | pass |
| N38  | 30 | 40 | DFT-16QAM   | L | Inner_1RB_Right | 26.52 | 28.66 | 33 | pass |
| N38  | 30 | 40 | DFT-16QAM   | L | Outer_Full      | 25.34 | 27.48 | 33 | pass |
| N38  | 30 | 40 | DFT-64QAM   | L | Inner_1RB_Left  | 24.93 | 27.07 | 33 | pass |
| N38  | 30 | 40 | DFT-64QAM   | L | Inner_1RB_Right | 24.8  | 26.94 | 33 | pass |
| N38  | 30 | 40 | DFT-64QAM   | L | Outer_Full      | 24.92 | 27.06 | 33 | pass |
| N38  | 30 | 40 | DFT-256QAM  | L | Inner_1RB_Left  | 23    | 25.14 | 33 | pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or latesification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM\_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 8 of 23

| ī   |    | 1  | 1           |   | Page:           | 0 01  | <b>2</b> 3 | 1  |      |
|-----|----|----|-------------|---|-----------------|-------|------------|----|------|
| N38 | 30 | 40 | DFT-256QAM  | L | Inner_1RB_Right | 22.86 | 25         | 33 | pass |
| N38 | 30 | 40 | DFT-256QAM  | L | Outer_Full      | 22.87 | 25.01      | 33 | pass |
| N38 | 30 | 40 | DFT-PI2BPSK | М | Inner_1RB_Left  | 26.55 | 28.69      | 33 | pass |
| N38 | 30 | 40 | DFT-PI2BPSK | М | Inner_1RB_Right | 26.48 | 28.62      | 33 | pass |
| N38 | 30 | 40 | DFT-PI2BPSK | М | Outer_Full      | 26.36 | 28.5       | 33 | pass |
| N38 | 30 | 40 | DFT-QPSK    | М | Inner_1RB_Left  | 26.59 | 28.73      | 33 | pass |
| N38 | 30 | 40 | DFT-QPSK    | М | Inner_1RB_Right | 26.45 | 28.59      | 33 | pass |
| N38 | 30 | 40 | DFT-QPSK    | М | Outer_Full      | 26.35 | 28.49      | 33 | pass |
| N38 | 30 | 40 | DFT-16QAM   | М | Inner_1RB_Left  | 26.58 | 28.72      | 33 | pass |
| N38 | 30 | 40 | DFT-16QAM   | М | Inner_1RB_Right | 26.45 | 28.59      | 33 | pass |
| N38 | 30 | 40 | DFT-16QAM   | М | Outer_Full      | 25.32 | 27.46      | 33 | pass |
| N38 | 30 | 40 | DFT-64QAM   | М | Inner_1RB_Left  | 24.95 | 27.09      | 33 | pass |
| N38 | 30 | 40 | DFT-64QAM   | М | Inner_1RB_Right | 24.81 | 26.95      | 33 | pass |
| N38 | 30 | 40 | DFT-64QAM   | М | Outer_Full      | 24.84 | 26.98      | 33 | pass |
| N38 | 30 | 40 | DFT-256QAM  | М | Inner_1RB_Left  | 23.1  | 25.24      | 33 | pass |
| N38 | 30 | 40 | DFT-256QAM  | М | Inner_1RB_Right | 22.95 | 25.09      | 33 | pass |
| N38 | 30 | 40 | DFT-256QAM  | М | Outer_Full      | 22.88 | 25.02      | 33 | pass |
| N38 | 30 | 40 | DFT-PI2BPSK | Н | Inner_1RB_Left  | 26.55 | 28.69      | 33 | pass |
| N38 | 30 | 40 | DFT-PI2BPSK | Н | Inner_1RB_Right | 26.51 | 28.65      | 33 | pass |
| N38 | 30 | 40 | DFT-PI2BPSK | Н | Outer_Full      | 26.51 | 28.65      | 33 | pass |
| N38 | 30 | 40 | DFT-QPSK    | Н | Inner_1RB_Left  | 26.56 | 28.7       | 33 | pass |
| N38 | 30 | 40 | DFT-QPSK    | Н | Inner_1RB_Right | 26.44 | 28.58      | 33 | pass |
| N38 | 30 | 40 | DFT-QPSK    | Н | Outer_Full      | 26.51 | 28.65      | 33 | pass |
| N38 | 30 | 40 | DFT-16QAM   | Н | Inner_1RB_Left  | 26.56 | 28.7       | 33 | pass |
| N38 | 30 | 40 | DFT-16QAM   | Н | Inner_1RB_Right | 26.45 | 28.59      | 33 | pass |
| N38 | 30 | 40 | DFT-16QAM   | Н | Outer_Full      | 25.47 | 27.61      | 33 | pass |
| N38 | 30 | 40 | DFT-64QAM   | Н | Inner_1RB_Left  | 25.05 | 27.19      | 33 | pass |
| N38 | 30 | 40 | DFT-64QAM   | Н | Inner_1RB_Right | 24.87 | 27.01      | 33 | pass |
| N38 | 30 | 40 | DFT-64QAM   | Н | Outer_Full      | 24.99 | 27.13      | 33 | pass |
| N38 | 30 | 40 | DFT-256QAM  | Н | Inner_1RB_Left  | 23.02 | 25.16      | 33 | pass |
| N38 | 30 | 40 | DFT-256QAM  | Н | Inner_1RB_Right | 22.94 | 25.08      | 33 | pass |
| N38 | 30 | 40 | DFT-256QAM  | Н | Outer_Full      | 23.02 | 25.16      | 33 | pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 9 of 23

#### **Test Result for UL MIMO**

| Band | SCS | Bandwidth | Modulation | Channel | RB Config       | ANT1  | ANT2  | Total | EIRP  | LIMIT | verdict |
|------|-----|-----------|------------|---------|-----------------|-------|-------|-------|-------|-------|---------|
| N38  | 30  | 10        | CP-QPSK    | L       | Inner_1RB_Left  | 22.2  | 22.12 | 25.17 | 27.31 | 33    | pass    |
| N38  | 30  | 10        | CP-QPSK    | L       | Inner_1RB_Right | 21.86 | 22.44 | 25.17 | 27.31 | 33    | pass    |
| N38  | 30  | 10        | CP-QPSK    | L       | Outer_Full      | 20.28 | 20.49 | 23.39 | 25.53 | 33    | pass    |
| N38  | 30  | 10        | CP-16QAM   | L       | Inner_1RB_Left  | 21.3  | 21.46 | 24.39 | 26.53 | 33    | pass    |
| N38  | 30  | 10        | CP-16QAM   | L       | Inner_1RB_Right | 21.29 | 21.46 | 24.38 | 26.52 | 33    | pass    |
| N38  | 30  | 10        | CP-16QAM   | L       | Outer_Full      | 20.25 | 20.52 | 23.4  | 25.54 | 33    | pass    |
| N38  | 30  | 10        | CP-64QAM   | L       | Inner_1RB_Left  | 19.92 | 19.32 | 22.64 | 24.78 | 33    | pass    |
| N38  | 30  | 10        | CP-64QAM   | L       | Inner_1RB_Right | 19.71 | 19.55 | 22.64 | 24.78 | 33    | pass    |
| N38  | 30  | 10        | CP-64QAM   | L       | Outer_Full      | 19.72 | 19.95 | 22.85 | 24.99 | 33    | pass    |
| N38  | 30  | 10        | CP-256QAM  | L       | Inner_1RB_Left  | 16.6  | 16.53 | 19.57 | 21.71 | 33    | pass    |
| N38  | 30  | 10        | CP-256QAM  | L       | Inner_1RB_Right | 16.41 | 16.8  | 19.62 | 21.76 | 33    | pass    |
| N38  | 30  | 10        | CP-256QAM  | L       | Outer_Full      | 16.53 | 16.73 | 19.64 | 21.78 | 33    | pass    |
| N38  | 30  | 10        | CP-QPSK    | М       | Inner_1RB_Left  | 22.18 | 21.79 | 25    | 27.14 | 33    | pass    |
| N38  | 30  | 10        | CP-QPSK    | М       | Inner_1RB_Right | 22.19 | 22.18 | 25.2  | 27.34 | 33    | pass    |
| N38  | 30  | 10        | CP-QPSK    | М       | Outer_Full      | 20.55 | 20.23 | 23.4  | 25.54 | 33    | pass    |
| N38  | 30  | 10        | CP-16QAM   | М       | Inner_1RB_Left  | 21.25 | 21.28 | 24.28 | 26.42 | 33    | pass    |
| N38  | 30  | 10        | CP-16QAM   | М       | Inner_1RB_Right | 21.53 | 21.53 | 24.54 | 26.68 | 33    | pass    |
| N38  | 30  | 10        | CP-16QAM   | М       | Outer_Full      | 20.5  | 20.27 | 23.4  | 25.54 | 33    | pass    |
| N38  | 30  | 10        | CP-64QAM   | М       | Inner_1RB_Left  | 19.86 | 19.15 | 22.53 | 24.67 | 33    | pass    |
| N38  | 30  | 10        | CP-64QAM   | М       | Inner_1RB_Right | 20.18 | 19.2  | 22.72 | 24.86 | 33    | pass    |
| N38  | 30  | 10        | CP-64QAM   | М       | Outer_Full      | 19.96 | 19.74 | 22.86 | 25    | 33    | pass    |
| N38  | 30  | 10        | CP-256QAM  | М       | Inner_1RB_Left  | 16.7  | 16.41 | 19.57 | 21.71 | 33    | pass    |
| N38  | 30  | 10        | CP-256QAM  | М       | Inner_1RB_Right | 16.9  | 16.48 | 19.71 | 21.85 | 33    | pass    |
| N38  | 30  | 10        | CP-256QAM  | М       | Outer_Full      | 16.75 | 16.54 | 19.66 | 21.8  | 33    | pass    |
| N38  | 30  | 10        | CP-QPSK    | Η       | Inner_1RB_Left  | 22.16 | 22.16 | 25.17 | 27.31 | 33    | pass    |
| N38  | 30  | 10        | CP-QPSK    | Н       | Inner_1RB_Right | 22.33 | 22    | 25.18 | 27.32 | 33    | pass    |
| N38  | 30  | 10        | CP-QPSK    | Н       | Outer_Full      | 20.6  | 20.34 | 23.48 | 25.62 | 33    | pass    |
| N38  | 30  | 10        | CP-16QAM   | Н       | Inner_1RB_Left  | 21.38 | 21.41 | 24.4  | 26.54 | 33    | pass    |
| N38  | 30  | 10        | CP-16QAM   | Н       | Inner_1RB_Right | 21.5  | 21.37 | 24.44 | 26.58 | 33    | pass    |
| N38  | 30  | 10        | CP-16QAM   | Н       | Outer_Full      | 20.55 | 20.38 | 23.48 | 25.62 | 33    | pass    |
| N38  | 30  | 10        | CP-64QAM   | Н       | Inner_1RB_Left  | 20    | 19.26 | 22.66 | 24.8  | 33    | pass    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and,">http://www.sgs.com/en/Terms-and-Conditions.aspx.and,</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days ones, otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days ones, otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days ones, otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days ones, otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days ones, otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days ones, otherwise stated the r

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 10 of 23

|     |    |    |           |   |                 | age:  | 10    | 01 23 |       |    |      |
|-----|----|----|-----------|---|-----------------|-------|-------|-------|-------|----|------|
| N38 | 30 | 10 | CP-64QAM  | Н | Inner_1RB_Right | 20.42 | 19.31 | 22.91 | 25.05 | 33 | pass |
| N38 | 30 | 10 | CP-64QAM  | Н | Outer_Full      | 20.06 | 19.81 | 22.95 | 25.09 | 33 | pass |
| N38 | 30 | 10 | CP-256QAM | Н | Inner_1RB_Left  | 16.8  | 16.57 | 19.7  | 21.84 | 33 | pass |
| N38 | 30 | 10 | CP-256QAM | Н | Inner_1RB_Right | 17.03 | 16.49 | 19.78 | 21.92 | 33 | pass |
| N38 | 30 | 10 | CP-256QAM | Н | Outer_Full      | 17.02 | 16.64 | 19.84 | 21.98 | 33 | pass |
| N38 | 30 | 15 | CP-QPSK   | L | Inner_1RB_Left  | 22.04 | 22.34 | 25.2  | 27.34 | 33 | pass |
| N38 | 30 | 15 | CP-QPSK   | L | Inner_1RB_Right | 22.04 | 22.71 | 25.4  | 27.54 | 33 | pass |
| N38 | 30 | 15 | CP-QPSK   | L | Outer_Full      | 20.46 | 20.76 | 23.62 | 25.76 | 33 | pass |
| N38 | 30 | 15 | CP-16QAM  | L | Inner_1RB_Left  | 21.5  | 21.79 | 24.66 | 26.8  | 33 | pass |
| N38 | 30 | 15 | CP-16QAM  | L | Inner_1RB_Right | 21.16 | 21.93 | 24.58 | 26.72 | 33 | pass |
| N38 | 30 | 15 | CP-16QAM  | L | Outer_Full      | 20.49 | 20.75 | 23.63 | 25.77 | 33 | pass |
| N38 | 30 | 15 | CP-64QAM  | L | Inner_1RB_Left  | 19.95 | 19.42 | 22.71 | 24.85 | 33 | pass |
| N38 | 30 | 15 | CP-64QAM  | L | Inner_1RB_Right | 19.89 | 19.76 | 22.84 | 24.98 | 33 | pass |
| N38 | 30 | 15 | CP-64QAM  | L | Outer_Full      | 19.93 | 20.2  | 23.08 | 25.22 | 33 | pass |
| N38 | 30 | 15 | CP-256QAM | L | Inner_1RB_Left  | 16.79 | 16.72 | 19.76 | 21.9  | 33 | pass |
| N38 | 30 | 15 | CP-256QAM | L | Inner_1RB_Right | 16.68 | 16.99 | 19.85 | 21.99 | 33 | pass |
| N38 | 30 | 15 | CP-256QAM | L | Outer_Full      | 16.7  | 16.95 | 19.83 | 21.97 | 33 | pass |
| N38 | 30 | 15 | CP-QPSK   | М | Inner_1RB_Left  | 22.21 | 22.42 | 25.33 | 27.47 | 33 | pass |
| N38 | 30 | 15 | CP-QPSK   | М | Inner_1RB_Right | 22.63 | 22.28 | 25.47 | 27.61 | 33 | pass |
| N38 | 30 | 15 | CP-QPSK   | М | Outer_Full      | 20.81 | 20.59 | 23.71 | 25.85 | 33 | pass |
| N38 | 30 | 15 | CP-16QAM  | М | Inner_1RB_Left  | 21.33 | 21.79 | 24.58 | 26.72 | 33 | pass |
| N38 | 30 | 15 | CP-16QAM  | М | Inner_1RB_Right | 21.63 | 21.72 | 24.69 | 26.83 | 33 | pass |
| N38 | 30 | 15 | CP-16QAM  | М | Outer_Full      | 20.78 | 20.6  | 23.7  | 25.84 | 33 | pass |
| N38 | 30 | 15 | CP-64QAM  | М | Inner_1RB_Left  | 20.04 | 19.43 | 22.76 | 24.9  | 33 | pass |
| N38 | 30 | 15 | CP-64QAM  | М | Inner_1RB_Right | 20.3  | 19.57 | 22.96 | 25.1  | 33 | pass |
| N38 | 30 | 15 | CP-64QAM  | М | Outer_Full      | 20.22 | 20.08 | 23.16 | 25.3  | 33 | pass |
| N38 | 30 | 15 | CP-256QAM | М | Inner_1RB_Left  | 16.88 | 16.79 | 19.84 | 21.98 | 33 | pass |
| N38 | 30 | 15 | CP-256QAM | М | Inner_1RB_Right | 17.04 | 16.88 | 19.97 | 22.11 | 33 | pass |
| N38 | 30 | 15 | CP-256QAM | М | Outer_Full      | 16.98 | 16.78 | 19.89 | 22.03 | 33 | pass |
| N38 | 30 | 15 | CP-QPSK   | Н | Inner_1RB_Left  | 22.3  | 22.35 | 25.34 | 27.48 | 33 | pass |
| N38 | 30 | 15 | CP-QPSK   | Н | Inner_1RB_Right | 22.44 | 22.16 | 25.31 | 27.45 | 33 | pass |
| N38 | 30 | 15 | CP-QPSK   | Н | Outer_Full      | 20.8  | 20.61 | 23.72 | 25.86 | 33 | pass |
| N38 | 30 | 15 | CP-16QAM  | Н | Inner_1RB_Left  | 21.43 | 21.7  | 24.58 | 26.72 | 33 | pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or latesification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM\_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 11 of 23

|     |    |    |           |   | Г               | age:  |       | 01 23 | ,     |    |      |
|-----|----|----|-----------|---|-----------------|-------|-------|-------|-------|----|------|
| N38 | 30 | 15 | CP-16QAM  | Н | Inner_1RB_Right | 21.72 | 21.65 | 24.7  | 26.84 | 33 | pass |
| N38 | 30 | 15 | CP-16QAM  | Н | Outer_Full      | 20.76 | 20.61 | 23.7  | 25.84 | 33 | pass |
| N38 | 30 | 15 | CP-64QAM  | Н | Inner_1RB_Left  | 20.26 | 19.47 | 22.89 | 25.03 | 33 | pass |
| N38 | 30 | 15 | CP-64QAM  | Н | Inner_1RB_Right | 20.26 | 19.55 | 22.93 | 25.07 | 33 | pass |
| N38 | 30 | 15 | CP-64QAM  | Н | Outer_Full      | 20.23 | 20.1  | 23.18 | 25.32 | 33 | pass |
| N38 | 30 | 15 | CP-256QAM | Н | Inner_1RB_Left  | 16.98 | 16.76 | 19.88 | 22.02 | 33 | pass |
| N38 | 30 | 15 | CP-256QAM | Н | Inner_1RB_Right | 17.1  | 16.8  | 19.96 | 22.1  | 33 | pass |
| N38 | 30 | 15 | CP-256QAM | Н | Outer_Full      | 16.98 | 16.79 | 19.89 | 22.03 | 33 | pass |
| N38 | 30 | 20 | CP-QPSK   | L | Inner_1RB_Left  | 22.23 | 21.96 | 25.11 | 27.25 | 33 | pass |
| N38 | 30 | 20 | CP-QPSK   | L | Inner_1RB_Right | 22.19 | 22.23 | 25.22 | 27.36 | 33 | pass |
| N38 | 30 | 20 | CP-QPSK   | L | Outer_Full      | 20.41 | 20.66 | 23.54 | 25.68 | 33 | pass |
| N38 | 30 | 20 | CP-16QAM  | L | Inner_1RB_Left  | 21.42 | 21.52 | 24.48 | 26.62 | 33 | pass |
| N38 | 30 | 20 | CP-16QAM  | L | Inner_1RB_Right | 21.6  | 21.57 | 24.6  | 26.74 | 33 | pass |
| N38 | 30 | 20 | CP-16QAM  | L | Outer_Full      | 20.34 | 20.62 | 23.49 | 25.63 | 33 | pass |
| N38 | 30 | 20 | CP-64QAM  | L | Inner_1RB_Left  | 19.94 | 19.39 | 22.68 | 24.82 | 33 | pass |
| N38 | 30 | 20 | CP-64QAM  | L | Inner_1RB_Right | 20.02 | 19.55 | 22.8  | 24.94 | 33 | pass |
| N38 | 30 | 20 | CP-64QAM  | L | Outer_Full      | 19.93 | 20.18 | 23.07 | 25.21 | 33 | pass |
| N38 | 30 | 20 | CP-256QAM | L | Inner_1RB_Left  | 16.75 | 16.63 | 19.7  | 21.84 | 33 | pass |
| N38 | 30 | 20 | CP-256QAM | L | Inner_1RB_Right | 16.91 | 16.81 | 19.87 | 22.01 | 33 | pass |
| N38 | 30 | 20 | CP-256QAM | L | Outer_Full      | 16.64 | 16.95 | 19.81 | 21.95 | 33 | pass |
| N38 | 30 | 20 | CP-QPSK   | М | Inner_1RB_Left  | 22.06 | 22.32 | 25.2  | 27.34 | 33 | pass |
| N38 | 30 | 20 | CP-QPSK   | М | Inner_1RB_Right | 22.62 | 22.28 | 25.47 | 27.61 | 33 | pass |
| N38 | 30 | 20 | CP-QPSK   | М | Outer_Full      | 20.76 | 20.54 | 23.67 | 25.81 | 33 | pass |
| N38 | 30 | 20 | CP-16QAM  | М | Inner_1RB_Left  | 21.22 | 21.76 | 24.51 | 26.65 | 33 | pass |
| N38 | 30 | 20 | CP-16QAM  | М | Inner_1RB_Right | 21.78 | 21.87 | 24.83 | 26.97 | 33 | pass |
| N38 | 30 | 20 | CP-16QAM  | М | Outer_Full      | 20.66 | 20.51 | 23.6  | 25.74 | 33 | pass |
| N38 | 30 | 20 | CP-64QAM  | М | Inner_1RB_Left  | 20    | 19.46 | 22.75 | 24.89 | 33 | pass |
| N38 | 30 | 20 | CP-64QAM  | М | Inner_1RB_Right | 20.32 | 19.56 | 22.97 | 25.11 | 33 | pass |
| N38 | 30 | 20 | CP-64QAM  | М | Outer_Full      | 20.24 | 20.17 | 23.22 | 25.36 | 33 | pass |
| N38 | 30 | 20 | CP-256QAM | М | Inner_1RB_Left  | 16.78 | 16.75 | 19.77 | 21.91 | 33 | pass |
| N38 | 30 | 20 | CP-256QAM | М | Inner_1RB_Right | 17    | 16.73 | 19.88 | 22.02 | 33 | pass |
| N38 | 30 | 20 | CP-256QAM | М | Outer_Full      | 16.9  | 16.83 | 19.88 | 22.02 | 33 | pass |
| N38 | 30 | 20 | CP-QPSK   | Н | Inner_1RB_Left  | 22.29 | 22.25 | 25.28 | 27.42 | 33 | pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 12 of 23

|     |    |    |           |   |                 | age:  |       | 01 23 |       |    |      |
|-----|----|----|-----------|---|-----------------|-------|-------|-------|-------|----|------|
| N38 | 30 | 20 | CP-QPSK   | Н | Inner_1RB_Right | 22.44 | 22.45 | 25.46 | 27.6  | 33 | pass |
| N38 | 30 | 20 | CP-QPSK   | Н | Outer_Full      | 20.75 | 20.64 | 23.71 | 25.85 | 33 | pass |
| N38 | 30 | 20 | CP-16QAM  | Н | Inner_1RB_Left  | 21.6  | 21.53 | 24.57 | 26.71 | 33 | pass |
| N38 | 30 | 20 | CP-16QAM  | Н | Inner_1RB_Right | 21.73 | 21.69 | 24.72 | 26.86 | 33 | pass |
| N38 | 30 | 20 | CP-16QAM  | Н | Outer_Full      | 20.71 | 20.76 | 23.74 | 25.88 | 33 | pass |
| N38 | 30 | 20 | CP-64QAM  | Н | Inner_1RB_Left  | 20.29 | 19.49 | 22.92 | 25.06 | 33 | pass |
| N38 | 30 | 20 | CP-64QAM  | Н | Inner_1RB_Right | 20.24 | 19.67 | 22.98 | 25.12 | 33 | pass |
| N38 | 30 | 20 | CP-64QAM  | Н | Outer_Full      | 20.26 | 20.31 | 23.3  | 25.44 | 33 | pass |
| N38 | 30 | 20 | CP-256QAM | Н | Inner_1RB_Left  | 17.01 | 16.79 | 19.91 | 22.05 | 33 | pass |
| N38 | 30 | 20 | CP-256QAM | Н | Inner_1RB_Right | 17.18 | 16.88 | 20.04 | 22.18 | 33 | pass |
| N38 | 30 | 20 | CP-256QAM | Н | Outer_Full      | 16.52 | 17.02 | 19.79 | 21.93 | 33 | pass |
| N38 | 30 | 30 | CP-QPSK   | L | Inner_1RB_Left  | 22.22 | 22.26 | 25.25 | 27.39 | 33 | pass |
| N38 | 30 | 30 | CP-QPSK   | L | Inner_1RB_Right | 22.8  | 22.61 | 25.72 | 27.86 | 33 | pass |
| N38 | 30 | 30 | CP-QPSK   | L | Outer_Full      | 20.68 | 20.72 | 23.71 | 25.85 | 33 | pass |
| N38 | 30 | 30 | CP-16QAM  | L | Inner_1RB_Left  | 21.74 | 21.87 | 24.81 | 26.95 | 33 | pass |
| N38 | 30 | 30 | CP-16QAM  | L | Inner_1RB_Right | 22.03 | 21.95 | 25    | 27.14 | 33 | pass |
| N38 | 30 | 30 | CP-16QAM  | L | Outer_Full      | 20.58 | 20.72 | 23.66 | 25.8  | 33 | pass |
| N38 | 30 | 30 | CP-64QAM  | L | Inner_1RB_Left  | 20.09 | 19.58 | 22.85 | 24.99 | 33 | pass |
| N38 | 30 | 30 | CP-64QAM  | L | Inner_1RB_Right | 20.43 | 19.69 | 23.09 | 25.23 | 33 | pass |
| N38 | 30 | 30 | CP-64QAM  | L | Outer_Full      | 20.04 | 20.19 | 23.13 | 25.27 | 33 | pass |
| N38 | 30 | 30 | CP-256QAM | L | Inner_1RB_Left  | 16.86 | 16.88 | 19.88 | 22.02 | 33 | pass |
| N38 | 30 | 30 | CP-256QAM | L | Inner_1RB_Right | 17.14 | 17.08 | 20.12 | 22.26 | 33 | pass |
| N38 | 30 | 30 | CP-256QAM | L | Outer_Full      | 16.99 | 17.05 | 20.03 | 22.17 | 33 | pass |
| N38 | 30 | 30 | CP-QPSK   | М | Inner_1RB_Left  | 22.09 | 22.66 | 25.39 | 27.53 | 33 | pass |
| N38 | 30 | 30 | CP-QPSK   | М | Inner_1RB_Right | 22.68 | 22.75 | 25.72 | 27.86 | 33 | pass |
| N38 | 30 | 30 | CP-QPSK   | М | Outer_Full      | 20.74 | 20.79 | 23.78 | 25.92 | 33 | pass |
| N38 | 30 | 30 | CP-16QAM  | М | Inner_1RB_Left  | 21.64 | 22.01 | 24.84 | 26.98 | 33 | pass |
| N38 | 30 | 30 | CP-16QAM  | М | Inner_1RB_Right | 22.04 | 22.16 | 25.11 | 27.25 | 33 | pass |
| N38 | 30 | 30 | CP-16QAM  | М | Outer_Full      | 20.76 | 20.78 | 23.78 | 25.92 | 33 | pass |
| N38 | 30 | 30 | CP-64QAM  | М | Inner_1RB_Left  | 19.83 | 19.83 | 22.84 | 24.98 | 33 | pass |
| N38 | 30 | 30 | CP-64QAM  | М | Inner_1RB_Right | 20.46 | 19.85 | 23.18 | 25.32 | 33 | pass |
| N38 | 30 | 30 | CP-64QAM  | М | Outer_Full      | 20.29 | 20.21 | 23.26 | 25.4  | 33 | pass |
| N38 | 30 | 30 | CP-256QAM | М | Inner_1RB_Left  | 16.79 | 17.09 | 19.95 | 22.09 | 33 | pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or latesification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM\_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.s t (86–512) 62992980 sgs.ch



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 13 of 23

|     |    |    | 1         |   |                 | age:  | 10    | 01 23 |       |    | 1    |
|-----|----|----|-----------|---|-----------------|-------|-------|-------|-------|----|------|
| N38 | 30 | 30 | CP-256QAM | M | Inner_1RB_Right | 17.18 | 17.16 | 20.18 | 22.32 | 33 | pass |
| N38 | 30 | 30 | CP-256QAM | М | Outer_Full      | 17.05 | 17.1  | 20.09 | 22.23 | 33 | pass |
| N38 | 30 | 30 | CP-QPSK   | Н | Inner_1RB_Left  | 22.46 | 22.6  | 25.54 | 27.68 | 33 | pass |
| N38 | 30 | 30 | CP-QPSK   | Н | Inner_1RB_Right | 22.74 | 22.9  | 25.83 | 27.97 | 33 | pass |
| N38 | 30 | 30 | CP-QPSK   | Н | Outer_Full      | 20.88 | 20.7  | 23.8  | 25.94 | 33 | pass |
| N38 | 30 | 30 | CP-16QAM  | Н | Inner_1RB_Left  | 21.9  | 21.53 | 24.73 | 26.87 | 33 | pass |
| N38 | 30 | 30 | CP-16QAM  | Н | Inner_1RB_Right | 22.01 | 21.97 | 25    | 27.14 | 33 | pass |
| N38 | 30 | 30 | CP-16QAM  | Н | Outer_Full      | 20.88 | 20.77 | 23.83 | 25.97 | 33 | pass |
| N38 | 30 | 30 | CP-64QAM  | Н | Inner_1RB_Left  | 20.23 | 19.56 | 22.92 | 25.06 | 33 | pass |
| N38 | 30 | 30 | CP-64QAM  | Н | Inner_1RB_Right | 20.7  | 19.8  | 23.28 | 25.42 | 33 | pass |
| N38 | 30 | 30 | CP-64QAM  | Н | Outer_Full      | 20.39 | 20.26 | 23.33 | 25.47 | 33 | pass |
| N38 | 30 | 30 | CP-256QAM | Н | Inner_1RB_Left  | 17.06 | 16.87 | 19.98 | 22.12 | 33 | pass |
| N38 | 30 | 30 | CP-256QAM | Н | Inner_1RB_Right | 17.31 | 17.13 | 20.23 | 22.37 | 33 | pass |
| N38 | 30 | 30 | CP-256QAM | Н | Outer_Full      | 17.25 | 17.08 | 20.18 | 22.32 | 33 | pass |
| N38 | 30 | 40 | CP-QPSK   | L | Inner_1RB_Left  | 22.25 | 22.25 | 25.26 | 27.4  | 33 | pass |
| N38 | 30 | 40 | CP-QPSK   | L | Inner_1RB_Right | 22.64 | 22.83 | 25.75 | 27.89 | 33 | pass |
| N38 | 30 | 40 | CP-QPSK   | L | Outer_Full      | 20.74 | 20.79 | 23.78 | 25.92 | 33 | pass |
| N38 | 30 | 40 | CP-16QAM  | L | Inner_1RB_Left  | 21.5  | 21.73 | 24.63 | 26.77 | 33 | pass |
| N38 | 30 | 40 | CP-16QAM  | L | Inner_1RB_Right | 21.8  | 21.96 | 24.89 | 27.03 | 33 | pass |
| N38 | 30 | 40 | CP-16QAM  | L | Outer_Full      | 20.73 | 20.79 | 23.77 | 25.91 | 33 | pass |
| N38 | 30 | 40 | CP-64QAM  | L | Inner_1RB_Left  | 20.09 | 19.63 | 22.87 | 25.01 | 33 | pass |
| N38 | 30 | 40 | CP-64QAM  | L | Inner_1RB_Right | 20.28 | 19.86 | 23.08 | 25.22 | 33 | pass |
| N38 | 30 | 40 | CP-64QAM  | L | Outer_Full      | 20.21 | 20.26 | 23.24 | 25.38 | 33 | pass |
| N38 | 30 | 40 | CP-256QAM | L | Inner_1RB_Left  | 16.86 | 16.87 | 19.88 | 22.02 | 33 | pass |
| N38 | 30 | 40 | CP-256QAM | L | Inner_1RB_Right | 17.19 | 17.07 | 20.14 | 22.28 | 33 | pass |
| N38 | 30 | 40 | CP-256QAM | L | Outer_Full      | 16.96 | 17.1  | 20.05 | 22.19 | 33 | pass |
| N38 | 30 | 40 | CP-QPSK   | М | Inner_1RB_Left  | 22.11 | 22.78 | 25.47 | 27.61 | 33 | pass |
| N38 | 30 | 40 | CP-QPSK   | М | Inner_1RB_Right | 22.62 | 22.8  | 25.72 | 27.86 | 33 | pass |
| N38 | 30 | 40 | CP-QPSK   | М | Outer_Full      | 20.73 | 20.84 | 23.79 | 25.93 | 33 | pass |
| N38 | 30 | 40 | CP-16QAM  | М | Inner_1RB_Left  | 21.24 | 21.97 | 24.63 | 26.77 | 33 | pass |
| N38 | 30 | 40 | CP-16QAM  | М | Inner_1RB_Right | 22.08 | 22.22 | 25.16 | 27.3  | 33 | pass |
| N38 | 30 | 40 | CP-16QAM  | М | Outer_Full      | 20.76 | 20.85 | 23.82 | 25.96 | 33 | pass |
| N38 | 30 | 40 | CP-64QAM  | М | Inner_1RB_Left  | 19.85 | 19.78 | 22.83 | 24.97 | 33 | pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or latesification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM\_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 14 of 23

| N38 | 30 | 40 | CP-64QAM  | М | Inner_1RB_Right | 20.38 | 19.88 | 23.14 | 25.28 | 33 | pass |
|-----|----|----|-----------|---|-----------------|-------|-------|-------|-------|----|------|
| N38 | 30 | 40 | CP-64QAM  | М | Outer_Full      | 20.23 | 20.28 | 23.27 | 25.41 | 33 | pass |
| N38 | 30 | 40 | CP-256QAM | М | Inner_1RB_Left  | 16.74 | 16.99 | 19.88 | 22.02 | 33 | pass |
| N38 | 30 | 40 | CP-256QAM | М | Inner_1RB_Right | 17.26 | 17.09 | 20.19 | 22.33 | 33 | pass |
| N38 | 30 | 40 | CP-256QAM | М | Outer_Full      | 16.99 | 17.17 | 20.09 | 22.23 | 33 | pass |
| N38 | 30 | 40 | CP-QPSK   | Н | Inner_1RB_Left  | 22.13 | 22.78 | 25.48 | 27.62 | 33 | pass |
| N38 | 30 | 40 | CP-QPSK   | Н | Inner_1RB_Right | 22.78 | 22.53 | 25.67 | 27.81 | 33 | pass |
| N38 | 30 | 40 | CP-QPSK   | Н | Outer_Full      | 20.89 | 20.78 | 23.84 | 25.98 | 33 | pass |
| N38 | 30 | 40 | CP-16QAM  | Н | Inner_1RB_Left  | 21.43 | 21.88 | 24.67 | 26.81 | 33 | pass |
| N38 | 30 | 40 | CP-16QAM  | Н | Inner_1RB_Right | 22.06 | 21.96 | 25.02 | 27.16 | 33 | pass |
| N38 | 30 | 40 | CP-16QAM  | Н | Outer_Full      | 20.9  | 20.8  | 23.86 | 26    | 33 | pass |
| N38 | 30 | 40 | CP-64QAM  | Н | Inner_1RB_Left  | 22.13 | 22.78 | 25.48 | 27.62 | 33 | pass |
| N38 | 30 | 40 | CP-64QAM  | Н | Inner_1RB_Right | 20.49 | 19.8  | 23.17 | 25.31 | 33 | pass |
| N38 | 30 | 40 | CP-64QAM  | Н | Outer_Full      | 20.32 | 20.26 | 23.3  | 25.44 | 33 | pass |
| N38 | 30 | 40 | CP-256QAM | Н | Inner_1RB_Left  | 16.85 | 17.07 | 19.97 | 22.11 | 33 | pass |
| N38 | 30 | 40 | CP-256QAM | Н | Inner_1RB_Right | 17.32 | 17.06 | 20.2  | 22.34 | 33 | pass |
| N38 | 30 | 40 | CP-256QAM | Н | Outer_Full      | 17.09 | 17.12 | 20.11 | 22.25 | 33 | pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 15 of 23

#### Field Strength of Spurious Radiation

Test Band = 5G NR SA n38\_ TM1
Test Channel = Low

| Final | Data List  |         |        |            |        |        |        |        |       |            |
|-------|------------|---------|--------|------------|--------|--------|--------|--------|-------|------------|
| NO    | Frequency  | Reading | Factor | Λ Γ[dD/ma] | Level  | Limit  | Margin | Height | Angle | Delevity   |
| NO.   | [MHz]      | [dBµV]  | [dB]   | AF[dB/m]   | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 5144.1800  | 41.10   | -45.33 | 32.96      | -66.53 | -25.00 | 41.53  | 256    | 286   | Horizontal |
| 2     | 7716.2700  | 40.34   | -42.98 | 36.62      | -61.29 | -25.00 | 36.29  | 142    | 178   | Horizontal |
| 3     | 8862       | 39.79   | -41.24 | 38.12      | -58.60 | -25.00 | 33.60  | 138    | 286   | Horizontal |
| 4     | 10288.3600 | 35.20   | -39.14 | 38.83      | -60.37 | -25.00 | 35.37  | 199    | 73    | Horizontal |
| 5     | 12860.4500 | 33.50   | -37.00 | 39.69      | -59.07 | -25.00 | 34.07  | 175    | 0     | Horizontal |
| 6     | 15432.5400 | 32.64   | -34.11 | 38.67      | -58.06 | -25.00 | 33.06  | 219    | 2     | Horizontal |

| Final | Data List  |         |        |            |        |        |        |        |       |          |
|-------|------------|---------|--------|------------|--------|--------|--------|--------|-------|----------|
| NO.   | Frequency  | Reading | Factor | AF[dB/m]   | Level  | Limit  | Margin | Height | Angle | Polarity |
| NO.   | [MHz]      | [dBµV]  | [dB]   | AF[ub/III] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 5144.1800  | 41.25   | -45.33 | 32.96      | -66.38 | -25.00 | 41.38  | 258    | 0     | Vertical |
| 2     | 7716.2700  | 39.83   | -42.98 | 36.62      | -61.80 | -25.00 | 36.80  | 147    | 301   | Vertical |
| 3     | 9012       | 39.08   | -40.92 | 38.21      | -58.89 | -25.00 | 33.89  | 163    | 225   | Vertical |
| 4     | 10288.3600 | 35.95   | -39.14 | 38.83      | -59.62 | -25.00 | 34.62  | 251    | 7     | Vertical |
| 5     | 12860.4500 | 33.23   | -37.00 | 39.69      | -59.34 | -25.00 | 34.34  | 192    | 0     | Vertical |
| 6     | 15432.5400 | 32.55   | -34.11 | 38.67      | -58.15 | -25.00 | 33.15  | 106    | 44    | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and,">http://www.sgs.com/en/Terms-and-Conditions.aspx.and,</a> for electronic format documents, subject to Terms and Conditions (Terms-en-Document as this/Indems.aspx.and, for and Indems.aspx.and, the Indems.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document loss claims intructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days ones, otherwise stated the Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 16 of 23

# Test Band = 5G NR SA n38\_ TM1 Test Channel = Mid

| Final | Final Data List |         |        |            |        |        |        |        |       |            |  |  |  |  |
|-------|-----------------|---------|--------|------------|--------|--------|--------|--------|-------|------------|--|--|--|--|
| NO.   | Frequency       | Reading | Factor | AF[dB/m]   | Level  | Limit  | Margin | Height | Angle | Polarity   |  |  |  |  |
| NO.   | [MHz]           | [dBµV]  | [dB]   | AF[ub/III] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |  |  |  |  |
| 1     | 5154.1800       | 41.14   | -45.32 | 32.97      | -66.48 | -25.00 | 41.48  | 142    | 226   | Horizontal |  |  |  |  |
| 2     | 7731.2700       | 39.60   | -42.86 | 36.65      | -61.88 | -25.00 | 36.88  | 153    | 75    | Horizontal |  |  |  |  |
| 3     | 9302.25         | 38.94   | -40.21 | 38.42      | -58.11 | -25.00 | 33.11  | 285    | 0     | Horizontal |  |  |  |  |
| 4     | 10308.3600      | 34.33   | -39.08 | 38.84      | -61.18 | -25.00 | 36.18  | 149    | 75    | Horizontal |  |  |  |  |
| 5     | 12885.4500      | 33.18   | -37.07 | 39.72      | -59.43 | -25.00 | 34.43  | 133    | 181   | Horizontal |  |  |  |  |
| 6     | 15462.5400      | 32.62   | -34.67 | 38.63      | -58.68 | -25.00 | 33.68  | 211    | 226   | Horizontal |  |  |  |  |

| Final | Data List  |         |        |             |        |        |        |        |       |          |
|-------|------------|---------|--------|-------------|--------|--------|--------|--------|-------|----------|
| NO    | Frequency  | Reading | Factor | A F [dD/ma] | Level  | Limit  | Margin | Height | Angle | Delevity |
| NO.   | [MHz]      | [dBµV]  | [dB]   | AF[dB/m]    | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 5154.1800  | 40.73   | -45.32 | 32.97       | -66.89 | -25.00 | 41.89  | 251    | 276   | Vertical |
| 2     | 7731.2700  | 39.50   | -42.86 | 36.65       | -61.98 | -25.00 | 36.98  | 189    | 316   | Vertical |
| 3     | 8705.25    | 40.19   | -41.67 | 37.92       | -58.81 | -25.00 | 33.81  | 142    | 276   | Vertical |
| 4     | 10308.3600 | 34.38   | -39.08 | 38.84       | -61.13 | -25.00 | 36.13  | 123    | 118   | Vertical |
| 5     | 12885.4500 | 33.77   | -37.07 | 39.72       | -58.84 | -25.00 | 33.84  | 100    | 351   | Vertical |
| 6     | 15462.5400 | 32.83   | -34.67 | 38.63       | -58.47 | -25.00 | 33.47  | 203    | 299   | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 17 of 23

#### Test Band = 5G NR SA n38\_ TM1 Test Channel = High

| Final | Data List  |         |        |            |        |        |        |        |       |            |
|-------|------------|---------|--------|------------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency  | Reading | Factor | AF[dB/m]   | Level  | Limit  | Margin | Height | Angle | Polarity   |
| NO.   | [MHz]      | [dBµV]  | [dB]   | AF[ub/III] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 5164.1800  | 41.30   | -45.31 | 32.97      | -66.30 | -25.00 | 41.30  | 291    | 150   | Horizontal |
| 2     | 7746.2700  | 40.78   | -42.74 | 36.68      | -60.55 | -25.00 | 35.55  | 140    | 151   | Horizontal |
| 3     | 9298.5     | 38.53   | -40.22 | 38.41      | -58.54 | -25.00 | 33.54  | 250    | 91    | Horizontal |
| 4     | 10328.3600 | 35.01   | -39.07 | 38.84      | -60.47 | -25.00 | 35.47  | 186    | 77    | Horizontal |
| 5     | 12910.4500 | 33.65   | -37.13 | 39.74      | -59.00 | -25.00 | 34.00  | 266    | 150   | Horizontal |
| 6     | 15492.5400 | 32.21   | -35.23 | 38.58      | -59.70 | -25.00 | 34.70  | 147    | 46    | Horizontal |

| Final Data List |            |         |        |            |        |        |        |        |       |          |  |  |
|-----------------|------------|---------|--------|------------|--------|--------|--------|--------|-------|----------|--|--|
| NO              | Frequency  | Reading | Factor | Λ Γ[dD/ma] | Level  | Limit  | Margin | Height | Angle | Dalarity |  |  |
| NO.             | [MHz]      | [dBµV]  | [dB]   | AF[dB/m]   | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |  |  |
| 1               | 5164.1800  | 41.25   | -45.31 | 32.97      | -66.35 | -25.00 | 41.35  | 245    | 316   | Vertical |  |  |
| 2               | 7746.2700  | 40.63   | -42.74 | 36.68      | -60.70 | -25.00 | 35.70  | 159    | 150   | Vertical |  |  |
| 3               | 9023.25    | 39.08   | -40.85 | 38.22      | -58.81 | -25.00 | 33.81  | 186    | 2     | Vertical |  |  |
| 4               | 10328.3600 | 35.22   | -39.07 | 38.84      | -60.26 | -25.00 | 35.26  | 253    | 150   | Vertical |  |  |
| 5               | 12910.4500 | 33.42   | -37.13 | 39.74      | -59.23 | -25.00 | 34.23  | 142    | 120   | Vertical |  |  |
| 6               | 15492.5400 | 31.80   | -35.23 | 38.58      | -60.11 | -25.00 | 35.11  | 162    | 29    | Vertical |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 18 of 23

# Test Band = NSA 12A-n38A\_ TM1 Test Channel = Low

| Final | Final Data List |         |        |          |        |        |        |        |       |            |  |  |  |  |
|-------|-----------------|---------|--------|----------|--------|--------|--------|--------|-------|------------|--|--|--|--|
| NO.   | Frequency       | Reading | Factor | ΛΕ[dD/m] | Level  | Limit  | Margin | Height | Angle | Dolority   |  |  |  |  |
| NO.   | [MHz]           | [dBµV]  | [dB]   | AF[dB/m] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |  |  |  |  |
| 1     | 3729.75         | 43.33   | -45.62 | 30.08    | -67.48 | -25.00 | 42.48  | 125    | 150   | Horizontal |  |  |  |  |
| 2     | 5144.1800       | 41.25   | -45.33 | 32.96    | -66.38 | -25.00 | 41.38  | 215    | 135   | Horizontal |  |  |  |  |
| 3     | 7716.2700       | 40.99   | -42.98 | 36.62    | -60.64 | -25.00 | 35.64  | 136    | 29    | Horizontal |  |  |  |  |
| 4     | 10288.3600      | 36.20   | -39.14 | 38.83    | -59.37 | -25.00 | 34.37  | 254    | 164   | Horizontal |  |  |  |  |
| 5     | 12860.4500      | 35.48   | -37.00 | 39.69    | -57.09 | -25.00 | 32.09  | 196    | 58    | Horizontal |  |  |  |  |
| 6     | 15432.5400      | 35.30   | -34.11 | 38.67    | -55.40 | -25.00 | 30.40  | 142    | 346   | Horizontal |  |  |  |  |

| Final Data List |            |         |        |             |        |        |        |        |       |          |  |  |
|-----------------|------------|---------|--------|-------------|--------|--------|--------|--------|-------|----------|--|--|
| NO              | Frequency  | Reading | Factor | Λ.Γ.(-ID/:1 | Level  | Limit  | Margin | Height | Angle | Dalawitu |  |  |
| NO.             | [MHz]      | [dBµV]  | [dB]   | AF[dB/m]    | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |  |  |
| 1               | 5144.1800  | 41.48   | -45.33 | 32.96       | -66.15 | -25.00 | 41.15  | 148    | 182   | Vertical |  |  |
| 2               | 6656.25    | 42.52   | -44.05 | 35.55       | -61.23 | -25.00 | 36.23  | 152    | 61    | Vertical |  |  |
| 3               | 7716.2700  | 41.52   | -42.98 | 36.62       | -60.11 | -25.00 | 35.11  | 198    | 77    | Vertical |  |  |
| 4               | 10288.3600 | 36.70   | -39.14 | 38.83       | -58.87 | -25.00 | 33.87  | 142    | 357   | Vertical |  |  |
| 5               | 12860.4500 | 35.43   | -37.00 | 39.69       | -57.14 | -25.00 | 32.14  | 175    | 1     | Vertical |  |  |
| 6               | 15432.5400 | 35.41   | -34.11 | 38.67       | -55.29 | -25.00 | 30.29  | 136    | 136   | Vertical |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 19 of 23

# Test Band = NSA 12A-n38A\_ TM1 Test Channel = Mid

| Final | Data List  |         |        |          |        |        |        |        |       |            |
|-------|------------|---------|--------|----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency  | Reading | Factor | ΛΕ[dD/m] | Level  | Limit  | Margin | Height | Angle | Dolority   |
| NO.   | [MHz]      | [dBµV]  | [dB]   | AF[dB/m] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 3956.25    | 46.02   | -46.15 | 30.70    | -64.69 | -25.00 | 39.69  | 245    | 252   | Horizontal |
| 2     | 5154.1800  | 41.78   | -45.32 | 32.97    | -65.84 | -25.00 | 40.84  | 302    | 331   | Horizontal |
| 3     | 7731.2700  | 41.15   | -42.86 | 36.65    | -60.33 | -25.00 | 35.33  | 153    | 0     | Horizontal |
| 4     | 10308.3600 | 36.31   | -39.08 | 38.84    | -59.20 | -25.00 | 34.20  | 236    | 6     | Horizontal |
| 5     | 12885.4500 | 35.77   | -37.07 | 39.72    | -56.84 | -25.00 | 31.84  | 215    | 252   | Horizontal |
| 6     | 15462.5400 | 35.00   | -34.67 | 38.63    | -56.30 | -25.00 | 31.30  | 175    | 41    | Horizontal |

| Final Data List |            |         |        |              |        |        |        |        |       |          |  |  |
|-----------------|------------|---------|--------|--------------|--------|--------|--------|--------|-------|----------|--|--|
| NO              | Frequency  | Reading | Factor | Λ [[a]D/sas] | Level  | Limit  | Margin | Height | Angle | Dalawitu |  |  |
| NO.             | [MHz]      | [dBµV]  | [dB]   | AF[dB/m]     | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |  |  |
| 1               | 3792.75    | 44.68   | -45.89 | 30.30        | -66.17 | -25.00 | 41.17  | 248    | 18    | Vertical |  |  |
| 2               | 5154.1800  | 41.48   | -45.32 | 32.97        | -66.14 | -25.00 | 41.14  | 156    | 135   | Vertical |  |  |
| 3               | 7731.2700  | 40.78   | -42.86 | 36.65        | -60.70 | -25.00 | 35.70  | 136    | 91    | Vertical |  |  |
| 4               | 10308.3600 | 36.19   | -39.08 | 38.84        | -59.32 | -25.00 | 34.32  | 295    | 31    | Vertical |  |  |
| 5               | 12885.4500 | 35.58   | -37.07 | 39.72        | -57.03 | -25.00 | 32.03  | 175    | 240   | Vertical |  |  |
| 6               | 15462.5400 | 35.56   | -34.67 | 38.63        | -55.74 | -25.00 | 30.74  | 155    | 316   | Vertical |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 20 of 23

# Test Band = NSA 12A-n38A\_ TM1 Test Channel = High

| Final | Data List  |         |        |          |        |        |        |        |       |            |
|-------|------------|---------|--------|----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency  | Reading | Factor | VE[qD/m] | Level  | Limit  | Margin | Height | Angle | Dolority   |
| NO.   | [MHz]      | [dBµV]  | [dB]   | AF[dB/m] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 4095       | 43.53   | -45.77 | 30.94    | -66.56 | -25.00 | 41.56  | 245    | 104   | Horizontal |
| 2     | 5164.1800  | 41.42   | -45.31 | 32.97    | -66.18 | -25.00 | 41.18  | 175    | 44    | Horizontal |
| 3     | 7746.2700  | 40.94   | -42.74 | 36.68    | -60.39 | -25.00 | 35.39  | 142    | 0     | Horizontal |
| 4     | 10328.3600 | 36.21   | -39.07 | 38.84    | -59.27 | -25.00 | 34.27  | 133    | 104   | Horizontal |
| 5     | 12910.4500 | 35.64   | -37.13 | 39.74    | -57.01 | -25.00 | 32.01  | 256    | 301   | Horizontal |
| 6     | 15492.5400 | 35.92   | -35.23 | 38.58    | -55.99 | -25.00 | 30.99  | 298    | 104   | Horizontal |

| Final | Data List  |         |        |          |        |        |        |        |       |          |
|-------|------------|---------|--------|----------|--------|--------|--------|--------|-------|----------|
| NO    | Frequency  | Reading | Factor | ΛΕ[dD/m] | Level  | Limit  | Margin | Height | Angle | Dolority |
| NO.   | [MHz]      | [dBµV]  | [dB]   | AF[dB/m] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 4250.25    | 43.40   | -45.65 | 31.20    | -66.31 | -25.00 | 41.31  | 245    | 300   | Vertical |
| 2     | 5164.1800  | 41.64   | -45.31 | 32.97    | -65.96 | -25.00 | 40.96  | 175    | 43    | Vertical |
| 3     | 7746.2700  | 40.80   | -42.74 | 36.68    | -60.53 | -25.00 | 35.53  | 142    | 29    | Vertical |
| 4     | 10328.3600 | 35.89   | -39.07 | 38.84    | -59.59 | -25.00 | 34.59  | 136    | 356   | Vertical |
| 5     | 12910.4500 | 35.82   | -37.13 | 39.74    | -56.83 | -25.00 | 31.83  | 256    | 105   | Vertical |
| 6     | 15492.5400 | 35.82   | -35.23 | 38.58    | -56.09 | -25.00 | 31.09  | 291    | 2     | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

i: 215000 t (86–512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 21 of 23

#### Test Band = 5G NR CA n38A-n66A\_ TM1 Test Channel = Low

| Final | Final Data List |         |        |             |        |        |        |        |       |            |  |  |
|-------|-----------------|---------|--------|-------------|--------|--------|--------|--------|-------|------------|--|--|
| NO.   | Frequency       | Reading | Factor | AF[dB/m]    | Level  | Limit  | Margin | Height | Angle | Dolority   |  |  |
| NO.   | [MHz]           | [dBµV]  | [dB]   | Ai [ub/iii] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |  |  |
| 1     | 3422.1800       | 43.10   | -46.28 | 29.45       | -68.99 | -25.00 | 43.99  | 245    | 42    | Horizontal |  |  |
| 2     | 5133.2700       | 41.57   | -45.34 | 32.95       | -66.08 | -25.00 | 41.08  | 186    | 180   | Horizontal |  |  |
| 3     | 5144.1800       | 41.55   | -45.33 | 32.96       | -66.08 | -25.00 | 41.08  | 135    | 242   | Horizontal |  |  |
| 4     | 6844.3600       | 42.12   | -44.14 | 35.89       | -61.39 | -25.00 | 36.39  | 126    | 303   | Horizontal |  |  |
| 5     | 7716.2700       | 40.49   | -42.98 | 36.62       | -61.14 | -25.00 | 36.14  | 155    | 0     | Horizontal |  |  |
| 6     | 10288.3600      | 36.43   | -39.14 | 38.83       | -59.14 | -25.00 | 34.14  | 148    | 59    | Horizontal |  |  |

| Final Data List |            |         |        |              |        |        |        |        |       |          |  |
|-----------------|------------|---------|--------|--------------|--------|--------|--------|--------|-------|----------|--|
| NO              | Frequency  | Reading | Factor | Λ [[a]D/sas] | Level  | Limit  | Margin | Height | Angle | Dalawitu |  |
| NO.             | [MHz]      | [dBµV]  | [dB]   | AF[dB/m]     | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |  |
| 1               | 3422.1800  | 43.99   | -46.28 | 29.45        | -68.10 | -25.00 | 43.10  | 255    | 8     | Vertical |  |
| 2               | 5133.2700  | 41.50   | -45.34 | 32.95        | -66.15 | -25.00 | 41.15  | 122    | 0     | Vertical |  |
| 3               | 5144.1800  | 41.72   | -45.33 | 32.96        | -65.91 | -25.00 | 40.91  | 184    | 281   | Vertical |  |
| 4               | 6844.3600  | 40.89   | -44.14 | 35.89        | -62.62 | -25.00 | 37.62  | 175    | 0     | Vertical |  |
| 5               | 7716.2700  | 40.60   | -42.98 | 36.62        | -61.03 | -25.00 | 36.03  | 166    | 93    | Vertical |  |
| 6               | 10288.3600 | 36.44   | -39.14 | 38.83        | -59.13 | -25.00 | 34.13  | 291    | 326   | Vertical |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 22 of 23

# Test Band = 5G NR CA n38A-n66A\_ TM1 Test Channel = Mid

| Final | Final Data List |         |        |            |        |        |        |        |       |            |  |  |
|-------|-----------------|---------|--------|------------|--------|--------|--------|--------|-------|------------|--|--|
| NO.   | Frequency       | Reading | Factor | AF[dB/m]   | Level  | Limit  | Margin | Height | Angle | Dolority   |  |  |
| NO.   | [MHz]           | [dBµV]  | [dB]   | AF[ub/III] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |  |  |
| 1     | 3472.1800       | 43.61   | -46.27 | 29.50      | -68.42 | -25.00 | 43.42  | 254    | 1     | Horizontal |  |  |
| 2     | 5154.1800       | 40.96   | -45.32 | 32.97      | -66.66 | -25.00 | 41.66  | 126    | 272   | Horizontal |  |  |
| 3     | 5208.2700       | 41.64   | -45.26 | 32.98      | -65.90 | -25.00 | 40.90  | 253    | 2     | Horizontal |  |  |
| 4     | 6944.3600       | 41.13   | -43.85 | 36.01      | -61.97 | -25.00 | 36.97  | 211    | 165   | Horizontal |  |  |
| 5     | 7731.2700       | 40.17   | -42.86 | 36.65      | -61.31 | -25.00 | 36.31  | 174    | 105   | Horizontal |  |  |
| 6     | 10308.3600      | 35.63   | -39.08 | 38.84      | -59.88 | -25.00 | 34.88  | 102    | 209   | Horizontal |  |  |

| Final | Final Data List |         |        |          |        |        |        |        |       |          |  |  |
|-------|-----------------|---------|--------|----------|--------|--------|--------|--------|-------|----------|--|--|
| NO    | Frequency       | Reading | Factor | VE[qD/m] | Level  | Limit  | Margin | Height | Angle | Dolority |  |  |
| NO.   | [MHz]           | [dBµV]  | [dB]   | AF[dB/m] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |  |  |
| 1     | 3472.1800       | 42.95   | -46.27 | 29.50    | -69.08 | -25.00 | 44.08  | 245    | 0     | Vertical |  |  |
| 2     | 5154.1800       | 41.65   | -45.32 | 32.97    | -65.97 | -25.00 | 40.97  | 136    | 60    | Vertical |  |  |
| 3     | 5208.2700       | 42.27   | -45.26 | 32.98    | -65.27 | -25.00 | 40.27  | 256    | 91    | Vertical |  |  |
| 4     | 6944.3600       | 41.85   | -43.85 | 36.01    | -61.25 | -25.00 | 36.25  | 142    | 356   | Vertical |  |  |
| 5     | 7731.2700       | 40.78   | -42.86 | 36.65    | -60.70 | -25.00 | 35.70  | 135    | 46    | Vertical |  |  |
| 6     | 10308.3600      | 35.97   | -39.08 | 38.84    | -59.54 | -25.00 | 34.54  | 199    | 166   | Vertical |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 23 of 23

# Test Band = 5G NR CA n38A-n66A\_ TM1 Test Channel = High

| Final Data List |            |         |        |          |        |        |        |        |       |            |  |
|-----------------|------------|---------|--------|----------|--------|--------|--------|--------|-------|------------|--|
| NO.             | Frequency  | Reading | Factor | VE[qD/m] | Level  | Limit  | Margin | Height | Angle | Dolority   |  |
| NO.             | [MHz]      | [dBµV]  | [dB]   | AF[dB/m] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |  |
| 1               | 3522.1800  | 43.06   | -46.23 | 29.54    | -68.89 | -25.00 | 43.89  | 211    | 8     | Horizontal |  |
| 2               | 5164.1800  | 41.00   | -45.31 | 32.97    | -66.60 | -25.00 | 41.60  | 145    | 226   | Horizontal |  |
| 3               | 5283.2700  | 41.61   | -45.12 | 32.91    | -65.86 | -25.00 | 40.86  | 156    | 138   | Horizontal |  |
| 4               | 7044.3600  | 40.42   | -43.85 | 36.20    | -62.49 | -25.00 | 37.49  | 129    | 331   | Horizontal |  |
| 5               | 7746.2700  | 41.31   | -42.74 | 36.68    | -60.02 | -25.00 | 35.02  | 198    | 347   | Horizontal |  |
| 6               | 10328.3600 | 36.45   | -39.07 | 38.84    | -59.03 | -25.00 | 34.03  | 173    | 46    | Horizontal |  |

| Final | Final Data List |         |        |             |        |        |        |        |       |          |  |  |
|-------|-----------------|---------|--------|-------------|--------|--------|--------|--------|-------|----------|--|--|
| NO.   | Frequency       | Reading | Factor | AF[dB/m]    | Level  | Limit  | Margin | Height | Angle | Polarity |  |  |
|       | [MHz]           | [dBµV]  | [dB]   | Ai [db/iii] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   |          |  |  |
| 1     | 3522.1800       | 42.83   | -46.23 | 29.54       | -69.12 | -25.00 | 44.12  | 211    | 210   | Vertical |  |  |
| 2     | 5164.1800       | 41.35   | -45.31 | 32.97       | -66.25 | -25.00 | 41.25  | 145    | 16    | Vertical |  |  |
| 3     | 5283.2700       | 41.87   | -45.12 | 32.91       | -65.60 | -25.00 | 40.60  | 136    | 28    | Vertical |  |  |
| 4     | 7044.3600       | 40.98   | -43.85 | 36.20       | -61.93 | -25.00 | 36.93  | 258    | 2     | Vertical |  |  |
| 5     | 7746.2700       | 40.26   | -42.74 | 36.68       | -61.07 | -25.00 | 36.07  | 174    | 2     | Vertical |  |  |
| 6     | 10328.3600      | 36.40   | -39.07 | 38.84       | -59.08 | -25.00 | 34.08  | 169    | 1     | Vertical |  |  |

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents as <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000