


PRODUCT LABELING

FCC ID / IC number label



MATERIAL :

Color: White RAL9010

Adhésive one side: permanent UL969 certified

Material: Vynil or Polyester, thickness 50 to 100µm UL969 certified

MARKING :

BLACK RAL 9005 must be respect UL969

FONT : ARIAL

Model : IMP352 - 01T2093A

ingenico



Serial N° : YYDDDPPTXXXXXXXX



BT Adr : 0BXXXXXXXXXXXX

FCC ID : XKB - IMP3X2

IC : 2586D - IMP3X2

Ratings : 5V \equiv 1A

Made in :



XX

Model : IMP352 - 01T2005A

ingenico



Serial N° : YYDDDPPTXXXXXXXX



BT Adr : 0BXXXXXXXXXXXX

FCC ID : XKB - IMP3X2

IC : 2586D - IMP3X2

Ratings : 5V \equiv 1A


Made in :



XX

Model : IMP322 - 01T2092A

ingenico



Serial N° : YYDDDPPTXXXXXXXX




BT Adr : 0BXXXXXXXXXXXX

FCC ID : XKB - IMP3X2

IC : 2586D - IMP3X2

Ratings : 5V \equiv 1A

Made in :



XX

Model : IMP322 - 01T2004A

ingenico



Serial N° : YYDDDPPTXXXXXXXX



BT Adr : 0BXXXXXXXXXXXX

FCC ID : XKB - IMP3X2

IC : 2586D - IMP3X2

Ratings : 5V \equiv 1A


Made in :



XX

Model : IMP322 - 01T2091A

ingenico



Serial N° : YYDDDPPTXXXXXXXX



BT Adr : 0BXXXXXXXXXXXX

FCC ID : XKB - IMP3X2

IC : 2586D - IMP3X2

Ratings : 5V \equiv 1A

Made in :



XX

Model : IMP322 - 01T2067A

ingenico



Serial N° : YYDDDPPTXXXXXXXX




BT Adr : 0BXXXXXXXXXXXX

FCC ID : XKB - IMP3X2

IC : 2586D - IMP3X2

Ratings : 5V \equiv 1A

Made in :



XX

Localization of label:



Note:

- No special tools are required to open the battery compartment.
- Device is shipped without battery plugged