


Test data, continued band edges:

Downlink – 5 QAM
LOW BAND EDGE




Downlink – 5 QAM
HIGH BAND EDGE




Test data, continued band edges:

Uplink – 5 QAM
LOW BAND EDGE




Uplink – 5 QAM
HIGH BAND EDGE




Test data, continued band edges:

Downlink – 5 QPSK
LOW BAND EDGE




Downlink – 5 QPSK
HIGH BAND EDGE



Test data, continued band edges:

Uplink – 5 QPSK
LOW BAND EDGE




Uplink – 5 QPSK
HIGH BAND EDGE




Test data, continued band edges:

Downlink – 10 QAM
LOW BAND EDGE




Downlink – 10 QAM
HIGH BAND EDGE



Test data, continued band edges:

Uplink – 10 QAM
LOW BAND EDGE




Uplink – 10 QAM
HIGH BAND EDGE




Test data, continued
band edges:

Uplink – 10 QPSK
LOW BAND EDGE




Uplink – 10 QPSK
HIGH BAND EDGE



Test data, continued band edges:


Downlink – 15 QAM

LOW BAND EDGE



Downlink – 15 QAM

HIGH BAND EDGE




Test data, continued band edges:

Downlink – 15 QPSK
LOW BAND EDGE




Downlink – 15 QPSK
HIGH BAND EDGE



Test data, continued band edges:

Uplink – 15 QPSK
LOW BAND EDGE




Uplink – 15 QPSK
HIGH BAND EDGE




Test data, continued
band edges:

Uplink – 20 QAM
LOW BAND EDGE




Uplink – 20 QAM
HIGH BAND EDGE




Test data, continued band edges:


Uplink – 20 QPSK
LOW BAND EDGE




Uplink – 20 QPSK
HIGH BAND EDGE



Downlink – 30 kHz TDMA
9 kHz – 150 kHz




Uplink – 30 kHz TDMA
9 kHz – 150 kHz




Test data continued

Spurious Emissions at Antenna Terminals
Downlink – 30 kHz TDMA
150 kHz – 30MHz




Spurious Emissions at Antenna Terminals
Uplink – 30 kHz TDMA
150 kHz – 30MHz




Test data continued

Spurious Emissions at Antenna Terminals
Downlink – 30 kHz TDMA
30MHz – 1 GHz



Spurious Emissions at Antenna Terminals
Uplink – 30 kHz TDMA
30MHz – 1 GHz





Nemko Italy S.p.A.
Via del Carroccio 4, 20046, Biassono, Italy.

Appendix B: Block diagrams

Report Number: **210165-7TRFWL**


Specification: FCC 24 Subpart E

Test data continued

Spurious Emissions at Antenna Terminals

Downlink – 30 kHz TDMA


1-20 GHz



Spurious Emissions at Antenna Terminals


Uplink – 30 kHz TDMA

1-20 GHz




Clause 24.238 Out of band spurious emissions at antenna terminal,

Downlink – 1,4 QAM
9 kHz – 150 kHz



Uplink – 1,4 QAM
9 kHz – 150 kHz



Only 1,4 QAM 9kHz-150kHz spurious emission plots are included here, other modulations spurious emission plots are negligible and the same.



Nemko Italy S.p.A.
Via del Carroccio 4, 20046, Biassono, Italy.

Appendix B: Block diagrams

Report Number: **210165-7TRFWL**


Specification: FCC 24 Subpart E

Test data continued

Spurious Emissions at Antenna Terminals

Downlink – 1,4 QAM


150 kHz – 30MHz



Spurious Emissions at Antenna Terminals

Uplink – 1,4 QAM


150 kHz – 30MHz




Only 1,4 QAM 150kHz-30MHz spurious emission plots are included here, other modulations spurious emission plots are negligible and the same.

Test data continued

Spurious Emissions at Antenna Terminals
Downlink – 1,4 QAM
30MHz – 1 GHz




Spurious Emissions at Antenna Terminals
Uplink – 1,4 QAM
30MHz – 1 GHz




Only 1,4 QAM 30MHz – 1GHz spurious emission plots are included here, other modulations spurious emission plots are negligible and the same.

Test data continued

Spurious Emissions at Antenna Terminals
Downlink – 1,4 QAM
1-20 GHz




Spurious Emissions at Antenna Terminals
Downlink – 1,4 QPSK
1-20 GHz




Test data continued

Spurious Emissions at Antenna Terminals
Downlink – 3 QAM
1-20 GHz




Spurious Emissions at Antenna Terminals
Downlink – 3 QPSK
1-20 GHz




Test data continued

Spurious Emissions at Antenna Terminals
Downlink – 5 QAM
1-20 GHz




Spurious Emissions at Antenna Terminals
Downlink – 5 QPSK
1-20 GHz




Test data continued

Spurious Emissions at Antenna Terminals
Downlink – 10 QAM
1-20 GHz




Spurious Emissions at Antenna Terminals
Downlink – 10 QPSK
1-20 GHz




Test data continued

Spurious Emissions at Antenna Terminals
Downlink – 15 QAM
1-20 GHz




Spurious Emissions at Antenna Terminals
Downlink – 15 QPSK
1-20 GHz




Test data continued

Spurious Emissions at Antenna Terminals
Downlink – 20 QAM
1-20 GHz




Spurious Emissions at Antenna Terminals
Downlink – 20 QPSK
1-20 GHz




Test data continued

Spurious Emissions at Antenna Terminals
Uplink – 1,4 QAM
1-20 GHz




Spurious Emissions at Antenna Terminals
Uplink – 1,4 QPSK
1-20 GHz




Test data continued

Spurious Emissions at Antenna Terminals
Uplink – 3 QAM
1-20 GHz




Spurious Emissions at Antenna Terminals
Uplink – 3 QPSK
1-20 GHz




Test data continued

Spurious Emissions at Antenna Terminals
Uplink – 5 QAM
1-20 GHz




Spurious Emissions at Antenna Terminals
Uplink – 5 QPSK
1-20 GHz




Test data continued

Spurious Emissions at Antenna Terminals
Uplink – 10 QAM
1-20 GHz




Spurious Emissions at Antenna Terminals
Uplink – 10 QPSK
1-20 GHz




Test data continued

Spurious Emissions at Antenna Terminals
Uplink – 15 QAM
1-20 GHz




Spurious Emissions at Antenna Terminals
Uplink – 15 QPSK
1-20 GHz




Test data continued

Spurious Emissions at Antenna Terminals
Uplink – 20 QAM
1-20 GHz



Spurious Emissions at Antenna Terminals
Uplink – 20 QPSK
1-20 GHz



 Nemko Italy S.p.A. Via del Carroccio 4, 20046, Biassono, Italy.	Appendix B: Block diagrams
	Report Number: 210165-7TRFWL
	Specification: FCC 24 Subpart E

Clause 24.238 Out of band spurious emissions at antenna terminal,

Clause 24.238(a) Field strength of spurious radiation

(a) Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 Log (P) dB.

Frequency, MHz	Attenuation below carrier, dBc	ERP of spurious, dBm	Equivalent field strength limit* at 3 m, dBμV/m
30–10 th harmonic	43 + 10 Log(P)	-13	84.4

* - Equivalent field strength limit was calculated from maximum allowed ERP of spurious as follows:

$$E = \sqrt{\frac{30 \times P \times 1.64}{r}}$$
, where P is ERP in W, 1.64 is numeric gain of ideal dipole and r is antenna to EUT distance in m.

(b) *Measurement procedure.* Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (*i.e.* 1 MHz or 1 percent of emission bandwidth, as specified).

Test date: [2012-06-04](#)

Test results: [Pass](#)

Special notes

- The spectrum was searched from 30 MHz up to 10th harmonic
 - The EUT was measured on three orthogonal axis.
 - All measurements were performed at a distance of 3 m.
 - Only the worst data presented in the test report.
- The EUT's antenna port was terminated with 50 Ω termination

 Nemko Italy S.p.A. Via del Carroccio 4, 20046, Biassono, Italy.	Appendix B: Block diagrams
	Report Number: 210165-7TRFWL
	Specification: FCC 24 Subpart E

The D.U.T. was positioned according to the radiated emissions set-up

The D.U.T. antenna connector was terminated by a 50 Ω shielded dummy load.

The spectrum was searched from 30 MHz to 1 GHz (RBW 100 kHz) & 1 GHz (RBW 1 MHz) to the tenth harmonic of the carrier.

There were no emissions detected above the noise floor which was at least 20 dB below the specification limit.

Clause 24.235 Frequency stability						
The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.						
<table border="1"> <thead> <tr> <th>Assigned frequency, MHz</th><th>Limits</th></tr> </thead> <tbody> <tr> <td>1882.5</td><td rowspan="2">26 dBc points including frequency drift shall remain within the authorized frequency block</td></tr> <tr> <td>1962.5</td></tr> </tbody> </table>	Assigned frequency, MHz	Limits	1882.5	26 dBc points including frequency drift shall remain within the authorized frequency block	1962.5	
Assigned frequency, MHz	Limits					
1882.5	26 dBc points including frequency drift shall remain within the authorized frequency block					
1962.5						

Test date:
Test results:

Special notes
The resolution bandwidth was set to 100 kHz, video bandwidth was set to 100 kHz

NOT APPLICABLE; E.U.T. does not contain modulation circuitry



Nemko Italy S.p.A.
Via del Carroccio 4, 20046, Biassono, Italy.

Appendix B: Block diagrams

Report Number: **210165-7TRFWL**

Specification: FCC 24 Subpart E


Clause 24.235 Frequency stability, continued

Test data


Conditions	Frequency (Hz)	Maximum drift (Hz)
+50 °C, Nominal power		
+40 °C, Nominal power		
+30 °C, Nominal power		
+20 °C, +10% power		
+20 °C, Nominal power		<i>Reference</i>
+20 °C, -10% power		
+10 °C, Nominal power		
0 °C, Nominal power		
-10 °C, Nominal power		
-20 °C, Nominal power		

<div> <div>Clause</div> <div>Para NO. 2-11-04/EAB/RF</div> </div>	<div> <div>Filter Frequency Response</div> </div>
---	---

<div> <div>Test date: 2012-06-04</div> <div>Test results: Pass</div> </div>



Down-link



Up-link






Nemko Italy S.p.A.
Via del Carroccio 4, 20046, Biassono, Italy.

Appendix B: Block diagrams

Report Number: **210165-7TRFWL**

Specification: FCC 24 Subpart E

Photo Set up




 Nemko Italy S.p.A. Via del Carroccio 4, 20046, Biassono, Italy.	Appendix B: Block diagrams
	Report Number: 210165-7TRFWL
	Specification: FCC 24 Subpart E

Photo EUT



Appendix B: Block diagrams of test set-ups

Radiated emissions set-up



Substitution method set-up

