



Project Information			
Mode:	802.11a	Band:	U-NII2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.41	32.02	14.55	46.57	-	-	Horizontal	NA
2	8425.93	36.21	1.05	37.26	54.00	16.74	Horizontal	PASS
3	12060.44	35.34	5.38	40.72	54.00	13.28	Horizontal	PASS
4	17990.42	32.70	13.65	46.35	54.00	7.65	Horizontal	PASS
5	17990.42	32.70	13.65	46.35	54.00	7.65	Horizontal	PASS
6	5322.78	37.79	14.55	52.34	-	-	Horizontal	NA
7	6358.46	34.04	17.16	51.20	68.20	17.00	Horizontal	PASS
8	12060.05	42.21	5.38	47.59	74.00	26.41	Horizontal	PASS
9	17913.36	38.95	13.26	52.21	74.00	21.79	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.31	43.37	14.55	57.92	-	-	Vertical	NA
2	8095.87	37.10	0.51	37.61	54.00	16.39	Vertical	PASS
3	11984.15	35.03	5.16	40.19	54.00	13.81	Vertical	PASS
4	17852.03	32.05	13.96	46.01	54.00	7.99	Vertical	PASS
5	5321.68	48.74	14.55	63.29	-	-	Vertical	NA
6	6339.39	34.12	17.18	51.30	68.20	16.90	Vertical	PASS
7	12091.87	42.21	5.23	47.44	74.00	26.56	Vertical	PASS
8	17863.15	38.18	13.82	52.00	74.00	22.00	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.80	32.59	14.68	47.27	-	-	Horizontal	NA
2	8436.28	36.51	1.11	37.62	54.00	16.38	Horizontal	PASS
3	11366.96	35.51	5.15	40.66	54.00	13.34	Horizontal	PASS
4	17862.00	31.48	13.83	45.31	54.00	8.69	Horizontal	PASS
5	5500.62	38.39	14.68	53.07	-	-	Horizontal	NA
6	6361.40	34.48	17.06	51.54	68.20	16.66	Horizontal	PASS
7	12091.10	42.21	5.23	47.44	74.00	26.56	Horizontal	PASS
8	17842.44	39.45	13.66	53.11	74.00	20.89	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.80	41.99	14.68	56.67	-	-	Vertical	NA
2	8475.38	35.91	1.42	37.33	54.00	16.67	Vertical	PASS
3	11465.10	35.51	4.99	40.50	54.00	13.50	Vertical	PASS
4	17979.68	32.02	13.50	45.52	54.00	8.48	Vertical	PASS
5	5500.98	47.41	14.68	62.09	-	-	Vertical	NA
6	6378.45	34.79	16.78	51.57	68.20	16.63	Vertical	PASS
7	13693.87	41.09	9.37	50.46	68.20	17.74	Vertical	PASS
8	17961.67	39.31	13.24	52.55	74.00	21.45	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	116
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8462.73	36.10	1.29	37.39	54.00	16.61	Horizontal	PASS
2	12047.40	35.24	5.42	40.66	54.00	13.34	Horizontal	PASS
3	17993.87	31.74	13.71	45.45	54.00	8.55	Horizontal	PASS
4	6354.80	34.14	17.15	51.29	68.20	16.91	Horizontal	PASS
5	15070.47	40.20	9.14	49.34	68.20	18.86	Horizontal	PASS
6	17996.55	39.36	13.74	53.10	74.00	20.90	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	116
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5584.95	36.11	14.70	50.81	-	-	Vertical	NA
2	8049.10	36.88	0.39	37.27	54.00	16.73	Vertical	PASS
3	11472.77	34.95	4.95	39.90	54.00	14.10	Vertical	PASS
4	17992.72	31.71	13.68	45.39	54.00	8.61	Vertical	PASS
5	5585.50	41.72	14.70	56.42	-	-	Vertical	NA
6	6337.01	34.30	17.10	51.40	68.20	16.80	Vertical	PASS
7	14401.15	41.19	8.40	49.59	68.20	18.61	Vertical	PASS
8	17892.66	39.12	13.44	52.56	74.00	21.44	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	116
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8114.27	36.78	0.61	37.39	54.00	16.61	Horizontal	PASS
2	12012.90	35.05	5.28	40.33	54.00	13.67	Horizontal	PASS
3	17858.93	31.65	13.88	45.53	54.00	8.47	Horizontal	PASS
4	6363.23	34.68	17.02	51.70	68.20	16.50	Horizontal	PASS
5	15087.34	40.37	9.07	49.44	68.20	18.76	Horizontal	PASS
6	17885.38	39.01	13.53	52.54	74.00	21.46	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5700.82	39.40	14.89	54.29	-	-	Vertical	NA
2	8115.42	36.73	0.61	37.34	54.00	16.66	Vertical	PASS
3	12048.17	34.87	5.42	40.29	54.00	13.71	Vertical	PASS
4	17856.63	31.82	13.90	45.72	54.00	8.28	Vertical	PASS
5	5700.64	45.47	14.89	60.36	-	-	Vertical	NA
6	6332.79	34.91	17.05	51.96	68.20	16.24	Vertical	PASS
7	15058.97	40.24	9.19	49.43	68.20	18.77	Vertical	PASS
8	17889.21	39.07	13.48	52.55	74.00	21.45	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	62.61	14.91	77.52	-	-	Horizontal	NA
2	8113.12	36.80	0.60	37.40	54.00	16.60	Horizontal	PASS
3	12036.28	35.12	5.38	40.50	54.00	13.50	Horizontal	PASS
4	17886.53	33.08	13.51	46.59	54.00	7.41	Horizontal	PASS
5	5727.77	67.91	14.91	82.82	-	-	Horizontal	NA
6	6352.78	34.00	17.18	51.18	68.20	17.02	Horizontal	PASS
7	15068.17	41.10	9.15	50.25	68.20	17.95	Horizontal	PASS
8	17888.45	39.63	13.49	53.12	74.00	20.88	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.77	69.27	14.91	84.18	-	-	Vertical	NA
2	8341.21	36.62	0.98	37.60	54.00	16.40	Vertical	PASS
3	12057.75	35.18	5.40	40.58	54.00	13.42	Vertical	PASS
4	17846.28	31.73	13.83	45.56	54.00	8.44	Vertical	PASS
5	5727.59	75.07	14.91	89.98	-	-	Vertical	NA
6	6359.75	34.54	17.08	51.62	68.20	16.58	Vertical	PASS
7	13696.94	40.29	9.40	49.69	68.20	18.51	Vertical	PASS
8	17995.78	39.13	13.73	52.86	74.00	21.14	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8439.35	35.92	1.12	37.04	54.00	16.96	Horizontal	PASS
2	12094.17	35.52	5.21	40.73	54.00	13.27	Horizontal	PASS
3	17844.74	32.00	13.77	45.77	54.00	8.23	Horizontal	PASS
4	6318.68	35.74	16.74	52.48	68.20	15.72	Horizontal	PASS
5	14396.55	41.06	8.45	49.51	68.20	18.69	Horizontal	PASS
6	17970.87	39.55	13.37	52.92	74.00	21.08	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9038.90	36.29	2.35	38.64	54.00	15.36	Vertical	PASS
2	12201.89	34.87	5.28	40.15	54.00	13.85	Vertical	PASS
3	17998.85	32.08	13.78	45.86	54.00	8.14	Vertical	PASS
4	6278.71	34.98	16.28	51.26	68.20	16.94	Vertical	PASS
5	15062.80	40.65	9.18	49.83	68.20	18.37	Vertical	PASS
6	17995.40	39.48	13.72	53.20	74.00	20.80	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9029.32	36.29	2.41	38.70	54.00	15.30	Horizontal	PASS
2	12053.54	35.01	5.41	40.42	54.00	13.58	Horizontal	PASS
3	17990.03	32.25	13.65	45.90	54.00	8.10	Horizontal	PASS
4	6289.34	35.18	16.40	51.58	68.20	16.62	Horizontal	PASS
5	15062.04	40.63	9.18	49.81	68.20	18.39	Horizontal	PASS
6	17868.51	39.14	13.75	52.89	74.00	21.11	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5789.56	35.68	15.68	51.36	-	-	Vertical	NA
2	8351.95	36.15	1.09	37.24	54.00	16.76	Vertical	PASS
3	11483.12	35.33	4.90	40.23	54.00	13.77	Vertical	PASS
4	17985.43	32.25	13.58	45.83	54.00	8.17	Vertical	PASS
5	5789.38	41.67	15.68	57.35	-	-	Vertical	NA
6	6359.20	35.71	17.02	52.73	68.20	15.47	Vertical	PASS
7	13671.26	40.50	9.21	49.71	68.20	18.49	Vertical	PASS
8	17850.88	38.84	13.98	52.82	74.00	21.18	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7870.46	37.77	-0.33	37.44	-	-	Horizontal	NA
2	12695.64	34.34	5.96	40.30	54.00	13.70	Horizontal	PASS
3	17856.63	31.67	13.90	45.57	54.00	8.43	Horizontal	PASS
4	6438.58	34.98	16.75	51.73	68.20	16.47	Horizontal	PASS
5	12779.59	42.37	5.83	48.20	68.20	20.00	Horizontal	PASS
6	17845.89	39.27	13.81	53.08	74.00	20.92	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5819.44	39.19	15.66	54.85	-	-	Vertical	NA
2	8052.94	37.07	0.40	37.47	54.00	16.53	Vertical	PASS
3	12099.92	34.75	5.19	39.94	54.00	14.06	Vertical	PASS
4	17852.03	32.29	13.96	46.25	54.00	7.75	Vertical	PASS
5	5819.26	45.83	15.66	61.49	-	-	Vertical	NA
6	6338.84	34.02	17.00	51.02	68.20	17.18	Vertical	PASS
7	12548.05	42.41	5.20	47.61	74.00	26.39	Vertical	PASS
8	17980.07	39.06	13.50	52.56	74.00	21.44	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8045.65	36.73	0.36	37.09	54.00	16.91	Horizontal	PASS
2	12170.84	35.33	4.97	40.30	54.00	13.70	Horizontal	PASS
3	17852.03	31.60	13.96	45.56	54.00	8.44	Horizontal	PASS
4	6487.17	34.48	17.34	51.82	68.20	16.38	Horizontal	PASS
5	14341.34	40.56	8.95	49.51	68.20	18.69	Horizontal	PASS
6	17844.74	39.34	13.77	53.11	74.00	20.89	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5191.69	39.75	13.92	53.67	-	-	Vertical	NA
2	8085.14	37.18	0.48	37.66	54.00	16.34	Vertical	PASS
3	12082.67	34.84	5.27	40.11	54.00	13.89	Vertical	PASS
4	17881.16	32.04	13.58	45.62	54.00	8.38	Vertical	PASS
5	5191.51	46.81	13.92	60.73	-	-	Vertical	NA
6	6315.19	34.82	16.95	51.77	68.20	16.43	Vertical	PASS
7	13685.44	40.76	9.32	50.08	68.20	18.12	Vertical	PASS
8	17967.80	39.69	13.33	53.02	74.00	20.98	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.86	33.27	14.55	47.82	-	-	Horizontal	NA
2	8336.23	36.65	0.92	37.57	54.00	16.43	Horizontal	PASS
3	12010.98	34.90	5.27	40.17	54.00	13.83	Horizontal	PASS
4	17847.43	31.72	13.88	45.60	54.00	8.40	Horizontal	PASS
5	5321.49	39.95	14.55	54.50	-	-	Horizontal	NA
6	6321.24	35.41	17.00	52.41	68.20	15.79	Horizontal	PASS
7	15077.75	40.67	9.11	49.78	68.20	18.42	Horizontal	PASS
8	17398.15	40.43	12.08	52.51	68.20	15.69	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.04	45.55	14.55	60.10	-	-	Vertical	NA
2	8384.91	36.11	0.97	37.08	54.00	16.92	Vertical	PASS
3	12027.08	34.85	5.34	40.19	54.00	13.81	Vertical	PASS
4	17975.08	32.86	13.43	46.29	54.00	7.71	Vertical	PASS
5	5321.86	52.58	14.55	67.13	-	-	Vertical	NA
6	6307.68	34.90	16.87	51.77	68.20	16.43	Vertical	PASS
7	13660.14	40.29	9.13	49.42	68.20	18.78	Vertical	PASS
8	17993.87	39.61	13.71	53.32	74.00	20.68	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	116
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8440.88	36.30	1.12	37.42	54.00	16.58	Horizontal	PASS
2	12057.75	34.85	5.40	40.25	54.00	13.75	Horizontal	PASS
3	17889.60	32.20	13.48	45.68	54.00	8.32	Horizontal	PASS
4	6470.12	34.48	16.94	51.42	68.20	16.78	Horizontal	PASS
5	15081.97	41.10	9.10	50.20	68.20	18.00	Horizontal	PASS
6	17985.05	38.96	13.57	52.53	74.00	21.47	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	116
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5581.10	36.16	14.69	50.85	-	-	Vertical	NA
2	8111.59	36.88	0.59	37.47	54.00	16.53	Vertical	PASS
3	12094.55	34.91	5.21	40.12	54.00	13.88	Vertical	PASS
4	17874.26	31.84	13.68	45.52	54.00	8.48	Vertical	PASS
5	5579.09	43.97	14.69	58.66	-	-	Vertical	NA
6	6354.80	34.06	17.15	51.21	68.20	16.99	Vertical	PASS
7	15059.74	40.68	9.19	49.87	68.20	18.33	Vertical	PASS
8	17863.91	38.67	13.81	52.48	74.00	21.52	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.87	64.24	14.91	79.15	-	-	Horizontal	NA
2	7397.80	36.53	-0.31	36.22	54.00	17.78	Horizontal	PASS
3	12398.55	34.95	6.23	41.18	54.00	12.82	Horizontal	PASS
4	17842.83	32.19	13.69	45.88	54.00	8.12	Horizontal	PASS
5	5728.69	69.86	14.91	84.77	-	-	Horizontal	NA
6	6405.58	35.38	16.48	51.86	68.20	16.34	Horizontal	PASS
7	15076.99	41.00	9.12	50.12	68.20	18.08	Horizontal	PASS
8	17991.57	39.48	13.67	53.15	74.00	20.85	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.06	75.95	14.91	90.86	-	-	Vertical	NA
2	8104.69	36.79	0.55	37.34	54.00	16.66	Vertical	PASS
3	12107.20	34.98	5.12	40.10	54.00	13.90	Vertical	PASS
4	17840.14	32.18	13.57	45.75	54.00	8.25	Vertical	PASS
5	5729.24	81.82	14.91	96.73	-	-	Vertical	NA
6	6286.04	34.90	16.48	51.38	68.20	16.82	Vertical	PASS
7	12380.53	41.29	5.86	47.15	74.00	26.85	Vertical	PASS
8	17977.00	40.10	13.46	53.56	74.00	20.44	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8488.42	36.20	1.54	37.74	54.00	16.26	Horizontal	PASS
2	12650.79	34.33	6.18	40.51	54.00	13.49	Horizontal	PASS
3	17998.85	32.16	13.78	45.94	54.00	8.06	Horizontal	PASS
4	6482.77	34.46	17.25	51.71	68.20	16.49	Horizontal	PASS
5	15228.41	40.42	9.22	49.64	68.20	18.56	Horizontal	PASS
6	17984.28	39.11	13.57	52.68	74.00	21.32	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5823.84	39.15	15.66	54.81	-	-	Vertical	NA
2	8362.68	36.06	1.06	37.12	54.00	16.88	Vertical	PASS
3	12640.05	34.94	5.96	40.90	54.00	13.10	Vertical	PASS
4	17878.10	32.33	13.63	45.96	54.00	8.04	Vertical	PASS
5	5823.66	45.51	15.66	61.17	-	-	Vertical	NA
6	6334.26	34.57	16.94	51.51	68.20	16.69	Vertical	PASS
7	15263.68	40.45	9.51	49.96	68.20	18.24	Vertical	PASS
8	17877.33	39.21	13.63	52.84	74.00	21.16	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8129.60	36.16	0.70	36.86	54.00	17.14	Horizontal	PASS
2	11364.66	35.03	5.14	40.17	54.00	13.83	Horizontal	PASS
3	17850.11	31.48	13.99	45.47	54.00	8.53	Horizontal	PASS
4	6303.83	34.28	16.84	51.12	68.20	17.08	Horizontal	PASS
5	14082.20	41.36	8.15	49.51	68.20	18.69	Horizontal	PASS
6	17850.50	38.18	13.98	52.16	74.00	21.84	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8097.79	36.72	0.51	37.23	54.00	16.77	Vertical	PASS
2	11483.50	35.17	4.90	40.07	54.00	13.93	Vertical	PASS
3	17976.62	32.56	13.46	46.02	54.00	7.98	Vertical	PASS
4	6318.13	34.26	16.97	51.23	68.20	16.97	Vertical	PASS
5	14505.03	41.65	8.20	49.85	68.20	18.35	Vertical	PASS
6	17939.05	39.68	13.13	52.81	74.00	21.19	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8334.31	35.82	0.91	36.73	54.00	17.27	Horizontal	PASS
2	11588.92	34.75	5.56	40.31	54.00	13.69	Horizontal	PASS
3	17863.91	31.65	13.81	45.46	54.00	8.54	Horizontal	PASS
4	6348.93	34.73	17.27	52.00	68.20	16.20	Horizontal	PASS
5	14375.46	41.09	8.70	49.79	68.20	18.41	Horizontal	PASS
6	17998.85	38.69	13.78	52.47	74.00	21.53	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5272.36	39.12	14.31	53.43	-	-	Vertical	NA
2	8425.93	35.95	1.05	37.00	54.00	17.00	Vertical	PASS
3	11355.08	34.87	5.06	39.93	54.00	14.07	Vertical	PASS
4	17983.90	32.23	13.56	45.79	54.00	8.21	Vertical	PASS
5	5273.28	47.06	14.31	61.37	-	-	Vertical	NA
6	6441.88	34.68	16.82	51.50	68.20	16.70	Vertical	PASS
7	13725.31	41.87	8.12	49.99	68.20	18.21	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8039.90	36.75	0.33	37.08	54.00	16.92	Horizontal	PASS
2	11392.26	34.78	5.34	40.12	54.00	13.88	Horizontal	PASS
3	17847.81	31.48	13.90	45.38	54.00	8.62	Horizontal	PASS
4	6312.08	34.87	16.84	51.71	68.20	16.49	Horizontal	PASS
5	13704.99	41.04	9.16	50.20	68.20	18.00	Horizontal	PASS
6	17833.63	39.71	13.30	53.01	74.00	20.99	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5595.22	34.73	14.72	49.45	-	-	Vertical	NA
2	8431.30	36.57	1.08	37.65	54.00	16.35	Vertical	PASS
3	11223.97	35.45	4.73	40.18	54.00	13.82	Vertical	PASS
4	17996.93	32.42	13.75	46.17	54.00	7.83	Vertical	PASS
5	5598.15	42.33	14.74	57.07	-	-	Vertical	NA
6	6349.66	34.16	17.23	51.39	68.20	16.81	Vertical	PASS
7	14117.85	41.15	8.33	49.48	68.20	18.72	Vertical	PASS
8	17857.78	38.85	13.89	52.74	74.00	21.26	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.77	59.41	14.91	74.32	-	-	Horizontal	NA
2	11408.36	35.11	5.33	40.44	54.00	13.56	Horizontal	PASS
3	17863.15	31.66	13.82	45.48	54.00	8.52	Horizontal	PASS
4	5727.96	64.71	14.91	79.62	-	-	Horizontal	NA
5	6363.96	34.92	17.01	51.93	68.20	16.27	Horizontal	PASS
6	15251.41	39.82	9.91	49.73	68.20	18.47	Horizontal	PASS
7	17864.68	39.37	13.80	53.17	74.00	20.83	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.69	70.88	14.91	85.79	-	-	Vertical	NA
2	8107.75	36.79	0.57	37.36	54.00	16.64	Vertical	PASS
3	11427.15	35.00	5.21	40.21	54.00	13.79	Vertical	PASS
4	17982.75	31.87	13.54	45.41	54.00	8.59	Vertical	PASS
5	5728.51	77.03	14.91	91.94	-	-	Vertical	NA
6	6368.18	34.44	16.94	51.38	68.20	16.82	Vertical	PASS
7	15066.25	40.85	9.16	50.01	68.20	18.19	Vertical	PASS
8	17858.55	38.64	13.88	52.52	74.00	21.48	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8437.05	36.17	1.11	37.28	54.00	16.72	Horizontal	PASS
2	12011.75	35.29	5.28	40.57	54.00	13.43	Horizontal	PASS
3	17862.38	31.78	13.82	45.60	54.00	8.40	Horizontal	PASS
4	6359.93	34.56	17.01	51.57	68.20	16.63	Horizontal	PASS
5	15248.34	39.93	9.89	49.82	68.20	18.38	Horizontal	PASS
6	17844.74	38.51	13.77	52.28	74.00	21.72	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5793.96	35.68	15.68	51.36	-	-	Vertical	NA
2	8076.70	36.72	0.46	37.18	54.00	16.82	Vertical	PASS
3	12667.27	34.90	6.10	41.00	54.00	13.00	Vertical	PASS
4	17839.76	32.36	13.55	45.91	54.00	8.09	Vertical	PASS
5	5794.69	42.49	15.68	58.17	-	-	Vertical	NA
6	6422.45	34.51	16.65	51.16	68.20	17.04	Vertical	PASS
7	15081.20	40.43	9.10	49.53	68.20	18.67	Vertical	PASS
8	17844.36	38.76	13.75	52.51	74.00	21.49	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8428.61	36.06	1.06	37.12	54.00	16.88	Horizontal	PASS
2	12064.65	34.77	5.36	40.13	54.00	13.87	Horizontal	PASS
3	17844.74	32.11	13.77	45.88	54.00	8.12	Horizontal	PASS
4	6354.25	34.46	17.22	51.68	68.20	16.52	Horizontal	PASS
5	15063.95	41.02	9.17	50.19	68.20	18.01	Horizontal	PASS
6	17891.13	39.96	13.45	53.41	74.00	20.59	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.10	38.11	13.77	51.88	54.00	2.12	Vertical	PASS
2	5175.92	35.75	13.90	49.65	-	-	Vertical	NA
3	12055.45	35.51	5.41	40.92	54.00	13.08	Vertical	PASS
4	17990.03	32.26	13.65	45.91	54.00	8.09	Vertical	PASS
5	5132.10	45.70	13.77	59.47	74.00	14.53	Vertical	PASS
6	5175.92	42.37	13.90	56.27	-	-	Vertical	NA
7	13685.44	40.93	9.32	50.25	68.20	17.95	Vertical	PASS
8	17979.68	39.52	13.50	53.02	74.00	20.98	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8250.36	36.80	0.53	37.33	54.00	16.67	Horizontal	PASS
2	12689.51	34.82	5.98	40.80	54.00	13.20	Horizontal	PASS
3	17855.48	32.35	13.92	46.27	54.00	7.73	Horizontal	PASS
4	6294.48	34.99	16.71	51.70	68.20	16.50	Horizontal	PASS
5	13721.86	41.50	8.30	49.80	68.20	18.40	Horizontal	PASS
6	17834.01	38.98	13.31	52.29	74.00	21.71	Horizontal	PASS