



Project Information			
Mode:	802.11ax80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5370.45	36.32	14.64	50.96	54.00	3.04	Vertical	PASS
2	12060.82	34.73	5.38	40.11	54.00	13.89	Vertical	PASS
3	17872.73	32.33	13.70	46.03	54.00	7.97	Vertical	PASS
4	5362.75	43.62	14.63	58.25	74.00	15.75	Vertical	PASS
5	15252.18	40.15	9.88	50.03	68.20	18.17	Vertical	PASS
6	17989.27	39.11	13.64	52.75	74.00	21.25	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8091.27	36.82	0.50	37.32	54.00	16.68	Horizontal	PASS
2	12606.70	35.07	5.21	40.28	54.00	13.72	Horizontal	PASS
3	17980.45	32.13	13.51	45.64	54.00	8.36	Horizontal	PASS
4	5453.87	39.98	14.38	54.36	-	-	Horizontal	NA
5	6329.13	34.03	17.02	51.05	68.20	17.15	Horizontal	PASS
6	15082.74	41.33	9.09	50.42	68.20	17.78	Horizontal	PASS
7	17813.31	40.61	12.43	53.04	74.00	20.96	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.87	37.38	14.38	51.76	54.00	2.24	Vertical	PASS
2	5542.23	34.69	14.63	49.32	-	-	Vertical	NA
3	12049.32	34.96	5.43	40.39	54.00	13.61	Vertical	PASS
4	17992.72	31.95	13.68	45.63	54.00	8.37	Vertical	PASS
5	5465.42	45.55	14.45	60.00	68.20	8.20	Vertical	PASS
6	5542.05	43.42	14.63	58.05	-	-	Vertical	NA
7	6347.46	34.78	17.20	51.98	68.20	16.22	Vertical	PASS
8	17360.58	40.07	12.20	52.27	68.20	15.93	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.32	55.24	14.91	70.15	-	-	Horizontal	NA
2	8041.05	36.98	0.33	37.31	54.00	16.69	Horizontal	PASS
3	11454.75	35.40	5.05	40.45	54.00	13.55	Horizontal	PASS
4	17892.66	32.22	13.44	45.66	54.00	8.34	Horizontal	PASS
5	5728.51	62.08	14.91	76.99	-	-	Horizontal	NA
6	6117.19	35.47	15.90	51.37	68.20	16.83	Horizontal	PASS
7	15187.39	42.12	8.13	50.25	68.20	17.95	Horizontal	PASS
8	17988.88	38.83	13.63	52.46	74.00	21.54	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.51	66.44	14.91	81.35	-	-	Vertical	NA
2	8489.57	36.34	1.55	37.89	54.00	16.11	Vertical	PASS
3	12051.62	34.72	5.42	40.14	54.00	13.86	Vertical	PASS
4	17995.78	32.26	13.73	45.99	54.00	8.01	Vertical	PASS
5	5728.69	74.22	14.91	89.13	-	-	Vertical	NA
6	6303.09	34.79	16.74	51.53	68.20	16.67	Vertical	PASS
7	14666.04	40.00	9.50	49.50	68.20	18.70	Vertical	PASS
8	17842.44	38.72	13.66	52.38	74.00	21.62	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5687.62	31.72	15.58	47.30	-	-	Horizontal	NA
2	8092.80	37.64	0.50	38.14	54.00	15.86	Horizontal	PASS
3	11537.55	35.55	4.87	40.42	54.00	13.58	Horizontal	PASS
4	17993.10	31.73	13.69	45.42	54.00	8.58	Horizontal	PASS
5	5698.44	40.09	15.78	55.87	-	-	Horizontal	NA
6	6334.81	34.53	16.94	51.47	68.20	16.73	Horizontal	PASS
7	13657.84	40.44	9.12	49.56	68.20	18.64	Horizontal	PASS
8	17918.35	39.42	13.24	52.66	74.00	21.34	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5697.71	43.02	15.76	58.78	-	-	Vertical	NA
2	11370.41	34.55	5.18	39.73	54.00	14.27	Vertical	PASS
3	12650.02	34.49	6.18	40.67	54.00	13.33	Vertical	PASS
4	17876.56	32.31	13.64	45.95	54.00	8.05	Vertical	PASS
5	5683.41	50.23	15.50	65.73	-	-	Vertical	NA
6	6470.48	34.63	17.08	51.71	68.20	16.49	Vertical	PASS
7	13691.96	40.14	9.36	49.50	68.20	18.70	Vertical	PASS
8	17398.15	40.53	12.08	52.61	68.20	15.59	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5399.05	33.72	14.66	48.38	54.00	5.62	Horizontal	PASS
2	12231.79	35.84	5.34	41.18	54.00	12.82	Horizontal	PASS
3	17844.74	33.15	13.77	46.92	54.00	7.08	Horizontal	PASS
4	5398.86	39.38	14.66	54.04	74.00	19.96	Horizontal	PASS
5	6340.68	35.03	17.19	52.22	68.20	15.98	Horizontal	PASS
6	17810.24	41.39	12.30	53.69	74.00	20.31	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5401.25	36.66	14.65	51.31	54.00	2.69	Vertical	PASS
2	12396.63	35.13	6.19	41.32	54.00	12.68	Vertical	PASS
3	17889.21	32.99	13.48	46.47	54.00	7.53	Vertical	PASS
4	5381.26	43.82	14.65	58.47	74.00	15.53	Vertical	PASS
5	15076.99	42.22	9.12	51.34	68.20	16.86	Vertical	PASS
6	17988.88	39.74	13.63	53.37	74.00	20.63	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7610.17	38.69	-0.93	37.76	54.00	16.24	Horizontal	PASS
2	12035.52	35.68	5.38	41.06	54.00	12.94	Horizontal	PASS
3	17991.18	33.64	13.66	47.30	54.00	6.70	Horizontal	PASS
4	6476.72	35.42	17.00	52.42	68.20	15.78	Horizontal	PASS
5	13852.58	42.87	7.71	50.58	68.20	17.62	Horizontal	PASS
6	17993.10	39.77	13.69	53.46	74.00	20.54	Horizontal	PASS


Project Information			
Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12250.58	35.61	5.37	40.98	54.00	13.02	Vertical	PASS
2	17855.48	32.33	13.92	46.25	54.00	7.75	Vertical	PASS
3	5441.03	39.23	14.33	53.56	74.00	15.17	Vertical	PASS
4	5742.62	46.33	14.92	61.25	68.20	6.95	Vertical	PASS
5	17871.96	39.44	13.70	53.14	74.00	20.86	Vertical	PASS


Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-1
Bandwidth	20MHz	Channel	40
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8101.24	37.84	0.52	38.36	54.00	15.64	Horizontal	PASS
2	11447.85	35.73	5.08	40.81	54.00	13.19	Horizontal	PASS
3	17857.01	32.03	13.89	45.92	54.00	8.08	Horizontal	PASS
4	6355.16	35.43	17.21	52.64	68.20	15.56	Horizontal	PASS
5	13686.97	40.49	9.33	49.82	68.20	18.38	Horizontal	PASS
6	17976.23	39.10	13.44	52.54	74.00	21.46	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-1
Bandwidth	20MHz	Channel	40
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5190.96	37.01	13.92	50.93	-	-	Vertical	NA
2	8082.84	37.18	0.48	37.66	54.00	16.34	Vertical	PASS
3	12385.90	35.01	5.97	40.98	54.00	13.02	Vertical	PASS
4	17883.08	32.14	13.56	45.70	54.00	8.30	Vertical	PASS
5	5190.96	43.28	13.92	57.20	-	-	Vertical	NA
6	6318.68	35.12	16.97	52.09	68.20	16.11	Vertical	PASS
7	15065.87	41.36	9.16	50.52	68.20	17.68	Vertical	PASS
8	17983.90	39.72	13.56	53.28	74.00	20.72	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8095.49	37.22	0.51	37.73	54.00	16.27	Horizontal	PASS
2	11509.95	35.57	4.83	40.40	54.00	13.60	Horizontal	PASS
3	17877.33	32.24	13.63	45.87	54.00	8.13	Horizontal	PASS
4	6494.68	36.05	17.44	53.49	68.20	14.71	Horizontal	PASS
5	15062.80	41.48	9.18	50.66	68.20	17.54	Horizontal	PASS
6	17988.50	39.90	13.62	53.52	74.00	20.48	Horizontal	PASS


Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.49	36.75	14.55	51.30	-	-	Vertical	NA
2	8054.85	37.77	0.40	38.17	54.00	15.83	Vertical	PASS
3	11979.55	35.56	5.13	40.69	54.00	13.31	Vertical	PASS
4	17991.95	32.30	13.68	45.98	54.00	8.02	Vertical	PASS
5	5320.94	40.81	14.55	55.36	-	-	Vertical	NA
6	6351.86	34.29	17.26	51.55	68.20	16.65	Vertical	PASS
7	13589.60	43.14	7.16	50.30	68.20	17.90	Vertical	PASS
8	17991.57	39.67	13.67	53.34	74.00	20.66	Vertical	PASS


Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	116
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9024.72	37.01	2.44	39.45	54.00	14.55	Horizontal	PASS
2	11972.65	35.14	5.10	40.24	54.00	13.76	Horizontal	PASS
3	17989.65	32.97	13.64	46.61	54.00	7.39	Horizontal	PASS
4	6399.35	35.33	16.46	51.79	68.20	16.41	Horizontal	PASS
5	15244.51	40.18	9.77	49.95	68.20	18.25	Horizontal	PASS
6	17994.25	39.31	13.71	53.02	74.00	20.98	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	116
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5577.80	30.73	14.69	45.42	-	-	Vertical	NA
2	8129.22	37.09	0.70	37.79	54.00	16.21	Vertical	PASS
3	12140.55	35.58	4.83	40.41	54.00	13.59	Vertical	PASS
4	17983.90	32.20	13.56	45.76	54.00	8.24	Vertical	PASS
5	5574.14	37.37	14.67	52.04	-	-	Vertical	NA
6	6293.56	35.75	16.60	52.35	68.20	15.85	Vertical	PASS
7	15071.62	41.82	9.14	50.96	68.20	17.24	Vertical	PASS
8	17998.85	38.77	13.78	52.55	74.00	21.45	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-2C&3
Bandwidth	20MHz	Channel	144
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.59	61.23	14.91	76.14	-	-	Horizontal	NA
2	8088.97	37.59	0.49	38.08	54.00	15.92	Horizontal	PASS
3	11594.67	34.86	5.66	40.52	54.00	13.48	Horizontal	PASS
4	17981.60	32.83	13.53	46.36	54.00	7.64	Horizontal	PASS
5	5727.41	67.25	14.91	82.16	-	-	Horizontal	NA
6	6489.37	34.72	17.13	51.85	68.20	16.35	Horizontal	PASS
7	13699.62	40.68	9.42	50.10	68.20	18.10	Horizontal	PASS
8	17985.82	39.52	13.58	53.10	74.00	20.90	Horizontal	PASS

Project Information

Mode:	802.11ax20 106t-53	Band:	U-UNII-2C&3
Bandwidth	20MHz	Channel	144
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.32	67.75	14.91	82.66	-	-	Vertical	NA
2	8468.10	36.49	1.35	37.84	54.00	16.16	Vertical	PASS
3	11455.52	35.43	5.04	40.47	54.00	13.53	Vertical	PASS
4	17878.10	32.55	13.63	46.18	54.00	7.82	Vertical	PASS
5	5728.32	73.96	14.91	88.87	-	-	Vertical	NA
6	6344.53	34.70	17.17	51.87	68.20	16.33	Vertical	PASS
7	14605.09	42.47	8.68	51.15	68.20	17.05	Vertical	PASS
8	17892.28	39.72	13.44	53.16	74.00	20.84	Vertical	PASS


Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-23
Bandwidth	20MHz	Channel	144
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9478.60	36.84	2.45	39.29	54.00	14.71	Horizontal	PASS
2	12208.41	35.82	5.29	41.11	54.00	12.89	Horizontal	PASS
3	17884.23	32.40	13.55	45.95	54.00	8.05	Horizontal	PASS
4	6352.60	35.58	17.09	52.67	68.20	15.53	Horizontal	PASS
5	15249.11	40.37	9.92	50.29	68.20	17.91	Horizontal	PASS
6	17845.51	38.71	13.80	52.51	74.00	21.49	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	144
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9055.77	36.97	2.26	39.23	54.00	14.77	Vertical	PASS
2	12653.47	34.59	6.16	40.75	54.00	13.25	Vertical	PASS
3	17998.85	32.43	13.78	46.21	54.00	7.79	Vertical	PASS
4	6376.80	34.67	16.81	51.48	68.20	16.72	Vertical	PASS
5	15250.26	40.96	9.94	50.90	68.20	17.30	Vertical	PASS
6	17990.80	39.17	13.65	52.82	74.00	21.18	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	144
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9140.49	35.77	3.12	38.89	54.00	15.11	Horizontal	PASS
2	12659.99	35.23	6.13	41.36	54.00	12.64	Horizontal	PASS
3	17981.22	32.60	13.51	46.11	54.00	7.89	Horizontal	PASS
4	6419.88	35.29	16.69	51.98	68.20	16.22	Horizontal	PASS
5	15247.57	40.67	9.87	50.54	68.20	17.66	Horizontal	PASS
6	17997.70	39.52	13.76	53.28	74.00	20.72	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-UNII-1
Bandwidth	40MHz	Channel	46
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9474.77	37.00	2.41	39.41	54.00	14.59	Vertical	PASS
2	12106.44	35.38	5.13	40.51	54.00	13.49	Vertical	PASS
3	17852.41	32.35	13.95	46.30	54.00	7.70	Vertical	PASS
4	6298.51	35.42	16.77	52.19	68.20	16.01	Vertical	PASS
5	14354.38	41.53	8.96	50.49	68.20	17.71	Vertical	PASS
6	17835.54	39.41	13.37	52.78	74.00	21.22	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	54
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9037.37	36.64	2.36	39.00	54.00	15.00	Horizontal	PASS
2	11404.15	35.13	5.37	40.50	54.00	13.50	Horizontal	PASS
3	17849.73	32.28	13.98	46.26	54.00	7.74	Horizontal	PASS
4	6372.40	34.79	16.97	51.76	68.20	16.44	Horizontal	PASS
5	15085.80	40.88	9.08	49.96	68.20	18.24	Horizontal	PASS
6	17850.50	39.58	13.98	53.56	74.00	20.44	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	54
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5268.51	33.01	14.27	47.28	-	-	Vertical	NA
2	9173.46	35.79	3.13	38.92	54.00	15.08	Vertical	PASS
3	11444.01	35.23	5.11	40.34	54.00	13.66	Vertical	PASS
4	17850.11	32.39	13.99	46.38	54.00	7.62	Vertical	PASS
5	5267.96	39.71	14.27	53.98	-	-	Vertical	NA
6	6327.48	34.97	17.06	52.03	68.20	16.17	Vertical	PASS
7	14324.48	40.93	8.84	49.77	68.20	18.43	Vertical	PASS
8	17840.53	38.94	13.59	52.53	74.00	21.47	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	118
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9135.89	35.84	3.00	38.84	54.00	15.16	Horizontal	PASS
2	12646.19	35.27	6.10	41.37	54.00	12.63	Horizontal	PASS
3	17983.52	32.63	13.55	46.18	54.00	7.82	Horizontal	PASS
4	6486.43	35.70	17.10	52.80	68.20	15.40	Horizontal	PASS
5	15246.42	41.15	9.83	50.98	68.20	17.22	Horizontal	PASS
6	17380.51	41.46	12.14	53.60	68.20	14.60	Horizontal	PASS


Project Information			
Mode:	802.11ax40 242t-61	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	118
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9421.10	36.97	1.94	38.91	54.00	15.09	Vertical	PASS
2	11596.97	34.80	5.69	40.49	54.00	13.51	Vertical	PASS
3	17995.40	32.71	13.72	46.43	54.00	7.57	Vertical	PASS
4	6286.59	35.62	16.48	52.10	68.20	16.10	Vertical	PASS
5	13696.17	40.62	9.40	50.02	68.20	18.18	Vertical	PASS
6	17861.23	40.78	13.84	54.62	74.00	19.38	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	142
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5695.32	74.13	13.75	87.88	-	-	Horizontal	NA
2	8136.50	36.88	0.74	37.62	54.00	16.38	Horizontal	PASS
3	12076.15	35.27	5.31	40.58	54.00	13.42	Horizontal	PASS
4	17982.37	32.34	13.54	45.88	54.00	8.12	Horizontal	PASS
5	5691.66	80.93	13.74	94.67	-	-	Horizontal	NA
6	6275.96	35.93	14.51	50.44	68.20	17.76	Horizontal	PASS
7	15108.04	40.88	8.81	49.69	68.20	18.51	Horizontal	PASS
8	17851.65	39.90	13.97	53.87	74.00	20.13	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	142
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5698.26	78.72	13.77	92.49	-	-	Vertical	NA
2	9040.82	36.70	2.34	39.04	54.00	14.96	Vertical	PASS
3	11462.42	35.53	5.01	40.54	54.00	13.46	Vertical	PASS
4	17899.18	32.89	13.35	46.24	54.00	7.76	Vertical	PASS
5	5697.71	85.68	13.76	99.44	-	-	Vertical	NA
6	6346.91	35.28	15.35	50.63	68.20	17.57	Vertical	PASS
7	15068.17	40.86	9.15	50.01	68.20	18.19	Vertical	PASS
8	17864.30	39.26	13.81	53.07	74.00	20.93	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	159
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9488.95	36.16	2.60	38.76	54.00	15.24	Horizontal	PASS
2	11485.42	35.37	4.88	40.25	54.00	13.75	Horizontal	PASS
3	17981.60	32.22	13.53	45.75	54.00	8.25	Horizontal	PASS
4	6351.13	34.73	17.12	51.85	68.20	16.35	Horizontal	PASS
5	15078.90	41.19	9.11	50.30	68.20	17.90	Horizontal	PASS
6	17846.66	38.65	13.84	52.49	74.00	21.51	Horizontal	PASS


Project Information			
Mode:	802.11ax40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	159
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9041.20	36.78	2.34	39.12	54.00	14.88	Vertical	PASS
2	12218.76	35.26	5.31	40.57	54.00	13.43	Vertical	PASS
3	17844.36	32.18	13.75	45.93	54.00	8.07	Vertical	PASS
4	6348.38	34.90	17.11	52.01	68.20	16.19	Vertical	PASS
5	13705.76	40.66	9.13	49.79	68.20	18.41	Vertical	PASS
6	17843.98	39.84	13.74	53.58	74.00	20.42	Vertical	PASS


Project Information			
Mode:	802.11ax80 484t-65	Band:	U-UNII-1
Bandwidth	80MHz	Channel	42
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8459.67	36.42	1.26	37.68	54.00	16.32	Horizontal	PASS
2	12104.52	35.63	5.15	40.78	54.00	13.22	Horizontal	PASS
3	17889.21	32.84	13.48	46.32	54.00	7.68	Horizontal	PASS
4	6490.47	34.41	17.39	51.80	68.20	16.40	Horizontal	PASS
5	13676.62	41.39	9.26	50.65	68.20	17.55	Horizontal	PASS
6	17847.04	38.91	13.86	52.77	74.00	21.23	Horizontal	PASS

Project Information			
Mode:	802.11ax80 484t-65	Band:	U-UNII-1
Bandwidth	80MHz	Channel	42
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5191.51	30.72	13.92	44.64	-	-	Vertical	NA
2	9021.65	36.92	2.45	39.37	54.00	14.63	Vertical	PASS
3	12018.65	35.42	5.31	40.73	54.00	13.27	Vertical	PASS
4	17984.67	32.38	13.57	45.95	54.00	8.05	Vertical	PASS
5	5191.69	37.57	13.92	51.49	-	-	Vertical	NA
6	6370.01	35.25	17.00	52.25	68.20	15.95	Vertical	PASS
7	13677.77	40.59	9.26	49.85	68.20	18.35	Vertical	PASS
8	17849.34	38.89	13.96	52.85	74.00	21.15	Vertical	PASS

Project Information			
Mode:	802.11ax80 484t-65	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	58
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9043.50	36.83	2.33	39.16	54.00	14.84	Horizontal	PASS
2	12399.31	34.30	6.25	40.55	54.00	13.45	Horizontal	PASS
3	17987.73	32.25	13.61	45.86	54.00	8.14	Horizontal	PASS
4	6339.58	35.49	17.18	52.67	68.20	15.53	Horizontal	PASS
5	13670.49	40.97	9.21	50.18	68.20	18.02	Horizontal	PASS
6	17987.35	39.13	13.61	52.74	74.00	21.26	Horizontal	PASS

Project Information			
Mode:	802.11ax80 484t-65	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	58
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9036.60	36.54	2.37	38.91	54.00	15.09	Vertical	PASS
2	12085.35	35.46	5.26	40.72	54.00	13.28	Vertical	PASS
3	17862.00	32.17	13.83	46.00	54.00	8.00	Vertical	PASS
4	6466.08	34.70	17.07	51.77	68.20	16.43	Vertical	PASS
5	13695.41	40.80	9.39	50.19	68.20	18.01	Vertical	PASS
6	17861.61	39.23	13.84	53.07	74.00	20.93	Vertical	PASS

Project Information			
Mode:	802.11ax80 484t-65	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	122
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9168.47	36.21	3.18	39.39	54.00	14.61	Horizontal	PASS
2	11405.68	35.86	5.35	41.21	54.00	12.79	Horizontal	PASS
3	17889.21	32.71	13.48	46.19	54.00	7.81	Horizontal	PASS
4	6319.41	35.26	16.91	52.17	68.20	16.03	Horizontal	PASS
5	13695.41	40.83	9.39	50.22	68.20	17.98	Horizontal	PASS
6	17888.83	40.32	13.49	53.81	74.00	20.19	Horizontal	PASS

Project Information			
Mode:	802.11ax80 484t-65	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	122
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5594.85	32.71	14.72	47.43	-	-	Vertical	NA
2	9028.55	36.80	2.41	39.21	54.00	14.79	Vertical	PASS
3	12219.14	35.96	5.31	41.27	54.00	12.73	Vertical	PASS
4	17882.31	32.74	13.57	46.31	54.00	7.69	Vertical	PASS
5	5597.60	39.47	14.74	54.21	-	-	Vertical	NA
6	6351.13	35.08	17.21	52.29	68.20	15.91	Vertical	PASS
7	15248.34	40.99	9.89	50.88	68.20	17.32	Vertical	PASS
8	17888.06	40.06	13.50	53.56	74.00	20.44	Vertical	PASS

Project Information			
Mode:	802.11ax80 484t-65	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9176.91	35.91	3.10	39.01	54.00	14.99	Horizontal	PASS
2	11442.48	35.51	5.12	40.63	54.00	13.37	Horizontal	PASS
3	17837.84	32.90	13.48	46.38	54.00	7.62	Horizontal	PASS
4	6350.03	34.61	17.13	51.74	68.20	16.46	Horizontal	PASS
5	15256.01	40.40	9.75	50.15	68.20	18.05	Horizontal	PASS
6	17943.65	39.38	13.10	52.48	74.00	21.52	Horizontal	PASS

Project Information			
Mode:	802.11ax80 484t-65	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5709.44	31.07	15.78	46.85	-	-	Vertical	NA
2	9160.42	35.83	3.26	39.09	54.00	14.91	Vertical	PASS
3	12652.32	34.64	6.17	40.81	54.00	13.19	Vertical	PASS
4	17858.55	32.01	13.88	45.89	54.00	8.11	Vertical	PASS
5	5713.66	37.22	15.77	52.99	-	-	Vertical	NA
6	6362.31	35.35	16.98	52.33	68.20	15.87	Vertical	PASS
7	13673.94	41.35	9.23	50.58	68.20	17.62	Vertical	PASS
8	17858.16	38.90	13.89	52.79	74.00	21.21	Vertical	PASS