


Project Information			
Mode:	802.11ax80 484t-65	Band:	U-UNII-2C&3
Bandwidth	80MHz	Channel	138
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5655.72	66.43	14.99	81.42	-	-	Horizontal	NA
2	8115.80	37.78	0.61	38.39	54.00	15.61	Horizontal	PASS
3	9613.54	36.92	3.01	39.93	-	-	Horizontal	NA
4	11601.95	35.42	5.69	41.11	54.00	12.89	Horizontal	PASS
5	17982.37	32.31	13.54	45.85	54.00	8.15	Horizontal	PASS
6	5655.54	74.53	14.98	89.51	-	-	Horizontal	NA
7	6470.48	35.00	17.08	52.08	68.20	16.12	Horizontal	PASS
8	13687.74	40.84	9.33	50.17	68.20	18.03	Horizontal	PASS
9	17822.51	39.99	12.82	52.81	74.00	21.19	Horizontal	PASS

Project Information

Mode:	802.11ax80 484t-65	Band:	U-UNII-2C&3
Bandwidth	80MHz	Channel	138
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5659.02	71.60	15.05	86.65	-	-	Vertical	NA
2	9169.24	35.73	3.17	38.90	54.00	15.10	Vertical	PASS
3	12039.35	35.51	5.39	40.90	54.00	13.10	Vertical	PASS
4	17851.65	32.47	13.97	46.44	54.00	7.56	Vertical	PASS
5	5659.21	79.83	15.05	94.88	-	-	Vertical	NA
6	6320.14	35.36	16.76	52.12	68.20	16.08	Vertical	PASS
7	13683.14	41.09	9.30	50.39	68.20	17.81	Vertical	PASS
8	17863.53	39.34	13.82	53.16	74.00	20.84	Vertical	PASS


Project Information			
Mode:	802.11ax160 996t-67	Band:	U-UNII-1&2A
Bandwidth	160MHz	Channel	50
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5300.41	64.64	12.21	76.85	-	-	Horizontal	NA
2	9126.69	36.35	2.77	39.12	54.00	14.88	Horizontal	PASS
3	12099.15	35.51	5.19	40.70	54.00	13.30	Horizontal	PASS
4	17989.65	32.29	13.64	45.93	54.00	8.07	Horizontal	PASS
5	5297.29	71.86	12.22	84.08	-	-	Horizontal	NA
6	6357.18	35.45	15.32	50.77	68.20	17.43	Horizontal	PASS
7	15234.54	40.89	9.44	50.33	68.20	17.87	Horizontal	PASS
8	17845.13	38.98	13.78	52.76	74.00	21.24	Horizontal	PASS

Project Information			
Mode:	802.11ax160 996t-67	Band:	U-UNII-1&2A
Bandwidth	160MHz	Channel	50
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.74	73.98	12.22	86.20	-	-	Vertical	NA
2	8097.02	37.24	0.51	37.75	54.00	16.25	Vertical	PASS
3	12031.68	36.38	5.36	41.74	54.00	12.26	Vertical	PASS
4	17993.87	32.86	13.71	46.57	54.00	7.43	Vertical	PASS
5	5322.59	82.13	12.42	94.55	-	-	Vertical	NA
6	6319.96	34.80	15.01	49.81	68.20	18.39	Vertical	PASS
7	13683.52	42.21	9.30	51.51	68.20	16.69	Vertical	PASS
8	17859.70	38.85	13.86	52.71	74.00	21.29	Vertical	PASS

Project Information			
Mode:	802.11ax160 996t-67	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	114
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5593.57	66.11	13.23	79.34	-	-	Horizontal	NA
2	8092.80	38.01	0.50	38.51	54.00	15.49	Horizontal	PASS
3	11387.66	35.38	5.30	40.68	54.00	13.32	Horizontal	PASS
4	17853.56	32.14	13.95	46.09	54.00	7.91	Horizontal	PASS
5	5589.17	74.18	13.22	87.40	-	-	Horizontal	NA
6	6303.46	35.52	14.79	50.31	68.20	17.89	Horizontal	PASS
7	13641.35	41.56	8.75	50.31	68.20	17.89	Horizontal	PASS
8	17888.06	39.69	13.50	53.19	74.00	20.81	Horizontal	PASS

Project Information			
Mode:	802.11ax160 996t-67	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	114
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5595.59	72.46	13.24	85.70	-	-	Vertical	NA
2	8097.79	37.71	0.51	38.22	54.00	15.78	Vertical	PASS
3	12127.52	36.06	4.95	41.01	54.00	12.99	Vertical	PASS
4	17847.43	32.13	13.88	46.01	54.00	7.99	Vertical	PASS
5	5596.87	80.00	13.24	93.24	-	-	Vertical	NA
6	6469.38	34.34	15.22	49.56	68.20	18.64	Vertical	PASS
7	15247.19	40.23	9.85	50.08	68.20	18.12	Vertical	PASS
8	17349.46	41.33	12.22	53.55	68.20	14.65	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5128.09	31.51	12.32	43.83	54.00	10.17	Horizontal	PASS
2	5140.74	31.72	12.41	44.13	54.00	9.87	Horizontal	PASS
3	5149.19	31.93	12.48	44.41	54.00	9.59	Horizontal	PASS
4	5127.89	42.77	12.32	55.09	74.00	18.91	Horizontal	PASS
5	5140.58	42.65	12.41	55.06	74.00	18.94	Horizontal	PASS
6	5148.96	42.91	12.48	55.39	74.00	18.61	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5133.23	32.14	12.36	44.50	54.00	9.50	Vertical	PASS
2	5146.46	33.54	12.46	46.00	54.00	8.00	Vertical	PASS
3	5149.81	34.14	12.48	46.62	54.00	7.38	Vertical	PASS
4	5133.03	43.82	12.36	56.18	74.00	17.82	Vertical	PASS
5	5146.72	44.71	12.46	57.17	74.00	16.83	Vertical	PASS
6	5149.87	45.94	12.48	58.42	74.00	15.58	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.78	28.23	12.69	40.92	54.00	13.08	Horizontal	PASS
2	5360.27	28.14	12.74	40.88	54.00	13.12	Horizontal	PASS
3	5372.92	27.95	12.81	40.76	54.00	13.24	Horizontal	PASS
4	5351.17	39.01	12.69	51.70	74.00	22.30	Horizontal	PASS
5	5360.53	39.48	12.74	52.22	74.00	21.78	Horizontal	PASS
6	5372.56	38.52	12.81	51.33	74.00	22.67	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.42	33.64	12.68	46.32	54.00	7.68	Vertical	PASS
2	5355.46	31.47	12.71	44.18	54.00	9.82	Vertical	PASS
3	5367.52	29.59	12.78	42.37	54.00	11.63	Vertical	PASS
4	5350.09	46.28	12.68	58.96	74.00	15.04	Vertical	PASS
5	5355.95	44.14	12.72	56.86	74.00	17.14	Vertical	PASS
6	5366.48	40.72	12.78	53.50	74.00	20.50	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.65	27.93	12.72	40.65	54.00	13.35	Horizontal	PASS
2	5457.08	27.79	12.75	40.54	54.00	13.46	Horizontal	PASS
3	5459.69	27.93	12.80	40.73	54.00	13.27	Horizontal	PASS
4	5467.08	41.23	12.91	54.14	68.20	14.06	Horizontal	PASS
5	5468.79	42.45	12.94	55.39	68.20	12.81	Horizontal	PASS
6	5469.87	43.56	12.96	56.52	68.20	11.68	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.12	29.70	12.69	42.39	54.00	11.61	Vertical	PASS
2	5456.39	30.42	12.75	43.17	54.00	10.83	Vertical	PASS
3	5459.69	31.00	12.80	43.80	54.00	10.20	Vertical	PASS
4	5467.02	49.49	12.91	62.40	68.20	5.80	Vertical	PASS
5	5468.46	52.20	12.94	65.14	68.20	3.06	Vertical	PASS
6	5469.60	52.11	12.96	65.07	68.20	3.13	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.43	38.72	13.33	52.05	68.20	16.15	Horizontal	PASS
2	5734.33	38.81	13.22	52.03	68.20	16.17	Horizontal	PASS
3	5743.94	38.50	13.06	51.56	68.20	16.64	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.24	42.12	13.37	55.49	68.20	12.71	Vertical	PASS
2	5726.23	40.66	13.35	54.01	68.20	14.19	Vertical	PASS
3	5739.64	40.34	13.13	53.47	68.20	14.73	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5864.66	38.89	13.38	52.27	68.20	15.93	Horizontal	PASS
2	5916.80	39.00	13.85	52.85	68.20	15.35	Horizontal	PASS
3	5993.52	39.16	13.63	52.79	68.20	15.41	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5856.29	39.17	13.30	52.47	68.20	15.73	Vertical	PASS
2	5890.06	39.48	13.63	53.11	68.20	15.09	Vertical	PASS
3	5915.18	38.13	13.84	51.97	68.20	16.23	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		


Test Graph

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		


Test Graph

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		


Test Graph



Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph

Project Information			
Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.67	31.72	12.38	44.10	54.00	9.90	Horizontal	PASS
2	5143.01	31.86	12.43	44.29	54.00	9.71	Horizontal	PASS
3	5149.81	32.08	12.48	44.56	54.00	9.44	Horizontal	PASS
4	5136.87	43.15	12.39	55.54	74.00	18.46	Horizontal	PASS
5	5144.93	42.87	12.44	55.31	74.00	18.69	Horizontal	PASS
6	5149.78	42.97	12.48	55.45	74.00	18.55	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5145.29	34.87	12.45	47.32	54.00	6.68	Vertical	PASS
2	5147.53	35.10	12.46	47.56	54.00	6.44	Vertical	PASS
3	5149.97	35.76	12.48	48.24	54.00	5.76	Vertical	PASS
4	5145.78	47.98	12.45	60.43	74.00	13.57	Vertical	PASS
5	5147.60	49.93	12.46	62.39	74.00	11.61	Vertical	PASS
6	5149.91	50.06	12.48	62.54	74.00	11.46	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.65	29.00	12.69	41.69	54.00	12.31	Horizontal	PASS
2	5354.55	28.06	12.71	40.77	54.00	13.23	Horizontal	PASS
3	5371.94	27.90	12.81	40.71	54.00	13.29	Horizontal	PASS
4	5350.74	41.96	12.69	54.65	74.00	19.35	Horizontal	PASS
5	5354.77	39.08	12.71	51.79	74.00	22.21	Horizontal	PASS
6	5372.50	39.42	12.82	52.24	74.00	21.76	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.06	37.10	12.68	49.78	54.00	4.22	Vertical	PASS
2	5354.51	32.30	12.71	45.01	54.00	8.99	Vertical	PASS
3	5360.43	31.16	12.74	43.90	54.00	10.10	Vertical	PASS
4	5350.71	51.14	12.69	63.83	74.00	10.17	Vertical	PASS
5	5355.04	45.26	12.71	57.97	74.00	16.03	Vertical	PASS
6	5360.60	43.33	12.74	56.07	74.00	17.93	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.97	27.76	12.69	40.45	54.00	13.55	Horizontal	PASS
2	5455.46	27.98	12.73	40.71	54.00	13.29	Horizontal	PASS
3	5459.45	28.14	12.80	40.94	54.00	13.06	Horizontal	PASS
4	5466.18	40.93	12.91	53.84	68.20	14.36	Horizontal	PASS
5	5468.01	43.79	12.93	56.72	68.20	11.48	Horizontal	PASS
6	5469.36	45.08	12.96	58.04	68.20	10.16	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.09	29.32	12.69	42.01	54.00	11.99	Vertical	PASS
2	5456.60	30.41	12.75	43.16	54.00	10.84	Vertical	PASS
3	5458.70	30.71	12.78	43.49	54.00	10.51	Vertical	PASS
4	5462.25	47.05	12.83	59.88	68.20	8.32	Vertical	PASS
5	5468.46	52.32	12.94	65.26	68.20	2.94	Vertical	PASS
6	5469.54	52.88	12.96	65.84	68.20	2.36	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.42	40.15	13.36	53.51	68.20	14.69	Horizontal	PASS
2	5730.79	38.78	13.28	52.06	68.20	16.14	Horizontal	PASS
3	5735.50	39.35	13.20	52.55	68.20	15.65	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.14	46.46	13.35	59.81	68.20	8.39	Vertical	PASS
2	5727.55	44.09	13.33	57.42	68.20	10.78	Vertical	PASS
3	5729.32	40.94	13.30	54.24	68.20	13.96	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.07	38.72	13.34	52.06	68.20	16.14	Horizontal	PASS
2	5908.69	38.73	13.80	52.53	68.20	15.67	Horizontal	PASS
3	5947.32	37.76	14.07	51.83	68.20	16.37	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5853.32	39.53	13.27	52.80	68.20	15.40	Vertical	PASS
2	5936.79	37.80	13.99	51.79	68.20	16.41	Vertical	PASS
3	5993.52	38.67	13.63	52.30	68.20	15.90	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	149
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	149
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	165
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	165
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph

Project Information			
Mode:	802.11ax40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.38	27.45	12.38	39.83	54.00	14.17	Horizontal	PASS
2	5143.11	28.22	12.43	40.65	54.00	13.35	Horizontal	PASS
3	5149.07	28.47	12.48	40.95	54.00	13.05	Horizontal	PASS
4	5133.97	38.36	12.37	50.73	74.00	23.27	Horizontal	PASS
5	5145.20	40.37	12.45	52.82	74.00	21.18	Horizontal	PASS
6	5148.09	39.73	12.46	52.19	74.00	21.81	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.56	36.19	12.41	48.60	54.00	5.40	Vertical	PASS
2	5148.56	38.24	12.47	50.71	54.00	3.29	Vertical	PASS
3	5149.92	38.56	12.48	51.04	54.00	2.96	Vertical	PASS
4	5143.58	50.52	12.43	62.95	74.00	11.05	Vertical	PASS
5	5148.68	51.06	12.47	63.53	74.00	10.47	Vertical	PASS
6	5149.92	52.47	12.48	64.95	74.00	9.05	Vertical	PASS


Project Information			
Mode:	802.11ax40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.30	30.05	12.68	42.73	54.00	11.27	Horizontal	PASS
2	5354.80	29.04	12.71	41.75	54.00	12.25	Horizontal	PASS
3	5369.77	27.88	12.79	40.67	54.00	13.33	Horizontal	PASS
4	5350.21	40.62	12.68	53.30	74.00	20.70	Horizontal	PASS
5	5354.76	40.68	12.71	53.39	74.00	20.61	Horizontal	PASS
6	5369.94	39.04	12.80	51.84	74.00	22.16	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.38	37.76	12.68	50.44	54.00	3.56	Vertical	PASS
2	5355.74	33.35	12.71	46.06	54.00	7.94	Vertical	PASS
3	5360.84	32.68	12.74	45.42	54.00	8.58	Vertical	PASS
4	5350.72	52.83	12.69	65.52	74.00	8.48	Vertical	PASS
5	5354.67	46.21	12.71	58.92	74.00	15.08	Vertical	PASS
6	5359.86	43.54	12.74	56.28	74.00	17.72	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.44	27.80	12.67	40.47	54.00	13.53	Horizontal	PASS
2	5457.76	28.12	12.77	40.89	54.00	13.11	Horizontal	PASS
3	5459.96	28.83	12.80	41.63	54.00	12.37	Horizontal	PASS
4	5456.96	39.85	12.75	52.60	74.00	21.40	Horizontal	PASS
5	5467.01	42.59	12.91	55.50	68.20	12.70	Horizontal	PASS
6	5469.81	41.65	12.96	54.61	68.20	13.59	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.96	30.33	12.72	43.05	54.00	10.95	Vertical	PASS
2	5457.60	31.76	12.77	44.53	54.00	9.47	Vertical	PASS
3	5459.88	32.65	12.80	45.45	54.00	8.55	Vertical	PASS
4	5459.56	46.05	12.80	58.85	74.00	15.15	Vertical	PASS
5	5467.21	49.51	12.92	62.43	68.20	5.77	Vertical	PASS
6	5469.49	51.98	12.96	64.94	68.20	3.26	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.24	38.43	13.35	51.78	68.20	16.42	Horizontal	PASS
2	5727.49	39.26	13.33	52.59	68.20	15.61	Horizontal	PASS
3	5742.10	38.67	13.09	51.76	68.20	16.44	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.04	39.30	13.35	52.65	68.20	15.55	Vertical	PASS
2	5730.64	39.00	13.28	52.28	68.20	15.92	Vertical	PASS
3	5739.19	39.24	13.14	52.38	68.20	15.82	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5861.69	38.65	13.35	52.00	68.20	16.20	Horizontal	PASS
2	5903.83	38.70	13.76	52.46	68.20	15.74	Horizontal	PASS
3	5928.95	38.53	13.94	52.47	68.20	15.73	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5859.53	39.13	13.33	52.46	68.20	15.74	Vertical	PASS
2	5916.53	38.69	13.85	52.54	68.20	15.66	Vertical	PASS
3	5951.65	38.89	14.07	52.96	68.20	15.24	Vertical	PASS


Project Information			
Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph


Project Information			
Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph

Project Information			
Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph


Project Information			
Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph

Project Information

Mode:	802.11ax80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5139.19	28.71	12.41	41.12	54.00	12.88	Horizontal	PASS
2	5147.51	29.14	12.46	41.60	54.00	12.40	Horizontal	PASS
3	5149.95	28.96	12.48	41.44	54.00	12.56	Horizontal	PASS
4	5139.63	39.28	12.41	51.69	74.00	22.31	Horizontal	PASS
5	5147.20	40.06	12.46	52.52	74.00	21.48	Horizontal	PASS
6	5149.76	39.10	12.48	51.58	74.00	22.42	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.50	37.96	12.35	50.31	54.00	3.69	Vertical	PASS
2	5140.45	39.10	12.41	51.51	54.00	2.49	Vertical	PASS
3	5149.89	40.07	12.48	52.55	54.00	1.45	Vertical	PASS
4	5131.69	50.34	12.36	62.70	74.00	11.30	Vertical	PASS
5	5141.38	49.81	12.42	62.23	74.00	11.77	Vertical	PASS
6	5149.51	51.82	12.48	64.30	74.00	9.70	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-1
Bandwidth	80MHz	Channel	58
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.11	30.02	12.68	42.70	54.00	11.30	Horizontal	PASS
2	5359.49	29.35	12.73	42.08	54.00	11.92	Horizontal	PASS
3	5365.68	29.32	12.77	42.09	54.00	11.91	Horizontal	PASS
4	5350.05	41.50	12.68	54.18	74.00	19.82	Horizontal	PASS
5	5358.99	39.77	12.73	52.50	74.00	21.50	Horizontal	PASS
6	5365.75	39.71	12.77	52.48	74.00	21.52	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-1
Bandwidth	80MHz	Channel	58
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.36	38.30	12.70	51.00	54.00	3.00	Vertical	PASS
2	5362.49	37.72	12.76	50.48	54.00	3.52	Vertical	PASS
3	5372.44	36.46	12.82	49.28	54.00	4.72	Vertical	PASS
4	5350.55	50.78	12.68	63.46	74.00	10.54	Vertical	PASS
5	5361.74	50.25	12.75	63.00	74.00	11.00	Vertical	PASS
6	5371.19	49.69	12.81	62.50	74.00	11.50	Vertical	PASS


Project Information			
Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.52	29.14	12.69	41.83	54.00	12.17	Horizontal	PASS
2	5455.94	29.62	12.74	42.36	54.00	11.64	Horizontal	PASS
3	5458.76	30.61	12.78	43.39	54.00	10.61	Horizontal	PASS
4	5458.70	44.83	12.78	57.61	74.00	16.39	Horizontal	PASS
5	5464.95	45.20	12.88	58.08	68.20	10.12	Horizontal	PASS
6	5469.75	45.30	12.96	58.26	68.20	9.94	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.54	35.31	12.70	48.01	54.00	5.99	Vertical	PASS
2	5456.54	34.94	12.75	47.69	54.00	6.31	Vertical	PASS
3	5459.84	36.83	12.80	49.63	54.00	4.37	Vertical	PASS
4	5453.42	49.92	12.69	62.61	74.00	11.39	Vertical	PASS
5	5463.63	50.39	12.86	63.25	68.20	4.95	Vertical	PASS
6	5469.75	51.45	12.96	64.41	68.20	3.79	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.74	38.37	13.29	51.66	68.20	16.54	Horizontal	PASS
2	5741.18	39.04	13.10	52.14	68.20	16.06	Horizontal	PASS
3	5745.95	38.60	13.03	51.63	68.20	16.57	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.42	38.77	13.36	52.13	68.20	16.07	Vertical	PASS
2	5734.33	38.75	13.22	51.97	68.20	16.23	Vertical	PASS
3	5743.16	38.91	13.07	51.98	68.20	16.22	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5850.89	38.74	13.25	51.99	68.20	16.21	Horizontal	PASS
2	5938.41	39.24	14.01	53.25	68.20	14.95	Horizontal	PASS
3	5968.93	38.40	13.89	52.29	68.20	15.91	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5861.42	38.91	13.35	52.26	68.20	15.94	Vertical	PASS
2	5913.02	38.98	13.83	52.81	68.20	15.39	Vertical	PASS
3	5981.09	38.60	13.76	52.36	68.20	15.84	Vertical	PASS


Project Information			
Mode:	802.11ax80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph

Project Information			
Mode:	802.11ax80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11.5		

Test Graph

Project Information			
Mode:	802.11ax160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.63	28.14	12.37	40.51	54.00	13.49	Horizontal	PASS
2	5142.76	28.22	12.43	40.65	54.00	13.35	Horizontal	PASS
3	5149.01	28.36	12.48	40.84	54.00	13.16	Horizontal	PASS
4	5129.75	39.48	12.34	51.82	74.00	22.18	Horizontal	PASS
5	5132.75	39.45	12.36	51.81	74.00	22.19	Horizontal	PASS
6	5142.63	39.17	12.43	51.60	74.00	22.40	Horizontal	PASS