



Project Information			
Mode:	802.11ax160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5126.50	33.39	12.32	45.71	54.00	8.29	Vertical	PASS
2	5130.88	33.99	12.34	46.33	54.00	7.67	Vertical	PASS
3	5140.51	32.93	12.41	45.34	54.00	8.66	Vertical	PASS
4	5352.11	38.68	12.70	51.38	54.00	2.62	Vertical	PASS
5	5362.49	39.85	12.76	52.61	54.00	1.39	Vertical	PASS
6	5372.12	39.89	12.81	52.70	54.00	1.30	Vertical	PASS
7	5125.38	44.63	12.31	56.94	74.00	17.06	Vertical	PASS
8	5128.75	44.74	12.34	57.08	74.00	16.92	Vertical	PASS
9	5140.38	43.79	12.41	56.20	74.00	17.80	Vertical	PASS
10	5353.74	49.57	12.70	62.27	74.00	11.73	Vertical	PASS
11	5365.37	50.09	12.77	62.86	74.00	11.14	Vertical	PASS
12	5374.87	50.13	12.82	62.95	74.00	11.05	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.90	28.41	12.66	41.07	54.00	12.93	Horizontal	PASS
2	5453.60	28.84	12.70	41.54	54.00	12.46	Horizontal	PASS
3	5457.35	28.64	12.76	41.40	54.00	12.60	Horizontal	PASS
4	5452.55	39.49	12.69	52.18	74.00	21.82	Horizontal	PASS
5	5463.06	40.11	12.85	52.96	68.20	15.24	Horizontal	PASS
6	5467.26	38.83	12.92	51.75	68.20	16.45	Horizontal	PASS
7	5726.14	40.18	13.35	53.53	68.20	14.67	Horizontal	PASS
8	5740.85	39.52	13.11	52.63	68.20	15.57	Horizontal	PASS
9	5749.55	39.83	12.97	52.80	68.20	15.40	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.00	30.29	12.64	42.93	54.00	11.07	Vertical	PASS
2	5456.75	30.27	12.75	43.02	54.00	10.98	Vertical	PASS
3	5459.15	30.84	12.78	43.62	54.00	10.38	Vertical	PASS
4	5450.00	41.19	12.64	53.83	74.00	20.17	Vertical	PASS
5	5459.00	41.36	12.78	54.14	74.00	19.86	Vertical	PASS
6	5463.66	41.16	12.86	54.02	68.20	14.18	Vertical	PASS
7	5727.49	47.38	13.33	60.71	68.20	7.49	Vertical	PASS
8	5734.69	43.24	13.21	56.45	68.20	11.75	Vertical	PASS
9	5742.50	43.88	13.08	56.96	68.20	11.24	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.50	29.56	12.67	42.23	54.00	11.77	Horizontal	PASS
2	5453.30	30.04	12.69	42.73	54.00	11.27	Horizontal	PASS
3	5459.15	29.81	12.78	42.59	54.00	11.41	Horizontal	PASS
4	5453.45	40.41	12.70	53.11	74.00	20.89	Horizontal	PASS
5	5461.11	41.06	12.82	53.88	68.20	14.32	Horizontal	PASS
6	5468.31	40.73	12.94	53.67	68.20	14.53	Horizontal	PASS
7	5725.09	43.96	13.37	57.33	68.20	10.87	Horizontal	PASS
8	5737.54	41.50	13.16	54.66	68.20	13.54	Horizontal	PASS
9	5747.75	41.35	13.00	54.35	68.20	13.85	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.50	35.55	12.67	48.22	54.00	5.78	Vertical	PASS
2	5455.10	34.99	12.72	47.71	54.00	6.29	Vertical	PASS
3	5459.15	35.52	12.78	48.30	54.00	5.70	Vertical	PASS
4	5451.95	47.16	12.67	59.83	74.00	14.17	Vertical	PASS
5	5458.70	46.63	12.78	59.41	74.00	14.59	Vertical	PASS
6	5462.61	46.11	12.85	58.96	68.20	9.24	Vertical	PASS
7	5727.04	53.26	13.34	66.60	68.20	1.60	Vertical	PASS
8	5732.59	50.56	13.25	63.81	68.20	4.39	Vertical	PASS
9	5740.85	49.24	13.11	62.35	68.20	5.85	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5419.08	30.98	12.85	43.83	54.00	10.17	Horizontal	PASS
2	5439.04	31.00	12.71	43.71	54.00	10.29	Horizontal	PASS
3	5454.45	29.84	12.72	42.56	54.00	11.44	Horizontal	PASS
4	5407.53	41.06	12.93	53.99	74.00	20.01	Horizontal	PASS
5	5443.07	41.97	12.69	54.66	74.00	19.34	Horizontal	PASS
6	5459.88	40.17	12.80	52.97	74.00	21.03	Horizontal	PASS
7	5728.81	44.40	13.31	57.71	68.20	10.49	Horizontal	PASS
8	5737.74	42.01	13.16	55.17	68.20	13.03	Horizontal	PASS
9	5746.50	42.23	13.02	55.25	68.20	12.95	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5419.08	38.64	12.85	51.49	54.00	2.51	Vertical	PASS
2	5428.71	37.45	12.78	50.23	54.00	3.77	Vertical	PASS
3	5439.04	37.28	12.71	49.99	54.00	4.01	Vertical	PASS
4	5411.73	49.35	12.89	62.24	74.00	11.76	Vertical	PASS
5	5444.30	49.52	12.68	62.20	74.00	11.80	Vertical	PASS
6	5459.18	45.36	12.79	58.15	74.00	15.85	Vertical	PASS
7	5727.41	52.69	13.33	66.02	68.20	2.18	Vertical	PASS
8	5733.02	50.30	13.24	63.54	68.20	4.66	Vertical	PASS
9	5744.22	49.74	13.05	62.79	68.20	5.41	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 7.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.09	32.53	12.41	44.94	54.00	9.06	Horizontal	PASS
2	5144.96	32.50	12.44	44.94	54.00	9.06	Horizontal	PASS
3	5148.51	32.57	12.47	45.04	54.00	8.96	Horizontal	PASS
4	5139.86	44.88	12.41	57.29	74.00	16.71	Horizontal	PASS
5	5145.29	43.23	12.45	55.68	74.00	18.32	Horizontal	PASS
6	5148.51	43.89	12.47	56.36	74.00	17.64	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 7.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.39	33.16	12.42	45.58	54.00	8.42	Vertical	PASS
2	5145.03	32.84	12.45	45.29	54.00	8.71	Vertical	PASS
3	5149.55	32.95	12.48	45.43	54.00	8.57	Vertical	PASS
4	5141.84	43.53	12.43	55.96	74.00	18.04	Vertical	PASS
5	5145.62	43.66	12.45	56.11	74.00	17.89	Vertical	PASS
6	5149.13	43.09	12.48	55.57	74.00	18.43	Vertical	PASS

Project Information			
Mode:	802.11ax20 52t-37	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.58	32.69	12.42	45.11	54.00	8.89	Horizontal	PASS
2	5144.74	32.39	12.44	44.83	54.00	9.17	Horizontal	PASS
3	5149.03	32.48	12.48	44.96	54.00	9.04	Horizontal	PASS
4	5140.71	43.75	12.41	56.16	74.00	17.84	Horizontal	PASS
5	5144.80	43.61	12.44	56.05	74.00	17.95	Horizontal	PASS
6	5149.58	43.59	12.48	56.07	74.00	17.93	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52t-37	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5145.26	33.70	12.45	46.15	54.00	7.85	Vertical	PASS
2	5148.35	33.41	12.47	45.88	54.00	8.12	Vertical	PASS
3	5149.61	33.58	12.48	46.06	54.00	7.94	Vertical	PASS
4	5143.40	45.26	12.43	57.69	74.00	16.31	Vertical	PASS
5	5147.92	46.45	12.46	58.91	74.00	15.09	Vertical	PASS
6	5149.68	47.55	12.48	60.03	74.00	13.97	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5142.36	32.39	12.43	44.82	54.00	9.18	Horizontal	PASS
2	5146.07	32.65	12.45	45.10	54.00	8.90	Horizontal	PASS
3	5149.97	32.50	12.48	44.98	54.00	9.02	Horizontal	PASS
4	5141.49	43.46	12.42	55.88	74.00	18.12	Horizontal	PASS
5	5145.23	44.67	12.45	57.12	74.00	16.88	Horizontal	PASS
6	5149.78	43.29	12.48	55.77	74.00	18.23	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5143.86	34.83	12.44	47.27	54.00	6.73	Vertical	PASS
2	5147.89	36.53	12.46	48.99	54.00	5.01	Vertical	PASS
3	5149.65	34.59	12.48	47.07	54.00	6.93	Vertical	PASS
4	5144.18	52.20	12.44	64.64	74.00	9.36	Vertical	PASS
5	5146.56	54.06	12.46	66.52	74.00	7.48	Vertical	PASS
6	5149.26	51.72	12.48	64.20	74.00	9.80	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-8	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.91	28.90	12.69	41.59	54.00	12.41	Horizontal	PASS
2	5356.92	28.70	12.72	41.42	54.00	12.58	Horizontal	PASS
3	5360.66	28.88	12.74	41.62	54.00	12.38	Horizontal	PASS
4	5351.13	39.97	12.69	52.66	74.00	21.34	Horizontal	PASS
5	5356.34	39.66	12.72	52.38	74.00	21.62	Horizontal	PASS
6	5359.23	39.79	12.73	52.52	74.00	21.48	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26t-8	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.39	30.35	12.68	43.03	54.00	10.97	Vertical	PASS
2	5361.28	30.30	12.75	43.05	54.00	10.95	Vertical	PASS
3	5363.59	30.54	12.76	43.30	54.00	10.70	Vertical	PASS
4	5350.71	43.64	12.69	56.33	74.00	17.67	Vertical	PASS
5	5359.20	41.26	12.73	53.99	74.00	20.01	Vertical	PASS
6	5364.53	41.39	12.76	54.15	74.00	19.85	Vertical	PASS

Project Information			
Mode:	802.11ax20 52t-40	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.65	28.91	12.69	41.60	54.00	12.40	Horizontal	PASS
2	5352.79	28.86	12.69	41.55	54.00	12.45	Horizontal	PASS
3	5357.90	28.86	12.72	41.58	54.00	12.42	Horizontal	PASS
4	5350.71	39.39	12.69	52.08	74.00	21.92	Horizontal	PASS
5	5352.95	39.88	12.69	52.57	74.00	21.43	Horizontal	PASS
6	5358.77	39.94	12.73	52.67	74.00	21.33	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52t-40	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.13	32.00	12.68	44.68	54.00	9.32	Vertical	PASS
2	5352.86	31.14	12.69	43.83	54.00	10.17	Vertical	PASS
3	5360.24	30.95	12.74	43.69	54.00	10.31	Vertical	PASS
4	5350.09	47.45	12.68	60.13	74.00	13.87	Vertical	PASS
5	5352.53	44.55	12.69	57.24	74.00	16.76	Vertical	PASS
6	5360.66	43.85	12.74	56.59	74.00	17.41	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-54	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.35	28.30	12.68	40.98	54.00	13.02	Horizontal	PASS
2	5356.60	28.59	12.72	41.31	54.00	12.69	Horizontal	PASS
3	5361.57	28.07	12.75	40.82	54.00	13.18	Horizontal	PASS
4	5350.35	44.77	12.68	57.45	74.00	16.55	Horizontal	PASS
5	5356.56	46.40	12.72	59.12	74.00	14.88	Horizontal	PASS
6	5362.06	41.41	12.75	54.16	74.00	19.84	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106t-54	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.69	35.60	12.69	48.29	54.00	5.71	Vertical	PASS
2	5356.60	33.88	12.72	46.60	54.00	7.40	Vertical	PASS
3	5361.12	31.75	12.75	44.50	54.00	9.50	Vertical	PASS
4	5352.66	57.52	12.69	70.21	74.00	3.79	Vertical	PASS
5	5356.56	55.44	12.72	68.16	74.00	5.84	Vertical	PASS
6	5361.08	52.54	12.75	65.29	74.00	8.71	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-UNII-1
Bandwidth	40MHz	Channel	38
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5136.35	28.17	12.39	40.56	54.00	13.44	Horizontal	PASS
2	5142.09	28.57	12.43	41.00	54.00	13.00	Horizontal	PASS
3	5148.22	29.05	12.46	41.51	54.00	12.49	Horizontal	PASS
4	5138.35	40.98	12.40	53.38	74.00	20.62	Horizontal	PASS
5	5144.64	41.13	12.44	53.57	74.00	20.43	Horizontal	PASS
6	5148.81	43.94	12.48	56.42	74.00	17.58	Horizontal	PASS

Project Information

Mode:	802.11ax40 242t-61	Band:	U-UNII-1
Bandwidth	40MHz	Channel	38
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5139.07	34.74	12.41	47.15	54.00	6.85	Vertical	PASS
2	5144.94	36.60	12.44	49.04	54.00	4.96	Vertical	PASS
3	5149.58	37.56	12.48	50.04	54.00	3.96	Vertical	PASS
4	5141.46	51.06	12.42	63.48	74.00	10.52	Vertical	PASS
5	5144.64	54.01	12.44	66.45	74.00	7.55	Vertical	PASS
6	5149.53	54.82	12.48	67.30	74.00	6.70	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-62	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	62
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.34	30.05	12.70	42.75	54.00	11.25	Horizontal	PASS
2	5357.31	30.60	12.73	43.33	54.00	10.67	Horizontal	PASS
3	5366.54	30.41	12.78	43.19	54.00	10.81	Horizontal	PASS
4	5350.04	45.30	12.68	57.98	74.00	16.02	Horizontal	PASS
5	5357.27	48.59	12.73	61.32	74.00	12.68	Horizontal	PASS
6	5366.50	48.52	12.78	61.30	74.00	12.70	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-62	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	62
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 10		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.13	38.13	12.68	50.81	54.00	3.19	Vertical	PASS
2	5361.90	37.82	12.75	50.57	54.00	3.43	Vertical	PASS
3	5371.09	36.90	12.80	49.70	54.00	4.30	Vertical	PASS
4	5352.42	57.93	12.70	70.63	74.00	3.37	Vertical	PASS
5	5361.86	58.22	12.75	70.97	74.00	3.03	Vertical	PASS
6	5371.05	57.32	12.80	70.12	74.00	3.88	Vertical	PASS


Project Information			
Mode:	802.11ax80 484t-65	Band:	U-UNII-1
Bandwidth	80MHz	Channel	42
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 7.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5128.25	28.40	12.32	40.72	54.00	13.28	Horizontal	PASS
2	5142.63	28.55	12.43	40.98	54.00	13.02	Horizontal	PASS
3	5149.07	28.39	12.48	40.87	54.00	13.13	Horizontal	PASS
4	5127.38	41.65	12.32	53.97	74.00	20.03	Horizontal	PASS
5	5142.20	41.60	12.43	54.03	74.00	19.97	Horizontal	PASS
6	5148.89	39.05	12.48	51.53	74.00	22.47	Horizontal	PASS

Project Information			
Mode:	802.11ax80 484t-65	Band:	U-UNII-1
Bandwidth	80MHz	Channel	42
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 7.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.44	35.61	12.35	47.96	54.00	6.04	Vertical	PASS
2	5141.32	35.53	12.42	47.95	54.00	6.05	Vertical	PASS
3	5146.20	35.73	12.45	48.18	54.00	5.82	Vertical	PASS
4	5131.38	52.84	12.35	65.19	74.00	8.81	Vertical	PASS
5	5142.51	52.41	12.43	64.84	74.00	9.16	Vertical	PASS
6	5145.89	52.29	12.45	64.74	74.00	9.26	Vertical	PASS

Project Information			
Mode:	802.11ax80 484t-66	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	58
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 7.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5353.86	30.18	12.70	42.88	54.00	11.12	Horizontal	PASS
2	5364.62	29.59	12.76	42.35	54.00	11.65	Horizontal	PASS
3	5373.81	29.73	12.82	42.55	54.00	11.45	Horizontal	PASS
4	5353.86	44.16	12.70	56.86	74.00	17.14	Horizontal	PASS
5	5364.56	44.29	12.76	57.05	74.00	16.95	Horizontal	PASS
6	5373.75	45.14	12.82	57.96	74.00	16.04	Horizontal	PASS

Project Information			
Mode:	802.11ax80 484t-66	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	58
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 7.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5356.24	36.52	12.72	49.24	54.00	4.76	Vertical	PASS
2	5366.25	37.30	12.78	50.08	54.00	3.92	Vertical	PASS
3	5372.44	35.50	12.82	48.32	54.00	5.68	Vertical	PASS
4	5356.18	53.15	12.72	65.87	74.00	8.13	Vertical	PASS
5	5366.18	54.66	12.78	67.44	74.00	6.56	Vertical	PASS
6	5374.94	51.70	12.82	64.52	74.00	9.48	Vertical	PASS


Project Information			
Mode:	802.11ax160 996t-67	Band:	U-UNII-2A
Bandwidth	160MHz	Channel	50
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 7.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5128.49	29.39	12.33	41.72	54.00	12.28	Horizontal	PASS
2	5141.61	28.62	12.42	41.04	54.00	12.96	Horizontal	PASS
3	5147.77	28.50	12.46	40.96	54.00	13.04	Horizontal	PASS
4	5128.08	44.23	12.32	56.55	74.00	17.45	Horizontal	PASS
5	5139.25	41.55	12.41	53.96	74.00	20.04	Horizontal	PASS
6	5146.74	42.43	12.46	54.89	74.00	19.11	Horizontal	PASS

Project Information			
Mode:	802.11ax160 996t-67	Band:	U-UNII-2A
Bandwidth	160MHz	Channel	50
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 7.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5125.51	38.33	12.31	50.64	54.00	3.36	Vertical	PASS
2	5130.95	37.29	12.34	49.63	54.00	4.37	Vertical	PASS
3	5149.00	34.86	12.48	47.34	54.00	6.66	Vertical	PASS
4	5125.72	55.32	12.31	67.63	74.00	6.37	Vertical	PASS
5	5135.05	54.27	12.38	66.65	74.00	7.35	Vertical	PASS
6	5143.97	51.90	12.44	64.34	74.00	9.66	Vertical	PASS

Project Information			
Mode:	802.11ax160 996t-68	Band:	U-UNII-2A
Bandwidth	160MHz	Channel	50
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 7.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.39	29.70	12.68	42.38	54.00	11.62	Horizontal	PASS
2	5358.39	29.98	12.73	42.71	54.00	11.29	Horizontal	PASS
3	5366.80	29.67	12.78	42.45	54.00	11.55	Horizontal	PASS
4	5350.18	42.81	12.68	55.49	74.00	18.51	Horizontal	PASS
5	5359.82	43.73	12.74	56.47	74.00	17.53	Horizontal	PASS
6	5371.00	41.92	12.80	54.72	74.00	19.28	Horizontal	PASS

Project Information			
Mode:	802.11ax160 996t-68	Band:	U-UNII-2A
Bandwidth	160MHz	Channel	50
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 7.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.41	35.55	12.69	48.24	54.00	5.76	Vertical	PASS
2	5361.36	35.33	12.75	48.08	54.00	5.92	Vertical	PASS
3	5372.44	35.13	12.82	47.95	54.00	6.05	Vertical	PASS
4	5352.03	53.08	12.70	65.78	74.00	8.22	Vertical	PASS
5	5361.46	52.17	12.75	64.92	74.00	9.08	Vertical	PASS
6	5372.33	50.64	12.81	63.45	74.00	10.55	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.36	28.52	12.69	41.21	54.00	12.79	Horizontal	PASS
2	5457.77	28.64	12.77	41.41	54.00	12.59	Horizontal	PASS
3	5459.66	28.44	12.80	41.24	54.00	12.76	Horizontal	PASS
4	5462.37	39.40	12.84	52.24	68.20	15.96	Horizontal	PASS
5	5466.54	39.80	12.91	52.71	68.20	15.49	Horizontal	PASS
6	5469.24	39.23	12.96	52.19	68.20	16.01	Horizontal	PASS

Project Information

Mode:	802.11ax20 26t-0	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.83	30.37	12.72	43.09	54.00	10.91	Vertical	PASS
2	5457.59	30.87	12.77	43.64	54.00	10.36	Vertical	PASS
3	5459.57	30.27	12.80	43.07	54.00	10.93	Vertical	PASS
4	5464.59	45.81	12.88	58.69	68.20	9.51	Vertical	PASS
5	5466.81	47.01	12.91	59.92	68.20	8.28	Vertical	PASS
6	5469.72	45.28	12.96	58.24	68.20	9.96	Vertical	PASS

Project Information			
Mode:	802.11ax20 52t-37	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.46	28.44	12.68	41.12	54.00	12.88	Horizontal	PASS
2	5455.37	28.67	12.72	41.39	54.00	12.61	Horizontal	PASS
3	5459.57	28.32	12.80	41.12	54.00	12.88	Horizontal	PASS
4	5463.15	41.53	12.85	54.38	68.20	13.82	Horizontal	PASS
5	5466.99	42.20	12.91	55.11	68.20	13.09	Horizontal	PASS
6	5469.87	42.42	12.96	55.38	68.20	12.82	Horizontal	PASS

Project Information

Mode:	802.11ax20 52t-37	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.04	30.48	12.72	43.20	54.00	10.80	Vertical	PASS
2	5457.68	31.39	12.77	44.16	54.00	9.84	Vertical	PASS
3	5459.90	31.23	12.80	44.03	54.00	9.97	Vertical	PASS
4	5463.57	49.96	12.86	62.82	68.20	5.38	Vertical	PASS
5	5467.02	51.09	12.91	64.00	68.20	4.20	Vertical	PASS
6	5468.88	51.98	12.94	64.92	68.20	3.28	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.95	28.56	12.72	41.28	54.00	12.72	Horizontal	PASS
2	5458.16	28.47	12.77	41.24	54.00	12.76	Horizontal	PASS
3	5459.63	28.85	12.80	41.65	54.00	12.35	Horizontal	PASS
4	5461.50	44.16	12.83	56.99	68.20	11.21	Horizontal	PASS
5	5464.38	43.67	12.88	56.55	68.20	11.65	Horizontal	PASS
6	5469.57	43.09	12.96	56.05	68.20	12.15	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.41	30.64	12.72	43.36	54.00	10.64	Vertical	PASS
2	5456.54	32.34	12.75	45.09	54.00	8.91	Vertical	PASS
3	5459.51	32.84	12.80	45.64	54.00	8.36	Vertical	PASS
4	5461.29	51.56	12.83	64.39	68.20	3.81	Vertical	PASS
5	5464.29	50.86	12.88	63.74	68.20	4.46	Vertical	PASS
6	5469.90	51.83	12.96	64.79	68.20	3.41	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-8	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.42	39.01	13.36	52.37	68.20	15.83	Horizontal	PASS
2	5731.15	38.70	13.27	51.97	68.20	16.23	Horizontal	PASS
3	5735.98	39.82	13.19	53.01	68.20	15.19	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26t-8	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.07	44.80	13.34	58.14	68.20	10.06	Vertical	PASS
2	5733.04	39.60	13.24	52.84	68.20	15.36	Vertical	PASS
3	5740.58	40.38	13.11	53.49	68.20	14.71	Vertical	PASS

Project Information			
Mode:	802.11ax20 52t-40	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.57	39.43	13.36	52.79	68.20	15.41	Horizontal	PASS
2	5733.07	39.29	13.24	52.53	68.20	15.67	Horizontal	PASS
3	5740.91	39.26	13.11	52.37	68.20	15.83	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52t-40	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.03	48.15	13.37	61.52	68.20	6.68	Vertical	PASS
2	5729.35	43.79	13.30	57.09	68.20	11.11	Vertical	PASS
3	5732.92	40.17	13.24	53.41	68.20	14.79	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-54	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.66	40.05	13.36	53.41	68.20	14.79	Horizontal	PASS
2	5731.75	40.23	13.26	53.49	68.20	14.71	Horizontal	PASS
3	5734.84	39.88	13.21	53.09	68.20	15.11	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106t-54	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.21	44.98	13.37	58.35	68.20	9.85	Vertical	PASS
2	5728.21	43.78	13.32	57.10	68.20	11.10	Vertical	PASS
3	5734.27	40.46	13.22	53.68	68.20	14.52	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-8	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.46	38.80	13.26	52.06	68.20	16.14	Horizontal	PASS
2	5862.76	39.54	13.37	52.91	68.20	15.29	Horizontal	PASS
3	5881.62	39.05	13.55	52.60	68.20	15.60	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26t-8	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5853.77	39.40	13.28	52.68	68.20	15.52	Vertical	PASS
2	5881.48	40.67	13.55	54.22	68.20	13.98	Vertical	PASS
3	5894.82	39.79	13.68	53.47	68.20	14.73	Vertical	PASS

Project Information			
Mode:	802.11ax20 52t-40	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5850.87	39.10	13.25	52.35	68.20	15.85	Horizontal	PASS
2	5869.14	39.58	13.43	53.01	68.20	15.19	Horizontal	PASS
3	5900.77	39.45	13.73	53.18	68.20	15.02	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52t-40	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 9.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.73	40.02	13.35	53.37	68.20	14.83	Vertical	PASS
2	5886.12	39.82	13.59	53.41	68.20	14.79	Vertical	PASS
3	5924.85	38.99	13.91	52.90	68.20	15.30	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-54	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5859.13	39.86	13.33	53.19	68.20	15.01	Horizontal	PASS
2	5896.42	38.95	13.69	52.64	68.20	15.56	Horizontal	PASS
3	5924.56	39.51	13.91	53.42	68.20	14.78	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106t-54	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	144
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5851.45	38.73	13.25	51.98	68.20	16.22	Vertical	PASS
2	5866.82	39.95	13.40	53.35	68.20	14.85	Vertical	PASS
3	5907.15	39.42	13.78	53.20	68.20	15.00	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	102
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 6.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5461.61	40.35	12.83	53.18	68.20	15.02	Horizontal	PASS
2	5466.89	39.73	12.91	52.64	68.20	15.56	Horizontal	PASS
3	5469.65	39.11	12.96	52.07	68.20	16.13	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	102
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 6.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5461.61	48.17	12.83	61.00	68.20	7.20	Vertical	PASS
2	5466.73	47.89	12.91	60.80	68.20	7.40	Vertical	PASS
3	5469.93	47.72	12.96	60.68	68.20	7.52	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-62	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	134
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 6.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.04	39.49	13.34	52.83	68.20	15.37	Horizontal	PASS
2	5734.54	39.50	13.21	52.71	68.20	15.49	Horizontal	PASS
3	5746.25	40.32	13.02	53.34	68.20	14.86	Horizontal	PASS