

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 CA_5B_NTNV_ERP

Band: CA_5B / NTN										
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)			Gain (dBi)	EIRP (dBm)		Verdict
				CC1	CC2	Sum		Result	Limit	
CC1:3 CC2:5	CC1: QPSK CC2: QPSK	CC1:825.5 CC2:829.4	CC1: 1@0 CC2: 0@0	23.83	-33.44	23.83	0.70	22.38	<=38.45	Pass
			CC1: 1@14 CC2: 1@0	23.82	18.88	25.03	0.70	23.58	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	19.00	13.22	20.02	0.70	18.57	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	22.88	20.88	25.00	0.70	23.55	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	22.78	21.10	25.03	0.70	23.58	<=38.45	Pass
		CC1:834.1 CC2:838	CC1: 1@0 CC2: 0@0	23.84	-33.90	23.84	0.70	22.39	<=38.45	Pass
			CC1: 1@14 CC2: 1@0	22.64	20.87	24.85	0.70	23.40	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.80	14.08	20.06	0.70	18.61	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	22.97	20.82	25.04	0.70	23.59	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	22.83	21.07	25.05	0.70	23.60	<=38.45	Pass
		CC1:842.6 CC2:846.5	CC1: 1@0 CC2: 0@0	23.82	-33.79	23.82	0.70	22.37	<=38.45	Pass
			CC1: 1@14 CC2: 1@0	22.79	20.89	24.95	0.70	23.50	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.99	13.14	20.00	0.70	18.55	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	23.86	18.99	25.08	0.70	23.63	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.71	19.14	25.01	0.70	23.56	<=38.45	Pass
	CC1: 16QAM CC2: 16QAM	CC1:825.5 CC2:829.4	CC1: 1@0 CC2: 0@0	24.38	-33.20	24.38	0.70	22.93	<=38.45	Pass
			CC1: 1@14 CC2: 1@0	23.29	19.68	24.86	0.70	23.41	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	19.12	13.08	20.09	0.70	18.64	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	23.00	21.01	25.13	0.70	23.68	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.91	19.10	25.15	0.70	23.70	<=38.45	Pass
		CC1:834.1 CC2:838	CC1: 1@0 CC2: 0@0	24.26	-33.46	24.26	0.70	22.81	<=38.45	Pass
			CC1: 1@14 CC2: 1@0	24.18	18.45	25.20	0.70	23.75	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	19.17	13.09	20.13	0.70	18.68	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	24.00	18.94	25.18	0.70	23.73	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	22.79	20.89	24.95	0.70	23.50	<=38.45	Pass

		CC1:842.6 CC2:846.5	CC1: 1@0 CC2: 0@0	23.47	-33.96	23.47	0.70	22.02	<=38.45	Pass
			CC1: 1@14 CC2: 1@0	21.03	22.68	24.94	0.70	23.49	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.96	14.05	20.18	0.70	18.73	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	22.68	20.80	24.85	0.70	23.40	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.57	18.68	24.79	0.70	23.34	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:825.5 CC2:829.4	CC1: 1@0 CC2: 0@0	23.91	-33.28	23.92	0.70	22.47	<=38.45	Pass
			CC1: 1@14 CC2: 1@0	21.60	21.78	24.70	0.70	23.25	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	19.07	13.14	20.06	0.70	18.61	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	23.55	18.74	24.79	0.70	23.34	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.39	18.73	24.66	0.70	23.21	<=38.45	Pass
		CC1:834.1 CC2:838	CC1: 1@0 CC2: 0@0	22.25	-35.37	22.25	0.70	20.80	<=38.45	Pass
			CC1: 1@14 CC2: 1@0	23.24	18.18	24.41	0.70	22.96	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	19.13	13.12	20.11	0.70	18.66	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	22.11	20.26	24.29	0.70	22.84	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	23.07	18.24	24.31	0.70	22.86	<=38.45	Pass
		CC1:842.6 CC2:846.5	CC1: 1@0 CC2: 0@0	23.98	-33.80	23.98	0.70	22.53	<=38.45	Pass
			CC1: 1@14 CC2: 1@0	22.90	17.92	24.10	0.70	22.65	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	19.14	13.08	20.10	0.70	18.65	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	22.78	17.80	23.98	0.70	22.53	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	22.66	17.71	23.86	0.70	22.41	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:825.5 CC2:829.4	CC1: 1@0 CC2: 0@0	23.81	-32.81	23.81	0.70	22.36	<=38.45	Pass
			CC1: 1@14 CC2: 1@0	20.76	21.25	24.02	0.70	22.57	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	22.13	16.19	23.12	0.70	21.67	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	22.73	17.78	23.94	0.70	22.49	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	21.59	19.76	23.78	0.70	22.33	<=38.45	Pass
		CC1:834.1 CC2:838	CC1: 1@0 CC2: 0@0	23.86	-33.48	23.86	0.70	22.41	<=38.45	Pass
			CC1: 1@14 CC2: 1@0	21.46	19.26	23.50	0.70	22.05	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	22.20	16.10	23.16	0.70	21.71	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	21.34	19.17	23.40	0.70	21.95	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	22.24	17.32	23.45	0.70	22.00	<=38.45	Pass

		CC1:842.6 CC2:846.5	CC1: 1@0 CC2: 0@0	23.31	-33.88	23.31	0.70	21.86	<=38.45	Pass	
			CC1: 1@14 CC2: 1@0	21.78	16.92	23.01	0.70	21.56	<=38.45	Pass	
			CC1: 8@0 CC2: 12@13	21.87	15.94	22.85	0.70	21.40	<=38.45	Pass	
			CC1: 8@7 CC2: 12@0	21.78	16.95	23.02	0.70	21.57	<=38.45	Pass	
			CC1: 15@0 CC2: 25@0	20.66	18.82	22.85	0.70	21.40	<=38.45	Pass	
CC1:5 CC2:3	CC1: QPSK CC2: QPSK	CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 0@0	23.79	-37.79	23.79	0.70	22.34	<=38.45	Pass	
			CC1: 1@24 CC2: 1@0	23.65	18.74	24.86	0.70	23.41	<=38.45	Pass	
			CC1: 12@0 CC2: 8@7	19.05	13.14	20.04	0.70	18.59	<=38.45	Pass	
			CC1: 12@13 CC2: 8@0	23.83	18.84	25.02	0.70	23.57	<=38.45	Pass	
			CC1: 25@0 CC2: 15@0	23.77	18.90	25.00	0.70	23.55	<=38.45	Pass	
		CC1:835.1 CC2:839	CC1: 1@0 CC2: 0@0	23.87	-38.08	23.87	0.70	22.42	<=38.45	Pass	
			CC1: 1@24 CC2: 1@0	23.46	18.49	24.66	0.70	23.21	<=38.45	Pass	
			CC1: 12@0 CC2: 8@7	19.05	13.14	20.04	0.70	18.59	<=38.45	Pass	
			CC1: 12@13 CC2: 8@0	23.76	18.85	24.97	0.70	23.52	<=38.45	Pass	
			CC1: 25@0 CC2: 15@0	22.83	20.93	24.99	0.70	23.54	<=38.45	Pass	
		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 0@0	22.89	-39.26	22.89	0.70	21.44	<=38.45	Pass	
			CC1: 1@24 CC2: 1@0	23.72	18.66	24.90	0.70	23.45	<=38.45	Pass	
			CC1: 12@0 CC2: 8@7	19.06	13.06	20.03	0.70	18.58	<=38.45	Pass	
			CC1: 12@13 CC2: 8@0	23.77	18.86	24.99	0.70	23.54	<=38.45	Pass	
			CC1: 25@0 CC2: 15@0	22.82	20.96	25.00	0.70	23.55	<=38.45	Pass	
		CC1: 16QAM CC2: 16QAM	CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 0@0	22.30	-38.41	22.30	0.70	20.85	<=38.45	Pass
				CC1: 1@24 CC2: 1@0	23.23	20.82	25.20	0.70	23.75	<=38.45	Pass
				CC1: 12@0 CC2: 8@7	19.08	13.08	20.05	0.70	18.60	<=38.45	Pass
				CC1: 12@13 CC2: 8@0	22.98	20.94	25.09	0.70	23.64	<=38.45	Pass
				CC1: 25@0 CC2: 15@0	23.94	19.07	25.17	0.70	23.72	<=38.45	Pass
	CC1:835.1 CC2:839		CC1: 1@0 CC2: 0@0	23.48	-38.08	23.48	0.70	22.03	<=38.45	Pass	
			CC1: 1@24 CC2: 1@0	21.07	22.58	24.90	0.70	23.45	<=38.45	Pass	
			CC1: 12@0 CC2: 8@7	19.13	13.16	20.11	0.70	18.66	<=38.45	Pass	
			CC1: 12@13 CC2: 8@0	23.85	18.81	25.03	0.70	23.58	<=38.45	Pass	
			CC1: 25@0 CC2: 15@0	23.74	18.80	24.95	0.70	23.50	<=38.45	Pass	

		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 0@0	24.33	-37.92	24.33	0.70	22.88	<=38.45	Pass
			CC1: 1@24 CC2: 1@0	23.05	20.42	24.94	0.70	23.49	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.86	14.00	20.08	0.70	18.63	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	22.57	20.64	24.72	0.70	23.27	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	23.48	18.54	24.68	0.70	23.23	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 0@0	24.14	-37.70	24.14	0.70	22.69	<=38.45	Pass
			CC1: 1@24 CC2: 1@0	22.74	20.36	24.72	0.70	23.27	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	19.16	13.16	20.13	0.70	18.68	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	23.55	18.74	24.79	0.70	23.34	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.41	20.62	24.62	0.70	23.17	<=38.45	Pass
		CC1:835.1 CC2:839	CC1: 1@0 CC2: 0@0	24.37	-37.89	24.37	0.70	22.92	<=38.45	Pass
			CC1: 1@24 CC2: 1@0	23.17	17.80	24.27	0.70	22.82	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.86	14.05	20.10	0.70	18.65	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	23.03	18.00	24.22	0.70	22.77	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.97	18.14	24.21	0.70	22.76	<=38.45	Pass
		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 0@0	24.35	-37.93	24.35	0.70	22.90	<=38.45	Pass
			CC1: 1@24 CC2: 1@0	21.91	19.58	23.91	0.70	22.46	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.89	14.04	20.12	0.70	18.67	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	21.65	19.73	23.80	0.70	22.35	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.66	17.64	23.85	0.70	22.40	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 0@0	18.01	8.98	18.52	0.70	17.07	<=38.45	Pass
			CC1: 1@24 CC2: 1@0	22.96	17.63	24.07	0.70	22.62	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	22.01	16.12	23.01	0.70	21.56	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	22.66	17.84	23.90	0.70	22.45	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.60	17.80	23.85	0.70	22.40	<=38.45	Pass
		CC1:835.1 CC2:839	CC1: 1@0 CC2: 0@0	16.87	9.00	17.52	0.70	16.07	<=38.45	Pass
			CC1: 1@24 CC2: 1@0	22.24	17.12	23.40	0.70	21.95	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	22.17	16.25	23.16	0.70	21.71	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	22.13	17.25	23.35	0.70	21.90	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.13	17.28	23.36	0.70	21.91	<=38.45	Pass

		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 0@0	16.61	8.83	17.28	0.70	15.83	<=38.45	Pass	
			CC1: 1@24 CC2: 1@0	19.89	19.95	22.92	0.70	21.47	<=38.45	Pass	
			CC1: 12@0 CC2: 8@7	21.87	15.90	22.85	0.70	21.40	<=38.45	Pass	
			CC1: 12@13 CC2: 8@0	21.67	16.74	22.88	0.70	21.43	<=38.45	Pass	
			CC1: 25@0 CC2: 15@0	21.65	16.69	22.85	0.70	21.40	<=38.45	Pass	
CC1:5 CC2:10	CC1: QPSK CC2: QPSK	CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 0@0	23.75	-33.30	23.75	0.70	22.30	<=38.45	Pass	
			CC1: 1@24 CC2: 1@0	23.47	21.23	24.65	0.70	23.20	<=38.45	Pass	
			CC1: 12@0 CC2: 25@25	18.99	13.05	19.97	0.70	18.52	<=38.45	Pass	
			CC1: 12@13 CC2: 25@0	21.99	16.45	22.97	0.70	21.52	<=38.45	Pass	
			CC1: 25@0 CC2: 50@0	22.01	16.17	22.97	0.70	21.52	<=38.45	Pass	
		CC1:831.7 CC2:838.9	CC1: 1@0 CC2: 0@0	23.78	-33.94	23.78	0.70	22.33	<=38.45	Pass	
			CC1: 1@24 CC2: 1@0	22.37	22.06	24.53	0.70	23.08	<=38.45	Pass	
			CC1: 12@0 CC2: 25@25	18.96	13.03	19.95	0.70	18.50	<=38.45	Pass	
			CC1: 12@13 CC2: 25@0	22.01	16.42	22.98	0.70	21.53	<=38.45	Pass	
			CC1: 25@0 CC2: 50@0	22.07	16.22	23.03	0.70	21.58	<=38.45	Pass	
		CC1:836.8 CC2:844	CC1: 1@0 CC2: 0@0	23.86	-33.98	23.86	0.70	22.41	<=38.45	Pass	
			CC1: 1@24 CC2: 1@0	22.47	22.00	24.54	0.70	23.09	<=38.45	Pass	
			CC1: 12@0 CC2: 25@25	19.04	13.03	20.01	0.70	18.56	<=38.45	Pass	
			CC1: 12@13 CC2: 25@0	21.97	16.37	22.95	0.70	21.50	<=38.45	Pass	
			CC1: 25@0 CC2: 50@0	21.98	16.16	22.95	0.70	21.50	<=38.45	Pass	
		CC1: 16QAM CC2: 16QAM	CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 0@0	23.20	-33.57	23.20	0.70	21.75	<=38.45	Pass
				CC1: 1@24 CC2: 1@0	22.08	21.54	24.06	0.70	22.61	<=38.45	Pass
				CC1: 12@0 CC2: 25@25	19.08	13.05	20.04	0.70	18.59	<=38.45	Pass
				CC1: 12@13 CC2: 25@0	20.75	16.26	22.00	0.70	20.55	<=38.45	Pass
				CC1: 25@0 CC2: 50@0	21.04	15.26	22.02	0.70	20.57	<=38.45	Pass
			CC1:831.7 CC2:838.9	CC1: 1@0 CC2: 0@0	23.35	-33.62	23.35	0.70	21.90	<=38.45	Pass
				CC1: 1@24 CC2: 1@0	22.08	21.39	24.03	0.70	22.58	<=38.45	Pass
				CC1: 12@0 CC2: 25@25	19.04	13.03	20.01	0.70	18.56	<=38.45	Pass
				CC1: 12@13 CC2: 25@0	21.13	15.38	22.07	0.70	20.62	<=38.45	Pass
				CC1: 25@0 CC2: 50@0	21.03	15.25	22.01	0.70	20.56	<=38.45	Pass

		CC1:836.8 CC2:844	CC1: 1@0 CC2: 0@0	23.63	-34.16	23.63	0.70	22.18	<=38.45	Pass
			CC1: 1@24 CC2: 1@0	22.00	21.47	24.03	0.70	22.58	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	19.17	13.01	20.11	0.70	18.66	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	21.09	15.45	22.06	0.70	20.61	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.78	16.12	22.02	0.70	20.57	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 0@0	21.26	-35.55	21.26	0.70	19.81	<=38.45	Pass
			CC1: 1@24 CC2: 1@0	22.28	19.64	23.20	0.70	21.75	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.71	13.97	19.97	0.70	18.52	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	20.83	16.34	22.06	0.70	20.61	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	21.05	15.26	22.02	0.70	20.57	<=38.45	Pass
		CC1:831.7 CC2:838.9	CC1: 1@0 CC2: 0@0	22.40	-35.46	22.40	0.70	20.95	<=38.45	Pass
			CC1: 1@24 CC2: 1@0	22.36	19.74	23.28	0.70	21.83	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	19.04	12.92	19.99	0.70	18.54	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	20.84	16.34	22.09	0.70	20.64	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	21.15	15.22	22.09	0.70	20.64	<=38.45	Pass
		CC1:836.8 CC2:844	CC1: 1@0 CC2: 0@0	22.18	-35.84	22.18	0.70	20.73	<=38.45	Pass
			CC1: 1@24 CC2: 1@0	22.32	19.49	23.26	0.70	21.81	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.73	13.92	19.97	0.70	18.52	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	21.10	15.49	22.07	0.70	20.62	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	21.02	15.29	22.01	0.70	20.56	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 0@0	17.91	-38.12	17.91	0.70	16.46	<=38.45	Pass
			CC1: 1@24 CC2: 1@0	19.19	16.51	20.16	0.70	18.71	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.52	12.53	19.49	0.70	18.04	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	18.99	13.35	19.96	0.70	18.51	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	18.72	14.12	19.97	0.70	18.52	<=38.45	Pass
		CC1:831.7 CC2:838.9	CC1: 1@0 CC2: 0@0	19.46	-36.53	19.46	0.70	18.01	<=38.45	Pass
			CC1: 1@24 CC2: 1@0	19.18	16.70	20.17	0.70	18.72	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.56	12.63	19.55	0.70	18.10	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	19.04	13.38	20.01	0.70	18.56	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	19.05	13.23	20.02	0.70	18.57	<=38.45	Pass

		CC1:836.8 CC2:844	CC1: 1@0 CC2: 0@0	19.28	-37.52	19.28	0.70	17.83	<=38.45	Pass	
			CC1: 1@24 CC2: 1@0	19.24	16.41	20.15	0.70	18.70	<=38.45	Pass	
			CC1: 12@0 CC2: 25@25	18.65	12.62	19.62	0.70	18.17	<=38.45	Pass	
			CC1: 12@13 CC2: 25@0	19.09	13.49	20.07	0.70	18.62	<=38.45	Pass	
			CC1: 25@0 CC2: 50@0	19.11	13.17	20.06	0.70	18.61	<=38.45	Pass	
CC1:10 CC2:5	CC1: QPSK CC2: QPSK	CC1:829 CC2:836.2	CC1: 1@0 CC2: 0@0	23.79	-41.08	23.79	0.70	22.34	<=38.45	Pass	
			CC1: 1@49 CC2: 1@0	22.45	21.65	24.48	0.70	23.03	<=38.45	Pass	
			CC1: 25@0 CC2: 12@13	19.03	13.08	20.02	0.70	18.57	<=38.45	Pass	
			CC1: 25@25 CC2: 12@0	21.98	15.99	22.93	0.70	21.48	<=38.45	Pass	
			CC1: 50@0 CC2: 25@0	21.97	16.03	22.94	0.70	21.49	<=38.45	Pass	
		CC1:834.2 CC2:841.4	CC1: 1@0 CC2: 0@0	23.80	-41.64	23.80	0.70	22.35	<=38.45	Pass	
			CC1: 1@49 CC2: 1@0	23.18	20.64	24.64	0.70	23.19	<=38.45	Pass	
			CC1: 25@0 CC2: 12@13	19.10	13.01	20.05	0.70	18.60	<=38.45	Pass	
			CC1: 25@25 CC2: 12@0	21.76	16.92	22.96	0.70	21.51	<=38.45	Pass	
			CC1: 50@0 CC2: 25@0	21.98	16.06	22.96	0.70	21.51	<=38.45	Pass	
		CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 0@0	22.84	-42.33	22.84	0.70	21.39	<=38.45	Pass	
			CC1: 1@49 CC2: 1@0	23.82	18.59	24.67	0.70	23.22	<=38.45	Pass	
			CC1: 25@0 CC2: 12@13	19.01	13.06	19.99	0.70	18.54	<=38.45	Pass	
			CC1: 25@25 CC2: 12@0	21.70	16.95	22.92	0.70	21.47	<=38.45	Pass	
			CC1: 50@0 CC2: 25@0	22.08	16.05	23.03	0.70	21.58	<=38.45	Pass	
		CC1: 16QAM CC2: 16QAM	CC1:829 CC2:836.2	CC1: 1@0 CC2: 0@0	23.65	-40.82	23.65	0.70	22.20	<=38.45	Pass
				CC1: 1@49 CC2: 1@0	22.60	19.81	23.97	0.70	22.52	<=38.45	Pass
				CC1: 25@0 CC2: 12@13	19.07	13.01	20.03	0.70	18.58	<=38.45	Pass
				CC1: 25@25 CC2: 12@0	21.00	15.03	21.96	0.70	20.51	<=38.45	Pass
				CC1: 50@0 CC2: 25@0	21.00	14.97	21.96	0.70	20.51	<=38.45	Pass
	CC1:834.2 CC2:841.4		CC1: 1@0 CC2: 0@0	23.21	-41.93	23.21	0.70	21.76	<=38.45	Pass	
			CC1: 1@49 CC2: 1@0	23.54	16.92	24.17	0.70	22.72	<=38.45	Pass	
			CC1: 25@0 CC2: 12@13	18.78	13.87	19.99	0.70	18.54	<=38.45	Pass	
			CC1: 25@25 CC2: 12@0	21.05	15.13	22.01	0.70	20.56	<=38.45	Pass	
			CC1: 50@0 CC2: 25@0	21.09	14.99	22.04	0.70	20.59	<=38.45	Pass	

		CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 0@0	22.20	-42.57	22.20	0.70	20.75	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	23.78	16.82	24.35	0.70	22.90	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	19.09	13.11	20.07	0.70	18.62	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	21.07	15.08	22.02	0.70	20.57	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	21.06	15.06	22.02	0.70	20.57	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:829 CC2:836.2	CC1: 1@0 CC2: 0@0	22.59	-43.23	22.59	0.70	21.14	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	22.34	16.94	23.14	0.70	21.69	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.75	13.90	19.98	0.70	18.53	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	21.08	15.05	22.03	0.70	20.58	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	21.02	15.01	21.98	0.70	20.53	<=38.45	Pass
		CC1:834.2 CC2:841.4	CC1: 1@0 CC2: 0@0	22.52	-43.59	22.52	0.70	21.07	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	22.70	16.07	23.30	0.70	21.85	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	19.04	13.01	20.00	0.70	18.55	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	21.21	15.22	22.16	0.70	20.71	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	21.09	15.06	22.05	0.70	20.60	<=38.45	Pass
		CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 0@0	22.37	-43.88	22.37	0.70	20.92	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	22.50	16.00	23.13	0.70	21.68	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	19.11	13.16	20.09	0.70	18.64	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	21.13	15.18	22.09	0.70	20.64	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	21.09	15.15	22.06	0.70	20.61	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:829 CC2:836.2	CC1: 1@0 CC2: 0@0	19.34	-45.47	19.34	0.70	17.89	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	19.51	13.03	20.14	0.70	18.69	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.49	12.51	19.47	0.70	18.02	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	18.77	13.92	19.97	0.70	18.52	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	18.97	13.06	19.95	0.70	18.50	<=38.45	Pass
		CC1:834.2 CC2:841.4	CC1: 1@0 CC2: 0@0	19.51	-45.70	19.51	0.70	18.06	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	19.43	12.97	20.07	0.70	18.62	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.53	12.55	19.50	0.70	18.05	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	19.01	12.99	19.96	0.70	18.51	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	18.72	13.97	19.96	0.70	18.51	<=38.45	Pass

		CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 0@0	19.42	-45.43	19.42	0.70	17.97	<=38.45	Pass	
			CC1: 1@49 CC2: 1@0	19.62	12.92	20.21	0.70	18.76	<=38.45	Pass	
			CC1: 25@0 CC2: 12@13	18.57	12.54	19.54	0.70	18.09	<=38.45	Pass	
			CC1: 25@25 CC2: 12@0	19.06	13.06	20.01	0.70	18.56	<=38.45	Pass	
			CC1: 50@0 CC2: 25@0	19.02	13.00	19.98	0.70	18.53	<=38.45	Pass	
CC1:10 CC2:10	CC1: QPSK CC2: QPSK	CC1:829 CC2:838.9	CC1: 1@0 CC2: 0@0	23.67	-35.41	23.67	0.70	22.22	<=38.45	Pass	
			CC1: 1@49 CC2: 1@0	23.60	18.80	24.84	0.70	23.39	<=38.45	Pass	
			CC1: 25@0 CC2: 25@25	18.99	13.01	19.96	0.70	18.51	<=38.45	Pass	
			CC1: 25@25 CC2: 25@0	22.94	16.78	23.88	0.70	22.43	<=38.45	Pass	
			CC1: 50@0 CC2: 50@0	21.59	16.89	22.86	0.70	21.41	<=38.45	Pass	
		CC1:831.6 CC2:841.5	CC1: 1@0 CC2: 0@0	23.73	-34.71	23.73	0.70	22.28	<=38.45	Pass	
			CC1: 1@49 CC2: 1@0	23.64	18.70	24.85	0.70	23.40	<=38.45	Pass	
			CC1: 25@0 CC2: 25@25	19.05	13.02	20.02	0.70	18.57	<=38.45	Pass	
			CC1: 25@25 CC2: 25@0	22.66	17.83	23.90	0.70	22.45	<=38.45	Pass	
			CC1: 50@0 CC2: 50@0	22.04	16.01	23.01	0.70	21.56	<=38.45	Pass	
		CC1:834.1 CC2:844	CC1: 1@0 CC2: 0@0	23.72	-35.34	23.72	0.70	22.27	<=38.45	Pass	
			CC1: 1@49 CC2: 1@0	23.56	18.72	24.79	0.70	23.34	<=38.45	Pass	
			CC1: 25@0 CC2: 25@25	18.98	12.98	19.95	0.70	18.50	<=38.45	Pass	
			CC1: 25@25 CC2: 25@0	23.09	16.94	24.03	0.70	22.58	<=38.45	Pass	
			CC1: 50@0 CC2: 50@0	21.96	15.95	22.93	0.70	21.48	<=38.45	Pass	
		CC1: 16QAM CC2: 16QAM	CC1:829 CC2:838.9	CC1: 1@0 CC2: 0@0	23.49	-34.94	23.49	0.70	22.04	<=38.45	Pass
				CC1: 1@49 CC2: 1@0	23.60	16.86	24.44	0.70	22.99	<=38.45	Pass
				CC1: 25@0 CC2: 25@25	18.95	12.98	19.93	0.70	18.48	<=38.45	Pass
				CC1: 25@25 CC2: 25@0	21.95	15.96	22.93	0.70	21.48	<=38.45	Pass
				CC1: 50@0 CC2: 50@0	20.97	15.01	21.95	0.70	20.50	<=38.45	Pass
			CC1:831.6 CC2:841.5	CC1: 1@0 CC2: 0@0	23.18	-35.77	23.18	0.70	21.73	<=38.45	Pass
				CC1: 1@49 CC2: 1@0	22.38	20.03	24.37	0.70	22.92	<=38.45	Pass
				CC1: 25@0 CC2: 25@25	19.06	12.98	20.02	0.70	18.57	<=38.45	Pass
				CC1: 25@25 CC2: 25@0	21.73	16.87	22.95	0.70	21.50	<=38.45	Pass
				CC1: 50@0 CC2: 50@0	21.01	15.01	21.98	0.70	20.53	<=38.45	Pass

		CC1:834.1 CC2:844	CC1: 1@0 CC2: 0@0	23.82	-35.29	23.82	0.70	22.37	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	23.26	16.82	24.15	0.70	22.70	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.71	13.91	19.95	0.70	18.50	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	21.98	16.00	22.95	0.70	21.50	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	21.08	15.07	22.05	0.70	20.60	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:829 CC2:838.9	CC1: 1@0 CC2: 0@0	23.25	-35.16	23.25	0.70	21.80	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	22.33	15.84	23.21	0.70	21.76	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.99	13.07	19.98	0.70	18.53	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	20.74	15.91	21.97	0.70	20.52	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	21.04	14.98	22.00	0.70	20.55	<=38.45	Pass
		CC1:831.6 CC2:841.5	CC1: 1@0 CC2: 0@0	22.48	-36.62	22.48	0.70	21.03	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	22.34	16.04	23.26	0.70	21.81	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	19.03	12.97	20.00	0.70	18.55	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	20.84	15.97	22.07	0.70	20.62	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	21.05	15.03	22.02	0.70	20.57	<=38.45	Pass
		CC1:834.1 CC2:844	CC1: 1@0 CC2: 0@0	22.50	-36.40	22.50	0.70	21.05	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	22.21	15.72	23.09	0.70	21.64	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	19.08	13.03	20.04	0.70	18.59	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	21.11	14.95	22.05	0.70	20.60	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.99	15.09	21.99	0.70	20.54	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:829 CC2:838.9	CC1: 1@0 CC2: 0@0	19.30	-37.96	19.30	0.70	17.85	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	19.04	13.85	20.19	0.70	18.74	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.57	12.51	19.54	0.70	18.09	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	19.10	13.05	20.06	0.70	18.61	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	19.04	13.00	20.00	0.70	18.55	<=38.45	Pass
		CC1:831.6 CC2:841.5	CC1: 1@0 CC2: 0@0	19.34	-38.04	19.34	0.70	17.89	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	19.01	13.03	19.99	0.70	18.54	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.54	12.60	19.52	0.70	18.07	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	19.08	12.91	20.02	0.70	18.57	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	18.98	12.93	19.95	0.70	18.50	<=38.45	Pass

		CC1:834.1 CC2:844	CC1: 1@0 CC2: 0@0	19.37	-38.18	19.37	0.70	17.92	<=38.45	Pass
			CC1: 1@49 CC2: 1@0	18.93	13.86	20.11	0.70	18.66	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.58	12.62	19.56	0.70	18.11	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	19.07	13.00	20.03	0.70	18.58	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	18.78	14.03	20.03	0.70	18.58	<=38.45	Pass
Note1: EIRP=Conducted Power+Antenna Gain-2.15										