

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.66	1.70	25.36	<=33.01	Pass
			2	23.55	1.70	25.25	<=33.01	Pass
			5	23.98	1.70	25.68	<=33.01	Pass
		3	0	23.94	1.70	25.64	<=33.01	Pass
			2	23.81	1.70	25.51	<=33.01	Pass
			3	23.82	1.70	25.52	<=33.01	Pass
		6	0	22.92	1.70	24.62	<=33.01	Pass
	1882.5	1	0	23.36	1.70	25.06	<=33.01	Pass
			2	23.21	1.70	24.91	<=33.01	Pass
			5	23.34	1.70	25.04	<=33.01	Pass
		3	0	23.18	1.70	24.88	<=33.01	Pass
			2	23.17	1.70	24.87	<=33.01	Pass
			3	23.02	1.70	24.72	<=33.01	Pass
		6	0	22.23	1.70	23.93	<=33.01	Pass
	1914.3	1	0	23.88	1.70	25.58	<=33.01	Pass
			2	23.66	1.70	25.36	<=33.01	Pass
			5	23.53	1.70	25.23	<=33.01	Pass
		3	0	23.80	1.70	25.50	<=33.01	Pass
			2	23.87	1.70	25.57	<=33.01	Pass
			3	23.70	1.70	25.40	<=33.01	Pass
		6	0	22.91	1.70	24.61	<=33.01	Pass
16QAM	1850.7	1	0	23.08	1.70	24.78	<=33.01	Pass
			2	23.16	1.70	24.86	<=33.01	Pass
			5	23.44	1.70	25.14	<=33.01	Pass
		3	0	23.12	1.70	24.82	<=33.01	Pass
			2	23.08	1.70	24.78	<=33.01	Pass
			3	23.15	1.70	24.85	<=33.01	Pass
		6	0	22.06	1.70	23.76	<=33.01	Pass
	1882.5	1	0	22.74	1.70	24.44	<=33.01	Pass
			2	22.48	1.70	24.18	<=33.01	Pass
			5	22.74	1.70	24.44	<=33.01	Pass
		3	0	22.54	1.70	24.24	<=33.01	Pass
			2	22.49	1.70	24.19	<=33.01	Pass
			3	22.24	1.70	23.94	<=33.01	Pass
		6	0	21.21	1.70	22.91	<=33.01	Pass
	1914.3	1	0	23.30	1.70	25.00	<=33.01	Pass
			2	23.28	1.70	24.98	<=33.01	Pass
			5	23.21	1.70	24.91	<=33.01	Pass
		3	0	23.10	1.70	24.80	<=33.01	Pass
			2	23.08	1.70	24.78	<=33.01	Pass
			3	22.91	1.70	24.61	<=33.01	Pass
		6	0	21.97	1.70	23.67	<=33.01	Pass
64QAM	1850.7	1	0	23.07	1.70	24.77	<=33.01	Pass
			2	22.85	1.70	24.55	<=33.01	Pass
			5	23.10	1.70	24.80	<=33.01	Pass
		3	0	22.94	1.70	24.64	<=33.01	Pass
			2	23.02	1.70	24.72	<=33.01	Pass
			3	22.86	1.70	24.56	<=33.01	Pass
		6	0	21.91	1.70	23.61	<=33.01	Pass

	1882.5	1	0	22.65	1.70	24.35	<=33.01	Pass
			2	22.23	1.70	23.93	<=33.01	Pass
			5	22.63	1.70	24.33	<=33.01	Pass
		3	0	22.19	1.70	23.89	<=33.01	Pass
			2	22.40	1.70	24.10	<=33.01	Pass
			3	22.13	1.70	23.83	<=33.01	Pass
		6	0	21.36	1.70	23.06	<=33.01	Pass
	1914.3	1	0	22.90	1.70	24.60	<=33.01	Pass
			2	22.88	1.70	24.58	<=33.01	Pass
			5	22.81	1.70	24.51	<=33.01	Pass
		3	0	23.02	1.70	24.72	<=33.01	Pass
			2	22.83	1.70	24.53	<=33.01	Pass
			3	22.99	1.70	24.69	<=33.01	Pass
		6	0	21.82	1.70	23.52	<=33.01	Pass
256QAM	1850.7	1	0	19.06	1.70	20.76	<=33.01	Pass
			2	18.92	1.70	20.62	<=33.01	Pass
			5	19.03	1.70	20.73	<=33.01	Pass
		3	0	19.01	1.70	20.71	<=33.01	Pass
			2	18.98	1.70	20.68	<=33.01	Pass
			3	18.87	1.70	20.57	<=33.01	Pass
		6	0	18.89	1.70	20.59	<=33.01	Pass
	1882.5	1	0	18.38	1.70	20.08	<=33.01	Pass
			2	18.45	1.70	20.15	<=33.01	Pass
			5	18.48	1.70	20.18	<=33.01	Pass
		3	0	18.37	1.70	20.07	<=33.01	Pass
			2	18.23	1.70	19.93	<=33.01	Pass
			3	18.44	1.70	20.14	<=33.01	Pass
		6	0	18.40	1.70	20.10	<=33.01	Pass
	1914.3	1	0	18.96	1.70	20.66	<=33.01	Pass
			2	18.78	1.70	20.48	<=33.01	Pass
			5	19.01	1.70	20.71	<=33.01	Pass
		3	0	18.83	1.70	20.53	<=33.01	Pass
			2	18.79	1.70	20.49	<=33.01	Pass
			3	18.91	1.70	20.61	<=33.01	Pass
		6	0	18.91	1.70	20.61	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.79	1.70	25.49	<=33.01	Pass
			7	24.02	1.70	25.72	<=33.01	Pass
			14	23.79	1.70	25.49	<=33.01	Pass
		8	0	22.99	1.70	24.69	<=33.01	Pass
			4	22.87	1.70	24.57	<=33.01	Pass
			7	22.83	1.70	24.53	<=33.01	Pass
		15	0	22.86	1.70	24.56	<=33.01	Pass
	1882.5	1	0	23.36	1.70	25.06	<=33.01	Pass
			7	23.35	1.70	25.05	<=33.01	Pass
			14	23.31	1.70	25.01	<=33.01	Pass
		8	0	22.37	1.70	24.07	<=33.01	Pass
			4	22.36	1.70	24.06	<=33.01	Pass
			7	22.34	1.70	24.04	<=33.01	Pass
		15	0	22.36	1.70	24.06	<=33.01	Pass
	1913.5	1	0	24.04	1.70	25.74	<=33.01	Pass

		8	7	23.83	1.70	25.53	<=33.01	Pass
			14	23.98	1.70	25.68	<=33.01	Pass
			0	22.91	1.70	24.61	<=33.01	Pass
			4	22.92	1.70	24.62	<=33.01	Pass
			7	22.92	1.70	24.62	<=33.01	Pass
		15	0	22.91	1.70	24.61	<=33.01	Pass
16QAM	1851.5	1	0	23.22	1.70	24.92	<=33.01	Pass
			7	23.32	1.70	25.02	<=33.01	Pass
			14	22.92	1.70	24.62	<=33.01	Pass
		8	0	22.05	1.70	23.75	<=33.01	Pass
			4	21.96	1.70	23.66	<=33.01	Pass
			7	21.81	1.70	23.51	<=33.01	Pass
		15	0	21.92	1.70	23.62	<=33.01	Pass
	1882.5	1	0	22.59	1.70	24.29	<=33.01	Pass
			7	22.83	1.70	24.53	<=33.01	Pass
			14	22.40	1.70	24.10	<=33.01	Pass
		8	0	21.26	1.70	22.96	<=33.01	Pass
			4	21.34	1.70	23.04	<=33.01	Pass
			7	21.42	1.70	23.12	<=33.01	Pass
		15	0	21.43	1.70	23.13	<=33.01	Pass
	1913.5	1	0	23.04	1.70	24.74	<=33.01	Pass
			7	23.32	1.70	25.02	<=33.01	Pass
			14	22.99	1.70	24.69	<=33.01	Pass
		8	0	21.87	1.70	23.57	<=33.01	Pass
			4	22.04	1.70	23.74	<=33.01	Pass
			7	22.03	1.70	23.73	<=33.01	Pass
		15	0	22.01	1.70	23.71	<=33.01	Pass
64QAM	1851.5	1	0	22.95	1.70	24.65	<=33.01	Pass
			7	23.01	1.70	24.71	<=33.01	Pass
			14	22.94	1.70	24.64	<=33.01	Pass
		8	0	21.96	1.70	23.66	<=33.01	Pass
			4	21.97	1.70	23.67	<=33.01	Pass
			7	21.74	1.70	23.44	<=33.01	Pass
		15	0	21.83	1.70	23.53	<=33.01	Pass
	1882.5	1	0	22.56	1.70	24.26	<=33.01	Pass
			7	22.28	1.70	23.98	<=33.01	Pass
			14	22.30	1.70	24.00	<=33.01	Pass
		8	0	21.45	1.70	23.15	<=33.01	Pass
			4	21.40	1.70	23.10	<=33.01	Pass
			7	21.23	1.70	22.93	<=33.01	Pass
		15	0	21.31	1.70	23.01	<=33.01	Pass
	1913.5	1	0	22.88	1.70	24.58	<=33.01	Pass
			7	22.97	1.70	24.67	<=33.01	Pass
			14	22.93	1.70	24.63	<=33.01	Pass
		8	0	21.82	1.70	23.52	<=33.01	Pass
			4	21.95	1.70	23.65	<=33.01	Pass
			7	21.85	1.70	23.55	<=33.01	Pass
		15	0	21.99	1.70	23.69	<=33.01	Pass
256QAM	1851.5	1	0	18.95	1.70	20.65	<=33.01	Pass
			7	19.12	1.70	20.82	<=33.01	Pass
			14	18.82	1.70	20.52	<=33.01	Pass
		8	0	19.07	1.70	20.77	<=33.01	Pass
			4	18.94	1.70	20.64	<=33.01	Pass
			7	18.91	1.70	20.61	<=33.01	Pass
		15	0	18.80	1.70	20.50	<=33.01	Pass
	1882.5	1	0	18.48	1.70	20.18	<=33.01	Pass
			7	18.58	1.70	20.28	<=33.01	Pass
			14	18.47	1.70	20.17	<=33.01	Pass
		8	0	18.40	1.70	20.10	<=33.01	Pass

			4	18.28	1.70	19.98	<=33.01	Pass
			7	18.21	1.70	19.91	<=33.01	Pass
		15	0	18.36	1.70	20.06	<=33.01	Pass
	1913.5	1	0	19.18	1.70	20.88	<=33.01	Pass
			7	19.12	1.70	20.82	<=33.01	Pass
			14	18.88	1.70	20.58	<=33.01	Pass
		8	0	18.96	1.70	20.66	<=33.01	Pass
			4	18.97	1.70	20.67	<=33.01	Pass
			7	18.95	1.70	20.65	<=33.01	Pass
		15	0	18.93	1.70	20.63	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.91	1.70	25.61	<=33.01	Pass
			13	23.88	1.70	25.58	<=33.01	Pass
			24	23.51	1.70	25.21	<=33.01	Pass
		12	0	22.93	1.70	24.63	<=33.01	Pass
			6	22.90	1.70	24.60	<=33.01	Pass
			13	22.69	1.70	24.39	<=33.01	Pass
		25	0	22.84	1.70	24.54	<=33.01	Pass
	1882.5	1	0	23.43	1.70	25.13	<=33.01	Pass
			13	23.57	1.70	25.27	<=33.01	Pass
			24	23.30	1.70	25.00	<=33.01	Pass
		12	0	22.39	1.70	24.09	<=33.01	Pass
			6	22.30	1.70	24.00	<=33.01	Pass
			13	22.23	1.70	23.93	<=33.01	Pass
		25	0	22.40	1.70	24.10	<=33.01	Pass
	1912.5	1	0	23.90	1.70	25.60	<=33.01	Pass
			13	24.02	1.70	25.72	<=33.01	Pass
			24	23.96	1.70	25.66	<=33.01	Pass
		12	0	22.95	1.70	24.65	<=33.01	Pass
			6	23.00	1.70	24.70	<=33.01	Pass
			13	22.97	1.70	24.67	<=33.01	Pass
		25	0	22.94	1.70	24.64	<=33.01	Pass
16QAM	1852.5	1	0	22.79	1.70	24.49	<=33.01	Pass
			13	23.15	1.70	24.85	<=33.01	Pass
			24	22.73	1.70	24.43	<=33.01	Pass
		12	0	21.96	1.70	23.66	<=33.01	Pass
			6	21.92	1.70	23.62	<=33.01	Pass
			13	21.76	1.70	23.46	<=33.01	Pass
		25	0	21.91	1.70	23.61	<=33.01	Pass
	1882.5	1	0	22.80	1.70	24.50	<=33.01	Pass
			13	22.63	1.70	24.33	<=33.01	Pass
			24	22.61	1.70	24.31	<=33.01	Pass
		12	0	21.44	1.70	23.14	<=33.01	Pass
			6	21.42	1.70	23.12	<=33.01	Pass
			13	21.24	1.70	22.94	<=33.01	Pass
		25	0	21.37	1.70	23.07	<=33.01	Pass
	1912.5	1	0	22.99	1.70	24.69	<=33.01	Pass
			13	23.33	1.70	25.03	<=33.01	Pass
			24	22.25	1.70	23.95	<=33.01	Pass
		12	0	21.99	1.70	23.69	<=33.01	Pass
			6	22.03	1.70	23.73	<=33.01	Pass

			13	21.94	1.70	23.64	<=33.01	Pass	
		25	0	22.00	1.70	23.70	<=33.01	Pass	
64QAM	1852.5	1	0	23.08	1.70	24.78	<=33.01	Pass	
			13	23.13	1.70	24.83	<=33.01	Pass	
			24	22.51	1.70	24.21	<=33.01	Pass	
			0	22.00	1.70	23.70	<=33.01	Pass	
		12	6	21.84	1.70	23.54	<=33.01	Pass	
			13	21.67	1.70	23.37	<=33.01	Pass	
			25	0	21.81	1.70	23.51	<=33.01	Pass
		1882.5	1	0	22.72	1.70	24.42	<=33.01	Pass
				13	22.59	1.70	24.29	<=33.01	Pass
				24	22.09	1.70	23.79	<=33.01	Pass
	12		0	21.42	1.70	23.12	<=33.01	Pass	
			6	21.38	1.70	23.08	<=33.01	Pass	
			13	21.31	1.70	23.01	<=33.01	Pass	
	25		0	21.43	1.70	23.13	<=33.01	Pass	
	1912.5		1	0	22.92	1.70	24.62	<=33.01	Pass
		13		23.04	1.70	24.74	<=33.01	Pass	
		24		22.46	1.70	24.16	<=33.01	Pass	
		12	0	21.98	1.70	23.68	<=33.01	Pass	
			6	21.99	1.70	23.69	<=33.01	Pass	
			13	21.90	1.70	23.60	<=33.01	Pass	
		25	0	21.99	1.70	23.69	<=33.01	Pass	
		256QAM	1852.5	1	0	18.92	1.70	20.62	<=33.01
13	19.03				1.70	20.73	<=33.01	Pass	
24	18.56				1.70	20.26	<=33.01	Pass	
12	0			18.98	1.70	20.68	<=33.01	Pass	
	6			18.87	1.70	20.57	<=33.01	Pass	
	13			18.71	1.70	20.41	<=33.01	Pass	
25	0			18.87	1.70	20.57	<=33.01	Pass	
1882.5	1		0	18.47	1.70	20.17	<=33.01	Pass	
			13	18.46	1.70	20.16	<=33.01	Pass	
			24	18.40	1.70	20.10	<=33.01	Pass	
	12		0	18.47	1.70	20.17	<=33.01	Pass	
			6	18.47	1.70	20.17	<=33.01	Pass	
			13	18.37	1.70	20.07	<=33.01	Pass	
	25		0	18.28	1.70	19.98	<=33.01	Pass	
1912.5	1		0	19.16	1.70	20.86	<=33.01	Pass	
			13	18.80	1.70	20.50	<=33.01	Pass	
			24	18.73	1.70	20.43	<=33.01	Pass	
	12		0	19.00	1.70	20.70	<=33.01	Pass	
			6	18.99	1.70	20.69	<=33.01	Pass	
			13	18.93	1.70	20.63	<=33.01	Pass	
	25		0	18.93	1.70	20.63	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.98	1.70	25.68	<=33.01	Pass
			25	23.72	1.70	25.42	<=33.01	Pass
			49	23.22	1.70	24.92	<=33.01	Pass
		25	0	22.90	1.70	24.60	<=33.01	Pass
			13	22.69	1.70	24.39	<=33.01	Pass
			25	22.31	1.70	24.01	<=33.01	Pass

	1882.5	50	0	22.63	1.70	24.33	<=33.01	Pass	
		1	0	23.59	1.70	25.29	<=33.01	Pass	
			25	23.18	1.70	24.88	<=33.01	Pass	
			49	23.53	1.70	25.23	<=33.01	Pass	
			0	22.54	1.70	24.24	<=33.01	Pass	
		25	13	22.40	1.70	24.10	<=33.01	Pass	
			25	22.23	1.70	23.93	<=33.01	Pass	
			0	22.39	1.70	24.09	<=33.01	Pass	
		1910	1	0	23.28	1.70	24.98	<=33.01	Pass
				25	23.90	1.70	25.60	<=33.01	Pass
	49			23.79	1.70	25.49	<=33.01	Pass	
	25		0	22.83	1.70	24.53	<=33.01	Pass	
			13	22.96	1.70	24.66	<=33.01	Pass	
			25	22.87	1.70	24.57	<=33.01	Pass	
50	0	22.88	1.70	24.58	<=33.01	Pass			
16QAM	1855	1	0	23.29	1.70	24.99	<=33.01	Pass	
			25	22.67	1.70	24.37	<=33.01	Pass	
			49	22.38	1.70	24.08	<=33.01	Pass	
		25	0	21.84	1.70	23.54	<=33.01	Pass	
			13	21.64	1.70	23.34	<=33.01	Pass	
			25	21.44	1.70	23.14	<=33.01	Pass	
		50	0	21.69	1.70	23.39	<=33.01	Pass	
	1882.5	1	0	22.83	1.70	24.53	<=33.01	Pass	
			25	22.54	1.70	24.24	<=33.01	Pass	
			49	22.67	1.70	24.37	<=33.01	Pass	
		25	0	21.54	1.70	23.24	<=33.01	Pass	
			13	21.46	1.70	23.16	<=33.01	Pass	
			25	21.26	1.70	22.96	<=33.01	Pass	
		50	0	21.33	1.70	23.03	<=33.01	Pass	
	1910	1	0	22.64	1.70	24.34	<=33.01	Pass	
			25	23.29	1.70	24.99	<=33.01	Pass	
			49	23.24	1.70	24.94	<=33.01	Pass	
		25	0	21.75	1.70	23.45	<=33.01	Pass	
			13	22.01	1.70	23.71	<=33.01	Pass	
			25	21.91	1.70	23.61	<=33.01	Pass	
		50	0	21.83	1.70	23.53	<=33.01	Pass	
64QAM	1855	1	0	22.79	1.70	24.49	<=33.01	Pass	
			25	22.45	1.70	24.15	<=33.01	Pass	
			49	22.18	1.70	23.88	<=33.01	Pass	
		25	0	21.84	1.70	23.54	<=33.01	Pass	
			13	21.74	1.70	23.44	<=33.01	Pass	
			25	21.43	1.70	23.13	<=33.01	Pass	
		50	0	21.66	1.70	23.36	<=33.01	Pass	
	1882.5	1	0	22.62	1.70	24.32	<=33.01	Pass	
			25	22.34	1.70	24.04	<=33.01	Pass	
			49	22.46	1.70	24.16	<=33.01	Pass	
		25	0	21.55	1.70	23.25	<=33.01	Pass	
			13	21.36	1.70	23.06	<=33.01	Pass	
			25	21.30	1.70	23.00	<=33.01	Pass	
		50	0	21.38	1.70	23.08	<=33.01	Pass	
	1910	1	0	22.50	1.70	24.20	<=33.01	Pass	
			25	22.82	1.70	24.52	<=33.01	Pass	
			49	22.86	1.70	24.56	<=33.01	Pass	
		25	0	21.67	1.70	23.37	<=33.01	Pass	
			13	21.88	1.70	23.58	<=33.01	Pass	
			25	21.88	1.70	23.58	<=33.01	Pass	
		50	0	21.91	1.70	23.61	<=33.01	Pass	
256QAM	1855	1	0	18.95	1.70	20.65	<=33.01	Pass	
			25	18.77	1.70	20.47	<=33.01	Pass	

			49	18.28	1.70	19.98	<=33.01	Pass
		25	0	18.80	1.70	20.50	<=33.01	Pass
			13	18.56	1.70	20.26	<=33.01	Pass
			25	18.36	1.70	20.06	<=33.01	Pass
		50	0	18.64	1.70	20.34	<=33.01	Pass
	1882.5	1	0	18.71	1.70	20.41	<=33.01	Pass
			25	18.39	1.70	20.09	<=33.01	Pass
			49	18.59	1.70	20.29	<=33.01	Pass
		25	0	18.57	1.70	20.27	<=33.01	Pass
			13	18.40	1.70	20.10	<=33.01	Pass
			25	18.39	1.70	20.09	<=33.01	Pass
		50	0	18.41	1.70	20.11	<=33.01	Pass
	1910	1	0	18.48	1.70	20.18	<=33.01	Pass
			25	18.92	1.70	20.62	<=33.01	Pass
			49	18.55	1.70	20.25	<=33.01	Pass
		25	0	18.91	1.70	20.61	<=33.01	Pass
			13	19.00	1.70	20.70	<=33.01	Pass
			25	18.96	1.70	20.66	<=33.01	Pass
		50	0	18.84	1.70	20.54	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.79	1.70	25.49	<=33.01	Pass
			38	23.28	1.70	24.98	<=33.01	Pass
			74	23.68	1.70	25.38	<=33.01	Pass
		36	0	22.67	1.70	24.37	<=33.01	Pass
			18	22.40	1.70	24.10	<=33.01	Pass
			39	22.20	1.70	23.90	<=33.01	Pass
		75	0	22.43	1.70	24.13	<=33.01	Pass
	1882.5	1	0	23.83	1.70	25.53	<=33.01	Pass
			38	23.30	1.70	25.00	<=33.01	Pass
			74	24.15	1.70	25.85	<=33.01	Pass
		36	0	22.65	1.70	24.35	<=33.01	Pass
			18	22.33	1.70	24.03	<=33.01	Pass
			39	22.42	1.70	24.12	<=33.01	Pass
		75	0	22.49	1.70	24.19	<=33.01	Pass
	1907.5	1	0	23.64	1.70	25.34	<=33.01	Pass
			38	23.70	1.70	25.40	<=33.01	Pass
			74	23.85	1.70	25.55	<=33.01	Pass
		36	0	22.51	1.70	24.21	<=33.01	Pass
			18	22.68	1.70	24.38	<=33.01	Pass
			39	22.89	1.70	24.59	<=33.01	Pass
		75	0	22.71	1.70	24.41	<=33.01	Pass
16QAM	1857.5	1	0	23.21	1.70	24.91	<=33.01	Pass
			38	22.68	1.70	24.38	<=33.01	Pass
			74	22.28	1.70	23.98	<=33.01	Pass
		36	0	21.58	1.70	23.28	<=33.01	Pass
			18	21.46	1.70	23.16	<=33.01	Pass
			39	21.26	1.70	22.96	<=33.01	Pass
		75	0	21.58	1.70	23.28	<=33.01	Pass
	1882.5	1	0	23.28	1.70	24.98	<=33.01	Pass
			38	22.68	1.70	24.38	<=33.01	Pass
			74	22.75	1.70	24.45	<=33.01	Pass

		36	0	21.71	1.70	23.41	<=33.01	Pass
			18	21.36	1.70	23.06	<=33.01	Pass
			39	21.33	1.70	23.03	<=33.01	Pass
		75	0	21.47	1.70	23.17	<=33.01	Pass
	1907.5	1	0	23.28	1.70	24.98	<=33.01	Pass
			38	23.07	1.70	24.77	<=33.01	Pass
			74	23.01	1.70	24.71	<=33.01	Pass
		36	0	21.56	1.70	23.26	<=33.01	Pass
			18	21.68	1.70	23.38	<=33.01	Pass
			39	21.89	1.70	23.59	<=33.01	Pass
		75	0	21.73	1.70	23.43	<=33.01	Pass
64QAM	1857.5	1	0	22.73	1.70	24.43	<=33.01	Pass
			38	22.36	1.70	24.06	<=33.01	Pass
			74	22.51	1.70	24.21	<=33.01	Pass
		36	0	21.72	1.70	23.42	<=33.01	Pass
			18	21.43	1.70	23.13	<=33.01	Pass
			39	21.25	1.70	22.95	<=33.01	Pass
		75	0	21.43	1.70	23.13	<=33.01	Pass
	1882.5	1	0	22.88	1.70	24.58	<=33.01	Pass
			38	22.12	1.70	23.82	<=33.01	Pass
			74	22.64	1.70	24.34	<=33.01	Pass
		36	0	21.57	1.70	23.27	<=33.01	Pass
			18	21.24	1.70	22.94	<=33.01	Pass
			39	21.34	1.70	23.04	<=33.01	Pass
		75	0	21.44	1.70	23.14	<=33.01	Pass
	1907.5	1	0	22.99	1.70	24.69	<=33.01	Pass
			38	22.90	1.70	24.60	<=33.01	Pass
			74	23.02	1.70	24.72	<=33.01	Pass
		36	0	21.61	1.70	23.31	<=33.01	Pass
			18	21.67	1.70	23.37	<=33.01	Pass
			39	21.93	1.70	23.63	<=33.01	Pass
		75	0	21.74	1.70	23.44	<=33.01	Pass
256QAM	1857.5	1	0	19.03	1.70	20.73	<=33.01	Pass
			38	18.29	1.70	19.99	<=33.01	Pass
			74	18.41	1.70	20.11	<=33.01	Pass
		36	0	18.69	1.70	20.39	<=33.01	Pass
			18	18.50	1.70	20.20	<=33.01	Pass
			39	18.27	1.70	19.97	<=33.01	Pass
		75	0	18.56	1.70	20.26	<=33.01	Pass
	1882.5	1	0	18.89	1.70	20.59	<=33.01	Pass
			38	18.36	1.70	20.06	<=33.01	Pass
			74	18.65	1.70	20.35	<=33.01	Pass
		36	0	18.68	1.70	20.38	<=33.01	Pass
			18	18.44	1.70	20.14	<=33.01	Pass
			39	18.31	1.70	20.01	<=33.01	Pass
		75	0	18.43	1.70	20.13	<=33.01	Pass
	1907.5	1	0	18.59	1.70	20.29	<=33.01	Pass
			38	18.86	1.70	20.56	<=33.01	Pass
			74	18.90	1.70	20.60	<=33.01	Pass
		36	0	18.55	1.70	20.25	<=33.01	Pass
			18	18.65	1.70	20.35	<=33.01	Pass
			39	18.97	1.70	20.67	<=33.01	Pass
		75	0	18.79	1.70	20.49	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1860	1	0	24.20	1.70	25.90	<=33.01	Pass		
			50	23.60	1.70	25.30	<=33.01	Pass		
			99	24.17	1.70	25.87	<=33.01	Pass		
		50	0	22.54	1.70	24.24	<=33.01	Pass		
			25	22.37	1.70	24.07	<=33.01	Pass		
			50	22.52	1.70	24.22	<=33.01	Pass		
		100	0	22.51	1.70	24.21	<=33.01	Pass		
		1882.5	1	0	23.91	1.70	25.61	<=33.01	Pass	
				50	23.60	1.70	25.30	<=33.01	Pass	
	99			23.86	1.70	25.56	<=33.01	Pass		
	50		0	22.73	1.70	24.43	<=33.01	Pass		
			25	22.41	1.70	24.11	<=33.01	Pass		
			50	22.45	1.70	24.15	<=33.01	Pass		
	100	0	22.44	1.70	24.14	<=33.01	Pass			
	1905	1	0	24.03	1.70	25.73	<=33.01	Pass		
			50	23.63	1.70	25.33	<=33.01	Pass		
			99	23.99	1.70	25.69	<=33.01	Pass		
		50	0	22.79	1.70	24.49	<=33.01	Pass		
			25	22.64	1.70	24.34	<=33.01	Pass		
			50	22.71	1.70	24.41	<=33.01	Pass		
		100	0	22.86	1.70	24.56	<=33.01	Pass		
		16QAM	1860	1	0	23.08	1.70	24.78	<=33.01	Pass
					50	22.35	1.70	24.05	<=33.01	Pass
	99				23.20	1.70	24.90	<=33.01	Pass	
50	0			21.57	1.70	23.27	<=33.01	Pass		
	25			21.31	1.70	23.01	<=33.01	Pass		
	50			21.42	1.70	23.12	<=33.01	Pass		
100	0			21.46	1.70	23.16	<=33.01	Pass		
1882.5	1		0	23.01	1.70	24.71	<=33.01	Pass		
			50	22.66	1.70	24.36	<=33.01	Pass		
			99	22.93	1.70	24.63	<=33.01	Pass		
	50		0	21.76	1.70	23.46	<=33.01	Pass		
			25	21.42	1.70	23.12	<=33.01	Pass		
			50	21.45	1.70	23.15	<=33.01	Pass		
100	0		21.51	1.70	23.21	<=33.01	Pass			
1905	1		0	23.23	1.70	24.93	<=33.01	Pass		
			50	22.87	1.70	24.57	<=33.01	Pass		
			99	23.09	1.70	24.79	<=33.01	Pass		
	50		0	21.85	1.70	23.55	<=33.01	Pass		
			25	21.71	1.70	23.41	<=33.01	Pass		
			50	21.70	1.70	23.40	<=33.01	Pass		
	100		0	21.90	1.70	23.60	<=33.01	Pass		
64QAM	1860		1	0	22.87	1.70	24.57	<=33.01	Pass	
				50	21.84	1.70	23.54	<=33.01	Pass	
				99	22.87	1.70	24.57	<=33.01	Pass	
		50	0	21.40	1.70	23.10	<=33.01	Pass		
			25	21.28	1.70	22.98	<=33.01	Pass		
			50	21.51	1.70	23.21	<=33.01	Pass		
	100	0	21.52	1.70	23.22	<=33.01	Pass			
	1882.5	1	0	22.92	1.70	24.62	<=33.01	Pass		
			50	22.43	1.70	24.13	<=33.01	Pass		
			99	22.77	1.70	24.47	<=33.01	Pass		
		50	0	21.75	1.70	23.45	<=33.01	Pass		
			25	21.37	1.70	23.07	<=33.01	Pass		
			50	21.42	1.70	23.12	<=33.01	Pass		
		100	0	21.46	1.70	23.16	<=33.01	Pass		

	1905	1	0	22.96	1.70	24.66	<=33.01	Pass		
			50	22.51	1.70	24.21	<=33.01	Pass		
			99	23.07	1.70	24.77	<=33.01	Pass		
		50	0	21.83	1.70	23.53	<=33.01	Pass		
			25	21.70	1.70	23.40	<=33.01	Pass		
			50	21.71	1.70	23.41	<=33.01	Pass		
		100	0	21.81	1.70	23.51	<=33.01	Pass		
		256QAM	1860	1	0	18.81	1.70	20.51	<=33.01	Pass
					50	18.51	1.70	20.21	<=33.01	Pass
99	18.77				1.70	20.47	<=33.01	Pass		
50	0			18.51	1.70	20.21	<=33.01	Pass		
	25			18.31	1.70	20.01	<=33.01	Pass		
	50			18.57	1.70	20.27	<=33.01	Pass		
100	0			18.39	1.70	20.09	<=33.01	Pass		
1882.5	1			0	18.98	1.70	20.68	<=33.01	Pass	
				50	18.41	1.70	20.11	<=33.01	Pass	
			99	18.83	1.70	20.53	<=33.01	Pass		
	50		0	18.59	1.70	20.29	<=33.01	Pass		
			25	18.42	1.70	20.12	<=33.01	Pass		
			50	18.44	1.70	20.14	<=33.01	Pass		
	100		0	18.53	1.70	20.23	<=33.01	Pass		
	1905		1	0	18.90	1.70	20.60	<=33.01	Pass	
				50	18.69	1.70	20.39	<=33.01	Pass	
99				18.90	1.70	20.60	<=33.01	Pass		
50			0	18.76	1.70	20.46	<=33.01	Pass		
		25	18.71	1.70	20.41	<=33.01	Pass			
		50	18.84	1.70	20.54	<=33.01	Pass			
100		0	18.88	1.70	20.58	<=33.01	Pass			
Note1: EIRP=Conducted Power+Antenna Gain										