

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	23.72	1.40	25.12	<=30	Pass
			2	23.73	1.40	25.13	<=30	Pass
			5	24.10	1.40	25.50	<=30	Pass
		3	0	24.08	1.40	25.48	<=30	Pass
			2	23.99	1.40	25.39	<=30	Pass
			3	24.07	1.40	25.47	<=30	Pass
		6	0	23.14	1.40	24.54	<=30	Pass
	1745	1	0	24.09	1.40	25.49	<=30	Pass
			2	23.80	1.40	25.20	<=30	Pass
			5	23.80	1.40	25.20	<=30	Pass
		3	0	23.93	1.40	25.33	<=30	Pass
			2	23.55	1.40	24.95	<=30	Pass
			3	23.66	1.40	25.06	<=30	Pass
		6	0	22.82	1.40	24.22	<=30	Pass
	1779.3	1	0	23.44	1.40	24.84	<=30	Pass
			2	23.53	1.40	24.93	<=30	Pass
			5	23.50	1.40	24.90	<=30	Pass
		3	0	23.29	1.40	24.69	<=30	Pass
			2	23.48	1.40	24.88	<=30	Pass
			3	23.44	1.40	24.84	<=30	Pass
		6	0	22.59	1.40	23.99	<=30	Pass
16QAM	1710.7	1	0	23.36	1.40	24.76	<=30	Pass
			2	23.41	1.40	24.81	<=30	Pass
			5	23.12	1.40	24.52	<=30	Pass
		3	0	23.16	1.40	24.56	<=30	Pass
			2	23.28	1.40	24.68	<=30	Pass
			3	23.25	1.40	24.65	<=30	Pass
		6	0	22.25	1.40	23.65	<=30	Pass
	1745	1	0	23.10	1.40	24.50	<=30	Pass
			2	23.64	1.40	25.04	<=30	Pass
			5	22.84	1.40	24.24	<=30	Pass
		3	0	22.98	1.40	24.38	<=30	Pass
			2	23.07	1.40	24.47	<=30	Pass
			3	22.71	1.40	24.11	<=30	Pass
		6	0	21.90	1.40	23.30	<=30	Pass
	1779.3	1	0	22.54	1.40	23.94	<=30	Pass
			2	22.84	1.40	24.24	<=30	Pass
			5	22.70	1.40	24.10	<=30	Pass
		3	0	22.44	1.40	23.84	<=30	Pass
			2	22.65	1.40	24.05	<=30	Pass
			3	22.80	1.40	24.20	<=30	Pass
		6	0	21.70	1.40	23.10	<=30	Pass
64QAM	1710.7	1	0	22.80	1.40	24.20	<=30	Pass
			2	22.82	1.40	24.22	<=30	Pass
			5	22.68	1.40	24.08	<=30	Pass
		3	0	23.07	1.40	24.47	<=30	Pass
			2	23.11	1.40	24.51	<=30	Pass
			3	23.23	1.40	24.63	<=30	Pass
		6	0	22.12	1.40	23.52	<=30	Pass

	1745	1	0	22.92	1.40	24.32	<=30	Pass
			2	22.86	1.40	24.26	<=30	Pass
			5	22.73	1.40	24.13	<=30	Pass
		3	0	22.94	1.40	24.34	<=30	Pass
			2	22.74	1.40	24.14	<=30	Pass
			3	22.74	1.40	24.14	<=30	Pass
		6	0	21.81	1.40	23.21	<=30	Pass
	1779.3	1	0	22.71	1.40	24.11	<=30	Pass
			2	22.57	1.40	23.97	<=30	Pass
			5	22.89	1.40	24.29	<=30	Pass
		3	0	22.52	1.40	23.92	<=30	Pass
			2	22.47	1.40	23.87	<=30	Pass
			3	22.60	1.40	24.00	<=30	Pass
		6	0	21.60	1.40	23.00	<=30	Pass
256QAM	1710.7	1	0	19.17	1.40	20.57	<=30	Pass
			2	19.19	1.40	20.59	<=30	Pass
			5	19.38	1.40	20.78	<=30	Pass
		3	0	19.37	1.40	20.77	<=30	Pass
			2	19.12	1.40	20.52	<=30	Pass
			3	19.11	1.40	20.51	<=30	Pass
		6	0	19.13	1.40	20.53	<=30	Pass
	1745	1	0	18.75	1.40	20.15	<=30	Pass
			2	18.83	1.40	20.23	<=30	Pass
			5	19.17	1.40	20.57	<=30	Pass
		3	0	19.02	1.40	20.42	<=30	Pass
			2	19.16	1.40	20.56	<=30	Pass
			3	19.16	1.40	20.56	<=30	Pass
		6	0	18.86	1.40	20.26	<=30	Pass
	1779.3	1	0	18.91	1.40	20.31	<=30	Pass
			2	18.64	1.40	20.04	<=30	Pass
			5	18.88	1.40	20.28	<=30	Pass
		3	0	18.57	1.40	19.97	<=30	Pass
			2	18.78	1.40	20.18	<=30	Pass
			3	18.80	1.40	20.20	<=30	Pass
		6	0	18.59	1.40	19.99	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	24.14	1.40	25.54	<=30	Pass
			7	24.32	1.40	25.72	<=30	Pass
			14	23.86	1.40	25.26	<=30	Pass
		8	0	22.92	1.40	24.32	<=30	Pass
			4	22.99	1.40	24.39	<=30	Pass
			7	22.63	1.40	24.03	<=30	Pass
		15	0	22.95	1.40	24.35	<=30	Pass
	1745	1	0	23.88	1.40	25.28	<=30	Pass
			7	24.18	1.40	25.58	<=30	Pass
			14	23.85	1.40	25.25	<=30	Pass
		8	0	22.85	1.40	24.25	<=30	Pass
			4	22.92	1.40	24.32	<=30	Pass
			7	22.81	1.40	24.21	<=30	Pass
		15	0	22.81	1.40	24.21	<=30	Pass
	1778.5	1	0	23.19	1.40	24.59	<=30	Pass

		8	7	23.57	1.40	24.97	<=30	Pass
			14	23.50	1.40	24.90	<=30	Pass
			0	22.38	1.40	23.78	<=30	Pass
			4	22.55	1.40	23.95	<=30	Pass
			7	22.60	1.40	24.00	<=30	Pass
		15	0	22.41	1.40	23.81	<=30	Pass
16QAM	1711.5	1	0	23.40	1.40	24.80	<=30	Pass
			7	22.84	1.40	24.24	<=30	Pass
			14	23.08	1.40	24.48	<=30	Pass
		8	0	22.20	1.40	23.60	<=30	Pass
			4	22.07	1.40	23.47	<=30	Pass
			7	21.94	1.40	23.34	<=30	Pass
		15	0	21.94	1.40	23.34	<=30	Pass
	1745	1	0	22.97	1.40	24.37	<=30	Pass
			7	23.21	1.40	24.61	<=30	Pass
			14	23.05	1.40	24.45	<=30	Pass
		8	0	22.09	1.40	23.49	<=30	Pass
			4	22.08	1.40	23.48	<=30	Pass
			7	21.85	1.40	23.25	<=30	Pass
		15	0	21.88	1.40	23.28	<=30	Pass
	1778.5	1	0	22.70	1.40	24.10	<=30	Pass
			7	23.07	1.40	24.47	<=30	Pass
			14	23.00	1.40	24.40	<=30	Pass
		8	0	21.53	1.40	22.93	<=30	Pass
			4	21.60	1.40	23.00	<=30	Pass
			7	21.73	1.40	23.13	<=30	Pass
64QAM	1711.5	1	0	21.44	1.40	22.84	<=30	Pass
			7	23.13	1.40	24.53	<=30	Pass
			14	23.14	1.40	24.54	<=30	Pass
		8	0	23.05	1.40	24.45	<=30	Pass
			4	22.28	1.40	23.68	<=30	Pass
			7	22.17	1.40	23.57	<=30	Pass
	1745	1	0	22.00	1.40	23.40	<=30	Pass
			7	22.09	1.40	23.49	<=30	Pass
			14	22.84	1.40	24.24	<=30	Pass
		8	0	22.91	1.40	24.31	<=30	Pass
			7	23.05	1.40	24.45	<=30	Pass
			14	21.94	1.40	23.34	<=30	Pass
256QAM	1711.5	1	0	22.05	1.40	23.45	<=30	Pass
			7	21.72	1.40	23.12	<=30	Pass
			14	21.83	1.40	23.23	<=30	Pass
		8	0	21.52	1.40	22.92	<=30	Pass
			4	22.39	1.40	23.79	<=30	Pass
			7	22.73	1.40	24.13	<=30	Pass
	1745	1	14	22.44	1.40	23.84	<=30	Pass
			0	21.57	1.40	22.97	<=30	Pass
			4	21.53	1.40	22.93	<=30	Pass
		8	7	21.62	1.40	23.02	<=30	Pass
			0	21.52	1.40	22.92	<=30	Pass
			14	19.10	1.40	20.50	<=30	Pass
	1711.5	1	7	19.40	1.40	20.80	<=30	Pass
			14	18.92	1.40	20.32	<=30	Pass
			0	19.09	1.40	20.49	<=30	Pass
		8	4	19.12	1.40	20.52	<=30	Pass
			7	19.04	1.40	20.44	<=30	Pass
		15	0	19.07	1.40	20.47	<=30	Pass
	1745	1	0	18.91	1.40	20.31	<=30	Pass
			7	19.15	1.40	20.55	<=30	Pass
			14	18.76	1.40	20.16	<=30	Pass
		8	0	18.94	1.40	20.34	<=30	Pass
			7	19.15	1.40	20.55	<=30	Pass
			14	18.76	1.40	20.16	<=30	Pass

		15	4	19.02	1.40	20.42	<=30	Pass
			7	18.84	1.40	20.24	<=30	Pass
			0	18.79	1.40	20.19	<=30	Pass
	1778.5	1	0	18.32	1.40	19.72	<=30	Pass
			7	18.72	1.40	20.12	<=30	Pass
			14	18.55	1.40	19.95	<=30	Pass
		8	0	18.38	1.40	19.78	<=30	Pass
			4	18.65	1.40	20.05	<=30	Pass
			7	18.64	1.40	20.04	<=30	Pass
		15	0	18.51	1.40	19.91	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	24.13	1.40	25.53	<=30	Pass
			13	24.07	1.40	25.47	<=30	Pass
			24	24.14	1.40	25.54	<=30	Pass
		12	0	23.08	1.40	24.48	<=30	Pass
			6	23.14	1.40	24.54	<=30	Pass
			13	23.03	1.40	24.43	<=30	Pass
		25	0	23.09	1.40	24.49	<=30	Pass
	1745	1	0	24.02	1.40	25.42	<=30	Pass
			13	24.08	1.40	25.48	<=30	Pass
			24	23.62	1.40	25.02	<=30	Pass
		12	0	22.96	1.40	24.36	<=30	Pass
			6	22.94	1.40	24.34	<=30	Pass
			13	22.83	1.40	24.23	<=30	Pass
		25	0	22.78	1.40	24.18	<=30	Pass
	1777.5	1	0	23.35	1.40	24.75	<=30	Pass
			13	23.56	1.40	24.96	<=30	Pass
			24	23.45	1.40	24.85	<=30	Pass
		12	0	22.41	1.40	23.81	<=30	Pass
			6	22.52	1.40	23.92	<=30	Pass
			13	22.57	1.40	23.97	<=30	Pass
		25	0	22.49	1.40	23.89	<=30	Pass
16QAM	1712.5	1	0	23.24	1.40	24.64	<=30	Pass
			13	23.48	1.40	24.88	<=30	Pass
			24	23.23	1.40	24.63	<=30	Pass
		12	0	22.13	1.40	23.53	<=30	Pass
			6	22.20	1.40	23.60	<=30	Pass
			13	21.99	1.40	23.39	<=30	Pass
		25	0	22.06	1.40	23.46	<=30	Pass
	1745	1	0	23.03	1.40	24.43	<=30	Pass
			13	23.17	1.40	24.57	<=30	Pass
			24	23.18	1.40	24.58	<=30	Pass
		12	0	21.99	1.40	23.39	<=30	Pass
			6	21.94	1.40	23.34	<=30	Pass
			13	21.77	1.40	23.17	<=30	Pass
		25	0	21.86	1.40	23.26	<=30	Pass
	1777.5	1	0	22.09	1.40	23.49	<=30	Pass
			13	22.88	1.40	24.28	<=30	Pass
			24	23.10	1.40	24.50	<=30	Pass
		12	0	21.39	1.40	22.79	<=30	Pass
			6	21.56	1.40	22.96	<=30	Pass

			13	21.66	1.40	23.06	<=30	Pass	
		25	0	21.55	1.40	22.95	<=30	Pass	
64QAM	1712.5	1	0	23.26	1.40	24.66	<=30	Pass	
			13	23.14	1.40	24.54	<=30	Pass	
			24	22.60	1.40	24.00	<=30	Pass	
			0	21.97	1.40	23.37	<=30	Pass	
		12	6	22.16	1.40	23.56	<=30	Pass	
			13	22.03	1.40	23.43	<=30	Pass	
			25	0	22.11	1.40	23.51	<=30	Pass
		1745	1	0	22.98	1.40	24.38	<=30	Pass
				13	23.04	1.40	24.44	<=30	Pass
				24	22.75	1.40	24.15	<=30	Pass
	12		0	21.79	1.40	23.19	<=30	Pass	
			6	22.01	1.40	23.41	<=30	Pass	
			13	21.83	1.40	23.23	<=30	Pass	
	25		0	21.81	1.40	23.21	<=30	Pass	
	1777.5		1	0	21.95	1.40	23.35	<=30	Pass
		13		22.87	1.40	24.27	<=30	Pass	
		24		22.74	1.40	24.14	<=30	Pass	
		12	0	21.38	1.40	22.78	<=30	Pass	
			6	21.44	1.40	22.84	<=30	Pass	
			13	21.63	1.40	23.03	<=30	Pass	
		25	0	21.46	1.40	22.86	<=30	Pass	
		256QAM	1712.5	1	0	19.12	1.40	20.52	<=30
13	19.17				1.40	20.57	<=30	Pass	
24	18.94				1.40	20.34	<=30	Pass	
12	0			19.13	1.40	20.53	<=30	Pass	
	6			19.14	1.40	20.54	<=30	Pass	
	13			19.14	1.40	20.54	<=30	Pass	
25	0			19.05	1.40	20.45	<=30	Pass	
1745	1			0	19.13	1.40	20.53	<=30	Pass
			13	18.93	1.40	20.33	<=30	Pass	
			24	18.76	1.40	20.16	<=30	Pass	
	12		0	18.92	1.40	20.32	<=30	Pass	
			6	19.03	1.40	20.43	<=30	Pass	
			13	18.75	1.40	20.15	<=30	Pass	
	25		0	18.87	1.40	20.27	<=30	Pass	
1777.5	1		0	18.61	1.40	20.01	<=30	Pass	
			13	18.55	1.40	19.95	<=30	Pass	
			24	18.77	1.40	20.17	<=30	Pass	
	12		0	18.43	1.40	19.83	<=30	Pass	
			6	18.50	1.40	19.90	<=30	Pass	
			13	18.55	1.40	19.95	<=30	Pass	
	25		0	18.57	1.40	19.97	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	23.95	1.40	25.35	<=30	Pass
			25	24.07	1.40	25.47	<=30	Pass
			49	23.59	1.40	24.99	<=30	Pass
		25	0	23.06	1.40	24.46	<=30	Pass
			13	22.93	1.40	24.33	<=30	Pass
			25	22.75	1.40	24.15	<=30	Pass

		50	0	22.94	1.40	24.34	<=30	Pass	
		1745	1	0	23.98	1.40	25.38	<=30	Pass
				25	24.06	1.40	25.46	<=30	Pass
				49	23.52	1.40	24.92	<=30	Pass
				0	23.03	1.40	24.43	<=30	Pass
			25	13	22.87	1.40	24.27	<=30	Pass
				25	22.67	1.40	24.07	<=30	Pass
		50	0	22.80	1.40	24.20	<=30	Pass	
		1775	1	0	23.83	1.40	25.23	<=30	Pass
				25	23.68	1.40	25.08	<=30	Pass
				49	23.51	1.40	24.91	<=30	Pass
			25	0	22.73	1.40	24.13	<=30	Pass
				13	22.58	1.40	23.98	<=30	Pass
				25	22.53	1.40	23.93	<=30	Pass
			50	0	22.62	1.40	24.02	<=30	Pass
			16QAM	1715	1	0	23.32	1.40	24.72
25	23.02	1.40				24.42	<=30	Pass	
49	22.84	1.40				24.24	<=30	Pass	
25	0	22.01			1.40	23.41	<=30	Pass	
	13	21.98			1.40	23.38	<=30	Pass	
	25	21.71			1.40	23.11	<=30	Pass	
50	0	21.91			1.40	23.31	<=30	Pass	
1745	1	0			23.10	1.40	24.50	<=30	Pass
		25		23.09	1.40	24.49	<=30	Pass	
		49		22.66	1.40	24.06	<=30	Pass	
	25	0		22.02	1.40	23.42	<=30	Pass	
		13		21.88	1.40	23.28	<=30	Pass	
		25		21.69	1.40	23.09	<=30	Pass	
50	0	21.82		1.40	23.22	<=30	Pass		
1775	1	0		22.98	1.40	24.38	<=30	Pass	
		25		22.72	1.40	24.12	<=30	Pass	
		49		22.89	1.40	24.29	<=30	Pass	
	25	0		21.78	1.40	23.18	<=30	Pass	
		13		21.60	1.40	23.00	<=30	Pass	
		25		21.52	1.40	22.92	<=30	Pass	
	50	0		21.68	1.40	23.08	<=30	Pass	
	64QAM	1715		1	0	23.19	1.40	24.59	<=30
25					22.93	1.40	24.33	<=30	Pass
49					22.72	1.40	24.12	<=30	Pass
25			0	22.03	1.40	23.43	<=30	Pass	
			13	21.87	1.40	23.27	<=30	Pass	
			25	21.70	1.40	23.10	<=30	Pass	
50			0	21.90	1.40	23.30	<=30	Pass	
1745			1	0	22.68	1.40	24.08	<=30	Pass
		25		23.10	1.40	24.50	<=30	Pass	
		49		22.73	1.40	24.13	<=30	Pass	
		25	0	22.03	1.40	23.43	<=30	Pass	
			13	21.94	1.40	23.34	<=30	Pass	
			25	21.79	1.40	23.19	<=30	Pass	
50		0	21.81	1.40	23.21	<=30	Pass		
1775		1	0	22.72	1.40	24.12	<=30	Pass	
			25	22.67	1.40	24.07	<=30	Pass	
	49		22.66	1.40	24.06	<=30	Pass		
	25	0	21.76	1.40	23.16	<=30	Pass		
		13	21.56	1.40	22.96	<=30	Pass		
		25	21.54	1.40	22.94	<=30	Pass		
	50	0	21.67	1.40	23.07	<=30	Pass		
	256QAM	1715	1	0	19.10	1.40	20.50	<=30	Pass
25				19.31	1.40	20.71	<=30	Pass	

		25	49	18.54	1.40	19.94	<=30	Pass
			0	19.13	1.40	20.53	<=30	Pass
			13	18.91	1.40	20.31	<=30	Pass
			25	18.78	1.40	20.18	<=30	Pass
		50	0	18.89	1.40	20.29	<=30	Pass
	1745	1	0	19.19	1.40	20.59	<=30	Pass
			25	18.95	1.40	20.35	<=30	Pass
			49	18.67	1.40	20.07	<=30	Pass
		25	0	18.99	1.40	20.39	<=30	Pass
			13	18.93	1.40	20.33	<=30	Pass
			25	18.64	1.40	20.04	<=30	Pass
		50	0	18.86	1.40	20.26	<=30	Pass
	1775	1	0	18.88	1.40	20.28	<=30	Pass
			25	18.70	1.40	20.10	<=30	Pass
			49	18.84	1.40	20.24	<=30	Pass
		25	0	18.75	1.40	20.15	<=30	Pass
			13	18.60	1.40	20.00	<=30	Pass
			25	18.57	1.40	19.97	<=30	Pass
		50	0	18.64	1.40	20.04	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	24.15	1.40	25.55	<=30	Pass
			38	23.69	1.40	25.09	<=30	Pass
			74	23.34	1.40	24.74	<=30	Pass
		36	0	22.94	1.40	24.34	<=30	Pass
			18	22.72	1.40	24.12	<=30	Pass
			39	22.37	1.40	23.77	<=30	Pass
		75	0	22.71	1.40	24.11	<=30	Pass
	1745	1	0	24.12	1.40	25.52	<=30	Pass
			38	24.28	1.40	25.68	<=30	Pass
			74	23.64	1.40	25.04	<=30	Pass
		36	0	22.89	1.40	24.29	<=30	Pass
			18	22.79	1.40	24.19	<=30	Pass
			39	22.31	1.40	23.71	<=30	Pass
		75	0	22.71	1.40	24.11	<=30	Pass
	1772.5	1	0	23.80	1.40	25.20	<=30	Pass
			38	24.13	1.40	25.53	<=30	Pass
			74	23.72	1.40	25.12	<=30	Pass
		36	0	22.98	1.40	24.38	<=30	Pass
			18	22.73	1.40	24.13	<=30	Pass
			39	22.48	1.40	23.88	<=30	Pass
		75	0	22.71	1.40	24.11	<=30	Pass
16QAM	1717.5	1	0	23.07	1.40	24.47	<=30	Pass
			38	22.52	1.40	23.92	<=30	Pass
			74	22.51	1.40	23.91	<=30	Pass
		36	0	21.93	1.40	23.33	<=30	Pass
			18	21.81	1.40	23.21	<=30	Pass
			39	21.41	1.40	22.81	<=30	Pass
		75	0	21.73	1.40	23.13	<=30	Pass
	1745	1	0	22.94	1.40	24.34	<=30	Pass
			38	23.13	1.40	24.53	<=30	Pass
			74	22.33	1.40	23.73	<=30	Pass

		36	0	21.91	1.40	23.31	<=30	Pass
			18	21.82	1.40	23.22	<=30	Pass
			39	21.54	1.40	22.94	<=30	Pass
		75	0	21.75	1.40	23.15	<=30	Pass
	1772.5	1	0	23.04	1.40	24.44	<=30	Pass
			38	22.84	1.40	24.24	<=30	Pass
			74	22.67	1.40	24.07	<=30	Pass
		36	0	21.87	1.40	23.27	<=30	Pass
			18	21.76	1.40	23.16	<=30	Pass
			39	21.48	1.40	22.88	<=30	Pass
		75	0	21.75	1.40	23.15	<=30	Pass
64QAM	1717.5	1	0	23.18	1.40	24.58	<=30	Pass
			38	22.93	1.40	24.33	<=30	Pass
			74	22.34	1.40	23.74	<=30	Pass
		36	0	21.93	1.40	23.33	<=30	Pass
			18	21.77	1.40	23.17	<=30	Pass
			39	21.33	1.40	22.73	<=30	Pass
		75	0	21.73	1.40	23.13	<=30	Pass
	1745	1	0	22.83	1.40	24.23	<=30	Pass
			38	22.80	1.40	24.20	<=30	Pass
			74	22.36	1.40	23.76	<=30	Pass
		36	0	21.93	1.40	23.33	<=30	Pass
			18	21.75	1.40	23.15	<=30	Pass
			39	21.52	1.40	22.92	<=30	Pass
		75	0	21.73	1.40	23.13	<=30	Pass
	1772.5	1	0	22.77	1.40	24.17	<=30	Pass
			38	22.64	1.40	24.04	<=30	Pass
			74	22.57	1.40	23.97	<=30	Pass
		36	0	21.88	1.40	23.28	<=30	Pass
			18	21.79	1.40	23.19	<=30	Pass
			39	21.36	1.40	22.76	<=30	Pass
		75	0	21.74	1.40	23.14	<=30	Pass
256QAM	1717.5	1	0	19.12	1.40	20.52	<=30	Pass
			38	18.76	1.40	20.16	<=30	Pass
			74	18.29	1.40	19.69	<=30	Pass
		36	0	19.08	1.40	20.48	<=30	Pass
			18	18.75	1.40	20.15	<=30	Pass
			39	18.51	1.40	19.91	<=30	Pass
		75	0	18.80	1.40	20.20	<=30	Pass
	1745	1	0	18.92	1.40	20.32	<=30	Pass
			38	18.82	1.40	20.22	<=30	Pass
			74	18.36	1.40	19.76	<=30	Pass
		36	0	18.83	1.40	20.23	<=30	Pass
			18	18.75	1.40	20.15	<=30	Pass
			39	18.39	1.40	19.79	<=30	Pass
		75	0	18.70	1.40	20.10	<=30	Pass
	1772.5	1	0	19.01	1.40	20.41	<=30	Pass
			38	18.74	1.40	20.14	<=30	Pass
			74	18.62	1.40	20.02	<=30	Pass
		36	0	18.94	1.40	20.34	<=30	Pass
			18	18.67	1.40	20.07	<=30	Pass
			39	18.50	1.40	19.90	<=30	Pass
		75	0	18.73	1.40	20.13	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	23.97	1.40	25.37	<=30	Pass
			50	23.58	1.40	24.98	<=30	Pass
			99	23.79	1.40	25.19	<=30	Pass
		50	0	22.88	1.40	24.28	<=30	Pass
			25	22.59	1.40	23.99	<=30	Pass
			50	22.44	1.40	23.84	<=30	Pass
		100	0	22.70	1.40	24.10	<=30	Pass
	1745	1	0	23.59	1.40	24.99	<=30	Pass
			50	23.74	1.40	25.14	<=30	Pass
			99	23.64	1.40	25.04	<=30	Pass
		50	0	22.83	1.40	24.23	<=30	Pass
			25	22.83	1.40	24.23	<=30	Pass
			50	22.55	1.40	23.95	<=30	Pass
		100	0	22.74	1.40	24.14	<=30	Pass
	1770	1	0	23.78	1.40	25.18	<=30	Pass
			50	23.86	1.40	25.26	<=30	Pass
			99	23.49	1.40	24.89	<=30	Pass
		50	0	22.97	1.40	24.37	<=30	Pass
			25	22.89	1.40	24.29	<=30	Pass
			50	22.64	1.40	24.04	<=30	Pass
		100	0	22.88	1.40	24.28	<=30	Pass
16QAM	1720	1	0	22.92	1.40	24.32	<=30	Pass
			50	22.81	1.40	24.21	<=30	Pass
			99	22.29	1.40	23.69	<=30	Pass
		50	0	21.82	1.40	23.22	<=30	Pass
			25	21.58	1.40	22.98	<=30	Pass
			50	21.22	1.40	22.62	<=30	Pass
		100	0	21.73	1.40	23.13	<=30	Pass
	1745	1	0	22.76	1.40	24.16	<=30	Pass
			50	23.16	1.40	24.56	<=30	Pass
			99	22.73	1.40	24.13	<=30	Pass
		50	0	21.85	1.40	23.25	<=30	Pass
			25	21.83	1.40	23.23	<=30	Pass
			50	21.43	1.40	22.83	<=30	Pass
		100	0	21.56	1.40	22.96	<=30	Pass
	1770	1	0	23.16	1.40	24.56	<=30	Pass
			50	22.91	1.40	24.31	<=30	Pass
			99	22.80	1.40	24.20	<=30	Pass
		50	0	22.00	1.40	23.40	<=30	Pass
			25	21.90	1.40	23.30	<=30	Pass
			50	21.68	1.40	23.08	<=30	Pass
		100	0	21.80	1.40	23.20	<=30	Pass
64QAM	1720	1	0	22.91	1.40	24.31	<=30	Pass
			50	22.62	1.40	24.02	<=30	Pass
			99	22.26	1.40	23.66	<=30	Pass
		50	0	21.80	1.40	23.20	<=30	Pass
			25	21.63	1.40	23.03	<=30	Pass
			50	21.46	1.40	22.86	<=30	Pass
		100	0	21.64	1.40	23.04	<=30	Pass
	1745	1	0	22.81	1.40	24.21	<=30	Pass
			50	23.01	1.40	24.41	<=30	Pass
			99	22.35	1.40	23.75	<=30	Pass
		50	0	21.83	1.40	23.23	<=30	Pass
			25	21.84	1.40	23.24	<=30	Pass
			50	21.52	1.40	22.92	<=30	Pass
		100	0	21.76	1.40	23.16	<=30	Pass

	1770	1	0	22.85	1.40	24.25	<=30	Pass		
			50	22.92	1.40	24.32	<=30	Pass		
			99	22.83	1.40	24.23	<=30	Pass		
		50	0	21.93	1.40	23.33	<=30	Pass		
			25	21.95	1.40	23.35	<=30	Pass		
			50	21.64	1.40	23.04	<=30	Pass		
		100	0	21.90	1.40	23.30	<=30	Pass		
		256QAM	1720	1	0	19.07	1.40	20.47	<=30	Pass
					50	18.65	1.40	20.05	<=30	Pass
99	18.65				1.40	20.05	<=30	Pass		
50	0			18.89	1.40	20.29	<=30	Pass		
	25			18.57	1.40	19.97	<=30	Pass		
	50			18.39	1.40	19.79	<=30	Pass		
100	0			18.73	1.40	20.13	<=30	Pass		
1745	1			0	18.83	1.40	20.23	<=30	Pass	
				50	18.93	1.40	20.33	<=30	Pass	
			99	18.19	1.40	19.59	<=30	Pass		
	50		0	18.88	1.40	20.28	<=30	Pass		
			25	18.67	1.40	20.07	<=30	Pass		
			50	18.51	1.40	19.91	<=30	Pass		
	100		0	18.69	1.40	20.09	<=30	Pass		
	1770		1	0	18.74	1.40	20.14	<=30	Pass	
				50	19.07	1.40	20.47	<=30	Pass	
99				18.57	1.40	19.97	<=30	Pass		
50			0	18.91	1.40	20.31	<=30	Pass		
			25	18.92	1.40	20.32	<=30	Pass		
			50	18.66	1.40	20.06	<=30	Pass		
100			0	18.80	1.40	20.20	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										