

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_ERP

5G NR n12 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	701.5	Outer_Full	23.59	/	/	21.94	/	/	<=34.77	Pass
		Inner_Full	24.13	/	/	22.48	/	/	<=34.77	Pass
		Inner_1RB_Left	24.09	/	/	22.44	/	/	<=34.77	Pass
		Inner_1RB_Right	24.13	/	/	22.48	/	/	<=34.77	Pass
	707.5	Outer_Full	23.67	/	/	22.02	/	/	<=34.77	Pass
		Inner_Full	24.26	/	/	22.61	/	/	<=34.77	Pass
		Inner_1RB_Left	24.20	/	/	22.55	/	/	<=34.77	Pass
		Inner_1RB_Right	24.20	/	/	22.55	/	/	<=34.77	Pass
	713.5	Outer_Full	23.62	/	/	21.97	/	/	<=34.77	Pass
		Inner_Full	24.28	/	/	22.63	/	/	<=34.77	Pass
		Inner_1RB_Left	24.18	/	/	22.53	/	/	<=34.77	Pass
		Inner_1RB_Right	24.15	/	/	22.50	/	/	<=34.77	Pass
DFT-s-OFDM QPSK	701.5	Outer_Full	23.15	/	/	21.50	/	/	<=34.77	Pass
		Inner_Full	24.18	/	/	22.53	/	/	<=34.77	Pass
		Inner_1RB_Left	24.13	/	/	22.48	/	/	<=34.77	Pass
		Inner_1RB_Right	24.03	/	/	22.38	/	/	<=34.77	Pass
	707.5	Outer_Full	23.13	/	/	21.48	/	/	<=34.77	Pass
		Inner_Full	24.24	/	/	22.59	/	/	<=34.77	Pass
		Inner_1RB_Left	24.16	/	/	22.51	/	/	<=34.77	Pass
		Inner_1RB_Right	24.21	/	/	22.56	/	/	<=34.77	Pass
	713.5	Outer_Full	23.13	/	/	21.48	/	/	<=34.77	Pass
		Inner_Full	24.26	/	/	22.61	/	/	<=34.77	Pass
		Inner_1RB_Left	24.17	/	/	22.52	/	/	<=34.77	Pass
		Inner_1RB_Right	24.12	/	/	22.47	/	/	<=34.77	Pass
DFT-s-OFDM 16 QAM	701.5	Outer_Full	22.10	/	/	20.45	/	/	<=34.77	Pass
		Inner_Full	23.10	/	/	21.45	/	/	<=34.77	Pass
		Inner_1RB_Left	23.03	/	/	21.38	/	/	<=34.77	Pass
		Inner_1RB_Right	23.05	/	/	21.40	/	/	<=34.77	Pass
	707.5	Outer_Full	22.25	/	/	20.60	/	/	<=34.77	Pass
		Inner_Full	23.30	/	/	21.65	/	/	<=34.77	Pass
		Inner_1RB_Left	23.14	/	/	21.49	/	/	<=34.77	Pass
		Inner_1RB_Right	23.08	/	/	21.43	/	/	<=34.77	Pass
	713.5	Outer_Full	22.17	/	/	20.52	/	/	<=34.77	Pass
		Inner_Full	23.22	/	/	21.57	/	/	<=34.77	Pass
		Inner_1RB_Left	23.13	/	/	21.48	/	/	<=34.77	Pass
		Inner_1RB_Right	23.02	/	/	21.37	/	/	<=34.77	Pass
DFT-s-OFDM 64 QAM	701.5	Outer_Full	21.53	/	/	19.88	/	/	<=34.77	Pass
		Inner_Full	21.63	/	/	19.98	/	/	<=34.77	Pass
		Inner_1RB_Left	21.73	/	/	20.08	/	/	<=34.77	Pass
		Inner_1RB_Right	21.70	/	/	20.05	/	/	<=34.77	Pass
	707.5	Outer_Full	21.70	/	/	20.05	/	/	<=34.77	Pass
		Inner_Full	21.80	/	/	20.15	/	/	<=34.77	Pass
		Inner_1RB_Left	21.78	/	/	20.13	/	/	<=34.77	Pass
		Inner_1RB_Right	21.86	/	/	20.21	/	/	<=34.77	Pass
	713.5	Outer_Full	21.61	/	/	19.96	/	/	<=34.77	Pass
		Inner_Full	21.70	/	/	20.05	/	/	<=34.77	Pass
		Inner_1RB_Left	21.81	/	/	20.16	/	/	<=34.77	Pass
		Inner_1RB_Right	21.80	/	/	20.15	/	/	<=34.77	Pass
DFT-s-OFDM 256 QAM	701.5	Outer_Full	19.44	/	/	17.79	/	/	<=34.77	Pass
		Inner_Full	19.59	/	/	17.94	/	/	<=34.77	Pass
		Inner_1RB_Left	19.01	/	/	17.36	/	/	<=34.77	Pass
		Inner_1RB_Right	18.98	/	/	17.33	/	/	<=34.77	Pass

1.1.2 15_S_10M_NTNV_ERP

5G NR n12 SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	704	Outer Full	23.55	/	/	21.90	/	/	<=34.77	Pass
		Inner Full	24.14	/	/	22.49	/	/	<=34.77	Pass
		Inner 1RB Left	24.20	/	/	22.55	/	/	<=34.77	Pass
		Inner 1RB Right	24.21	/	/	22.56	/	/	<=34.77	Pass
	707.5	Outer Full	23.67	/	/	22.02	/	/	<=34.77	Pass
		Inner Full	24.25	/	/	22.60	/	/	<=34.77	Pass
		Inner 1RB Left	24.18	/	/	22.53	/	/	<=34.77	Pass
		Inner 1RB Right	24.18	/	/	22.53	/	/	<=34.77	Pass
	711	Outer Full	23.65	/	/	22.00	/	/	<=34.77	Pass
		Inner Full	24.29	/	/	22.64	/	/	<=34.77	Pass
		Inner 1RB Left	24.11	/	/	22.46	/	/	<=34.77	Pass
		Inner 1RB Right	24.23	/	/	22.58	/	/	<=34.77	Pass
DFT-s-OFDM QPSK	704	Outer Full	23.06	/	/	21.41	/	/	<=34.77	Pass
		Inner Full	24.14	/	/	22.49	/	/	<=34.77	Pass
		Inner 1RB Left	24.15	/	/	22.50	/	/	<=34.77	Pass
		Inner 1RB Right	24.23	/	/	22.58	/	/	<=34.77	Pass
	707.5	Outer Full	23.17	/	/	21.52	/	/	<=34.77	Pass
		Inner Full	24.22	/	/	22.57	/	/	<=34.77	Pass
		Inner 1RB Left	24.13	/	/	22.48	/	/	<=34.77	Pass
		Inner 1RB Right	24.22	/	/	22.57	/	/	<=34.77	Pass
	711	Outer Full	23.17	/	/	21.52	/	/	<=34.77	Pass
		Inner Full	24.18	/	/	22.53	/	/	<=34.77	Pass
		Inner 1RB Left	24.19	/	/	22.54	/	/	<=34.77	Pass
		Inner 1RB Right	24.16	/	/	22.51	/	/	<=34.77	Pass
DFT-s-OFDM 16 QAM	704	Outer Full	22.13	/	/	20.48	/	/	<=34.77	Pass
		Inner Full	23.19	/	/	21.54	/	/	<=34.77	Pass
		Inner 1RB Left	23.10	/	/	21.45	/	/	<=34.77	Pass
		Inner 1RB Right	23.05	/	/	21.40	/	/	<=34.77	Pass
	707.5	Outer Full	22.16	/	/	20.51	/	/	<=34.77	Pass
		Inner Full	23.12	/	/	21.47	/	/	<=34.77	Pass
		Inner 1RB Left	23.07	/	/	21.42	/	/	<=34.77	Pass
		Inner 1RB Right	23.11	/	/	21.46	/	/	<=34.77	Pass
	711	Outer Full	22.10	/	/	20.45	/	/	<=34.77	Pass
		Inner Full	23.14	/	/	21.49	/	/	<=34.77	Pass
		Inner 1RB Left	23.04	/	/	21.39	/	/	<=34.77	Pass
		Inner 1RB Right	23.06	/	/	21.41	/	/	<=34.77	Pass
DFT-s-OFDM 64 QAM	704	Outer Full	21.67	/	/	20.02	/	/	<=34.77	Pass
		Inner Full	21.58	/	/	19.93	/	/	<=34.77	Pass
		Inner 1RB Left	21.74	/	/	20.09	/	/	<=34.77	Pass
		Inner 1RB Right	21.77	/	/	20.12	/	/	<=34.77	Pass
	707.5	Outer Full	21.64	/	/	19.99	/	/	<=34.77	Pass
		Inner Full	21.59	/	/	19.94	/	/	<=34.77	Pass
		Inner 1RB Left	21.71	/	/	20.06	/	/	<=34.77	Pass
		Inner 1RB Right	21.75	/	/	20.10	/	/	<=34.77	Pass
	711	Outer Full	21.74	/	/	20.09	/	/	<=34.77	Pass
		Inner Full	21.68	/	/	20.03	/	/	<=34.77	Pass
		Inner 1RB Left	21.70	/	/	20.05	/	/	<=34.77	Pass
		Inner 1RB Right	21.73	/	/	20.08	/	/	<=34.77	Pass
DFT-s-OFDM 256 QAM	704	Outer Full	19.65	/	/	18.00	/	/	<=34.77	Pass
		Inner Full	19.60	/	/	17.95	/	/	<=34.77	Pass
		Inner 1RB Left	19.03	/	/	17.38	/	/	<=34.77	Pass
		Inner 1RB Right	19.01	/	/	17.36	/	/	<=34.77	Pass
	707.5	Outer Full	19.56	/	/	17.91	/	/	<=34.77	Pass
		Inner Full	19.59	/	/	17.94	/	/	<=34.77	Pass

		Inner_1RB_Left	18.94	/	/	17.29	/	/	<=34.77	Pass
		Inner_1RB_Right	19.14	/	/	17.49	/	/	<=34.77	Pass
	711	Outer_Full	19.58	/	/	17.93	/	/	<=34.77	Pass
		Inner_Full	19.55	/	/	17.90	/	/	<=34.77	Pass
		Inner_1RB_Left	18.94	/	/	17.29	/	/	<=34.77	Pass
		Inner_1RB_Right	19.07	/	/	17.42	/	/	<=34.77	Pass
CP-OFDM QPSK	704	Outer_Full	21.22	/	/	19.57	/	/	<=34.77	Pass
		Inner_Full	22.68	/	/	21.03	/	/	<=34.77	Pass
		Inner_1RB_Left	22.66	/	/	21.01	/	/	<=34.77	Pass
		Inner_1RB_Right	22.74	/	/	21.09	/	/	<=34.77	Pass
	707.5	Outer_Full	21.17	/	/	19.52	/	/	<=34.77	Pass
		Inner_Full	22.71	/	/	21.06	/	/	<=34.77	Pass
		Inner_1RB_Left	22.80	/	/	21.15	/	/	<=34.77	Pass
		Inner_1RB_Right	22.79	/	/	21.14	/	/	<=34.77	Pass
	711	Outer_Full	21.16	/	/	19.51	/	/	<=34.77	Pass
		Inner_Full	22.68	/	/	21.03	/	/	<=34.77	Pass
		Inner_1RB_Left	22.69	/	/	21.04	/	/	<=34.77	Pass
		Inner_1RB_Right	22.61	/	/	20.96	/	/	<=34.77	Pass
CP-OFDM 16 QAM	704	Outer_Full	21.18	/	/	19.53	/	/	<=34.77	Pass
		Inner_Full	22.22	/	/	20.57	/	/	<=34.77	Pass
		Inner_1RB_Left	22.17	/	/	20.52	/	/	<=34.77	Pass
		Inner_1RB_Right	22.40	/	/	20.75	/	/	<=34.77	Pass
	707.5	Outer_Full	21.12	/	/	19.47	/	/	<=34.77	Pass
		Inner_Full	22.11	/	/	20.46	/	/	<=34.77	Pass
		Inner_1RB_Left	22.15	/	/	20.50	/	/	<=34.77	Pass
		Inner_1RB_Right	22.35	/	/	20.70	/	/	<=34.77	Pass
	711	Outer_Full	21.11	/	/	19.46	/	/	<=34.77	Pass
		Inner_Full	22.11	/	/	20.46	/	/	<=34.77	Pass
		Inner_1RB_Left	22.32	/	/	20.67	/	/	<=34.77	Pass
		Inner_1RB_Right	22.32	/	/	20.67	/	/	<=34.77	Pass
CP-OFDM 64 QAM	704	Outer_Full	20.67	/	/	19.02	/	/	<=34.77	Pass
		Inner_Full	20.67	/	/	19.02	/	/	<=34.77	Pass
		Inner_1RB_Left	20.61	/	/	18.96	/	/	<=34.77	Pass
		Inner_1RB_Right	20.71	/	/	19.06	/	/	<=34.77	Pass
	707.5	Outer_Full	20.62	/	/	18.97	/	/	<=34.77	Pass
		Inner_Full	20.63	/	/	18.98	/	/	<=34.77	Pass
		Inner_1RB_Left	20.59	/	/	18.94	/	/	<=34.77	Pass
		Inner_1RB_Right	20.79	/	/	19.14	/	/	<=34.77	Pass
	711	Outer_Full	20.63	/	/	18.98	/	/	<=34.77	Pass
		Inner_Full	20.65	/	/	19.00	/	/	<=34.77	Pass
		Inner_1RB_Left	20.65	/	/	19.00	/	/	<=34.77	Pass
		Inner_1RB_Right	20.66	/	/	19.01	/	/	<=34.77	Pass
CP-OFDM 256 QAM	704	Outer_Full	17.71	/	/	16.06	/	/	<=34.77	Pass
		Inner_Full	17.75	/	/	16.10	/	/	<=34.77	Pass
		Inner_1RB_Left	17.08	/	/	15.43	/	/	<=34.77	Pass
		Inner_1RB_Right	17.25	/	/	15.60	/	/	<=34.77	Pass
	707.5	Outer_Full	17.62	/	/	15.97	/	/	<=34.77	Pass
		Inner_Full	17.72	/	/	16.07	/	/	<=34.77	Pass
		Inner_1RB_Left	17.10	/	/	15.45	/	/	<=34.77	Pass
		Inner_1RB_Right	17.22	/	/	15.57	/	/	<=34.77	Pass
	711	Outer_Full	17.63	/	/	15.98	/	/	<=34.77	Pass
		Inner_Full	17.78	/	/	16.13	/	/	<=34.77	Pass
		Inner_1RB_Left	17.26	/	/	15.61	/	/	<=34.77	Pass
		Inner_1RB_Right	17.23	/	/	15.58	/	/	<=34.77	Pass
Note1: Antenna Gain: Ant1: 0.50dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										

1.1.3 15_S_15M_NTNV_ERP

5G NR n12 SCS=15kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	706.5	Outer_Full	23.60	/	/	21.95	/	/	<=34.77	Pass
		Inner_Full	24.17	/	/	22.52	/	/	<=34.77	Pass
		Inner_1RB_Left	24.07	/	/	22.42	/	/	<=34.77	Pass
		Inner_1RB_Right	24.22	/	/	22.57	/	/	<=34.77	Pass
	707.5	Outer_Full	23.62	/	/	21.97	/	/	<=34.77	Pass
		Inner_Full	24.21	/	/	22.56	/	/	<=34.77	Pass
		Inner_1RB_Left	24.21	/	/	22.56	/	/	<=34.77	Pass
		Inner_1RB_Right	24.21	/	/	22.56	/	/	<=34.77	Pass
	708.5	Outer_Full	23.62	/	/	21.97	/	/	<=34.77	Pass
		Inner_Full	24.21	/	/	22.56	/	/	<=34.77	Pass
		Inner_1RB_Left	24.26	/	/	22.61	/	/	<=34.77	Pass
		Inner_1RB_Right	24.20	/	/	22.55	/	/	<=34.77	Pass
DFT-s-OFDM QPSK	706.5	Outer_Full	23.13	/	/	21.48	/	/	<=34.77	Pass
		Inner_Full	24.16	/	/	22.51	/	/	<=34.77	Pass
		Inner_1RB_Left	24.19	/	/	22.54	/	/	<=34.77	Pass
		Inner_1RB_Right	24.23	/	/	22.58	/	/	<=34.77	Pass
	707.5	Outer_Full	23.10	/	/	21.45	/	/	<=34.77	Pass
		Inner_Full	24.18	/	/	22.53	/	/	<=34.77	Pass
		Inner_1RB_Left	24.08	/	/	22.43	/	/	<=34.77	Pass
		Inner_1RB_Right	24.24	/	/	22.59	/	/	<=34.77	Pass
	708.5	Outer_Full	23.12	/	/	21.47	/	/	<=34.77	Pass
		Inner_Full	24.18	/	/	22.53	/	/	<=34.77	Pass
		Inner_1RB_Left	24.26	/	/	22.61	/	/	<=34.77	Pass
		Inner_1RB_Right	24.18	/	/	22.53	/	/	<=34.77	Pass
DFT-s-OFDM 16 QAM	706.5	Outer_Full	22.30	/	/	20.65	/	/	<=34.77	Pass
		Inner_Full	23.29	/	/	21.64	/	/	<=34.77	Pass
		Inner_1RB_Left	22.93	/	/	21.28	/	/	<=34.77	Pass
		Inner_1RB_Right	23.03	/	/	21.38	/	/	<=34.77	Pass
	707.5	Outer_Full	22.19	/	/	20.54	/	/	<=34.77	Pass
		Inner_Full	23.19	/	/	21.54	/	/	<=34.77	Pass
		Inner_1RB_Left	23.11	/	/	21.46	/	/	<=34.77	Pass
		Inner_1RB_Right	23.16	/	/	21.51	/	/	<=34.77	Pass
	708.5	Outer_Full	22.24	/	/	20.59	/	/	<=34.77	Pass
		Inner_Full	23.19	/	/	21.54	/	/	<=34.77	Pass
		Inner_1RB_Left	23.10	/	/	21.45	/	/	<=34.77	Pass
		Inner_1RB_Right	23.03	/	/	21.38	/	/	<=34.77	Pass
DFT-s-OFDM 64 QAM	706.5	Outer_Full	21.68	/	/	20.03	/	/	<=34.77	Pass
		Inner_Full	21.66	/	/	20.01	/	/	<=34.77	Pass
		Inner_1RB_Left	21.67	/	/	20.02	/	/	<=34.77	Pass
		Inner_1RB_Right	21.78	/	/	20.13	/	/	<=34.77	Pass
	707.5	Outer_Full	21.69	/	/	20.04	/	/	<=34.77	Pass
		Inner_Full	21.69	/	/	20.04	/	/	<=34.77	Pass
		Inner_1RB_Left	21.71	/	/	20.06	/	/	<=34.77	Pass
		Inner_1RB_Right	21.80	/	/	20.15	/	/	<=34.77	Pass
	708.5	Outer_Full	21.68	/	/	20.03	/	/	<=34.77	Pass
		Inner_Full	21.75	/	/	20.10	/	/	<=34.77	Pass
		Inner_1RB_Left	21.74	/	/	20.09	/	/	<=34.77	Pass
		Inner_1RB_Right	21.72	/	/	20.07	/	/	<=34.77	Pass
DFT-s-OFDM 256 QAM	706.5	Outer_Full	19.47	/	/	17.82	/	/	<=34.77	Pass
		Inner_Full	19.53	/	/	17.88	/	/	<=34.77	Pass
		Inner_1RB_Left	18.94	/	/	17.29	/	/	<=34.77	Pass
		Inner_1RB_Right	19.05	/	/	17.40	/	/	<=34.77	Pass
	707.5	Outer_Full	19.60	/	/	17.95	/	/	<=34.77	Pass
		Inner_Full	19.56	/	/	17.91	/	/	<=34.77	Pass
		Inner_1RB_Left	18.98	/	/	17.33	/	/	<=34.77	Pass
		Inner_1RB_Right	19.04	/	/	17.39	/	/	<=34.77	Pass

	708.5	Outer_Full	19.57	/	/	17.92	/	/	<=34.77	Pass
		Inner_Full	19.58	/	/	17.93	/	/	<=34.77	Pass
		Inner_1RB_Left	18.97	/	/	17.32	/	/	<=34.77	Pass
		Inner_1RB_Right	19.05	/	/	17.40	/	/	<=34.77	Pass
CP-OFDM QPSK	706.5	Outer_Full	21.20	/	/	19.55	/	/	<=34.77	Pass
		Inner_Full	22.83	/	/	21.18	/	/	<=34.77	Pass
		Inner_1RB_Left	22.58	/	/	20.93	/	/	<=34.77	Pass
		Inner_1RB_Right	22.69	/	/	21.04	/	/	<=34.77	Pass
	707.5	Outer_Full	21.12	/	/	19.47	/	/	<=34.77	Pass
		Inner_Full	22.82	/	/	21.17	/	/	<=34.77	Pass
		Inner_1RB_Left	22.70	/	/	21.05	/	/	<=34.77	Pass
		Inner_1RB_Right	22.71	/	/	21.06	/	/	<=34.77	Pass
	708.5	Outer_Full	21.20	/	/	19.55	/	/	<=34.77	Pass
		Inner_Full	22.84	/	/	21.19	/	/	<=34.77	Pass
		Inner_1RB_Left	22.88	/	/	21.23	/	/	<=34.77	Pass
		Inner_1RB_Right	22.93	/	/	21.28	/	/	<=34.77	Pass
CP-OFDM 16 QAM	706.5	Outer_Full	21.18	/	/	19.53	/	/	<=34.77	Pass
		Inner_Full	22.13	/	/	20.48	/	/	<=34.77	Pass
		Inner_1RB_Left	22.19	/	/	20.54	/	/	<=34.77	Pass
		Inner_1RB_Right	22.29	/	/	20.64	/	/	<=34.77	Pass
	707.5	Outer_Full	21.18	/	/	19.53	/	/	<=34.77	Pass
		Inner_Full	22.29	/	/	20.64	/	/	<=34.77	Pass
		Inner_1RB_Left	22.12	/	/	20.47	/	/	<=34.77	Pass
		Inner_1RB_Right	22.36	/	/	20.71	/	/	<=34.77	Pass
	708.5	Outer_Full	21.16	/	/	19.51	/	/	<=34.77	Pass
		Inner_Full	22.32	/	/	20.67	/	/	<=34.77	Pass
		Inner_1RB_Left	22.09	/	/	20.44	/	/	<=34.77	Pass
		Inner_1RB_Right	22.33	/	/	20.68	/	/	<=34.77	Pass
CP-OFDM 64 QAM	706.5	Outer_Full	20.64	/	/	18.99	/	/	<=34.77	Pass
		Inner_Full	20.55	/	/	18.90	/	/	<=34.77	Pass
		Inner_1RB_Left	20.57	/	/	18.92	/	/	<=34.77	Pass
		Inner_1RB_Right	20.67	/	/	19.02	/	/	<=34.77	Pass
	707.5	Outer_Full	20.61	/	/	18.96	/	/	<=34.77	Pass
		Inner_Full	20.64	/	/	18.99	/	/	<=34.77	Pass
		Inner_1RB_Left	20.52	/	/	18.87	/	/	<=34.77	Pass
		Inner_1RB_Right	20.66	/	/	19.01	/	/	<=34.77	Pass
	708.5	Outer_Full	20.63	/	/	18.98	/	/	<=34.77	Pass
		Inner_Full	20.58	/	/	18.93	/	/	<=34.77	Pass
		Inner_1RB_Left	20.53	/	/	18.88	/	/	<=34.77	Pass
		Inner_1RB_Right	20.70	/	/	19.05	/	/	<=34.77	Pass
CP-OFDM 256 QAM	706.5	Outer_Full	17.67	/	/	16.02	/	/	<=34.77	Pass
		Inner_Full	17.63	/	/	15.98	/	/	<=34.77	Pass
		Inner_1RB_Left	17.13	/	/	15.48	/	/	<=34.77	Pass
		Inner_1RB_Right	17.27	/	/	15.62	/	/	<=34.77	Pass
	707.5	Outer_Full	17.65	/	/	16.00	/	/	<=34.77	Pass
		Inner_Full	17.65	/	/	16.00	/	/	<=34.77	Pass
		Inner_1RB_Left	17.17	/	/	15.52	/	/	<=34.77	Pass
		Inner_1RB_Right	17.28	/	/	15.63	/	/	<=34.77	Pass
	708.5	Outer_Full	17.66	/	/	16.01	/	/	<=34.77	Pass
		Inner_Full	17.68	/	/	16.03	/	/	<=34.77	Pass
		Inner_1RB_Left	17.12	/	/	15.47	/	/	<=34.77	Pass
		Inner_1RB_Right	17.27	/	/	15.62	/	/	<=34.77	Pass
Note1: Antenna Gain: Ant1: 0.50dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										