


J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 3_40MHz


2/23/2024 10:11:27 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3876538GHz	65.49	-2.81	74.00	-8.51	1.00	280.10	Vertical	Passed
2.	2.4856478GHz	53.06	-2.28	74.00	-20.94	4.00	42.20	Vertical	Passed
3.	2.3891746GHz	65.15	-2.87	74.00	-8.85	2.00	249.90	Horizontal	Passed
4.	2.4881191GHz	53.80	-2.22	74.00	-20.20	2.00	192.60	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3876538GHz	40.11	-2.81	54.00	-13.89	1.00	280.10	Vertical	Passed
2.	2.4856478GHz	51.89	-2.28	54.00	-2.11	4.00	42.20	Vertical	Passed
3.	2.3889845GHz	43.38	-2.87	54.00	-10.62	2.00	247.10	Horizontal	Passed
4.	2.4881191GHz	52.82	-2.22	54.00	-1.18	2.00	192.60	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 9_40MHz


2/23/2024 9:53:23 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.379925GHz	52.80	-2.86	74.00	-21.20	3.50	302.70	Vertical	Passed
2.	2.4987394GHz	53.11	-2.24	74.00	-20.89	2.00	90.00	Vertical	Passed
3.	2.3855828GHz	52.56	-2.93	74.00	-21.44	1.50	248.20	Horizontal	Passed
4.	2.4835068GHz	53.42	-2.23	74.00	-20.58	2.00	252.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.379925GHz	52.11	-2.86	54.00	-1.89	3.50	302.70	Vertical	Passed
2.	2.4968534GHz	51.82	-2.24	54.00	-2.18	3.50	274.10	Vertical	Passed
3.	2.3352426GHz	51.13	-3.28	54.00	-2.87	2.50	235.30	Horizontal	Passed
4.	2.4981591GHz	51.95	-2.21	54.00	-2.05	3.00	47.40	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 5_40MHz

2/27/2024 9:31:00 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3895548GHz	65.88	-2.80	74.00	-8.12	1.00	288.10	Vertical	Passed
2.	2.4958179GHz	53.60	-2.24	74.00	-20.40	4.00	31.90	Vertical	Passed
3.	2.3892696GHz	66.54	-2.87	74.00	-7.46	2.00	242.80	Horizontal	Passed
4.	2.4838419GHz	56.59	-2.22	74.00	-17.41	1.50	244.50	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3895548GHz	53.77	-2.80	54.00	-0.23	1.00	288.10	Vertical	Passed
2.	2.4958179GHz	52.48	-2.24	54.00	-1.52	4.00	31.90	Vertical	Passed
3.	2.3891746GHz	53.45	-2.87	54.00	-0.55	1.50	243.90	Horizontal	Passed
4.	2.4838419GHz	40.33	-2.22	54.00	-13.67	1.50	244.50	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 7_40MHz


2/27/2024 9:48:27 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3461181GHz	53.38	-3.10	74.00	-20.62	3.50	97.60	Vertical	Passed
2.	2.4838419GHz	62.42	-2.30	74.00	-11.58	1.00	285.90	Vertical	Passed
3.	2.3871786GHz	54.54	-2.90	74.00	-19.46	2.00	246.40	Horizontal	Passed
4.	2.4865983GHz	66.42	-2.22	74.00	-7.58	1.00	245.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3461181GHz	52.37	-3.10	54.00	-1.63	3.50	97.60	Vertical	Passed
2.	2.4838419GHz	49.42	-2.30	54.00	-4.58	1.00	285.90	Vertical	Passed
3.	2.3896498GHz	51.26	-2.86	54.00	-2.74	1.00	242.50	Horizontal	Passed
4.	2.4862181GHz	49.67	-2.22	54.00	-4.33	1.00	245.10	Horizontal	Passed

Overall Graphs:






Dipole

J23220_W300#1_2.4G 802.11b_Ch 6_9kHz-30MHz_Ground-Parallel

12/15/2023 7:52:09 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.177231MHz	29.33	19.20	69.54	-40.21	3.05	312.30	H/V	Passed
2.	12.577024MHz	27.54	19.77	69.54	-42.00	3.05	180.80	H/V	Passed
3.	13.361187MHz	29.42	19.83	69.54	-40.12	3.05	356.70	H/V	Passed
4.	16.694949MHz	28.24	20.01	69.54	-41.30	3.05	358.90	H/V	Passed
5.	25.646399MHz	31.68	21.17	69.54	-37.86	3.05	191.70	H/V	Passed
6.	30MHz	29.22	22.00	40.00	-10.78	3.05	189.60	H/V	Passed

Overall Graphs:




J23220_W300#1_2.4G 802.11b_Ch 6_9kHz-30MHz_Parallel

12/15/2023 7:26:42 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.181516MHz	29.27	19.20	69.54	-40.27	3.05	20.40	H/V	Passed
2.	8.364829MHz	27.89	19.32	69.54	-41.65	3.05	76.50	H/V	Passed
3.	12.577024MHz	28.16	19.77	69.54	-41.38	3.05	307.50	H/V	Passed
4.	13.386897MHz	30.04	19.83	69.54	-39.50	3.05	143.30	H/V	Passed
5.	25.612118MHz	32.05	21.17	69.54	-37.49	3.05	43.80	H/V	Passed
6.	30MHz	31.32	22.00	40.00	-8.68	3.05	206.10	H/V	Passed

Overall Graphs:




J23220_W300#1_2.4G 802.11b_Ch 6_9kHz-30MHz_Perpendicular

12/15/2023 7:45:35 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.185801MHz	28.43	19.20	69.54	-41.11	3.05	223.60	H/V	Passed
2.	8.38197MHz	28.12	19.32	69.54	-41.42	3.05	247.40	H/V	Passed
3.	13.395467MHz	29.78	19.83	69.54	-39.76	3.05	105.80	H/V	Passed
4.	16.420706MHz	29.06	19.97	69.54	-40.48	3.05	307.50	H/V	Passed
5.	25.526417MHz	30.22	21.17	69.54	-39.32	3.05	108.10	H/V	Passed
6.	30MHz	30.83	22.00	40.00	-9.17	3.05	0.10	H/V	Passed

Overall Graphs:




J23220_W300#1_2.4G 802.11n_Ch 6_9kHz-30MHz_Ground-Parallel

12/15/2023 7:50:19 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.185801MHz	29.22	19.20	69.54	-40.32	3.05	265.30	H/V	Passed
2.	8.364829MHz	29.49	19.32	69.54	-40.05	3.05	99.50	H/V	Passed
3.	13.404037MHz	28.95	19.83	69.54	-40.59	3.05	1.40	H/V	Passed
4.	16.694949MHz	28.50	20.01	69.54	-41.04	3.05	357.30	H/V	Passed
5.	25.543558MHz	30.25	21.17	69.54	-39.29	3.05	263.20	H/V	Passed
6.	30MHz	30.59	22.00	40.00	-9.41	3.05	350.80	H/V	Passed

Overall Graphs:




J23220_W300#1_2.4G 802.11n_Ch 6_9kHz-30MHz_Parallel

12/15/2023 7:56:03 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.181516MHz	28.95	19.20	69.54	-40.59	3.05	288.80	H/V	Passed
2.	13.378327MHz	30.17	19.83	69.54	-39.37	3.05	212.30	H/V	Passed
3.	16.420706MHz	28.29	19.97	69.54	-41.25	3.05	309.40	H/V	Passed
4.	16.694949MHz	28.61	20.01	69.54	-40.93	3.05	178.20	H/V	Passed
5.	25.659254MHz	31.66	21.18	69.54	-37.88	3.05	320.30	H/V	Passed
6.	30MHz	29.19	22.00	40.00	-10.81	3.05	284.10	H/V	Passed

Overall Graphs:




J23220_W300#1_2.4G 802.11n_Ch 6_9kHz-30MHz_Perpendicular

12/15/2023 7:47:34 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.190086MHz	28.41	19.21	69.54	-41.13	3.05	214.20	H/V	Passed
2.	8.364829MHz	27.79	19.32	69.54	-41.75	3.05	160.20	H/V	Passed
3.	12.577024MHz	28.55	19.77	69.54	-40.99	3.05	262.20	H/V	Passed
4.	13.369757MHz	28.59	19.83	69.54	-40.95	3.05	137.20	H/V	Passed
5.	25.560698MHz	30.81	21.17	69.54	-38.73	3.05	330.50	H/V	Passed
6.	30MHz	30.00	22.00	40.00	-10.00	3.05	209.80	H/V	Passed

Overall Graphs:





J23220_W300#1_2.4G_802.11b_1Mbps_Ch 6_30MHz-1GHz

12/14/2023 7:45:20 PM

No	Frequency (MHz)	Level Q- Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	496.65451MHz	22.96	-7.17	46.00	-23.04	1.00	308.10	Vertical	Passed
2.	31.483617MHz	17.31	-5.86	40.00	-22.69	3.50	340.00	Horizontal	Passed
3.	69.201718MHz	21.13	-16.30	40.00	-18.87	2.50	222.30	Horizontal	Passed
4.	274.51144MHz	22.70	-11.97	46.00	-23.30	1.00	204.70	Horizontal	Passed
5.	294.36908MHz	22.30	-11.44	46.00	-23.70	1.00	229.80	Horizontal	Passed
6.	948.81522MHz	26.28	0.12	46.00	-19.72	1.50	227.80	Horizontal	Passed

Overall Graphs:







J23220_W300#1_2.4G_802.11n_MCS0_Ch 6_30MHz-1GHz

12/14/2023 8:03:14 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	69.25878MHz	17.49	-16.81	40.00	-22.51	3.50	293.00	Vertical	Passed
2.	497.51044MHz	23.35	-7.13	46.00	-22.65	1.00	311.20	Vertical	Passed
3.	30.114124MHz	17.71	-5.03	40.00	-22.29	1.00	258.20	Horizontal	Passed
4.	69.201718MHz	19.92	-16.30	40.00	-20.08	2.50	343.50	Horizontal	Passed
5.	257.79222MHz	21.90	-12.59	46.00	-24.10	1.50	198.70	Horizontal	Passed
6.	479.99235MHz	31.13	-6.95	46.00	-14.87	1.50	201.70	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_802.11b_1Mbps_Ch 1_1-18GHz


12/21/2023 8:41:33 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4150122GHz	46.31	-7.01	74.00	-27.69	1.50	359.90	Vertical	Passed
2.	2.4115415GHz	54.16	-2.64	74.00	-19.84	2.50	133.90	Vertical	Passed
3.	4.8236125GHz	43.21	4.48	74.00	-30.79	1.50	0.20	Vertical	Passed
4.	17.996GHz	52.64	19.31	74.00	-21.36	3.00	92.70	Vertical	Passed
5.	2.4105415GHz	46.04	-2.61	74.00	-27.96	1.00	148.60	Horizontal	Passed
6.	17.863996GHz	52.83	17.63	74.00	-21.17	4.00	329.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.2185358GHz	34.22	-3.43	54.00	-19.78	1.00	75.60	Vertical	Passed
2.	2.4115415GHz	47.47	-2.64	54.00	-6.53	2.50	133.90	Vertical	Passed
3.	11.944322GHz	45.49	12.13	54.00	-8.51	1.00	23.30	Vertical	Passed
4.	17.940998GHz	40.60	18.39	54.00	-13.40	1.00	76.10	Vertical	Passed
5.	2.4125415GHz	30.04	-2.59	54.00	-23.96	4.00	359.90	Horizontal	Passed
6.	17.863996GHz	39.57	17.63	54.00	-14.43	4.00	329.40	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_802.11b_1Mbps_Ch 6_1-18GHz


12/21/2023 9:04:37 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4225124GHz	44.05	-7.05	74.00	-29.95	1.50	0	Vertical	Passed
2.	2.4360422GHz	51.85	-2.61	74.00	-22.15	2.00	196.30	Vertical	Passed
3.	7.3096856GHz	45.40	7.77	74.00	-28.60	3.50	47.90	Vertical	Passed
4.	17.971999GHz	52.50	18.77	74.00	-21.50	4.00	0.10	Vertical	Passed
5.	2.4375423GHz	44.01	-2.35	74.00	-29.99	3.00	156.30	Horizontal	Passed
6.	17.9965GHz	52.23	19.27	74.00	-21.77	2.50	275.20	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4360422GHz	47.47	-2.61	54.00	-6.53	2.00	196.30	Vertical	Passed
2.	4.8736139GHz	40.81	4.72	54.00	-13.19	3.50	137.40	Vertical	Passed
3.	17.9975GHz	40.74	19.35	54.00	-13.26	3.50	272.90	Vertical	Passed
4.	2.4360422GHz	27.77	-2.36	54.00	-26.23	2.00	0.00	Horizontal	Passed
5.	4.8736139GHz	40.63	4.66	54.00	-13.37	3.00	0.10	Horizontal	Passed
6.	17.965499GHz	40.35	18.61	54.00	-13.65	4.00	0.10	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_802.11b_1Mbps_Ch 11_1-18GHz


12/21/2023 9:26:02 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4295126GHz	39.68	-7.08	74.00	-34.32	1.50	359.90	Vertical	Passed
2.	2.461543GHz	46.82	-2.39	74.00	-27.18	2.00	202.20	Vertical	Passed
3.	4.9236154GHz	43.17	4.72	74.00	-30.83	3.00	172.80	Vertical	Passed
4.	17.864496GHz	52.45	17.74	74.00	-21.55	1.00	261.60	Vertical	Passed
5.	2.4600429GHz	38.83	-2.30	74.00	-35.17	3.00	150.90	Horizontal	Passed
6.	17.993GHz	52.25	19.17	74.00	-21.75	1.50	5.30	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.461043GHz	45.18	-2.39	54.00	-8.82	1.50	188.50	Vertical	Passed
2.	4.9236154GHz	40.60	4.72	54.00	-13.40	3.00	172.80	Vertical	Passed
3.	17.9975GHz	40.60	19.35	54.00	-13.40	2.00	102.90	Vertical	Passed
4.	2.462543GHz	44.89	-2.29	54.00	-9.11	2.00	359.90	Horizontal	Passed
5.	4.9236154GHz	40.60	4.71	54.00	-13.40	3.00	359.90	Horizontal	Passed
6.	17.9975GHz	40.61	19.30	54.00	-13.39	2.00	359.90	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_802.11n_MCS0_Ch 1_1-18GHz


12/22/2023 11:23:36 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4140122GHz	43.99	-6.62	74.00	-30.01	3.50	359.90	Vertical	Passed
2.	2.2350363GHz	38.44	-2.44	74.00	-35.56	1.00	271.40	Vertical	Passed
3.	2.4085414GHz	52.63	-1.66	74.00	-21.37	1.50	77.00	Vertical	Passed
4.	17.999GHz	53.05	20.08	74.00	-20.95	1.00	95.30	Vertical	Passed
5.	2.4090414GHz	43.94	-1.65	74.00	-30.06	3.50	343.90	Horizontal	Passed
6.	17.961999GHz	53.40	19.27	74.00	-20.60	3.50	5.80	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.1975352GHz	34.92	-2.55	54.00	-19.08	3.00	155.50	Vertical	Passed
2.	2.4110415GHz	42.82	-1.66	54.00	-11.18	2.00	328.10	Vertical	Passed
3.	17.999GHz	41.32	20.08	54.00	-12.68	1.00	95.30	Vertical	Passed
4.	2.1975352GHz	34.76	-2.71	54.00	-19.24	3.00	359.90	Horizontal	Passed
5.	2.4110415GHz	32.03	-1.63	54.00	-21.97	2.00	359.90	Horizontal	Passed
6.	17.997GHz	41.22	19.98	54.00	-12.78	3.50	173.90	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_802.11n_MCS0_Ch 6_1-18GHz


12/22/2023 11:43:26 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4210124GHz	44.41	-6.65	74.00	-29.59	1.50	0.10	Vertical	Passed
2.	2.2330363GHz	38.52	-2.44	74.00	-35.48	1.00	327.40	Vertical	Passed
3.	2.4335422GHz	52.47	-1.66	74.00	-21.53	1.50	75.10	Vertical	Passed
4.	17.987GHz	53.58	19.75	74.00	-20.42	1.50	289.00	Vertical	Passed
5.	2.4335422GHz	43.24	-1.40	74.00	-30.76	3.00	343.20	Horizontal	Passed
6.	17.995GHz	53.39	19.92	74.00	-20.61	4.00	319.00	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.2330363GHz	35.36	-2.44	54.00	-18.64	1.00	327.40	Vertical	Passed
2.	2.5745463GHz	33.95	-0.52	54.00	-20.05	1.00	69.60	Vertical	Passed
3.	17.9965GHz	41.31	20.01	54.00	-12.69	1.50	0.10	Vertical	Passed
4.	2.2320362GHz	34.79	-2.40	54.00	-19.21	2.00	0.10	Horizontal	Passed
5.	2.4360422GHz	30.36	-1.38	54.00	-23.64	2.00	0.10	Horizontal	Passed
6.	17.9965GHz	41.27	19.96	54.00	-12.73	1.50	285.90	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_802.11n_MCS0_Ch 11_1-18GHz


12/22/2023 12:00:07 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.2205359GHz	36.58	-2.43	74.00	-37.42	1.00	279.50	Vertical	Passed
2.	2.4575429GHz	45.24	-1.44	74.00	-28.76	1.50	16.50	Vertical	Passed
3.	17.943498GHz	53.07	19.12	74.00	-20.93	4.00	344.80	Vertical	Passed
4.	2.2170358GHz	36.54	-2.49	74.00	-37.46	3.00	150.30	Horizontal	Passed
5.	2.463043GHz	37.57	-1.31	74.00	-36.43	1.50	337.40	Horizontal	Passed
6.	17.994GHz	53.90	19.89	74.00	-20.10	3.00	78.80	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.2000353GHz	33.56	-2.53	54.00	-20.44	1.50	311.90	Vertical	Passed
2.	2.4585429GHz	42.52	-1.43	54.00	-11.48	1.50	16.50	Vertical	Passed
3.	2.5870467GHz	33.88	-0.50	54.00	-20.12	3.00	100.80	Vertical	Passed
4.	17.870496GHz	50.26	18.39	54.00	-3.74	1.00	305.90	Vertical	Passed
5.	2.461043GHz	41.96	-1.32	54.00	-12.04	2.00	359.90	Horizontal	Passed
6.	17.994GHz	51.38	19.89	54.00	-2.62	3.00	78.80	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_802.11n_MCS0_Ch 3_40Mhz_1-18GHz


12/22/2023 12:13:44 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4165123GHz	43.71	-6.62	74.00	-30.29	1.50	359.90	Vertical	Passed
2.	2.4140416GHz	53.24	-1.67	74.00	-20.76	1.50	321.20	Vertical	Passed
3.	17.967999GHz	53.49	19.42	74.00	-20.51	4.00	155.70	Vertical	Passed
4.	2.4165417GHz	43.81	-1.57	74.00	-30.19	1.00	327.50	Horizontal	Passed
5.	8.1557105GHz	46.14	8.32	74.00	-27.86	4.00	354.10	Horizontal	Passed
6.	17.9915GHz	53.06	19.82	74.00	-20.94	4.00	177.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4140416GHz	49.92	-1.67	54.00	-4.08	1.50	321.20	Vertical	Passed
2.	2.4230419GHz	47.80	-1.71	54.00	-6.20	1.50	267.50	Vertical	Passed
3.	17.998GHz	50.54	20.06	54.00	-3.46	2.50	359.90	Vertical	Passed
4.	2.4145416GHz	49.47	-1.59	54.00	-4.53	2.00	359.90	Horizontal	Passed
5.	2.4230419GHz	47.55	-1.51	54.00	-6.45	2.00	359.90	Horizontal	Passed
6.	17.998GHz	50.49	20.01	54.00	-3.51	2.50	271.90	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_802.11n_MCS0_Ch 9_40Mhz_1-18GHz


12/22/2023 12:28:33 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4225124GHz	39.73	-6.65	74.00	-34.27	1.50	359.90	Vertical	Passed
2.	2.2260361GHz	37.96	-2.44	74.00	-36.04	1.00	279.40	Vertical	Passed
3.	2.4450425GHz	47.64	-1.56	74.00	-26.36	1.00	41.40	Vertical	Passed
4.	17.937998GHz	54.36	19.05	74.00	-19.64	1.00	200.40	Vertical	Passed
5.	2.4370423GHz	39.20	-1.38	74.00	-34.80	3.50	208.20	Horizontal	Passed
6.	17.9985GHz	52.89	20.02	74.00	-21.11	3.00	241.20	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4365423GHz	45.35	-1.63	54.00	-8.65	1.00	331.70	Vertical	Passed
2.	2.4540428GHz	43.39	-1.48	54.00	-10.61	2.00	91.50	Vertical	Passed
3.	17.956999GHz	51.02	19.29	54.00	-2.98	2.50	16.10	Vertical	Passed
4.	2.4445425GHz	44.08	-1.36	54.00	-9.92	2.00	359.90	Horizontal	Passed
5.	2.4540428GHz	43.52	-1.34	54.00	-10.48	2.00	359.90	Horizontal	Passed
6.	17.922998GHz	49.83	18.77	54.00	-4.17	1.00	2.20	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_802.11b_1Mbps_Ch 6_18-27.5GHz


12/27/2023 9:22:29 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	27.453448GHz	49.66	1.79	74.00	-24.34	2.60	179.90	Vertical	Passed
2.	27.258213GHz	50.33	1.46	74.00	-23.67	1.81	247.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	18.877844GHz	46.55	-1.33	54.00	-7.45	3.01	22.40	Vertical	Passed
2.	27.265338GHz	46.53	1.51	54.00	-7.47	1.02	22.40	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_802.11n_MCS0_Ch 6_18-27.5GHz


12/27/2023 9:44:53 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	27.278639GHz	49.33	1.63	74.00	-24.67	2.64	45.20	Vertical	Passed
2.	18.80184GHz	49.57	-1.05	74.00	-24.43	2.62	157.60	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	19.263563GHz	45.93	-2.07	54.00	-8.07	1.52	225.00	Vertical	Passed
2.	27.288139GHz	46.02	1.69	54.00	-7.98	1.00	337.40	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_802.11n_MCS0_40MHz_Ch 3_18-27.5GHz


12/27/2023 10:08:12 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	26.736162GHz	49.27	1.70	74.00	-24.73	3.85	134.90	Vertical	Passed
2.	20.10863GHz	49.06	-1.72	74.00	-24.94	2.61	112.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	26.767513GHz	46.38	1.54	54.00	-7.62	2.63	67.40	Vertical	Passed
2.	18.742937GHz	46.06	-0.93	54.00	-7.94	1.02	112.40	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_802.11n_MCS0_40MHz_Ch 9_18-27.5GHz


12/27/2023 10:43:13 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	26.716686GHz	48.98	1.59	74.00	-25.02	2.31	225.00	Vertical	Passed
2.	19.326266GHz	48.93	-2.11	74.00	-25.07	1.02	270.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	26.758013GHz	46.37	1.61	54.00	-7.63	3.05	337.40	Vertical	Passed
2.	27.20976GHz	46.56	1.20	54.00	-7.44	2.60	202.70	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 1


1/30/2024 10:08:26 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3867984GHz	59.11	-2.82	74.00	-14.89	1.00	23.90	Vertical	Passed
2.	2.4917309GHz	51.82	-2.24	74.00	-22.18	4.00	234.50	Vertical	Passed
3.	2.3889845GHz	48.82	-2.87	74.00	-25.18	1.50	345.10	Horizontal	Passed
4.	2.4954377GHz	49.53	-2.21	74.00	-24.47	3.50	128.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.386038GHz	50.09	-2.82	54.00	-3.91	1.00	213.90	Vertical	Passed
2.	2.4893547GHz	50.64	-2.24	54.00	-3.36	3.00	277.10	Vertical	Passed
3.	2.3729215GHz	47.30	-3.11	54.00	-6.70	4.00	319.80	Horizontal	Passed
4.	2.488024GHz	47.57	-2.22	54.00	-6.43	3.50	224.60	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 11


1/30/2024 10:47:54 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3801451GHz	50.35	-2.86	74.00	-23.65	4.00	281.30	Vertical	Passed
2.	2.4845073GHz	55.54	-2.30	74.00	-18.46	2.00	164.80	Vertical	Passed
3.	2.3295798GHz	48.48	-3.26	74.00	-25.52	3.00	326.70	Horizontal	Passed
4.	2.485933GHz	49.19	-2.22	74.00	-24.81	1.00	358.90	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3801451GHz	49.40	-2.86	54.00	-4.60	4.00	281.30	Vertical	Passed
2.	2.4865983GHz	46.45	-2.27	54.00	-7.55	2.50	166.10	Vertical	Passed
3.	2.3633217GHz	46.97	-3.24	54.00	-7.03	3.00	167.80	Horizontal	Passed
4.	2.4897349GHz	47.36	-2.21	54.00	-6.64	2.00	242.70	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 1


2/9/2024 5:07:58 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3898399GHz	69.29	-2.80	74.00	-4.71	1.00	330.60	Vertical	Passed
2.	2.485933GHz	51.57	-2.28	74.00	-22.43	3.00	146.70	Vertical	Passed
3.	2.3833767GHz	47.80	-2.96	74.00	-26.20	3.50	217.80	Horizontal	Passed
4.	2.4889745GHz	48.66	-2.22	74.00	-25.34	2.00	358.90	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.389935GHz	51.10	-2.80	54.00	-2.90	1.00	148.10	Vertical	Passed
2.	2.4941071GHz	48.79	-2.24	54.00	-5.21	4.00	213.00	Vertical	Passed
3.	2.3825213GHz	46.33	-2.97	54.00	-7.67	3.00	110.30	Horizontal	Passed
4.	2.499905GHz	47.04	-2.20	54.00	-6.96	1.00	5.10	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 1


2/9/2024 5:54:14 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3897449GHz	69.65	-2.80	74.00	-4.35	3.00	217.10	Vertical	Passed
2.	2.4890695GHz	50.71	-2.25	74.00	-23.29	1.00	334.20	Vertical	Passed
3.	2.3598049GHz	47.99	-3.28	74.00	-26.01	1.00	10.50	Horizontal	Passed
4.	2.4865983GHz	48.51	-2.22	74.00	-25.49	3.00	34.50	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3897449GHz	51.01	-2.80	54.00	-2.99	3.00	217.10	Vertical	Passed
2.	2.4908754GHz	48.61	-2.24	54.00	-5.39	1.00	328.90	Vertical	Passed
3.	2.3829015GHz	46.68	-2.96	54.00	-7.32	1.50	139.70	Horizontal	Passed
4.	2.489925GHz	47.08	-2.21	54.00	-6.92	1.50	358.90	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 11


5/13/2024 9:56:22 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3803352GHz	45.10	-2.70	74.00	-28.90	3.50	223.60	Vertical	Passed
2.	2.4838419GHz	68.34	-2.20	74.00	-5.66	2.00	164.60	Vertical	Passed
3.	2.3724462GHz	41.11	-2.94	74.00	-32.89	1.00	196.50	Horizontal	Passed
4.	2.4841271GHz	50.01	-2.12	74.00	-23.99	4.00	201.00	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3803352GHz	43.83	-2.70	54.00	-10.17	3.50	223.60	Vertical	Passed
2.	2.4845073GHz	52.48	-2.19	54.00	-1.52	1.00	17.90	Vertical	Passed
3.	2.3724462GHz	39.71	-2.94	54.00	-14.29	1.00	196.50	Horizontal	Passed
4.	2.483937GHz	45.19	-2.12	54.00	-8.81	4.00	201.00	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 2


2/20/2024 11:12:17 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3889845GHz	55.95	-2.81	74.00	-18.05	1.00	329.10	Vertical	Passed
2.	2.4974337GHz	52.10	-2.24	74.00	-21.90	4.00	257.70	Vertical	Passed
3.	2.3548624GHz	48.03	-3.32	74.00	-25.97	4.00	197.00	Horizontal	Passed
4.	2.4952476GHz	49.47	-2.21	74.00	-24.53	2.00	102.90	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3889845GHz	50.59	-2.81	54.00	-3.41	1.00	329.10	Vertical	Passed
2.	2.4974337GHz	50.78	-2.24	54.00	-3.22	4.00	257.70	Vertical	Passed
3.	2.3870835GHz	46.44	-2.90	54.00	-7.56	3.00	358.90	Horizontal	Passed
4.	2.488024GHz	47.89	-2.22	54.00	-6.11	4.00	337.80	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 3


2/20/2024 6:21:00 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3852776GHz	50.95	-2.83	74.00	-23.05	1.50	136.20	Vertical	Passed
2.	2.4968634GHz	50.92	-2.24	74.00	-23.08	4.00	339.10	Vertical	Passed
3.	2.3792896GHz	48.28	-3.02	74.00	-25.72	3.50	341.90	Horizontal	Passed
4.	2.4906853GHz	48.86	-2.21	74.00	-25.14	2.00	237.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3855628GHz	49.43	-2.83	54.00	-4.57	1.00	278.00	Vertical	Passed
2.	2.4984792GHz	49.32	-2.24	54.00	-4.68	4.00	211.40	Vertical	Passed
3.	2.3298649GHz	46.59	-3.26	54.00	-7.41	4.00	343.50	Horizontal	Passed
4.	2.489925GHz	47.61	-2.21	54.00	-6.39	2.50	203.10	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 9

2/20/2024 6:54:16 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.37007GHz	50.47	-2.94	74.00	-23.53	3.50	208.60	Vertical	Passed
2.	2.4835568GHz	55.33	-2.31	74.00	-18.67	1.00	331.30	Vertical	Passed
3.	2.3782441GHz	48.18	-3.03	74.00	-25.82	2.50	253.50	Horizontal	Passed
4.	2.488024GHz	48.93	-2.22	74.00	-25.07	3.50	208.20	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.37007GHz	48.36	-2.94	54.00	-5.64	3.50	208.60	Vertical	Passed
2.	2.4836518GHz	47.90	-2.30	54.00	-6.10	1.00	330.90	Vertical	Passed
3.	2.3541971GHz	46.66	-3.32	54.00	-7.34	4.00	47.50	Horizontal	Passed
4.	2.488024GHz	47.59	-2.22	54.00	-6.41	3.50	208.20	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 10


2/20/2024 12:45:22 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3629415GHz	49.57	-3.01	74.00	-24.43	1.00	328.10	Vertical	Passed
2.	2.4835568GHz	52.52	-2.31	74.00	-21.48	1.00	328.10	Vertical	Passed
3.	2.3675038GHz	47.91	-3.18	74.00	-26.09	2.00	6.70	Horizontal	Passed
4.	2.4998099GHz	48.80	-2.20	74.00	-25.20	3.50	203.80	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3629415GHz	48.15	-3.01	54.00	-5.85	1.00	328.10	Vertical	Passed
2.	2.4835568GHz	51.69	-2.31	54.00	-2.31	1.00	328.10	Vertical	Passed
3.	2.3742521GHz	46.52	-3.09	54.00	-7.48	1.00	237.60	Horizontal	Passed
4.	2.4998099GHz	47.89	-2.20	54.00	-6.11	3.50	203.80	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 2


2/20/2024 2:18:47 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.389935GHz	71.02	-2.80	74.00	-2.98	3.00	327.80	Vertical	Passed
2.	2.4846023GHz	50.63	-2.29	74.00	-23.37	1.50	26.10	Vertical	Passed
3.	2.3895548GHz	49.23	-2.87	74.00	-24.77	1.00	357.90	Horizontal	Passed
4.	2.4911606GHz	48.74	-2.21	74.00	-25.26	3.50	210.80	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.389935GHz	52.98	-2.80	54.00	-1.02	3.00	327.80	Vertical	Passed
2.	2.4998099GHz	48.87	-2.23	54.00	-5.13	1.50	337.30	Vertical	Passed
3.	2.3878439GHz	47.78	-2.89	54.00	-6.22	3.00	199.00	Horizontal	Passed
4.	2.4911606GHz	47.37	-2.21	54.00	-6.63	3.50	210.80	Horizontal	Passed

Overall Graphs:





J23220_W300#1_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 3

2/20/2024 7:11:28 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3892696GHz	71.62	-2.81	74.00	-2.38	1.00	327.10	Vertical	Passed
2.	2.4977189GHz	51.22	-2.24	74.00	-22.78	4.00	247.10	Vertical	Passed
3.	2.3890795GHz	51.15	-2.87	74.00	-22.85	3.00	199.40	Horizontal	Passed
4.	2.4956278GHz	48.81	-2.21	74.00	-25.19	1.00	0.60	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3894597GHz	52.39	-2.80	54.00	-1.61	1.00	27.10	Vertical	Passed
2.	2.497909GHz	49.63	-2.24	54.00	-4.37	4.00	199.20	Vertical	Passed
3.	2.3890795GHz	49.70	-2.87	54.00	-4.30	3.00	199.40	Horizontal	Passed
4.	2.4972436GHz	47.37	-2.21	54.00	-6.63	4.00	158.10	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 4


2/21/2024 11:34:57 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.389935GHz	66.86	-2.80	74.00	-7.14	3.00	30.10	Vertical	Passed
2.	2.4989545GHz	53.82	-2.24	74.00	-20.18	3.00	95.40	Vertical	Passed
3.	2.3714957GHz	52.24	-3.13	74.00	-21.76	1.00	193.30	Horizontal	Passed
4.	2.4935368GHz	53.25	-2.21	74.00	-20.75	3.50	24.00	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.389935GHz	49.09	-2.80	54.00	-4.91	3.00	30.10	Vertical	Passed
2.	2.4925863GHz	52.75	-2.24	54.00	-1.25	3.00	51.70	Vertical	Passed
3.	2.3641771GHz	50.92	-3.22	54.00	-3.08	1.50	181.50	Horizontal	Passed
4.	2.4921111GHz	51.74	-2.21	54.00	-2.26	3.50	62.70	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 8


2/21/2024 11:10:42 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3898399GHz	54.07	-2.80	74.00	-19.93	1.00	329.60	Vertical	Passed
2.	2.4842221GHz	66.27	-2.30	74.00	-7.73	1.00	337.30	Vertical	Passed
3.	2.3715908GHz	52.35	-3.13	74.00	-21.65	3.50	101.30	Horizontal	Passed
4.	2.4837469GHz	53.16	-2.22	74.00	-20.84	1.00	250.30	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3867984GHz	52.00	-2.82	54.00	-2.00	1.50	150.80	Vertical	Passed
2.	2.4842221GHz	49.20	-2.30	54.00	-4.80	1.00	337.30	Vertical	Passed
3.	2.3855628GHz	50.76	-2.93	54.00	-3.24	3.50	154.90	Horizontal	Passed
4.	2.483937GHz	52.11	-2.22	54.00	-1.89	4.00	342.10	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 9


2/20/2024 7:51:38 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3836618GHz	49.39	-2.84	74.00	-24.61	3.00	0.10	Vertical	Passed
2.	2.4846023GHz	72.74	-2.29	74.00	-1.26	1.00	326.20	Vertical	Passed
3.	2.38005GHz	47.62	-3.01	74.00	-26.38	1.50	339.80	Horizontal	Passed
4.	2.4836518GHz	50.97	-2.23	74.00	-23.03	3.50	201.20	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.331956GHz	48.52	-3.16	54.00	-5.48	2.00	335.20	Vertical	Passed
2.	2.4850775GHz	50.16	-2.29	54.00	-3.84	1.00	326.10	Vertical	Passed
3.	2.3717809GHz	46.45	-3.12	54.00	-7.55	1.00	110.70	Horizontal	Passed
4.	2.483937GHz	49.76	-2.22	54.00	-4.24	4.00	320.50	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 10

2/20/2024 4:11:13 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3807154GHz	49.97	-2.85	74.00	-24.03	3.50	254.10	Vertical	Passed
2.	2.4836518GHz	68.33	-2.30	74.00	-5.67	2.00	152.70	Vertical	Passed
3.	2.3810955GHz	47.72	-2.99	74.00	-26.28	2.50	194.90	Horizontal	Passed
4.	2.4852676GHz	50.19	-2.22	74.00	-23.81	3.50	203.60	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3807154GHz	48.76	-2.85	54.00	-5.24	3.50	254.10	Vertical	Passed
2.	2.4836518GHz	50.62	-2.30	54.00	-3.38	2.00	152.70	Vertical	Passed
3.	2.3771036GHz	46.52	-3.05	54.00	-7.48	3.00	333.80	Horizontal	Passed
4.	2.4852676GHz	49.01	-2.22	54.00	-4.99	3.50	203.60	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 2


2/20/2024 5:10:10 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3884142GHz	72.63	-2.81	74.00	-1.37	3.00	213.90	Vertical	Passed
2.	2.498099GHz	50.65	-2.24	74.00	-23.35	4.00	305.40	Vertical	Passed
3.	2.3886043GHz	49.33	-2.88	74.00	-24.67	3.50	345.30	Horizontal	Passed
4.	2.4936318GHz	48.76	-2.21	74.00	-25.24	1.00	338.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3882241GHz	52.55	-2.81	54.00	-1.45	1.00	29.10	Vertical	Passed
2.	2.4952476GHz	49.45	-2.24	54.00	-4.55	4.00	254.00	Vertical	Passed
3.	2.389935GHz	47.08	-2.86	54.00	-6.92	2.50	243.20	Horizontal	Passed
4.	2.4973387GHz	47.46	-2.21	54.00	-6.54	2.00	139.40	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 3

2/21/2024 10:29:25 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3886993GHz	73.66	-2.81	74.00	-0.34	1.50	146.10	Vertical	Passed
2.	2.4905903GHz	53.83	-2.24	74.00	-20.17	1.50	8.80	Vertical	Passed
3.	2.3786243GHz	52.46	-3.03	74.00	-21.54	3.50	164.60	Horizontal	Passed
4.	2.4962931GHz	53.18	-2.21	74.00	-20.82	1.50	144.90	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3886993GHz	53.51	-2.81	54.00	-0.49	1.50	146.10	Vertical	Passed
2.	2.4936318GHz	52.69	-2.24	54.00	-1.31	3.50	358.90	Vertical	Passed
3.	2.3774837GHz	51.51	-3.04	54.00	-2.49	2.50	230.30	Horizontal	Passed
4.	2.4962931GHz	51.98	-2.21	54.00	-2.02	1.50	144.90	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 9

2/21/2024 10:49:49 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3717809GHz	52.68	-2.93	74.00	-21.32	1.50	181.10	Vertical	Passed
2.	2.4855528GHz	73.64	-2.28	74.00	-0.36	1.00	333.60	Vertical	Passed
3.	2.3206453GHz	52.13	-3.23	74.00	-21.87	3.00	49.80	Horizontal	Passed
4.	2.4849825GHz	53.41	-2.22	74.00	-20.59	1.50	0.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3766283GHz	51.72	-2.89	54.00	-2.28	4.00	226.30	Vertical	Passed
2.	2.4855528GHz	53.88	-2.28	54.00	-0.12	1.00	333.60	Vertical	Passed
3.	2.3889845GHz	50.37	-2.87	54.00	-3.63	1.00	345.60	Horizontal	Passed
4.	2.4973387GHz	51.78	-2.21	54.00	-2.22	4.00	358.80	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 10


2/20/2024 6:05:06 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3827114GHz	49.43	-2.84	74.00	-24.57	3.50	316.50	Vertical	Passed
2.	2.4836518GHz	70.86	-2.30	74.00	-3.14	1.00	330.90	Vertical	Passed
3.	2.3762481GHz	48.03	-3.06	74.00	-25.97	3.50	0.10	Horizontal	Passed
4.	2.4844122GHz	49.89	-2.22	74.00	-24.11	3.50	195.90	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3722561GHz	47.96	-2.92	54.00	-6.04	3.00	57.20	Vertical	Passed
2.	2.4842221GHz	51.22	-2.30	54.00	-2.78	2.00	146.10	Vertical	Passed
3.	2.3525813GHz	46.52	-3.33	54.00	-7.48	4.00	164.80	Horizontal	Passed
4.	2.4875488GHz	47.72	-2.22	54.00	-6.28	1.00	306.20	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 9_40MHz


2/23/2024 9:33:51 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3876138GHz	52.65	-2.82	74.00	-21.35	1.00	200.90	Vertical	Passed
2.	2.4877139GHz	70.07	-2.26	74.00	-3.93	1.00	328.60	Vertical	Passed
3.	2.3723812GHz	51.99	-3.12	74.00	-22.01	1.00	33.00	Horizontal	Passed
4.	2.490035GHz	53.03	-2.21	74.00	-20.97	4.00	78.20	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3876138GHz	51.48	-2.82	54.00	-2.52	1.00	200.90	Vertical	Passed
2.	2.488004GHz	53.53	-2.26	54.00	-0.47	1.00	327.10	Vertical	Passed
3.	2.3723812GHz	50.96	-3.12	54.00	-3.04	1.00	33.00	Horizontal	Passed
4.	2.490035GHz	51.97	-2.21	54.00	-2.03	4.00	78.20	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 3_40MHz

2/23/2024 3:23:40 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3885093GHz	71.47	-2.81	74.00	-2.53	3.00	215.90	Vertical	Passed
2.	2.4926813GHz	54.00	-2.24	74.00	-20.00	2.50	77.30	Vertical	Passed
3.	2.3716858GHz	51.99	-3.13	74.00	-22.01	3.50	194.90	Horizontal	Passed
4.	2.4904952GHz	53.33	-2.21	74.00	-20.67	2.50	355.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3885093GHz	53.52	-2.81	54.00	-0.48	3.00	215.90	Vertical	Passed
2.	2.4926813GHz	53.14	-2.24	54.00	-0.86	2.50	77.30	Vertical	Passed
3.	2.3535318GHz	50.71	-3.32	54.00	-3.29	1.00	0.10	Horizontal	Passed
4.	2.4888794GHz	52.23	-2.22	54.00	-1.77	3.00	231.40	Horizontal	Passed

Overall Graphs:





J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 5_40MHz

2/27/2024 10:06:40 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3888894GHz	68.24	-2.81	74.00	-5.76	1.50	145.50	Vertical	Passed
2.	2.4843172GHz	59.62	-2.30	74.00	-14.38	1.00	328.90	Vertical	Passed
3.	2.3836618GHz	51.96	-2.95	74.00	-22.04	1.50	358.90	Horizontal	Passed
4.	2.4909705GHz	53.07	-2.21	74.00	-20.93	3.00	81.00	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3890795GHz	52.52	-2.81	54.00	-1.48	1.50	146.10	Vertical	Passed
2.	2.4843172GHz	41.27	-2.30	54.00	-12.73	1.00	328.90	Vertical	Passed
3.	2.3127564GHz	50.49	-3.20	54.00	-3.51	2.00	107.10	Horizontal	Passed
4.	2.4837469GHz	52.06	-2.22	54.00	-1.94	3.00	141.90	Horizontal	Passed

Overall Graphs:






J23220_W300#1_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 7_40MHz

2/27/2024 10:27:48 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3898399GHz	57.65	-2.80	74.00	-16.35	1.00	327.40	Vertical	Passed
2.	2.4836518GHz	69.01	-2.30	74.00	-4.99	1.00	332.10	Vertical	Passed
3.	2.3867034GHz	52.30	-2.91	74.00	-21.70	2.00	91.10	Horizontal	Passed
4.	2.4953427GHz	52.76	-2.21	74.00	-21.24	3.50	253.50	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3861331GHz	35.51	-2.82	54.00	-18.49	1.50	32.10	Vertical	Passed
2.	2.4836518GHz	53.21	-2.30	54.00	-0.79	1.00	332.10	Vertical	Passed
3.	2.3867034GHz	51.17	-2.91	54.00	-2.83	2.00	91.10	Horizontal	Passed
4.	2.4846973GHz	51.75	-2.22	54.00	-2.25	2.00	178.50	Horizontal	Passed

Overall Graphs:





5.5.2 NORA-W301


Pulse

J23220_W301#2_2.4G 802.11b_Ch 6_9kHz-30MHz_Ground-Parallel

12/11/2023 4:28:02 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.190086MHz	27.93	19.23	69.54	-41.61	1.00	265.80	H/V	Passed
2.	8.291984MHz	28.01	19.34	69.54	-41.53	1.00	115.30	H/V	Passed
3.	13.374042MHz	29.01	19.86	69.54	-40.53	1.00	340.90	H/V	Passed
4.	16.694949MHz	27.82	20.04	69.54	-41.72	1.00	183.10	H/V	Passed
5.	25.624973MHz	30.25	21.21	69.54	-39.29	1.00	292.70	H/V	Passed
6.	30MHz	30.04	22.04	40.00	-9.96	1.00	2.80	H/V	Passed

Overall Graphs:




J23220_W301#2_2.4G 802.11b_Ch 6_9kHz-30MHz_Parallel

12/11/2023 4:22:51 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.190086MHz	28.78	19.23	69.54	-40.76	1.00	296.10	H/V	Passed
2.	4.126924MHz	28.99	19.43	69.54	-40.55	1.00	213.30	H/V	Passed
3.	13.378327MHz	29.39	19.86	69.54	-40.15	1.00	230.50	H/V	Passed
4.	16.420706MHz	27.52	20.00	69.54	-42.02	1.00	16.00	H/V	Passed
5.	25.637829MHz	31.28	21.21	69.54	-38.26	1.00	39.50	H/V	Passed
6.	30MHz	29.76	22.04	40.00	-10.24	1.00	209.30	H/V	Passed

Overall Graphs:




J23220_W301#2_2.4G 802.11b_Ch 6_9kHz-30MHz_Perpendicular

12/11/2023 4:16:56 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.190086MHz	28.04	19.23	69.54	-41.50	1.00	0.10	H/V	Passed
2.	8.38197MHz	29.18	19.34	69.54	-40.36	1.00	358.00	H/V	Passed
3.	13.369757MHz	27.66	19.86	69.54	-41.88	1.00	108.60	H/V	Passed
4.	16.694949MHz	29.61	20.04	69.54	-39.93	1.00	212.20	H/V	Passed
5.	25.552128MHz	31.05	21.21	69.54	-38.49	1.00	346.90	H/V	Passed
6.	30MHz	29.03	22.04	40.00	-10.97	1.00	4.40	H/V	Passed

Overall Graphs:




J23220_W301#2_2.4G 802.11n_Ch 6_9kHz-30MHz_Ground-Parallel

12/11/2023 4:31:25 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.185801MHz	29.17	19.23	69.54	-40.37	1.00	107.00	H/V	Passed
2.	8.364829MHz	27.97	19.34	69.54	-41.57	1.00	117.70	H/V	Passed
3.	8.386255MHz	27.98	19.34	69.54	-41.56	1.00	17.90	H/V	Passed
4.	13.408322M Hz	28.22	19.86	69.54	-41.32	1.00	93.80	H/V	Passed
5.	25.654969M Hz	31.61	21.21	69.54	-37.93	1.00	98.20	H/V	Passed
6.	30MHz	29.51	22.04	40.00	-10.49	1.00	291.40	H/V	Passed

Overall Graphs:




J23220_W301#2_2.4G 802.11n_Ch 6_9kHz-30MHz_Parallel

12/11/2023 4:25:04 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.185801MHz	28.04	19.23	69.54	-41.50	1.00	168.50	H/V	Passed
2.	8.38197MHz	28.17	19.34	69.54	-41.37	1.00	66.00	H/V	Passed
3.	13.369757MHz	28.97	19.86	69.54	-40.57	1.00	358.90	H/V	Passed
4.	16.694949MHz	28.14	20.04	69.54	-41.40	1.00	157.00	H/V	Passed
5.	25.599263MHz	30.79	21.21	69.54	-38.75	1.00	341.30	H/V	Passed
6.	30MHz	28.35	22.04	40.00	-11.65	1.00	358.90	H/V	Passed

Overall Graphs:




J23220_W301#2_2.4G 802.11n_Ch 6_9kHz-30MHz_Perpendicular

12/11/2023 4:19:30 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.181516MHz	28.57	19.23	69.54	-40.97	1.00	310.00	H/V	Passed
2.	13.408322MHz	29.02	19.86	69.54	-40.52	1.00	238.60	H/V	Passed
3.	16.420706MHz	28.11	20.00	69.54	-41.43	1.00	259.80	H/V	Passed
4.	16.694949MHz	28.71	20.04	69.54	-40.83	1.00	109.90	H/V	Passed
5.	25.667824MHz	30.60	21.21	69.54	-38.94	1.00	281.70	H/V	Passed
6.	30MHz	30.83	22.04	40.00	-9.17	1.00	46.50	H/V	Passed

Overall Graphs:





J23220_W301#2_2.4G_802.11b_1Mbps_Ch 6_30MHz-1GHz

12/11/2023 9:54:28 AM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	374.99794MHz	37.99	-10.12	46.00	-8.01	1.00	295.30	Vertical	Passed
2.	920.05589MHz	37.72	-1.35	46.00	-8.28	1.00	251.60	Vertical	Passed
3.	925.87623MHz	37.46	-1.35	46.00	-8.54	1.00	251.60	Vertical	Passed
4.	934.89205MHz	37.73	-1.32	46.00	-8.27	1.00	251.60	Vertical	Passed
5.	937.57398MHz	37.73	-1.32	46.00	-8.27	1.50	274.30	Vertical	Passed
6.	66.862168MHz	32.65	-17.03	40.00	-7.35	2.50	228.20	Horizontal	Passed

Overall Graphs:







J23220_W301#2_2.4G_802.11n_MCS0_Ch 6_30MHz-1GHz

12/11/2023 10:05:57 AM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	374.99794MHz	38.56	-10.12	46.00	-7.44	1.00	301.70	Vertical	Passed
2.	937.57398MHz	39.57	-1.32	46.00	-6.43	1.00	314.10	Vertical	Passed
3.	67.033355MHz	33.23	-16.96	40.00	-6.77	2.50	216.00	Horizontal	Passed
4.	215.96564MHz	33.35	-13.90	43.50	-10.15	1.00	0.60	Horizontal	Passed
5.	264.012MHz	37.94	-12.29	46.00	-8.06	1.00	14.80	Horizontal	Passed
6.	312.00129MHz	37.62	-10.89	46.00	-8.38	1.00	11.80	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11b_1Mbps_Ch 1_1-18GHz

12/12/2023 5:41:00 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.4115415GHz	53.61	-1.66	74.00	-20.39	2.00	321.00	Vertical	Passed
2.	3.7250801GHz	47.97	2.38	74.00	-26.03	2.00	231.50	Vertical	Passed
3.	17.9985GHz	54.77	20.07	74.00	-19.23	2.50	350.60	Vertical	Passed
4.	2.4115415GHz	51.74	-1.62	74.00	-22.26	2.00	50.00	Horizontal	Passed
5.	4.8241125GHz	48.03	4.72	74.00	-25.97	1.50	72.90	Horizontal	Passed
6.	17.994GHz	53.16	19.89	74.00	-20.84	3.00	356.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
3.	2.4115415GHz	32.47	-1.62	54.00	-21.53	2.00	50.00	Horizontal	Passed
4.	4.8236125GHz	45.33	4.71	54.00	-8.67	1.00	345.30	Horizontal	Passed
5.	17.9905GHz	41.29	19.79	54.00	-12.71	3.00	219.10	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11b_1Mbps_Ch 6_1-18GHz

12/12/2023 6:00:59 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.4360422GHz	50.86	-1.63	74.00	-23.14	3.50	314.20	Vertical	Passed
2.	4.8741139GHz	47.44	4.92	74.00	-26.56	1.50	267.00	Vertical	Passed
3.	17.967499GHz	54.33	19.41	74.00	-19.67	1.50	46.80	Vertical	Passed
4.	2.4380423GHz	50.99	-1.37	74.00	-23.01	1.50	37.10	Horizontal	Passed
5.	4.8741139GHz	48.83	4.87	74.00	-25.17	1.50	313.20	Horizontal	Passed
6.	17.9895GHz	53.53	19.76	74.00	-20.47	4.00	355.60	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
6.	2.4360422GHz	43.22	-1.63	54.00	-10.78	3.50	314.20	Vertical	Passed
7.	4.8741139GHz	46.61	4.92	54.00	-7.39	1.50	267.00	Vertical	Passed
8.	17.947998GHz	40.95	19.18	54.00	-13.05	1.50	0.10	Vertical	Passed
9.	2.4360422GHz	33.12	-1.38	54.00	-20.88	4.00	0.10	Horizontal	Passed
10.	4.8741139GHz	46.55	4.87	54.00	-7.45	1.50	313.20	Horizontal	Passed
11.	17.947998GHz	40.97	19.10	54.00	-13.03	1.50	339.90	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11b_1Mbps_Ch 11_1-18GHz


12/12/2023 6:23:55 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.461043GHz	45.14	-1.42	74.00	-28.86	2.00	328.40	Vertical	Passed
2.	14.749904GHz	51.58	15.22	74.00	-22.42	1.50	108.30	Vertical	Passed
3.	17.960999GHz	53.27	19.34	74.00	-20.73	2.50	321.70	Vertical	Passed
4.	2.462043GHz	45.33	-1.31	74.00	-28.67	2.50	144.80	Horizontal	Passed
5.	4.9241154GHz	46.73	4.94	74.00	-27.27	1.50	324.50	Horizontal	Passed
6.	17.992GHz	52.95	19.83	74.00	-21.05	1.50	20.60	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.461043GHz	43.70	-1.42	54.00	-10.30	2.00	328.40	Vertical	Passed
2.	4.9236154GHz	43.44	4.94	54.00	-10.56	1.50	232.80	Vertical	Passed
3.	17.9885GHz	41.05	19.79	54.00	-12.95	3.50	0.00	Vertical	Passed
4.	2.461043GHz	43.79	-1.32	54.00	-10.21	2.00	359.90	Horizontal	Passed
5.	4.9236154GHz	44.26	4.94	54.00	-9.74	1.00	61.20	Horizontal	Passed
6.	17.9885GHz	41.00	19.73	54.00	-13.00	3.50	322.90	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_MCS0_Ch 6_1-18GHz


12/12/2023 7:07:51 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.4320421GHz	49.96	-1.67	74.00	-24.04	3.50	359.90	Vertical	Passed
2.	17.989GHz	53.68	19.80	74.00	-20.32	4.00	359.90	Vertical	Passed
3.	2.2185358GHz	37.46	-2.48	74.00	-36.54	1.50	56.80	Horizontal	Passed
4.	2.4300421GHz	48.72	-1.42	74.00	-25.28	1.00	33.30	Horizontal	Passed
5.	11.899821GHz	49.08	12.39	74.00	-24.92	3.00	213.80	Horizontal	Passed
6.	17.9945GHz	53.04	19.90	74.00	-20.96	3.50	270.00	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4320421GHz	46.25	-1.67	54.00	-7.75	3.50	359.90	Vertical	Passed
2.	6.4986617GHz	41.65	7.02	54.00	-12.35	1.00	243.10	Vertical	Passed
3.	17.9945GHz	41.31	19.96	54.00	-12.69	3.50	359.90	Vertical	Passed
4.	2.2280361GHz	33.89	-2.42	54.00	-20.11	1.00	105.10	Horizontal	Passed
5.	2.4320421GHz	46.52	-1.41	54.00	-7.48	1.50	243.00	Horizontal	Passed
6.	17.9945GHz	41.34	19.90	54.00	-12.66	3.50	270.00	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_MCS0_Ch 11_1-18GHz


12/12/2023 7:24:00 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.4570429GHz	42.67	-1.45	74.00	-31.33	1.00	328.70	Vertical	Passed
2.	3.5900762GHz	42.82	1.78	74.00	-31.18	1.00	285.10	Vertical	Passed
3.	17.924998GHz	53.12	18.87	74.00	-20.88	1.00	39.90	Vertical	Passed
4.	2.4580429GHz	43.12	-1.33	74.00	-30.88	1.00	31.70	Horizontal	Passed
5.	2.5730463GHz	37.01	-0.74	74.00	-36.99	1.50	47.50	Horizontal	Passed
6.	17.965999GHz	52.94	19.32	74.00	-21.06	1.00	76.00	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.1850349GHz	33.03	-2.54	54.00	-20.97	1.50	359.90	Vertical	Passed
2.	2.460543GHz	39.39	-1.42	54.00	-14.61	3.50	72.10	Vertical	Passed
3.	2.5730463GHz	33.82	-0.53	54.00	-20.18	1.50	359.90	Vertical	Passed
4.	17.858496GHz	39.96	18.30	54.00	-14.04	3.50	359.90	Vertical	Passed
5.	2.4570429GHz	40.24	-1.33	54.00	-13.76	1.00	31.70	Horizontal	Passed
6.	17.858496GHz	39.88	18.19	54.00	-14.12	3.50	194.10	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_40MHz_Ch 3_1-18GHz


2/2/2024 11:06:54 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.4075414GHz	47.64	-1.72	74.00	-26.36	3.50	285.40	Vertical	Passed
2.	17.918498GHz	53.93	19.47	74.00	-20.07	4.00	1.70	Vertical	Passed
3.	2.4065414GHz	47.11	-1.72	74.00	-26.89	2.50	242.70	Horizontal	Passed
4.	6.4586605GHz	44.87	6.54	74.00	-29.13	1.00	309.80	Horizontal	Passed
5.	15.734433GHz	50.92	15.00	74.00	-23.08	2.50	127.20	Horizontal	Passed
6.	17.951499GHz	54.27	19.57	74.00	-19.73	3.50	207.50	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4065414GHz	43.81	-1.72	54.00	-10.19	2.50	359.90	Vertical	Passed
2.	17.950999GHz	51.01	19.66	54.00	-2.99	2.50	359.90	Vertical	Passed
3.	2.2445366GHz	37.51	-2.43	54.00	-16.49	1.00	184.80	Horizontal	Passed
4.	2.4065414GHz	43.81	-1.72	54.00	-10.19	2.50	242.70	Horizontal	Passed
5.	6.4586605GHz	43.36	6.54	54.00	-10.64	1.00	309.80	Horizontal	Passed
6.	17.950999GHz	50.92	19.57	54.00	-3.08	2.50	55.80	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_40MHz_Ch 9_1-18GHz


2/2/2024 11:26:10 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.4440425GHz	44.27	-1.62	74.00	-29.73	3.50	286.30	Vertical	Passed
2.	17.9945GHz	54.07	20.07	74.00	-19.93	2.50	204.20	Vertical	Passed
3.	2.2075355GHz	38.52	-2.67	74.00	-35.48	1.50	252.40	Horizontal	Passed
4.	2.4425424GHz	43.72	-1.41	74.00	-30.28	2.00	284.90	Horizontal	Passed
5.	2.4530427GHz	42.83	-1.40	74.00	-31.17	1.50	152.90	Horizontal	Passed
6.	17.957999GHz	53.11	19.60	74.00	-20.89	2.50	225.20	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4420424GHz	39.83	-1.64	54.00	-14.17	3.50	286.30	Vertical	Passed
2.	6.5386629GHz	42.11	7.10	54.00	-11.89	3.00	286.60	Vertical	Passed
3.	17.963999GHz	50.45	19.71	54.00	-3.55	1.50	89.50	Vertical	Passed
4.	2.4405424GHz	40.29	-1.41	54.00	-13.71	1.00	230.50	Horizontal	Passed
5.	6.5386629GHz	42.36	7.03	54.00	-11.64	1.00	283.50	Horizontal	Passed
6.	17.961999GHz	50.65	19.62	54.00	-3.35	4.00	321.90	Horizontal	Passed

Overall Graphs:






Check_J23220_W301#2_2.4G_802.11n_MCS0_Ch 1_1-18GHz


12/12/2023 6:42:48 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.4110415GHz	53.40	-1.66	74.00	-20.60	2.50	225.10	Vertical	Passed
2.	4.8236125GHz	46.52	4.68	74.00	-27.48	1.00	257.80	Vertical	Passed
3.	17.936498GHz	52.91	19.03	74.00	-21.09	1.00	257.80	Vertical	Passed
4.	2.4115415GHz	52.29	-1.62	74.00	-21.71	1.50	124.10	Horizontal	Passed
5.	4.8241125GHz	47.07	4.72	74.00	-26.93	1.50	294.80	Horizontal	Passed
6.	17.944498GHz	53.17	19.05	74.00	-20.83	1.00	122.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4110415GHz	49.11	-1.66	54.00	-4.89	2.50	225.10	Vertical	Passed
2.	4.8236125GHz	45.19	4.68	54.00	-8.81	1.00	257.80	Vertical	Passed
3.	17.967999GHz	40.72	19.42	54.00	-13.28	3.50	0.10	Vertical	Passed
4.	2.4110415GHz	29.96	-1.63	54.00	-24.04	4.00	0.10	Horizontal	Passed
5.	4.8236125GHz	45.23	4.71	54.00	-8.77	1.50	330.60	Horizontal	Passed
6.	17.967999GHz	40.65	19.34	54.00	-13.35	3.50	148.90	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11b_1Mbps_Ch 6_18-27.5GHz


12/26/2023 1:14:01 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	26.731412GHz	49.36	1.67	74.00	-24.64	2.21	224.90	Vertical	Passed
2.	18.793765GHz	49.98	-1.05	74.00	-24.02	2.08	202.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	18.790915GHz	46.66	-1.03	54.00	-7.34	2.20	67.40	Vertical	Passed
2.	27.435872GHz	46.48	1.74	54.00	-7.52	2.63	247.40	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_MCS0_Ch 6_18-27.5GHz


12/26/2023 1:33:53 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	18.703985GHz	49.67	-0.88	74.00	-24.33	3.57	0.10	Vertical	Passed
2.	26.724286GHz	49.56	1.62	74.00	-24.44	2.63	90.00	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	27.331842GHz	45.90	1.68	54.00	-8.10	3.97	247.50	Vertical	Passed
2.	26.747562GHz	45.94	1.70	54.00	-8.06	1.21	292.60	Horizontal	Passed

Overall Graphs:





J23220_W301#2_2.4G_802.11n_MCS0_40MHz_Ch 3_18-27.5GHz

12/26/2023 2:54:24 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	19.790365GHz	48.62	-1.89	74.00	-25.38	3.30	67.40	Vertical	Passed
2.	26.704335GHz	48.93	1.46	74.00	-25.07	1.00	134.90	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	26.767513GHz	46.03	1.54	54.00	-7.97	2.32	337.40	Vertical	Passed
2.	26.045002GHz	45.89	0.59	54.00	-8.11	1.75	314.90	Horizontal	Passed

Overall Graphs:

