


Additional Label Specifications

Listed below are the requirements and specifications that need to be fulfilled for the product label in order to be approved from R&D for mass production:

1. Content on label as in label specification
2. Label should be clearly readable, i.e. all letters are printed visibly and QR code should be big enough so that scanning is easy
3. Entire label print should be on the label, i.e. no letters cut off etc.
4. Label should be placed with equal distance to RF shield's borders. Distance to RF shield edge on length to be 1 mm, +/- 0.5 mm, and 1.15 mm, +/- 0.5 mm on width




5. Label should be placed as depicted in picture below (i.e. with antenna on right side)



PRODUCT XXX-XXXX	SOFTWARE VERS. SW: XXXX	
PACKED DATE XXXX-XX-XX XX:XX:XX	QUANTITY XXX	US Patent 7,432,803

XXXXXX (serial number)



FCC ID: XRSTIMOMWAN201
IC ID: 8879A-TIMOMWAN201



EUROSTAR DY106
EMI SHIELDING BAGS
MOISTURE TRIGGER
S BAG CONTAINS MOISTURE SENSITIVE DEVICES
16020131

PRODUCT 200-2019	SOFTWARE VERS. 1.0.0.2
PACKED DATE 2019-08-02	QUANTITY 400 pcs
	US Patent 7,432,863
B102432819142	



FCC ID: XRS1TIMOMWA201
IC ID: 8B79A-TIMOMWA201



lumenradio