

承 認 書

APPROVAL SHEET

CUSTOMER: 其他

CUSTOMER MODEL NO.:

JOYMAX MODEL NO.: GWX-241XRSXX-999

DESCRIPTION #241X Replacement Antenna

REV.: 00

DATE 2009/7/31

Antenna Gain :0 dBi
Antenna Type : Dipole

Customer Approval

Joymax Approval



Index.

Item

1. Drawing

2. Test report

- Electrical test
-

3. Specification

- Connector
-

4. Packing

- PE Bag
 - Carton
-

Modification History:

Rev.	Date	Content
00	2009/7/31	

4		3		2		1		
		REV	ZONE	DESCRIPTION	ECN NO.	ENG	APPROVED	DATE

F
F

E
E

D
D

C
C

B
B

A
A

Reverse SMA Plug

Electrical Properties	
Frequency Range	826~928 MHz
Impedance	50Ω
V.S.W.R.	≤2.0
Radiation	Omni
Gain	Unity
Polarization	Vertical
Mechanical Properties	
Whip	PU/TPE
Connector	BRASS
Weight	8.5 g (est)
Operating Temp	-20℃ ~ +65℃

UNLESS OTHERWISE SPECIFIED TOLERANCES ON: X ± 1 X.X ± 0.5 X.XX ± 0.25 ANG. ± 2.0° THIRD ANGLE PROJECTION	DRAWN BY: PENNY	MATERIAL:	TITLE : #241X Replacement Antenna
	DESIGNED BY: 陳銘偉	FINISH:	DRAW NO. :
	CHECKED BY: 廖信寬	SCALE: 1/1UNIT:mm	PART NO. : GWX-241XRSXX-999
	APPROVED BY: 萬執中	DATE: 2009/8/4	JOYMAX ELECTRONICS CO.,LTD.
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO JOYMAX AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		

4		3		2		1	
---	--	---	--	---	--	---	--

Model. **GWX-241XRSXX-999**

Test Report

Return loss/V.S.W.R

