











5.3.7 CONDUCTED RF SPURIOUS EMISSION



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-29.77	-27	Pass
NVNT	a	5785	Ant1	-30.91	-27	Pass
NVNT	a	5825	Ant1	-31.14	-27	Pass
NVNT	n20	5745	Ant1	-29.27	-27	Pass
NVNT	n20	5785	Ant1	-31.19	-27	Pass
NVNT	n20	5825	Ant1	-30.94	-27	Pass
NVNT	n40	5755	Ant1	-30.88	-27	Pass
NVNT	n40	5795	Ant1	-30.3	-27	Pass
NVNT	ac20	5745	Ant1	-31.38	-27	Pass
NVNT	ac20	5785	Ant1	-30.49	-27	Pass
NVNT	ac20	5825	Ant1	-30.02	-27	Pass
NVNT	ac40	5755	Ant1	-30.87	-27	Pass
NVNT	ac40	5795	Ant1	-29.93	-27	Pass
NVNT	ac80	5775	Ant1	-29.85	-27	Pass



Note: This test has increased antenna gain .



















5.4 5.8G WIFI-BATTERY2

5.4.1 MAXIMUM CONDUCTED OUTPUT POWER

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	10.93	30	Pass
NVNT	a	5785	Ant1	11.57	30	Pass
NVNT	a	5825	Ant1	10.8	30	Pass
NVNT	n20	5745	Ant1	11	30	Pass
NVNT	n20	5785	Ant1	11.68	30	Pass
NVNT	n20	5825	Ant1	10.73	30	Pass
NVNT	n40	5755	Ant1	10.87	30	Pass
NVNT	n40	5795	Ant1	11.51	30	Pass
NVNT	ac20	5745	Ant1	10.68	30	Pass
NVNT	ac20	5785	Ant1	11.35	30	Pass
NVNT	ac20	5825	Ant1	10.78	30	Pass
NVNT	ac40	5755	Ant1	11.32	30	Pass
NVNT	ac40	5795	Ant1	10.53	30	Pass
NVNT	ac80	5775	Ant1	11.25	30	Pass

END OF REPORT