



Report No.: SEWM2211000265RG02

Rev.: 01

Page: 1 of 12

Appendix B.18

NR Band n2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	LIMIT (dBm)	Verdict
N2	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	23.36	25.29	33	PASS
N2	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	23.38	25.31	33	PASS
N2	15	5	DFT-PI2BPSK	L	Outer_Full	22.89	24.82	33	PASS
N2	15	5	DFT-QPSK	L	Inner_1RB_Left	23.53	25.46	33	PASS
N2	15	5	DFT-QPSK	L	Inner_1RB_Right	23.29	25.22	33	PASS
N2	15	5	DFT-QPSK	L	Outer_Full	22.39	24.32	33	PASS
N2	15	5	DFT-16QAM	L	Inner_1RB_Left	22.53	24.46	33	PASS
N2	15	5	DFT-16QAM	L	Inner_1RB_Right	22.52	24.45	33	PASS
N2	15	5	DFT-16QAM	L	Outer_Full	21.52	23.45	33	PASS
N2	15	5	DFT-64QAM	L	Inner_1RB_Left	20.99	22.92	33	PASS
N2	15	5	DFT-64QAM	L	Inner_1RB_Right	20.89	22.82	33	PASS
N2	15	5	DFT-64QAM	L	Outer_Full	20.93	22.86	33	PASS
N2	15	5	DFT-256QAM	L	Inner_1RB_Left	19.2	21.13	33	PASS
N2	15	5	DFT-256QAM	L	Inner_1RB_Right	19.16	21.09	33	PASS
N2	15	5	DFT-256QAM	L	Outer_Full	19.05	20.98	33	PASS
N2	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	23.35	25.28	33	PASS
N2	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	23.37	25.3	33	PASS
N2	15	5	DFT-PI2BPSK	M	Outer_Full	22.86	24.79	33	PASS
N2	15	5	DFT-QPSK	M	Inner_1RB_Left	23.53	25.46	33	PASS
N2	15	5	DFT-QPSK	M	Inner_1RB_Right	23.38	25.31	33	PASS
N2	15	5	DFT-QPSK	M	Outer_Full	22.4	24.33	33	PASS
N2	15	5	DFT-16QAM	M	Inner_1RB_Left	22.48	24.41	33	PASS
N2	15	5	DFT-16QAM	M	Inner_1RB_Right	22.52	24.45	33	PASS
N2	15	5	DFT-16QAM	M	Outer_Full	21.47	23.4	33	PASS
N2	15	5	DFT-64QAM	M	Inner_1RB_Left	20.9	22.83	33	PASS
N2	15	5	DFT-64QAM	M	Inner_1RB_Right	21	22.93	33	PASS
N2	15	5	DFT-64QAM	M	Outer_Full	20.88	22.81	33	PASS
N2	15	5	DFT-256QAM	M	Inner_1RB_Left	19.08	21.01	33	PASS
N2	15	5	DFT-256QAM	M	Inner_1RB_Right	19.1	21.03	33	PASS
N2	15	5	DFT-256QAM	M	Outer_Full	19.03	20.96	33	PASS
N2	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	23.06	24.99	33	PASS
N2	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.01	24.94	33	PASS



Report No.: SEWM2211000265RG02

Rev.: 01

Page: 3 of 12

N2	15	5	DFT-PI2BPSK	H	Outer_Full	22.6	24.53	33	PASS
N2	15	5	DFT-QPSK	H	Inner_1RB_Left	23.08	25.01	33	PASS
N2	15	5	DFT-QPSK	H	Inner_1RB_Right	23.11	25.04	33	PASS
N2	15	5	DFT-QPSK	H	Outer_Full	22.15	24.08	33	PASS
N2	15	5	DFT-16QAM	H	Inner_1RB_Left	22.25	24.18	33	PASS
N2	15	5	DFT-16QAM	H	Inner_1RB_Right	22.28	24.21	33	PASS
N2	15	5	DFT-16QAM	H	Outer_Full	21.19	23.12	33	PASS
N2	15	5	DFT-64QAM	H	Inner_1RB_Left	20.67	22.6	33	PASS
N2	15	5	DFT-64QAM	H	Inner_1RB_Right	20.72	22.65	33	PASS
N2	15	5	DFT-64QAM	H	Outer_Full	20.65	22.58	33	PASS
N2	15	5	DFT-256QAM	H	Inner_1RB_Left	18.79	20.72	33	PASS
N2	15	5	DFT-256QAM	H	Inner_1RB_Right	18.83	20.76	33	PASS
N2	15	5	DFT-256QAM	H	Outer_Full	18.8	20.73	33	PASS
N2	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	23.23	25.16	33	PASS
N2	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	23.24	25.17	33	PASS
N2	15	10	DFT-PI2BPSK	L	Outer_Full	22.75	24.68	33	PASS
N2	15	10	DFT-QPSK	L	Inner_1RB_Left	23.43	25.36	33	PASS
N2	15	10	DFT-QPSK	L	Inner_1RB_Right	23.24	25.17	33	PASS
N2	15	10	DFT-QPSK	L	Outer_Full	22.28	24.21	33	PASS
N2	15	10	DFT-16QAM	L	Inner_1RB_Left	22.43	24.36	33	PASS
N2	15	10	DFT-16QAM	L	Inner_1RB_Right	22.39	24.32	33	PASS
N2	15	10	DFT-16QAM	L	Outer_Full	21.29	23.22	33	PASS
N2	15	10	DFT-64QAM	L	Inner_1RB_Left	20.86	22.79	33	PASS
N2	15	10	DFT-64QAM	L	Inner_1RB_Right	20.88	22.81	33	PASS
N2	15	10	DFT-64QAM	L	Outer_Full	20.67	22.6	33	PASS
N2	15	10	DFT-256QAM	L	Inner_1RB_Left	18.85	20.78	33	PASS
N2	15	10	DFT-256QAM	L	Inner_1RB_Right	18.56	20.49	33	PASS
N2	15	10	DFT-256QAM	L	Outer_Full	18.44	20.37	33	PASS
N2	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	23.16	25.09	33	PASS
N2	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	23.27	25.2	33	PASS
N2	15	10	DFT-PI2BPSK	M	Outer_Full	22.61	24.54	33	PASS
N2	15	10	DFT-QPSK	M	Inner_1RB_Left	23.31	25.24	33	PASS
N2	15	10	DFT-QPSK	M	Inner_1RB_Right	23.32	25.25	33	PASS
N2	15	10	DFT-QPSK	M	Outer_Full	22.16	24.09	33	PASS
N2	15	10	DFT-16QAM	M	Inner_1RB_Left	22.38	24.31	33	PASS
N2	15	10	DFT-16QAM	M	Inner_1RB_Right	22.44	24.37	33	PASS
N2	15	10	DFT-16QAM	M	Outer_Full	21.2	23.13	33	PASS
N2	15	10	DFT-64QAM	M	Inner_1RB_Left	20.74	22.67	33	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2211000265RG02

Rev.: 01

Page: 4 of 12

N2	15	10	DFT-64QAM	M	Inner_1RB_Right	20.96	22.89	33	PASS
N2	15	10	DFT-64QAM	M	Outer_Full	20.62	22.55	33	PASS
N2	15	10	DFT-256QAM	M	Inner_1RB_Left	18.97	20.9	33	PASS
N2	15	10	DFT-256QAM	M	Inner_1RB_Right	19.01	20.94	33	PASS
N2	15	10	DFT-256QAM	M	Outer_Full	18.79	20.72	33	PASS
N2	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	22.99	24.92	33	PASS
N2	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	23.05	24.98	33	PASS
N2	15	10	DFT-PI2BPSK	H	Outer_Full	23.21	25.14	33	PASS
N2	15	10	DFT-QPSK	H	Inner_1RB_Left	23.17	25.1	33	PASS
N2	15	10	DFT-QPSK	H	Inner_1RB_Right	23.07	25	33	PASS
N2	15	10	DFT-QPSK	H	Outer_Full	21.97	23.9	33	PASS
N2	15	10	DFT-16QAM	H	Inner_1RB_Left	22.15	24.08	33	PASS
N2	15	10	DFT-16QAM	H	Inner_1RB_Right	22.21	24.14	33	PASS
N2	15	10	DFT-16QAM	H	Outer_Full	21	22.93	33	PASS
N2	15	10	DFT-64QAM	H	Inner_1RB_Left	20.56	22.49	33	PASS
N2	15	10	DFT-64QAM	H	Inner_1RB_Right	20.72	22.65	33	PASS
N2	15	10	DFT-64QAM	H	Outer_Full	20.44	22.37	33	PASS
N2	15	10	DFT-256QAM	H	Inner_1RB_Left	18.73	20.66	33	PASS
N2	15	10	DFT-256QAM	H	Inner_1RB_Right	18.83	20.76	33	PASS
N2	15	10	DFT-256QAM	H	Outer_Full	18.56	20.49	33	PASS
N2	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	23.34	25.27	33	PASS
N2	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	23.33	25.26	33	PASS
N2	15	15	DFT-PI2BPSK	L	Outer_Full	22.86	24.79	33	PASS
N2	15	15	DFT-QPSK	L	Inner_1RB_Left	23.3	25.23	33	PASS
N2	15	15	DFT-QPSK	L	Inner_1RB_Right	23.33	25.26	33	PASS
N2	15	15	DFT-QPSK	L	Outer_Full	22.45	24.38	33	PASS
N2	15	15	DFT-16QAM	L	Inner_1RB_Left	22.47	24.4	33	PASS
N2	15	15	DFT-16QAM	L	Inner_1RB_Right	22.41	24.34	33	PASS
N2	15	15	DFT-16QAM	L	Outer_Full	21.42	23.35	33	PASS
N2	15	15	DFT-64QAM	L	Inner_1RB_Left	21.01	22.94	33	PASS
N2	15	15	DFT-64QAM	L	Inner_1RB_Right	20.91	22.84	33	PASS
N2	15	15	DFT-64QAM	L	Outer_Full	20.95	22.88	33	PASS
N2	15	15	DFT-256QAM	L	Inner_1RB_Left	19.08	21.01	33	PASS
N2	15	15	DFT-256QAM	L	Inner_1RB_Right	19.1	21.03	33	PASS
N2	15	15	DFT-256QAM	L	Outer_Full	19.01	20.94	33	PASS
N2	15	15	DFT-PI2BPSK	M	Inner_1RB_Left	23.47	25.4	33	PASS
N2	15	15	DFT-PI2BPSK	M	Inner_1RB_Right	23.58	25.51	33	PASS
N2	15	15	DFT-PI2BPSK	M	Outer_Full	22.34	24.27	33	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set forth therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2211000265RG02

Rev.: 01

Page: 5 of 12

N2	15	15	DFT-QPSK	M	Inner_1RB_Left	23.43	25.36	33	PASS
N2	15	15	DFT-QPSK	M	Inner_1RB_Right	23.6	25.53	33	PASS
N2	15	15	DFT-QPSK	M	Outer_Full	22.34	24.27	33	PASS
N2	15	15	DFT-16QAM	M	Inner_1RB_Left	22.4	24.33	33	PASS
N2	15	15	DFT-16QAM	M	Inner_1RB_Right	22.55	24.48	33	PASS
N2	15	15	DFT-16QAM	M	Outer_Full	21.32	23.25	33	PASS
N2	15	15	DFT-64QAM	M	Inner_1RB_Left	20.83	22.76	33	PASS
N2	15	15	DFT-64QAM	M	Inner_1RB_Right	20.94	22.87	33	PASS
N2	15	15	DFT-64QAM	M	Outer_Full	20.83	22.76	33	PASS
N2	15	15	DFT-256QAM	M	Inner_1RB_Left	18.99	20.92	33	PASS
N2	15	15	DFT-256QAM	M	Inner_1RB_Right	19.11	21.04	33	PASS
N2	15	15	DFT-256QAM	M	Outer_Full	18.92	20.85	33	PASS
N2	15	15	DFT-PI2BPSK	H	Inner_1RB_Left	23.19	25.12	33	PASS
N2	15	15	DFT-PI2BPSK	H	Inner_1RB_Right	23.13	25.06	33	PASS
N2	15	15	DFT-PI2BPSK	H	Outer_Full	22.69	24.62	33	PASS
N2	15	15	DFT-QPSK	H	Inner_1RB_Left	23.18	25.11	33	PASS
N2	15	15	DFT-QPSK	H	Inner_1RB_Right	23.13	25.06	33	PASS
N2	15	15	DFT-QPSK	H	Outer_Full	22.19	24.12	33	PASS
N2	15	15	DFT-16QAM	H	Inner_1RB_Left	22.34	24.27	33	PASS
N2	15	15	DFT-16QAM	H	Inner_1RB_Right	22.3	24.23	33	PASS
N2	15	15	DFT-16QAM	H	Outer_Full	21.19	23.12	33	PASS
N2	15	15	DFT-64QAM	H	Inner_1RB_Left	20.84	22.77	33	PASS
N2	15	15	DFT-64QAM	H	Inner_1RB_Right	20.72	22.65	33	PASS
N2	15	15	DFT-64QAM	H	Outer_Full	20.7	22.63	33	PASS
N2	15	15	DFT-256QAM	H	Inner_1RB_Left	18.93	20.86	33	PASS
N2	15	15	DFT-256QAM	H	Inner_1RB_Right	18.96	20.89	33	PASS
N2	15	15	DFT-256QAM	H	Outer_Full	18.82	20.75	33	PASS
N2	15	20	DFT-PI2BPSK	L	Inner_1RB_Left	23.42	25.35	33	PASS
N2	15	20	DFT-PI2BPSK	L	Inner_1RB_Right	23.44	25.37	33	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	22.95	24.88	33	PASS
N2	15	20	DFT-QPSK	L	Inner_1RB_Left	23.6	25.53	33	PASS
N2	15	20	DFT-QPSK	L	Inner_1RB_Right	23.36	25.29	33	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	22.51	24.44	33	PASS
N2	15	20	DFT-16QAM	L	Inner_1RB_Left	22.58	24.51	33	PASS
N2	15	20	DFT-16QAM	L	Inner_1RB_Right	22.52	24.45	33	PASS
N2	15	20	DFT-16QAM	L	Outer_Full	21.52	23.45	33	PASS
N2	15	20	DFT-64QAM	L	Inner_1RB_Left	21.09	23.02	33	PASS
N2	15	20	DFT-64QAM	L	Inner_1RB_Right	21.01	22.94	33	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues contained therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2211000265RG02

Rev.: 01

Page: 6 of 12

N2	15	20	DFT-64QAM	L	Outer_Full	20.94	22.87	33	PASS
N2	15	20	DFT-256QAM	L	Inner_1RB_Left	19.16	21.09	33	PASS
N2	15	20	DFT-256QAM	L	Inner_1RB_Right	19.14	21.07	33	PASS
N2	15	20	DFT-256QAM	L	Outer_Full	19.11	21.04	33	PASS
N2	15	20	DFT-PI2BPSK	M	Inner_1RB_Left	23.26	25.19	33	PASS
N2	15	20	DFT-PI2BPSK	M	Inner_1RB_Right	23.33	25.26	33	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	22.75	24.68	33	PASS
N2	15	20	DFT-QPSK	M	Inner_1RB_Left	23.18	25.11	33	PASS
N2	15	20	DFT-QPSK	M	Inner_1RB_Right	23.36	25.29	33	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	22.32	24.25	33	PASS
N2	15	20	DFT-16QAM	M	Inner_1RB_Left	22.38	24.31	33	PASS
N2	15	20	DFT-16QAM	M	Inner_1RB_Right	22.51	24.44	33	PASS
N2	15	20	DFT-16QAM	M	Outer_Full	21.33	23.26	33	PASS
N2	15	20	DFT-64QAM	M	Inner_1RB_Left	20.85	22.78	33	PASS
N2	15	20	DFT-64QAM	M	Inner_1RB_Right	20.92	22.85	33	PASS
N2	15	20	DFT-64QAM	M	Outer_Full	20.76	22.69	33	PASS
N2	15	20	DFT-256QAM	M	Inner_1RB_Left	18.99	20.92	33	PASS
N2	15	20	DFT-256QAM	M	Inner_1RB_Right	19.06	20.99	33	PASS
N2	15	20	DFT-256QAM	M	Outer_Full	18.93	20.86	33	PASS
N2	15	20	DFT-PI2BPSK	H	Inner_1RB_Left	23.26	25.19	33	PASS
N2	15	20	DFT-PI2BPSK	H	Inner_1RB_Right	23.13	25.06	33	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	22.68	24.61	33	PASS
N2	15	20	DFT-QPSK	H	Inner_1RB_Left	23.41	25.34	33	PASS
N2	15	20	DFT-QPSK	H	Inner_1RB_Right	23.11	25.04	33	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	22.21	24.14	33	PASS
N2	15	20	DFT-16QAM	H	Inner_1RB_Left	22.38	24.31	33	PASS
N2	15	20	DFT-16QAM	H	Inner_1RB_Right	22.31	24.24	33	PASS
N2	15	20	DFT-16QAM	H	Outer_Full	21.25	23.18	33	PASS
N2	15	20	DFT-64QAM	H	Inner_1RB_Left	20.81	22.74	33	PASS
N2	15	20	DFT-64QAM	H	Inner_1RB_Right	20.73	22.66	33	PASS
N2	15	20	DFT-64QAM	H	Outer_Full	20.67	22.6	33	PASS
N2	15	20	DFT-256QAM	H	Inner_1RB_Left	18.93	20.86	33	PASS
N2	15	20	DFT-256QAM	H	Inner_1RB_Right	18.86	20.79	33	PASS
N2	15	20	DFT-256QAM	H	Outer_Full	18.86	20.79	33	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Field Strength of Spurious Radiation

Test Band = 5G NR N2_ TM1

Test Channel = Low

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3702.1800	40.43	-45.51	29.98	-70.36	-13.00	57.36	215	300	Horizontal
2	5553.2700	39.58	-45.15	32.97	-67.86	-13.00	54.86	136	360	Horizontal
3	7404.3600	39.07	-43.40	36.49	-63.10	-13.00	50.10	259	105	Horizontal
4	9255.4500	36.25	-40.23	38.38	-60.86	-13.00	47.86	145	271	Horizontal
5	11106.5400	32.58	-37.93	39.09	-61.52	-13.00	48.52	182	179	Horizontal
6	12957.6300	31.30	-37.24	39.79	-61.41	-13.00	48.41	155	120	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3702.1800	40.50	-45.51	29.98	-70.29	-13.00	57.29	255	179	Vertical
2	5553.2700	39.69	-45.15	32.97	-67.75	-13.00	54.75	142	255	Vertical
3	5553.75	39.69	-45.15	32.97	-67.75	-13.00	54.75	145	255	Vertical
4	7404.3600	38.95	-43.40	36.49	-63.22	-13.00	50.22	136	240	Vertical
5	9255.4500	35.35	-40.23	38.38	-61.76	-13.00	48.76	256	4	Vertical
6	11106.5400	33.18	-37.93	39.09	-60.92	-13.00	47.92	291	314	Vertical



Report No.: SEWM2211000265RG02

Rev.: 01

Page: 8 of 12

Test Band = 5G NR N2_ TM1
Test Channel = Mid
Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3742.1800	39.64	-45.68	30.12	-71.18	-13.00	58.18	165	46	Horizontal
2	5613.2700	39.43	-45.04	33.07	-67.80	-13.00	54.80	198	287	Horizontal
3	7484.3600	38.51	-43.18	36.45	-63.48	-13.00	50.48	148	242	Horizontal
4	9355.4500	35.03	-40.00	38.46	-61.78	-13.00	48.78	175	151	Horizontal
5	11226.5400	33.40	-37.40	39.11	-60.15	-13.00	47.15	125	359	Horizontal
6	13097.6300	31.15	-37.01	39.87	-61.24	-13.00	48.24	133	30	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3742.1800	39.81	-45.68	30.12	-71.01	-13.00	58.01	254	59	Vertical
2	5613.2700	39.58	-45.04	33.07	-67.65	-13.00	54.65	188	121	Vertical
3	7484.3600	38.11	-43.18	36.45	-63.88	-13.00	50.88	174	330	Vertical
4	9355.4500	34.91	-40.00	38.46	-61.90	-13.00	48.90	233	301	Vertical
5	11226.5400	32.71	-37.40	39.11	-60.84	-13.00	47.84	261	344	Vertical
6	13097.6300	31.42	-37.01	39.87	-60.97	-13.00	47.97	102	135	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Test Band = 5G NR N2_ TM1
Test Channel = High
Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3782.1800	41.13	-45.85	30.27	-69.71	-13.00	56.71	245	255	Horizontal
2	5673.2700	39.50	-44.91	33.29	-67.38	-13.00	54.38	186	240	Horizontal
3	7564.3600	37.28	-43.00	36.41	-64.58	-13.00	51.58	198	270	Horizontal
4	9455.4500	35.03	-40.05	38.48	-61.81	-13.00	48.81	215	104	Horizontal
5	11346.5400	32.06	-37.40	39.11	-61.49	-13.00	48.49	147	90	Horizontal
6	13237.6300	30.72	-37.08	39.96	-61.65	-13.00	48.65	126	30	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3782.1800	40.38	-45.85	30.27	-70.46	-13.00	57.46	245	359	Vertical
2	5673.2700	39.36	-44.91	33.29	-67.52	-13.00	54.52	168	343	Vertical
3	7564.3600	38.40	-43.00	36.41	-63.46	-13.00	50.46	159	4	Vertical
4	9455.4500	35.01	-40.05	38.48	-61.83	-13.00	48.83	192	14	Vertical
5	11346.5400	31.88	-37.40	39.11	-61.67	-13.00	48.67	172	357	Vertical
6	13237.6300	31.00	-37.08	39.96	-61.37	-13.00	48.37	144	209	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编：215000

t (86-512) 62992980 www.sgs.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2211000265RG02

Rev.: 01

Page: 10 of 12

Test Band = NR NSA 12A-N2A_ TM1
Test Channel = Low
Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3702.1800	40.93	-45.51	29.98	-69.86	-13.00	56.86	248	356	Horizontal
2	5553.2700	40.30	-45.15	32.97	-67.14	-13.00	54.14	159	237	Horizontal
3	7404.3600	39.63	-43.40	36.49	-62.54	-13.00	49.54	168	356	Horizontal
4	9255.4500	36.93	-40.23	38.38	-60.18	-13.00	47.18	175	284	Horizontal
5	11106.5400	33.76	-37.93	39.09	-60.34	-13.00	47.34	142	222	Horizontal
6	12957.6300	32.37	-37.24	39.79	-60.34	-13.00	47.34	166	222	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3702.1800	40.70	-45.51	29.98	-70.09	-13.00	57.09	287	0	Vertical
2	5553.2700	40.40	-45.15	32.97	-67.04	-13.00	54.04	148	13	Vertical
3	7404.3600	39.61	-43.40	36.49	-62.56	-13.00	49.56	165	99	Vertical
4	9255.4500	36.33	-40.23	38.38	-60.78	-13.00	47.78	133	313	Vertical
5	11106.5400	34.38	-37.93	39.09	-59.72	-13.00	46.72	254	5	Vertical
6	12957.6300	32.43	-37.24	39.79	-60.28	-13.00	47.28	185	40	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2211000265RG02

Rev.: 01

Page: 11 of 12

Test Band = NR NSA 12A-N2A_ TM1
Test Channel = Mid
Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3742.1800	41.00	-45.68	30.12	-69.82	-13.00	56.82	225	162	Horizontal
2	5613.2700	40.34	-45.04	33.07	-66.89	-13.00	53.89	111	1	Horizontal
3	7484.3600	38.88	-43.18	36.45	-63.11	-13.00	50.11	139	344	Horizontal
4	9355.4500	35.88	-40.00	38.46	-60.93	-13.00	47.93	291	71	Horizontal
5	11226.5400	34.28	-37.40	39.11	-59.27	-13.00	46.27	165	316	Horizontal
6	13097.6300	32.33	-37.01	39.87	-60.06	-13.00	47.06	170	330	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3742.1800	40.50	-45.68	30.12	-70.32	-13.00	57.32	245	1	Vertical
2	5613.2700	40.45	-45.04	33.07	-66.78	-13.00	53.78	156	116	Vertical
3	7484.3600	39.35	-43.18	36.45	-62.64	-13.00	49.64	211	6	Vertical
4	9355.4500	35.59	-40.00	38.46	-61.22	-13.00	48.22	175	2	Vertical
5	11226.5400	33.71	-37.40	39.11	-59.84	-13.00	46.84	148	2	Vertical
6	13097.6300	32.59	-37.01	39.87	-59.80	-13.00	46.80	126	285	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2211000265RG02
 Rev.: 01
 Page: 12 of 12

Test Band = NR NSA 12A-N2A_ TM1

Test Channel = High

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3782.1800	41.54	-45.85	30.27	-69.30	-13.00	56.30	266	346	Horizontal
2	5673.2700	40.42	-44.91	33.29	-66.46	-13.00	53.46	215	208	Horizontal
3	7564.3600	38.20	-43.00	36.41	-63.66	-13.00	50.66	188	99	Horizontal
4	9455.4500	35.38	-40.05	38.48	-61.46	-13.00	48.46	196	146	Horizontal
5	11346.5400	33.44	-37.40	39.11	-60.11	-13.00	47.11	235	163	Horizontal
6	13237.6300	31.75	-37.08	39.96	-60.62	-13.00	47.62	141	0	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3782.1800	41.62	-45.85	30.27	-69.22	-13.00	56.22	165	79	Vertical
2	5673.2700	39.42	-44.91	33.29	-67.46	-13.00	54.46	144	221	Vertical
3	7564.3600	38.83	-43.00	36.41	-63.03	-13.00	50.03	128	48	Vertical
4	9455.4500	35.71	-40.05	38.48	-61.13	-13.00	48.13	136	145	Vertical
5	11346.5400	33.52	-37.40	39.11	-60.03	-13.00	47.03	251	313	Vertical
6	13237.6300	31.34	-37.08	39.96	-61.03	-13.00	48.03	199	0	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

---End of Attachment---

