

Report No.: SEWM2211000265RG02

Rev.: Page: 1 of 7

# Appendix B.22

NR Band n14



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn



Report No.: SEWM2211000265RG02

Rev.: 01 Page: 2 of 7

### **Effective (Isotropic) Radiated Power Output Data for SA**

#### **Test Result**

Band	scs	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	ERP (dBm)	LIMIT	Verdict
N14	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	22	22.04	34.77	PASS
N14	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	21.9	21.94	34.77	PASS
N14	15	5	DFT-PI2BPSK	L	Outer_Full	21.47	21.51	34.77	PASS
N14	15	5	DFT-QPSK	L	Inner_1RB_Left	21.86	21.9	34.77	PASS
N14	15	5	DFT-QPSK	L	Inner_1RB_Right	21.81	21.85	34.77	PASS
N14	15	5	DFT-QPSK	L	Outer_Full	20.96	21	34.77	PASS
N14	15	5	DFT-16QAM	L	Inner_1RB_Left	20.97	21.01	34.77	PASS
N14	15	5	DFT-16QAM	L	Inner_1RB_Right	20.94	20.98	34.77	PASS
N14	15	5	DFT-16QAM	L	Outer_Full	19.95	19.99	34.77	PASS
N14	15	5	DFT-64QAM	L	Inner_1RB_Left	19.5	19.54	34.77	PASS
N14	15	5	DFT-64QAM	L	Inner_1RB_Right	19.32	19.36	34.77	PASS
N14	15	5	DFT-64QAM	L	Outer_Full	19.45	19.49	34.77	PASS
N14	15	5	DFT-256QAM	L	Inner_1RB_Left	17.64	17.68	34.77	PASS
N14	15	5	DFT-256QAM	L	Inner_1RB_Right	17.54	17.58	34.77	PASS
N14	15	5	DFT-256QAM	L	Outer_Full	17.62	17.66	34.77	PASS
N14	15	5	DFT-PI2BPSK	М	Inner_1RB_Left	21.95	21.99	34.77	PASS
N14	15	5	DFT-PI2BPSK	М	Inner_1RB_Right	21.78	21.82	34.77	PASS
N14	15	5	DFT-PI2BPSK	М	Outer_Full	21.37	21.41	34.77	PASS
N14	15	5	DFT-QPSK	М	Inner_1RB_Left	21.92	21.96	34.77	PASS
N14	15	5	DFT-QPSK	М	Inner_1RB_Right	21.75	21.79	34.77	PASS
N14	15	5	DFT-QPSK	М	Outer_Full	20.88	20.92	34.77	PASS
N14	15	5	DFT-16QAM	М	Inner_1RB_Left	20.96	21	34.77	PASS
N14	15	5	DFT-16QAM	М	Inner_1RB_Right	20.81	20.85	34.77	PASS
N14	15	5	DFT-16QAM	М	Outer_Full	19.86	19.9	34.77	PASS
N14	15	5	DFT-64QAM	М	Inner_1RB_Left	19.41	19.45	34.77	PASS
N14	15	5	DFT-64QAM	М	Inner_1RB_Right	19.36	19.4	34.77	PASS
N14	15	5	DFT-64QAM	М	Outer_Full	19.36	19.4	34.77	PASS
N14	15	5	DFT-256QAM	М	Inner_1RB_Left	17.58	17.62	34.77	PASS
N14	15	5	DFT-256QAM	М	Inner_1RB_Right	17.49	17.53	34.77	PASS
N14	15	5	DFT-256QAM	М	Outer_Full	17.51	17.55	34.77	PASS
N14	15	5	DFT-PI2BPSK	Н	Inner_1RB_Left	21.92	21.96	34.77	PASS
N14	15	5	DFT-PI2BPSK	Н	Inner_1RB_Right	21.89	21.93	34.77	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Felse-Pocument as <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interviton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample (s) tested and such sample (s) are retained find 30 systems therewise stated the results shown in this test report refer only to the sample (s) tested and such sample (s) are retained find 30 systems therefore the authenticity of testing /inspection report & certificate, please contact us at telephone: (88-755) 8307 1443, or email: CMD-Moscheck@ses.com</a>

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2211000265RG02

Rev.: 01 Page: 3 of 7

N14	15	5	DFT-PI2BPSK	Н	Outer_Full	20.98	21.02	34.77	PASS
N14	15	5	DFT-QPSK	Н	Inner_1RB_Left	21.81	21.85	34.77	PASS
N14	15	5	DFT-QPSK	Н	Inner_1RB_Right	21.86	21.9	34.77	PASS
N14	15	5	DFT-QPSK	Н	Outer_Full	20.82	20.86	34.77	PASS
N14	15	5	DFT-16QAM	Н	Inner_1RB_Left	20.85	20.89	34.77	PASS
N14	15	5	DFT-16QAM	Н	Inner_1RB_Right	20.89	20.93	34.77	PASS
N14	15	5	DFT-16QAM	Н	Outer_Full	19.82	19.86	34.77	PASS
N14	15	5	DFT-64QAM	Н	Inner_1RB_Left	19.3	19.34	34.77	PASS
N14	15	5	DFT-64QAM	Н	Inner_1RB_Right	19.47	19.51	34.77	PASS
N14	15	5	DFT-64QAM	Н	Outer_Full	19.33	19.37	34.77	PASS
N14	15	5	DFT-256QAM	Н	Inner_1RB_Left	17.45	17.49	34.77	PASS
N14	15	5	DFT-256QAM	Н	Inner_1RB_Right	17.62	17.66	34.77	PASS
N14	15	5	DFT-256QAM	Н	Outer_Full	17.46	17.5	34.77	PASS
N14	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	21.85	21.89	34.77	PASS
N14	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	21.86	21.9	34.77	PASS
N14	15	10	DFT-PI2BPSK	L	Outer_Full	21.09	21.13	34.77	PASS
N14	15	10	DFT-QPSK	L	Inner_1RB_Left	21.75	21.79	34.77	PASS
N14	15	10	DFT-QPSK	L	Inner_1RB_Right	21.77	21.81	34.77	PASS
N14	15	10	DFT-QPSK	L	Outer_Full	20.64	20.68	34.77	PASS
N14	15	10	DFT-16QAM	L	Inner_1RB_Left	20.82	20.86	34.77	PASS
N14	15	10	DFT-16QAM	L	Inner_1RB_Right	20.85	20.89	34.77	PASS
N14	15	10	DFT-16QAM	L	Outer_Full	19.69	19.73	34.77	PASS
N14	15	10	DFT-64QAM	L	Inner_1RB_Left	19.34	19.38	34.77	PASS
N14	15	10	DFT-64QAM	L	Inner_1RB_Right	19.41	19.45	34.77	PASS
N14	15	10	DFT-64QAM	L	Outer_Full	19.17	19.21	34.77	PASS
N14	15	10	DFT-256QAM	L	Inner_1RB_Left	17.51	17.55	34.77	PASS
N14	15	10	DFT-256QAM	L	Inner_1RB_Right	17.56	17.6	34.77	PASS
N14	15	10	DFT-256QAM	L	Outer_Full	17.22	17.26	34.77	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or flatisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Action. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (88-755)83071443, or email: CND-Oscheck@ess.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2211000265RG02

Rev.: 01 Page: 4 of 7

#### **Field Strength of Spurious Radiation**

Test Band = 5G NR N14\_10M\_ TM1 Test Channel = Mid

Final	Final Data List											
NO	Frequency	Reading	Factor	Λ Γ[dD/ma]	Level	Limit	Margin	Height	Angle	Dolovitu		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1577.1800	44.12	-48.29	25.38	-74.05	-40.00	34.05	236	292	Horizontal		
2	2365.7700	42.95	-47.47	27.42	-72.35	-13.00	59.35	256	35	Horizontal		
3	3154.3600	42.48	-46.50	29.61	-69.67	-13.00	56.67	145	144	Horizontal		
4	3942.9500	42.31	-46.22	30.67	-68.50	-13.00	55.50	129	264	Horizontal		
5	4731.5400	41.27	-45.75	32.11	-67.63	-13.00	54.63	185	264	Horizontal		
6	5520.1300	40.84	-45.17	32.93	-66.65	-13.00	53.65	147	210	Horizontal		

Final	Final Data List											
NO.	Frequency	Reading	Factor	A E[dP/m]	Level	Limit	Margin	Height	Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1577.1800	43.97	-48.29	25.38	-74.20	-40.00	34.20	245	122	Vertical		
2	2365.7700	43.47	-47.47	27.42	-71.83	-13.00	58.83	186	324	Vertical		
3	3154.3600	42.74	-46.50	29.61	-69.41	-13.00	56.41	126	242	Vertical		
4	3942.9500	42.07	-46.22	30.67	-68.74	-13.00	55.74	299	134	Vertical		
5	4731.5400	41.19	-45.75	32.11	-67.71	-13.00	54.71	174	310	Vertical		
6	5520.1300	41.09	-45.17	32.93	-66.40	-13.00	53.40	143	359	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Felse-Pocument as <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interviton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample (s) tested and such sample (s) are retained find 30 systems therewise stated the results shown in this test report refer only to the sample (s) tested and such sample (s) are retained find 30 systems therefore the authenticity of testing /inspection report & certificate, please contact us at telephone: (88-755) 8307 1443, or email: CMD-Moscheck@ses.com</a>



Report No.: SEWM2211000265RG02

Rev.: 01 Page: 5 of 7

#### Test Band = 5G NR N14\_5M\_ TM1 Test Channel = Low

Final Data List											
NO.	Frequency	Reading	Factor	Λ Γ[dD/ma]	Level	Limit	Margin	Height	Angle	Dalavita	
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity	
1	1576.6800	44.00	-48.29	25.38	-74.17	-40.00	34.17	254	333	Horizontal	
2	2365.0200	42.95	-47.47	27.42	-72.35	-13.00	59.35	195	6	Horizontal	
3	3153.3600	42.28	-46.50	29.60	-69.88	-13.00	56.88	136	199	Horizontal	
4	3941.7000	41.65	-46.22	30.66	-69.16	-13.00	56.16	251	0	Horizontal	
5	4730.0400	41.52	-45.75	32.11	-67.38	-13.00	54.38	145	117	Horizontal	
6	5518.3800	40.69	-45.16	32.93	-66.80	-13.00	53.80	188	90	Horizontal	

Final	Final Data List											
NO.	Frequency	Reading	Factor	A E[dP/m]	Level	Limit	Margin	Height	Angle	Polarity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1576.6800	44.07	-48.29	25.38	-74.10	-40.00	34.10	174	216	Vertical		
2	2365.0200	42.94	-47.47	27.42	-72.36	-13.00	59.36	158	360	Vertical		
3	3153.3600	42.38	-46.50	29.60	-69.78	-13.00	56.78	169	80	Vertical		
4	3941.7000	42.18	-46.22	30.66	-68.63	-13.00	55.63	192	296	Vertical		
5	4730.0400	41.77	-45.75	32.11	-67.13	-13.00	54.13	142	282	Vertical		
6	5518.3800	40.26	-45.16	32.93	-67.23	-13.00	54.23	133	133	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sc.ocm/en/Terms-and-Conditions.aspx.and,">http://www.sc.ocm/en/Terms-and-Conditions.aspx.and,</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sc.ocm/en/Terms-and-Conditions/frems-e-Document.aspx.">http://www.sc.ocm/en/Terms-and-Conditions/frems-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CAD Doccheck@sus.com</a>



Report No.: SEWM2211000265RG02

Rev.: 01 Page: 6 of 7

#### Test Band = 5G NR N14\_5M\_ TM1 Test Channel = Mid

Final	Final Data List											
NO	Frequency	Reading	Factor	A E [d D/m]	Level	Limit	Margin	Height	Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1581.6800	43.51	-48.29	25.37	-74.66	-40.00	34.66	211	293	Horizontal		
2	2372.5200	43.25	-47.46	27.43	-72.05	-13.00	59.05	154	347	Horizontal		
3	3163.3600	42.86	-46.46	29.62	-69.24	-13.00	56.24	126	24	Horizontal		
4	3954.2000	41.73	-46.21	30.69	-69.05	-13.00	56.05	136	225	Horizontal		
5	4745.0400	42.25	-45.73	32.15	-66.59	-13.00	53.59	259	197	Horizontal		
6	5535.8800	40.10	-45.19	32.95	-67.40	-13.00	54.40	191	132	Horizontal		

Final Data List											
NO.	Frequency	Reading	Factor	Λ Γ[dD/ma]	Level	Limit	Margin	Height	Angle	Dolovitu	
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity	
1	1581.6800	43.90	-48.29	25.37	-74.27	-40.00	34.27	247	161	Vertical	
2	2372.5200	43.07	-47.46	27.43	-72.23	-13.00	59.23	185	108	Vertical	
3	3163.3600	42.66	-46.46	29.62	-69.44	-13.00	56.44	169	243	Vertical	
4	3954.2000	41.68	-46.21	30.69	-69.10	-13.00	56.10	192	41	Vertical	
5	4745.0400	41.39	-45.73	32.15	-67.45	-13.00	54.45	142	310	Vertical	
6	5535.8800	40.94	-45.19	32.95	-66.56	-13.00	53.56	133	360	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sc.ocm/en/Terms-and-Conditions.aspx.and,">http://www.sc.ocm/en/Terms-and-Conditions.aspx.and,</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sc.ocm/en/Terms-and-Conditions/frems-e-Document.aspx.">http://www.sc.ocm/en/Terms-and-Conditions/frems-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CAD Doccheck@sus.com</a>



Report No.: SEWM2211000265RG02

Rev.: 01 Page: 7 of 7

## Test Band = 5G NR N14\_5M\_ TM1 Test Channel = High

Final	Final Data List											
NO	Frequency	Reading	Factor	Λ Γ[dD/ma]	Level	Limit	Margin	Height	Angle	Dolovity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1586.6800	44.18	-48.29	25.37	-74.00	-40.00	34.00	247	91	Horizontal		
2	2380.0200	43.27	-47.46	27.43	-72.02	-13.00	59.02	145	62	Horizontal		
3	3173.3600	42.87	-46.41	29.64	-69.16	-13.00	56.16	192	212	Horizontal		
4	3966.7000	42.51	-46.21	30.72	-68.24	-13.00	55.24	155	13	Horizontal		
5	4760.0400	40.87	-45.70	32.20	-67.89	-13.00	54.89	146	212	Horizontal		
6	5553.3800	40.58	-45.21	32.97	-66.92	-13.00	53.92	133	0	Horizontal		

Final	Final Data List											
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Polarity		
NO.	[MHz]	[dBµV]	[dB]	AF[ub/III]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1586.6800	44.45	-48.29	25.37	-73.73	-40.00	33.73	222	105	Vertical		
2	2380.0200	43.28	-47.46	27.43	-72.01	-13.00	59.01	145	172	Vertical		
3	3173.3600	42.63	-46.41	29.64	-69.40	-13.00	56.40	185	120	Vertical		
4	3966.7000	42.14	-46.21	30.72	-68.61	-13.00	55.61	136	295	Vertical		
5	4760.0400	41.47	-45.70	32.20	-67.29	-13.00	54.29	259	4	Vertical		
6	5553.3800	40.81	-45.21	32.97	-66.69	-13.00	53.69	191	360	Vertical		

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/T