

AquaSolv™ HOCl technology

Filters, Sterilizes, Smart Control



MADE IN CHINA



EPA Est. No. 99117-CHN-1 FDA Registered No. 3013851416

DERNIER & HAMLYN
Lifelabs

DERNIER & HAMLYN
Lifelabs

AquaSolv™ Eco Ambient Air Sterilizer (Wi-Fi Enabled)

INSTRUCTION MANUAL

AAHE-50WC04C



www.DHLifelabs.com



Table of Contents

Introduction	1
Safety Instructions	2
Product Overview	4
How It Works	4
Product Specifications	5
Unpacking and Setup	6
Operation Instructions	7
Using the Remote Control	10
Using Wi-Fi & AiLivin App	11
Filter Replacement	13
Troubleshooting	14
Customer Service	15
Product Warranty	15

Introduction

Thank you for purchasing the AquaSolvo Eco Ambient Air Sterilizer. This device incorporates a 4-in-1 high efficiency particulate air (HEPA) filter with a hypochlorous acid (HOCl) generator to sterilize the air. It can efficiently filter indoor air, removing particulate matter with a diameter of less than 2.5 microns (PM2.5). It can also absorb harmful chemicals such as formaldehyde, smoke, volatile organic compounds (VOCs) and other harmful gases. The AquaSolvo Eco Ambient Air Sterilizer is a comprehensive solution to remove the contaminants from the air you breathe.

When you are shopping for an air purifier, it is recommended to:

A. Refer to the suggested room size; and
B. Refer to the tobacco smoke, dust, and pollen Clean Air Delivery Rate (CADR) ratings/numbers, developed by the Association of Home Appliance Manufacturers (AHAM). According to AHAM, the higher the CADR number, the faster the unit filters the air. For more details, please refer to <https://ahamverifide.org/ahams-air-filtration-standards/>. AquaSolvo units are independently tested for common sources of indoor air pollution, i.e., tobacco smoke, dust, and pollen, and have received an individual CADR rating for each air pollutant.

SUGGESTED ROOM SIZE:

460 Square feet/ 43 Square meter

THIS UNIT'S CADR RATINGS:

Tobacco Smoke: 296.4

Dust: 293.8

Pollen: 310.8

There are two models of the AquaSolvo Eco Ambient Air Sterilizer:

- AAHE-50XX04 (without Wi-Fi)
- AAHE-50XX04C (with Wi-Fi)

Note: XX is the color code. The unit is available in a variety of colors.

This is for model AAHE-50WC04C instruction manual.

Safety Instructions

READ THESE SAFETY INSTRUCTIONS BEFORE USE

When using electrical appliances, basic precautions should always be followed to reduce the risk of fire, electric shock, and injury to persons, including the following:

WARNING: to reduce the risk of fire or electric shock, do not use this device with any solid-state speed control device.

- ! Read all the instructions before operating the unit.
- ! Place the unit on the floor/ground where it is unlikely to be bumped or overturned to avoid potential spills.
- ! DO NOT sit, stand, or place heavy objects on the unit.
- ! The unit must only be used in the upright position.
- ! Do not move the unit when operating.
- ! When moving the machine, it must be powered off and moved carefully to avoid spilling the water inside. If water is accidentally spilled, please wipe it dry. If the machine is accidentally tipped over or falls, water in the HOCl generator will spill inside the machine. It is recommended to unplug the power cord and allow the water to completely dry before use. The recommended storage time is 7 days.
- ! NEVER place liquid containers, including drinks on top of the unit. Spilling liquids into the unit can damage the machine and potentially cause a shock or fire hazard.
- ! Children should not use this equipment alone. Keep the unit away from small children and pets.
- ! Do not use the unit outdoors.
- ! NEVER use the unit unless it is fully assembled.
- ! This product can only be used with the supplied accessories.
- ! DO NOT allow foreign objects to enter ventilation or exhaust opening as this may cause electric shock or damage to the unit.
- ! DO NOT block air outlets or intakes.
- ! Locate the unit near an outlet and avoid using an extension cord or power strip.
- ! This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electric shock, this plug is intended to fit only one way in a polarized outlet. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. DO NOT attempt to defeat this safety feature.
- ! Ensure the electrical outlet used with the Sterilizer is not loose or damaged. A poor electrical connection can result in overheating and damage to the power cord. If the outlet needs to be serviced contact a licensed electrician for repairs.
- ! ALWAYS turn the unit OFF and unplug from the wall outlet when not in use.
- ! To disconnect the unit, make sure it is powered OFF then grip the plug and pull it from the wall outlet. NEVER pull the cord to unplug it.
- ! Do not use any electrical appliance that has a damaged power cord or plug.
- ! Do not use any electrical product that you believe may be faulty product, or that has been dropped or damaged in any way.
- ! Keep the power cord away from hot surfaces.
- ! Do not route the power cord under carpet or cover it with carpet. Route the power cord to minimize the possibility that someone could trip over it.
- ! Do not expose the unit to excessive moisture. Avoid operating it where it might come in contact with water, such as bathrooms, laundry rooms or other damp places.

Safety Instructions(Cont.)

- ! Disconnect the power before cleaning or servicing the unit.
- ! The unit is not user serviceable. Do not attempt to repair the product yourself. In the event of a failure, contact customer service for repair or replacement.
- ! The inside of the HOCl generator must be cleaned frequently, and refilled with clean tap water daily. Leaving dirty water inside the unit will cause dirt/scale to form. This can produce bad odors and cause a potential health hazard.
- ! The water in the HOCl generator is non-potable. Do not allow animals to drink the water and do not use it to water plants to avoid damaging their health.
- ! If at any time during use of this product if you feel unwell turn off the unit and seek medical attention.
- ! Do not add any mineral waters, chemicals, aromatics or other liquids besides clean tap water to the HOCl generator. This can damage the unit and potentially cause a health hazard.
- ! Only add tap water below 86° F (30° C) and cannot be replaced by mineral water and other solutions.
- ! Home appliances/furniture/floor exposed to HOCl water may be discolored due to the bleaching effect of hypochlorous acid. Clean up any spills quickly.
- ! Ventilate the room with fresh air regularly after using the product.

! SAVE THESE INSTRUCTIONS.

Battery Precautions



WARNING:

- ! **Chemical Burn Hazard. Keep battery away from children.**
- ! **This product contains a lithium button/coin cell battery. If a new or used lithium button/coin cell battery is swallowed or enters the body, it can cause severe internal burns and can lead to death in as little as 2 hours. If you think batteries might have been swallowed, seek immediate medical attention.**
- ! Incorrect battery usage may cause battery fluid leakage and/or damage.
- ! When not using remote for extended periods of time, remove the battery.
- ! Avoid dropping or damaging the remote.
- ! Always completely secure the battery compartment. If the battery compartment does not close securely, stop using the product, remove the batteries, and keep it away from children.
- ! The batteries should be disposed of properly, including keeping them away from children. Even used batteries may cause injury.

Product Overview

Please refer to Figure 1 for the product overview.

- **Main Body:** The main body of the unit has two chambers. The 4-in-1 HEPA filter is in the bottom chamber. The HOCl generator assembly is in the upper chamber. The bottom chamber is concealed by a magnetically attached screen and houses the 4-in-1 HEPA filter. The top chamber is concealed by a second screen. A control panel is located on the top of the main body.
- **4-in-1 HEPA Filter:** The cylindrical 4-in-1 filter provides comprehensive filtration capability.
- **HOCl Generator Assembly:** HOCl generator and Cold evaporation filter. When adding tap water and salt to the HOCl generator, the Sterilizer generates HOCl water, which is absorbed and evaporated by the Cold evaporation filter.
- **Control Panel:** At the top of the unit is a control panel with a number of touch-sensitive buttons. These buttons are used to control functions of the unit. The inner light ring around the control panel will change colors to display indoor air quality status.
- **Remote Control:** A battery powered infrared remote allows convenient control of the unit. The remote control has a magnetic back and can be stored on the side bracket of the control panel.
- **Power Cord:** (Not shown) Used to connect the AquaSolvo Eco Ambient Air Sterilizer to AC power.
- **Salt Bottle with Scoop:** The Sterilizer is supplied with a salt bottle with a salt scoop built into the cap. This allows you to measure 1 gram of salt by each scoop.

NOTE: Only use non-iodized salt with the Sterilizer. Do not overfill the salt bottle with too much salt, otherwise it will spill.

How It Works

The AquaSolvo Eco Ambient Air Sterilizer incorporates a 5-stage cleaning system to help clean the air. A fan forces air through the unit from bottom to top. There are five stages to the unit:

- **Stage 1: Pre-Filter.** The pre-filter captures large particulate matters including dust, pollen, and hair.
- **Stage 2: Anti-Microbial Coating.** The anti-microbial coating kills more microbes including bacteria and viruses captured in the filter.
- **Stage 3: True HEPA Filter.** The true High Efficiency Particulate Air (HEPA) filter captures up to 99.97% of particles down to 0.3 microns in diameter.
- **Stage 4: Activated Carbon Filter.** The activated carbon filter absorbs odors, gases, and volatile organic compounds (VOCs).
- **Stage 5: HOCl Generator System.** Hypochlorous acid is generated inside the machine, and absorbed by the cold evaporation filter. The liquid is evaporated as air passes through the cold evaporation filter. This disperses the HOCl throughout the airspace in the room allowing it to destroy a variety of bacteria and viruses.




Figure 1. Major Components

Product Specifications

Power Consumption	80 Watts
Input Voltage	120VAC 60 Hz
Fan Speed	3 levels (1/2/3) + Sleep Mode
Noise	Max. 61 dB(A)
CADR (clean air delivery rate)	300 CFM
Timer	2H/4H/8H
HOCl Generator Capacity	800ml/27.05 oz.
HOCl Recipe	1 scoop non-iodized salt: 800ml/27.05 oz. tap water
Material & Finish	ABS, Glossy White & Copper
Recommended Room Size	460 square feet
Reminder	- Filter Replacement Reminder: 4-in-1 HEPA filter & Cold evaporation filter - Salt Level Reminder - Water Level Reminder
Dimension (Machine)	13.6 (bottom diameter) x 9.13 (top diameter) x 35.18 (height) inches (347*232*893mm)
Dimension (Remote Control)	1.77 (bottom width) x 0.79 (top width) x 4.13 (height) inches (45*20*105mm)
Net Weight	21.38 lbs (9.7kg)

Unpacking and Setup

1. Remove the unit from the box and check that all the items shown in Figure 1 are included. It is a good idea to retain the packaging for storing the unit or in the event it must be shipped back for service.
2. The unit is shipped with the 4-in-1 HEPA filter sealed inside a protective plastic bag. Detach the bottom cover and remove the protective packing. Then remove the 4-in-1 HEPA filter from the plastic bag, then replace it inside the unit and replace the bottom cover.
3. The unit is also shipped with protective packing above the HOCl generator assembly. Detach the top cover and remove the protective packing. Then replace the top cover.
4. Locate the unit on a flat, solid surface in proximity to an AC electrical outlet.
5. Connect the AC adapter to the unit, and route the power cord to the outlet, but do not plug it in yet. Make sure that the power cord is out of the way and does not pose a tripping hazard, and is out of reach of children and pets.
6. Plug in the unit.

Congratulations! You are now ready to enjoy clean safe air using the AquaSolvo Eco Ambient Air Sterilizer.

Preparation for Operation

7. Remove the top cover to access the HOCl generator.
8. Grasp the handle and turn the generator to unlock it from its base, and remove the generator.
9. Remove the cold evaporation filter by unscrewing it from the generator.
10. **Fill the generator with tap water to the MAX. water level (800ml/27.05oz. of water).**

NOTE: Hard water can shorten the life of the Sterilizer. Water used should not have a hardness greater than 100ppm.

11. **Add 1 scoop of non-iodized salt to the water.**

NOTE: Only use non-iodized salt with the Sterilizer.

12. Replace the cold evaporation filter.
13. Wipe the exterior of the generator dry and place it back in the base. Using the handle, turn the generator to lock it in place.
14. Replace the top cover.

Operation Instructions

The Control Panel

Operation of the unit is controlled by buttons on the Control Panel as shown in Figure 2.




Figure 2. Control Panel

Icon	Description
	Power ON/OFF Button. Controls operation of the unit. Pressing the button turns the unit ON or OFF. Any time the unit is turned on in the future it will start up same operating mode it was in when last operated.
	Sterilize Button. The light remains on when the machine is on and flash when electrolysis is working to process HOCl. You can turn the sterilization function off, then it will work as a purifier.
	Sleep Mode Button. Press this button to place the unit in sleep mode. In sleep mode the fan runs at ultra-low speed for silence, and the light ring turns off.
	Fan Speed Button. Use this button to adjust the fan speed, toggling through the 1-2-3 fan speeds. An indicator corresponding to the selected fan speed will illuminate. When the unit is in Sleep mode, pressing this button will cancel Sleep mode.
	Salt Level Indicator. When the salt level is too high, the Indicator will flash green with sound alert, pls follow the operating alerts in page 9 for the operation action. When the salt level is too low, the indicator will display green with sound alert, pls follow the operating alerts in page 9 for the operation action.

	Water Level Indicator. When the water level is too low, the indicator will display blue with sound alert, pls follow the operating alerts in page 9 for the operation action.
	Timer Button. Allows you to select how long the machine will run before it automatically shuts off. Press the icon toggle through the options (2H-4H-8H-None). Once selected, an internal timer controls operation of the unit for the selected duration. Once the timer expires, the unit shuts down and enters the standby mode. Do not use this option if you want the unit to run continuously.
	Wi-Fi Indicator/Button. (Wi-Fi equipped models only). Illuminates to indicate Wi-Fi connection function or status: <ul style="list-style-type: none">· Flashing green: Attempting to connect· Steady green: Connection successful· Steady red: Not connected The button is also used to disconnect from Wi-Fi when it is connected. Press the button a second time and it will attempt to reconnect.
	Filter Replacement Indicator/Button. Yellow 1 indicator illuminated: Replace Cold Evaporation Filter Red 2 indicator illuminated: Replace 4-in-1 HEPA Filter After replacing the filter, press and hold this button for 3 seconds to reset the filter life countdown.
	The inner light ring around the control panel. Works and indicates the indoor air quality as monitored by the PM2.5 sensor: Blue: Air Quality Good Yellow: Air Quality Moderate Red: Air Quality Poor

Operating Alerts

As the Sterilizer operates, the following alerts may be displayed. Smart AquaSolvo creates a perfect experience each time!

Salt Level Indicator

- **Steady green + sound alarm: Low Salt Alert.**
- **Operation Action:**
 1. Power off the device
 2. Empty the HOCl Generator
 3. Wash the Cold Evaporation Filter
 4. Fill with tap water to Max line + 1 scoop of non-iodized salt
- **Flashing green + sound alarm: High Salt Alert.**

Operation Action:

1. Power off the device
2. Fill with tap water to Max line + 1 scoop of non-iodized salt

Water Level Indicator

- **Steady blue + sound alarm: Low Water Alert.**

Operation Action:

1. Power off the device
2. Empty the HOCl Generator
3. Fill with tap water to Max line + 1 scoop of non-iodized salt

- **Flashing blue + sound alarm:** The HOCl generator assembly is not located in place, and the machine will shut down. Please put the HOCl generator in place before operation.

Filter Replacement Indicator

- **Yellow 1 is illuminated:** Cold evaporation filter should be replaced.
- **Red 2 is illuminated:** 4-in-1 HEPA filter should be replaced.

Air Quality Light Ring

- **Flashing blue + sound alarm:** Bottom cover or top cover not in place.
- **Flashing red + sound alarm, then stop working:** Internal motor error.
- **Flashing red + sound alarm, the unit keep working:** Air quality sensor error.

Using the Remote Control

The Remote Control duplicates the functions of the corresponding buttons on the Control Panel. As Figure 3 showed, the power ON/OFF button, Sterilizer button, Timer button, Sleep Mode button, and Fan Speed buttons perform the same functions as the buttons on the Control Panel.

Note: Operating range of the remote is approximately 16 feet.

The remote control can be purchased separately:
Part Number: AS04AC-1

Battery Type:

CR2032





Figure 3. Remote Control

Remote Battery Replacement

! **WARNING: Chemical Burn Hazard.**
Keep battery away from children.

! **This product contains a lithium button/coin cell battery. If a new or used lithium button/coin cell battery is swallowed or enters the body, it can cause severe internal burns and can lead to death in as little as 2 hours. If you think batteries might have been swallowed or placed inside any part of the body, seek immediate medical attention.**

1. Follow the direction and use a screwdriver to open the battery compartment cover.
2. Push down the cover.
3. Remove coin battery and dispose of properly.
4. Insert replacement battery.
5. Install battery compartment cover and secure by screwdriver.



Using Wi-Fi & AiLivin APP

When you first turn on the unit, it will attempt to connect to your Wi-Fi network. Follow these steps to connect your unit.

1. On your smartphone, install the **AiLivin** app and turn your Bluetooth function on.
2. Turn on the power to the unit.
3. Open the **AiLivin** app and add the device.
4. When the app indicates, press and hold the Wi-Fi Status Indicator/button for 3 seconds.
5. The app should connect to the device over your Wi-Fi network and the Wi-Fi Status Indicator/Button will illuminate green.

To disconnect from the network, press the Wi-Fi Status Indicator/Button. The unit will beep and the indicator will flash red.



AiLivin On Google Play



AiLivin In APP Store

Using the AiLivin App



The **AiLivin** app allows you to control, schedule, monitor, and customize your settings for the AquaSolvo Eco Ambient Air

Sterilizer from your mobile device over your Wi-Fi network. The **AiLivin** app can be downloaded to your smartphone from the Apple app store or on Google Play.

Wi-Fi is enabled by default on Wi-Fi equipped units. Verify that your mobile device is compatible with the app, switched on, connected to a Wi-Fi network with Bluetooth® wireless technology enabled.

If you do not already have the **AiLivin** app you will need to download it from the App Store or on Google Play (Please scan QR code below), or D&H Lifelabs website.

Follow these instructions to use the **AiLivin** app.

1. Plug in your machine to the electrical outlet and turn on the power.
2. To disable or enable the Wi-Fi press and hold the ON/OFF button on the machine for 3 seconds.
3. Open the **AiLivin** app and follow the instructions to create a new account if you do not already have one.
4. Follow the on-screen instructions to pair your machine to the **AiLivin** app. You will now be able to use the **AiLivin** app to create custom settings, monitor information from the machine, control your machine, schedule use and also keep up to date with system upgrades.

Using the Schedule Function

NOTE: The Schedule function is only available on the AAHE-50XX04C (Wi-Fi equipped) model via the AiLivin App.

Using the **AiLivin** App operation you can set up a Schedule to turn the AquaSolvo Eco Ambient Air Sterilizer On or Off time (like an alarm clock) in advance. You can Schedule when the unit will turn on and off. You can also set up the desired operating mode—including power on/off, fan speed, sterilize on/off function or sleep mode. For example, if you set the machine on at 22:30 in sleep mode, it will be turned on immediately at 22:30 at night and enter the sleep mode.

Voice Control

You can use the **AiLivin** app to connect to Google Assistant or Amazon Alexa-enabled device for voice control. If you experience problems downloading the **AiLivin** app or pairing your device, first check that you are connected to a Wi-Fi network and Bluetooth® wireless technology is enabled on your mobile device and try again.

If you continue to experience problems downloading the app or pairing your device, please contact Customer Assistance.

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries.

Google and Google Play are trademarks of Google LLC.

The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks is under license.

Filter Replacement

Cold evaporation filter Replacement

The cold evaporation filter should be replaced every eight months, or whenever indicated by the yellow **1** illuminated on the Filter Replacement Indicator on the Control Panel.

1. Remove the top cover from the back of the Sterilizer.
2. Grasp the handle of the HOCl generator and turn it to the right to release it from the base.
3. Remove the HOCl generator.

NOTE: Handle the Cold evaporation filter by the end caps to avoid touching the Cold evaporation filter and preventing possible contamination of the filter element.

4. Unscrew the cold evaporation filter from the generator and discard.
5. Remove the replacement cold evaporation filter from packaging and screw it into the inner bottom of the HOCl generator.
6. Replace the HOCl generator in the Sterilizer and turn the handle to the left to lock it into place on the base.
7. Turn on the Sterilizer. After replacing the filter, press and hold the Filter Replacement Button for 3 seconds to reset the filter life countdown.

Note that If you replace the filter before the accumulated life time is reached, the filter life timer cannot be reset.

4-in-1 HEPA Filter Replacement

The filter should be replaced every 18 months or whenever indicated by the red **2** illuminated on the Filter Replacement Indicator on the Control Panel. However this interval is intended as a guideline only. In environments with a high concentration of contaminants such as dust,

pet dander, or cigarette/cigar smoke you may need to replace the filter more frequently.

NOTE: The HEPA filter is not washable. DO NOT immerse it in water.

1. Make sure the Sterilizer is OFF and unplugged.

NOTE: If you have difficulty removing the bottom cover, remove the top cover prior to removing bottom cover.

2. Detach and remove the magnetic bottom cover from the unit.
3. Remove using the pull tabs and replace the replacement 4-in-1 HEPA filter into the Sterilizer main body.

NOTE: Ensure that the pull tabs are facing outward to facilitate filter removal later.

4. Inspect the screen on the bottom cover and if necessary clean any excess dust or dirt from the screen using a hand held vacuum.
5. Replace the bottom cover by placing the bottom cover into the slots on the unit. Gently push the top of the bottom cover into place.
6. Turn on the Sterilizer. After replacing the filter, press and hold the Filter Replacement Button for 3 seconds to reset the filter life countdown.

Only use genuine D&H Lifelabs CleVaFilter&AquaSoFilter with your AquaSolvo Eco Ambient Air Sterilizer. Use of any other filters may compromise the proper operation of your unit and potentially void your warranty.

- **4-in-1 HEPA Filter:** Part Number AS04FT-1
- **Cold Evaporation Filter:** Part Number AS04FT-2

To purchase replacement filters, remote control, or accessories visit www.DHLifelabs.com

Troubleshooting

Symptom	Probable Cause/Solution
Sterilizer does not operate.	Power cord not securely plugged into outlet. Make sure plug is securely inserted. No AC power. Check fuse or circuit breaker. Replace fuse with a time delay type or reset the circuit breaker.
Sterilizer is starting to make noise and the air output is low.	4-in-1 HEPA filter may be dirty or obstructed. Replace filter.
Air coming from Sterilizer has a bad odor.	HOCl generator is dirty or has contaminated water in it. Discard any water that is in the generator and thoroughly clean it, then refill with clean fresh tap water and non-iodized salt. NOTE: The first time you use the Sterilizer, you might perceive a plastic or paint smell. This is normal, but it should disappear quickly. If the smell persists or if you sense a burning smell, please disconnect the unit and contact Customer Assistance.
Air quality does not improve as the Sterilizer operates.	Windows or doors are open. Constant introduction of dirty air from outside the room can reduce the effectiveness of the Sterilizer. Close all exterior doors and windows.
Water added to Sterilizer but Water Level indicator still flashing.	Check that HOCl generator is properly seated in the Sterilizer.
Salt Level indicator displayed even after salt has been added.	It takes some time to dissolve the salt and monitor the actual concentration. If necessary discard salt water solution and mix a new batch.
Salt Level indicator flashing after salt has been added.	Make sure amount of salt added is correct. If necessary discard salt water solution and mix a new batch.
The appliance is very loud.	Ensure that there are no obstacles near the appliance and that it has a minimum of 12 inches (30 cm) of clearance around it for optimal operation.
The app does not operate properly or it is not possible to sync the Sterilizer with the AiLivin smartphone app.	Contact Customer Assistance.

Customer Service

For assistance with your AquaSolvo Eco Ambient Air Sterilizer, call our Customer Service Line:

1-855-384-77

8 a.m. - 5 p.m., CST, Monday – Friday

Dernier&Hamlyn Inc.

720 Northgate Parkway

Wheeling, IL 60090

Product Warranty

This 2 year limited warranty applies to repair or replacement of product found to be defective in material or workmanship. This warranty does not apply to damage resulting from commercial, abusive, unreasonable use or supplemental damage. Defects that are the result of normal wear and tear will not be considered manufacturing defects under this warranty. D&H Lifelabs IS NOT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages or limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you also may have other rights which vary from jurisdiction to jurisdiction. This warranty applies only to the original purchaser of this product from the original date of purchase.

At its option, D&H Lifelabs will repair or replace this product if it is found to be defective in material or workmanship.

This warranty does not cover damage resulting from any unauthorized attempts to repair or from any use not in accordance with the instruction manual.

This warranty does not cover the filter except for material or workmanship defects.

FCC STATEMENT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

ISED STATEMENT

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

1. L'appareil ne doit pas produire de brouillage;
2. L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

FCC RF Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.

This equipment complies with ISED RSS-102 radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body. Pour se conformer aux exigences de conformité CNR 102 RF exposition, une distance de séparation d'au moins 20 cm doit être maintenue entre l'antenne de cet appareil et toutes les personnes.

Product Name: Eco Ambient Air Sterilizer

Model No.: AAHE-50XX04 (without Wi-Fi)

AAHE-50XX04C (with Wi-Fi)

Note: XX is the color code.

Trade Mark: Dernier&HamlynLifelabs



This product earned the ENERGY STAR by meeting strict energy efficiency guidelines set by the US EPA. US EPA does not endorse any manufacturer claims of healthier indoor air from the use of this product. The energy efficiency of this ENERGY STAR qualified model is measured based on a ratio between the model's CADR for Dust and the electrical energy it consumes, or CADR/Watt.