




Test Plots for Band 5-QPSK-10MHz




Test Plots for Band 5-64QAM-10MHz




Test Plots for Band 5-64QAM-10MHz




PWR- Band5-64QAM-10M BW-Low CH-Port1




PWR- Band5-64QAM-10M BW-Low CH-Port2




PWR- Band5-64QAM-10M BW-Mid CH-Port1



PWR- Band5-64QAM-10M BW-Mid CH-Port2




PWR- Band5-64QAM-10M BW-High CH-Port1




PWR- Band5-64QAM-10M BW-High CH-Port2

Test Plots for Band 5-WCDMA



10.2 Peak-Average Ratio

Requirement(s):

Spec	Item	Requirement	Applicable
47CFR24.232	(d)	Power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (e) of this section. In both instances, equipment employed must be authorized in accordance with the provisions of §24.51. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.	☒
Test Setup			
Test Procedure	- EUT was set for low, mid, high channel with modulated mode and highest RF output power. - The spectrum analyzer was connected to the antenna terminal.		
Test Date	09/24/2015 – 09/30/2015 09/21/2016 – 09/28/2016	Environmental condition	Temperature 23°C Relative Humidity 48% Atmospheric Pressure 1008mbar
Remark	NONE		
Result	☒ Pass ☐ Fail		

Test Data ☒ Yes ☐ N/A

Test Plot ☒ Yes (See below) ☐ N/A

Test was done by Chen Ge at RF Test Site.

Test Data for LTE band 2 (QPSK is the worst case)

Type	Channel	Frequency (MHz)	Peak-Average Ratio (dB)	Peak-Average Ratio (dB)
5MHz BW, QPSK	Low	1932.5	9.69	13
	Mid	1960.0	9.69	13
	High	1987.5	9.54	13
10MHz BW, QPSK	Low	1935.0	9.85	13
	Mid	1960.0	9.75	13
	High	1985.0	10.02	13
15MHz BW, QPSK	Low	1937.5	9.78	13
	Mid	1960.0	9.81	13
	High	1982.5	9.76	13
20MHz BW, QPSK	Low	1940.0	9.90	13
	Mid	1960.0	9.82	13
	High	1980.0	9.82	13


Test Data for LTE band 5 (QPSK is the worst case)


Type	Channel	Frequency (MHz)	Peak-Average Ratio (dB)	Peak-Average Ratio (dB)
5MHz BW, QPSK	Low	871.5	9.81	13
	Mid	881.5	10.11	13
	High	891.5	9.92	13
10MHz BW, QPSK	Low	874.0	9.91	13
	Mid	881.5	9.89	13
	High	889.0	9.82	13

Test Data for WCDMA band 5


Type	Channel	Frequency (MHz)	Peak-Average Ratio (dB)	Peak-Average Ratio (dB)
3.84MHz BW, QPSK	Low	871.4	8.96	13
	Mid	881.6	8.85	13
	High	891.6	8.58	13

Test Plots for Band 2:







PK-AV-Ratio- Band2-QPSK-5M BW-Low



PK-AV-Ratio- Band2-QPSK-15M BW-Low



PK-AV-Ratio- Band2-QPSK-5M BW-Mid



PK-AV-Ratio- Band2-QPSK-15M BW-Mid




PK-AV-Ratio- Band2-QPSK-5M BW-High




PK-AV-Ratio- Band2-QPSK-15M BW-High

Test Plots for LTE Band 5:




Test Plots for WCDMA Band 5:



10.3 Occupied Bandwidth

Requirement(s):

Spec	Requirement		Applicable
47 CFR §2.1049	The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured under the following conditions of § 2.1049 (a) through (i)		☒
Test Setup	 Spectrum Analyzer EUT		
Procedure	1. EUT was set for low, mid, high channel with modulated mode and highest RF output power. 2. The spectrum analyzer was connected to the antenna terminal. 3. The 99% bandwidths are measured using spectrum analyzer's internal meas function.		
Test Date	09/24/2015 – 09/30/2015 09/21/2016 – 09/28/2016	Environmental condition	Temperature 23°C Relative Humidity 48% Atmospheric Pressure 1008mbar
Remark	NONE		
Result	☒ Pass ☐ Fail		

Test Data ☒ Yes ☐ N/A

Test Plot ☒ Yes (See below) ☐ N/A

Test was done by **Chen Ge** at RF Test Site.

Test Data

99% Bandwidth measurement result for LTE band 2:

Type	Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
5MHz BW, QPSK	Low	1932.5	4.40	4.62
	Mid	1960.0	4.41	4.66
	High	1987.5	4.41	4.67
5MHz BW, 64QAM	Low	1932.5	4.43	4.68
	Mid	1960.0	4.42	4.68
	High	1987.5	4.39	4.61
10MHz BW, QPSK	Low	1935.0	8.86	9.31
	Mid	1960.0	8.86	9.26
	High	1985.0	8.88	9.33
10MHz BW, 64QAM	Low	1935.0	8.87	9.29
	Mid	1960.0	8.87	9.33
	High	1985.0	8.87	9.28
15MHz BW, QPSK	Low	1937.5	13.31	13.75
	Mid	1960.0	13.30	13.72
	High	1982.5	13.28	13.86
15MHz BW, 64QAM	Low	1937.5	13.27	13.89
	Mid	1960.0	13.28	13.95
	High	1982.5	13.28	13.86
20MHz BW, QPSK	Low	1940.0	17.54	18.22
	Mid	1960.0	17.60	18.27
	High	1980.0	17.51	18.16
20MHz BW, 64QAM	Low	1940.0	17.49	18.29
	Mid	1960.0	17.56	18.36
	High	1980.0	17.56	18.27


99% Bandwidth measurement result for LTE band 5:

Type	Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
5MHz BW, QPSK	Low	871.5	4.42	4.67
	Mid	881.5	4.42	4.69
	High	891.5	4.41	4.69
5MHz BW, 64QAM	Low	871.5	4.41	4.67
	Mid	881.5	4.42	4.65
	High	891.5	4.42	4.68
10MHz BW, QPSK	Low	874.0	8.88	9.37
	Mid	881.5	8.88	9.38
	High	889.0	8.90	9.43
10MHz BW, 64QAM	Low	874.0	8.89	9.27
	Mid	881.5	8.91	9.31
	High	889.0	8.89	9.34


99% Bandwidth measurement result for WCDMA band 5:

Type	Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)
3.84MHz BW, QPSK	Low	871.4	4.12	4.64
	Mid	881.6	4.12	4.64
	High	891.6	4.12	4.67

Test Plots for LTE Band2 QPSK



Test Plots for LTE Band2 QPSK



Test Plots for LTE Band2 64QAM

