



APPENDIX K

: MODULAR APPROVAL LETTER

CMAX WIRELESS CO., LTD.
KT Bongduk B/D 9F,
627-15 Bongduk-dong
Nam-gu, Daegu, 705-710, Korea
Tel.: +82-53-659-2700

Date: May 7, 2010

TIMCO ENGINEERING INC.
849 NW State Road 45
Newberry, Florida 32669

Subject: Modular Approval for FCC ID: YC9CWE-100SA

Dear TEI

We would like to answer for limited Single Modular Approval in accordance with the requirement of rule part 15.212 as described below

No	State	Requirement	Comment
1	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO.	The radio element of the modular transmitter has its own shielding	Refer to the external photo
2	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO.	The modular transmitter must have buffered modulation data/inputs (if such inputs are provided)	All input to the modules are buffered through micro-processor inputs.
3	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO.	The modular transmitter must have its own power supply regulation.	Internal power regulators The regulator operates within the + 3.3 Vdc Refer to the Block-diagram

4	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO.	The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204(c).	Refer to the internal photo
5	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO.	The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing.	The EUT was tested in a stand-alone configuration via a SD extension cable Refer to the test setup photo
6	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO.	The modular transmitter must be labeled with its own FCC ID. If the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module	Refer to the user manual
7	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO.	The modular transmitter must comply with any specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements	Refer to the user manual
8	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO.	The modular transmitter must comply with any applicable RF exposure requirements	Refer to the RF exposure statement for more details.

Sincerely,



Donghun Chae / Deputy General Manager
CMAX Wireless Co., Ltd.