



Test Mode: 24; Polarity: Vertical; Modulation:802.11ax; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1129.072	41.62	24.43	2.20	38.43	29.82	74.00	-44.18	VERTICAL	Peak
2	1677.621	40.60	25.68	2.80	37.91	31.17	74.00	-42.83	VERTICAL	Peak
3	4367.058	42.38	30.62	4.68	36.81	40.87	74.00	-33.13	VERTICAL	Peak
4	8764.146	41.61	37.32	7.19	37.54	48.58	68.20	-19.62	VERTICAL	Peak
5	11550.000	37.93	39.84	8.40	37.14	49.03	74.00	-24.97	VERTICAL	Peak
6	17325.000	31.09	43.40	10.39	35.32	49.56	68.20	-18.64	VERTICAL	Peak

Test Mode: 24; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:40MHz; Channel:159



	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1217.190	40.61	24.79	2.32	38.37	29.35	74.00	-44.65	HORIZONTAL	Peak
2	1672.779	40.89	25.67	2.80	37.91	31.45	74.00	-42.55	HORIZONTAL	Peak
3	4304.400	42.96	30.48	4.65	36.81	41.28	74.00	-32.72	HORIZONTAL	Peak
4	8789.516	41.68	37.33	7.24	37.54	48.71	68.20	-19.49	HORIZONTAL	Peak
5	11590.000	38.62	39.72	8.37	37.14	49.57	74.00	-24.43	HORIZONTAL	Peak
6	17385.000	31.52	43.57	10.53	35.32	50.30	68.20	-17.90	HORIZONTAL	Peak


Test Mode: 24; Polarity: Vertical; Modulation:802.11ax; Bandwidth:40MHz; Channel:159



Trace: (Discrete)

	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1125.813	41.46	24.42	2.21	38.43	29.66	74.00	-44.34	VERTICAL	Peak
2	1663.137	41.47	25.65	2.80	37.91	32.01	74.00	-41.99	VERTICAL	Peak
3	4469.214	41.52	30.77	4.93	36.81	40.41	68.20	-27.79	VERTICAL	Peak
4	8814.957	41.38	37.34	7.29	37.53	48.48	68.20	-19.72	VERTICAL	Peak
5	11590.000	37.28	39.72	8.37	37.14	48.23	74.00	-25.77	VERTICAL	Peak
6	17385.000	30.24	43.57	10.53	35.32	49.02	68.20	-19.18	VERTICAL	Peak


Test Mode: 24; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:80MHz; Channel:middle



Trace: (Discrete)

	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	41.15	24.93	2.30	38.37	30.01	74.00	-43.99	HORIZONTAL	Peak
2	1682.477	40.70	25.68	2.80	37.91	31.27	74.00	-42.73	HORIZONTAL	Peak
3	4443.453	42.20	30.73	4.83	36.81	40.95	68.20	-27.25	HORIZONTAL	Peak
4	8789.516	41.58	37.33	7.24	37.54	48.61	68.20	-19.59	HORIZONTAL	Peak
5	11550.000	39.11	39.84	8.40	37.14	50.21	74.00	-23.79	HORIZONTAL	Peak
6	17325.000	31.00	43.40	10.39	35.32	49.47	68.20	-18.73	HORIZONTAL	Peak

Test Mode: 24; Polarity: Vertical; Modulation:802.11ax; Bandwidth:80MHz; Channel:middle



Trace: (Discrete)

	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	40.53	24.85	2.31	38.37	29.32	74.00	-44.68	VERTICAL	Peak
2	1687.347	41.77	25.69	2.80	37.91	32.35	74.00	-41.65	VERTICAL	Peak
3	4341.886	42.28	30.57	4.67	36.81	40.71	74.00	-33.29	VERTICAL	Peak
4	8688.480	42.28	37.28	7.02	37.55	49.03	68.20	-19.17	VERTICAL	Peak
5	11550.000	37.07	39.84	8.40	37.14	48.17	74.00	-25.83	VERTICAL	Peak
6	17325.000	31.11	43.40	10.39	35.32	49.58	68.20	-18.62	VERTICAL	Peak

8 Test Setup Photo

Please refer to setup photos for GZCR2205000598AT

9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for GZCR2205000598AT

- End of the Report -