

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 1 of 274

# TEST REPORT

**Application No.:** FYCR2209000375AT **Applicant:** DT Research, Inc.

Address of Applicant: 3RD FL NO 36 WUQUAN 7TH RD WUGU DISTRICT, NEW TAIPEI, Taiwan

Manufacturer: DT Research, Inc.

Address of Manufacturer: 2000 Concourse Drive, San Jose, CA 95131, USA

Factory: DT Research, Inc. Taiwan Branch

Address of Factory: 6F., No.36 Wuquan 7 th Rd., Wugu Dist. New Taipei City 248 Taiwan

**Equipment Under Test (EUT):** 

**EUT Name:** Battery Powered Computer

Model No.: 581T, 581XXXXX (X is -, any alphanumeric or blank) ♣

Please refer to section 2 of this report which indicates which model was

actually tested and which were electrically identical.

Trade Mark:

**DT** Research

FCC ID: YE3600-AX210NG

Standard(s): 47 CFR Part 15, Subpart E 15.407

**Date of Receipt:** 2022-09-15

**Date of Test:** 2022-09-18 to 2022-10-23

**Date of Issue:** 2022-11-09

Test Result: Pass\*

Winkey Wang
Winkey Wang
EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jury/saldction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 2 of 274

	Revision Record							
Version	Chapter	Date	Modifier	Remark				
01		2022-11-09		Original				

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	
	WinkeyWarg	
	Winkey Wang/Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amalic CAD Doccheck/Boss com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 3 of 274

## 2 Test Summary

Radio Spectrum Technical Requirement								
Item	Standard	Method	Requirement	Result				
Antenna Requirement	47 CFR Part 15,	N/A	47 CFR Part 15, Subpart C 15.203	Pass				
Transmission in the Absence of Data	Subpart E 15.407	N/A	47 CFR Part 15, Subpart E 15.407 (c)	Pass				

Radio Spectrum Matt	Radio Spectrum Matter Part								
Item	Standard	Method	Requirement	Result					
Conducted Emissions at AC Power Line (150kHz-30MHz)		ANSI C63.10 (2013) Section 6.2	47 CFR Part 15, Subpart C 15.207 & Subpart E 15.407 b(9)	Pass					
Radiated Emissions which fall in the restricted bands	47 CFR Part 15,	KDB 789033 D02 II G	47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)	Pass					
Radiated Emissions (Below 1GHz)	Subpart E 15.407	KDB 789033 D02 II G	47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)	Pass					
Radiated Emissions (Above 1GHz)		KDB 789033 D02 II G	47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)	Pass					

#### Remark:

Model No.: 581T, 581XXXXX (X is -, any alphanumeric or blank)

Only the model 581T was tested, since according to the declaration from the applicant, the electrical circuit design, layout, components used, internal wiring and functions were identical for all the above models, with only difference on model No..

This report is prepared for FCC class II permissive change.

The modular approval by TCB, FCC ID:YE3600-AX210NG, Granted on 05/06/2022.

The module installed into host platform mentioned above is electronically and mechanically identical to the original certified module. The Original FCC testing on module under FCC ID: PD9AX210NG was performed with an antenna of higher gain, and the antenna was connected to the module in an open environment. The current host platform under application is used a new antenna of the same type and lower gain than the original certified module. Also, the band above 6GHz(5925-7125MHz) is blocked by the software for the module, and it is installed inside the host platform enclosure.

Therefore in this report Conducted Emissions at AC Power Line (150kHz-30MHz), Radiated Emissions which fall in the restricted bands and Radiated Spurious Emissions were fully retested on model 581T and shown the data in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleef, available on request or accessible at http://www.ags.com/en/Terms-end-Conditions.aspx and, for electronic Documents at http://www.ags.com/en/Terms-end-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's Instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 4 of 274

### 3 Contents

			age
1	COVE	R PAGE	1
2	TEST :	SUMMARY	3
2	CONT	ENTS	,
3			
4	GENE	RAL INFORMATION	6
	4.1 D	ETAILS OF E.U.T.	6
	4.2 D	ESCRIPTION OF SUPPORT UNITS	8
	4.3 M	SEASUREMENT UNCERTAINTY	8
	4.4 T	EST LOCATION	9
		EST FACILITY	
		EVIATION FROM STANDARDS	
	4.7 A	BNORMALITIES FROM STANDARD CONDITIONS	9
5	FQUIP	MENT LIST	10
•			
6	RADIC	SPECTRUM TECHNICAL REQUIREMENT	12
		NTENNA REQUIREMENT	
	6.1.1	Test Requirement:	
	6.1.2	Conclusion	
	6.2 T	RANSMISSION IN THE ABSENCE OF DATA	
	6.2.1	Test Requirement:	
	6.2.2	Conclusion	12
7	RADIC	SPECTRUM MATTER TEST RESULTS	13
	7.1 C	CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz)	13
	7.1.1	E.U.T. Operation	
	7.1.2	Test Mode Description	13
	7.1.3	Test Setup Diagram	14
	7.1.4	Measurement Procedure and Data	15
	7.2 R	ADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS	
	7.2.1	E.U.T. Operation	
	7.2.2	Test Mode Description	
	7.2.3	Test Setup Diagram	
	7.2.4	Measurement Procedure and Data	
		ADIATED EMISSIONS (BELOW 1GHz)	
	7.3.1	E.U.T. Operation	
	7.3.2	Test Mode Description	
	7.3.3	Test Setup Diagram	
	7.3.4	Measurement Procedure and Data	
		ADIATED EMISSIONS (ABOVE 1GHz)	
	7.4.1	E.U.T. Operation	
	7.4.2	Test Mode Description	
	<i>7.4.3</i>	Test Setup Diagram	.176



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.repx.and.">http://www.sgs.com/en/Terms-and-Conditions.repx.and.</a> for electronic Documents a thip://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditions-And



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR22090003750	4
-----------------------------	---

Page: 5 of 274

		3	
	7.4.4	Measurement Procedure and Data	177
8	TEST	SETUP PHOTO	274
9	EUT C	CONSTRUCTIONAL DETAILS (EUT PHOTOS)	274



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Cassili Clients | Deschedule | Deschedu



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 6 of 274

## 4 General Information

### 4.1 Details of E.U.T.

Power supply:	AC Adapter								
i ower supply.	Model: EM11011M-190								
		10V, 2.0~1.0A, 50/60Hz							
	Output: DC 19V,	·							
	_	Li-ion Rechargeable Battery Pack							
	Model: ACC-006								
		3INR19/66-3 DC:10.9V 8250mAh/90Wh							
	Rated Capacity:								
	Charge Current:	3.0A Max							
	Nominal Voltage	: 10.9V							
	Charge Voltage:	12.3V Max							
Test Voltage:	AC 120V, 60Hz								
		nal AC 120V, 60Hz and AC 2							
	in accordance with FCC KDB174176, this report only shows the results of the								
worst test result(AC 120V, 60Hz);									
Cable(s):	DC cable:114cm with a ferrite core								
Operation Frequency:	Band	Mode	Frequency Range(MHz)	Number of channels					
	UNII Band I	802.11a/n/ac/ax(HT20)	5180-5240	4					
		802.11n/ac/ax(HT40)	5190-5230	2					
		802.11ac/ax(HT80)	5210	1					
		802.11ac/ax(HT160)	5250	1					
	UNII Band II-A	802.11a/n/ac/ax(HT20)	5260-5320	4					
		802.11n/ac/ax(HT40)	5270-5310	2					
		802.11ac/ax(HT80)	5290	1					
	UNII Band II-C	802.11a/n/ac/ax(HT20)	5500-5720	12					
		802.11n/ac/ax(HT40)	5510-5710	6					
		802.11ac/ax(HT80)	5530-5690	3					
		802.11ac/ax(HT160)	5570	1					
	UNII Band III	802.11a/n/ac/ax(HT20)	5745-5865	7					
		802.11n/ac/ax(HT40)	5755-5835	3					
		802.11ac/ax(HT80)	5775	1					
Modulation Type:	802.11a: OFDM(	QPSK, BPSK, 16QAM, 64QA	AM)						
	802.11n: OFDM(QPSK, BPSK, 16QAM, 64QAM)								
	802.11ac: OFDM(QPSK, BPSK, 16QAM, 64QAM, 256QAM)								
	802.11ax: OFDMA(QPSK, BPSK, 16QAM, 64QAM, 256QAM, 1024QAM)								
DFS Function:	Slave without rac	lar detection							
TPC Function:	Not support								
<u> </u>									



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Contact University of the content of t



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 7 of 274

Antenna Type:	PIFA Antenna
Antenna Gain:	Antenna1: 2.7dBi, Antenna2: 1.7dBi
Note: MIMO for Antenna1 and Antenna2.	

Channel list	Channel list for 802.11a/n/ac/ax(HT20)								
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency		
36	5180MHz	60	5300MHz	120	5600MHz	149	5745MHz		
40	5200MHz	64	5320MHz	124	5620MHz	153	5765MHz		
44	5220MHz	100	5500MHz	128	5640MHz	157	5785MHz		
48	5240MHz	104	5520MHz	132	5660MHz	161	5805MHz		
52	5260MHz	108	5540MHz	136	5680MHz	165	5825MHz		
56	5280MHz	112	5560MHz	140	5700MHz	169	5845MHz		
/		116	5580MHz	144	5720MHz	169	5845MHz		

Channel list	Channel list for 802.11n/ac/ax(HT40)							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency	
38	5190MHz	62	5310MHz	118	5590MHz	142	5710MHz	
46	5230MHz	102	5510MHz	126	5630MHz	151	5755MHz	
54	5270MHz	110	5550MHz	134	5670MHz	159	5795MHz	
	/						5835MHz	

Channel list for 802.11ac/ax(HT80)							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
42	5210MHz	106	5530MHz	138	5690MHz		,
58	5290MHz	122	5610MHz	155	5775MHz	•	/

Channel list for 802.11ac/ax(HT160)							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
50	5250MHz	114	5570MHz	1			

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 8 of 274

### 4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.			
The EUT has been tested as an independent unit.						

### 4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
Conducted Emissions at AC Power Line (150kHz-30MHz)	± 2.1 dB (9kHz to 30MHz)
Radiated Emissions which fall in the restricted bands	± 4.4dB (Above 1GHz)
Radiated Emissions (Below 1GHz)	± 3.1dB (Below 1GHz)
Radiated Emissions (Above 1GHz)	± 4.4dB (Above 1GHz)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Cassili Clients | Deschedule | Desched



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 9 of 274

#### 4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

### 4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

### A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

### • FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

### • Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

### 4.6 Deviation from Standards

None

### 4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 10 of 274

# 5 Equipment List

Conducted Emissions at AC Power Line (150kHz-30MHz)									
Equipment	Manufacturer	Model No. Invento		Cal Date	Cal Due Date				
Shielding Room	CRT	N/A	SEM001-14	2021/7/13	2024/7/12				
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-01	2022/7/12	2023/7/11				
Two-Line V-Network	Rohde & Schwarz	ENV216	SEM007-16	2022/7/12	2023/7/11				
Two-Line V-Network	Rohde & Schwarz	ESH3-Z5	SEM007-22	2022/1/10	2023/1/9				
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A				

Radiated Emissions which fall in the restricted bands									
Equipment	Manufacturer	turer Model No. Invent		Cal Date	Cal Due Date				
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12				
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25				
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-23	2022/4/24	2023/4/23				
Coaxial Cable	CCS	N/A	SEM035-03	2022/5/16	2023/5/15				
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14				
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14				
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A				

Radiated Emissions (Below 1GHz)								
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date			
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12			
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24			
Loop Antenna	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25			
MXE EMI receiver	Agilent	N9038A	SEM004-05	2022/7/12	2023/7/11			
Pre-amplifier	HP	8447D	SEM005-02	2022/7/12	2023/7/11			
Coaxial Cable	CCS	N/A	SEM035-01	2022/5/16	2023/5/15			
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A			
Loop Antenna(9kHz- 30MHz)	ETS-LINDGREN	6502	SEM003-08	2021/11/30	2023/11/29			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Cassili Client States and the contact us at telephone: (86-755) 8307 1443, \*\*Cassili Client States and the cassiling inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Cassili Client States and the cassiling inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Cassiling inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Cassiling inspection report & c



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 11 of 274

Radiated Emissions (Above 1GHz)									
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date				
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12				
MXE EMI receiver	Agilent	N9038A	SEM004-05	2022/7/12	2023/7/11				
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25				
Coaxial Cable	CCS	N/A	SEM035-02	2022/5/16	2023/5/15				
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14				
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14				
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A				

General used equipment									
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date				
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2022-07-12	2023-07-11				
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2022-07-12	2023-07-11				
Barometer	DUMAI	DYM3	SEM002-24	2022-07-12	2023-07-11				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or examile CMD Deschee/Gene come.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 12 of 274

## 6 Radio Spectrum Technical Requirement

### 6.1 Antenna Requirement

### 6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203

### 6.1.2 Conclusion

#### 15.203 Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of 15.211, 15.213, 15.217, 15.219, 15.221, or 15.236. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with 15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

#### **EUT Antenna:**

The antenna connector is a IPEX type that comply with Part15.203, the best case gain of the antenna1 is 2.7dBi, Antenna2: 1.7dBi.

Antenna location: Refer to internal photo.

#### 6.2 Transmission in the Absence of Data

#### 6.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.407 (c)

#### 6.2.2 Conclusion

### Standard Requirement:

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signalling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals.

Applicants shall include in their application for equipment authorization a description of how this requirement is met.

#### **EUT Details:**

WIFI chip support automatically discontinue transmission in case of either absence of information to transmit or operational failure, if the chip detect absence of information to transmit or operational failure, it will be automatically shut off.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 13 of 274

# 7 Radio Spectrum Matter Test Results

### 7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 & Subpart E 15.407 b(9)

Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

Frequency of	Conducted limit(dB $\mu$ V)						
emission(MHz)	Quasi-peak	Average					
0.15-0.5	66 to 56*	56 to 46*					
0.5-5	56	46					
5-30	60	50					
*Decreases with the logarithm of the frequency.							

### 7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.6 °C Humidity: 52.9 % RH Atmospheric Pressure: 1020 mbar

7.1.2 Test Mode Description

7.1.2 1621W	7.1.2 Test Mode Description					
Pre-scan / Final test	Mode Code	Description				
Pre-scan	09	Charge + TX mode (U-NII-1)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.				
Final test	11	Charge + TX mode (U-NII-2A)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.				
Pre-scan	13	Charge + TX mode (U-NII-2C)_Keep the EUT in charging and continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a>. General Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excerned parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Carmail CPU Descheck@ass.com\*\*




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 14 of 274

		@ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT160). Only the data of worst case is recorded in the report.
Pre-scan	15	Charge + TX mode (U-NII-3)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.

### 7.1.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or appail: CARD Doccheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 15 of 274

#### 7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a  $50 \text{ohm}/50 \mu\text{H} + 5 \text{ohm}$  linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 16 of 274

Test Mode: 11; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00375AT

Test mode: 11

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1874	0.02	0.26	29.40	29.68	54.15	-24.47	Average
2	0.1874	0.02	0.26	39.40	39.68	64.15	-24.47	QP
3	0.2940	0.03	0.26	37.00	37.29	50.41	-13.12	Average
4	0.2940	0.03	0.26	43.70	43.99	60.41	-16.42	QP
5	0.5155	0.02	0.27	29.99	30.28	46.00	-15.72	Average
6	0.5155	0.02	0.27	41.39	41.68	56.00	-14.32	QP
7	0.6790	0.02	0.22	31.10	31.34	46.00	-14.66	Average
8	0.6790	0.02	0.22	41.70	41.94	56.00	-14.06	QP
9	0.9136	0.01	0.20	31.10	31.31	46.00	-14.69	Average
10	0.9136	0.01	0.20	41.70	41.91	56.00	-14.09	QP
11	1.0939	0.03	0.19	30.69	30.91	46.00	-15.09	Average
12	1.0939	0.03	0.19	41.39	41.61	56.00	-14.39	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 17 of 274

Test Mode: 11; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00375AT

Test mode: 11

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.2955	0.03	0.28	36.80	37.11	50.37	-13.26	Average
2	0.2955	0.03	0.28	43.60	43.91	60.37	-16.46	QP
3	0.5101	0.01	0.26	31.01	31.28	46.00	-14.72	Average
4	0.5101	0.01	0.26	41.61	41.88	56.00	-14.12	QP
5	1.0881	0.03	0.07	29.80	29.90	46.00	-16.10	Average
6	1.0881	0.03	0.07	40.20	40.30	56.00	-15.70	QP
7	1.6625	0.02	0.11	26.60	26.73	46.00	-19.27	Average
8	1.6625	0.02	0.11	39.70	39.83	56.00	-16.17	QP
9	6.4539	0.04	0.15	28.50	28.69	50.00	-21.31	Average
10	6.4539	0.04	0.15	40.10	40.29	60.00	-19.71	QP
11	13.6228	0.05	0.14	12.70	12.89	50.00	-37.11	Average
12	13.6228	0.05	0.14	19.60	19.79	60.00	-40.21	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 18 of 274

### 7.2 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

- \*(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (4) For transmitters operating in the 5.725-5.85 GHz band:
- (i) All emissions shall be limited to a level of −27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

### 7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 22.2 °C Humidity: 51.3 % RH Atmospheric Pressure: 1020 mbar



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-do.relicens.aspx.and-do.relicens.aspx.and-do.relicens.aspx.and-do.relicens.aspx.and-do.relicens.aspx.and-do.relicens.aspx.and-do.relicens.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 19 of 274

### 7.2.2 Test Mode Description

Pre-scan /	Mode	Description
Final test	Code	Description
Pre-scan	08	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT160). Only the data of worst case is recorded in the report.
Final test	09	Charge + TX mode (U-NII-1)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT30); data rate @ HE0 is the worst case of IEEE 802.11ax(HT30). Only the data of worst case is recorded in the report.
Pre-scan	10	TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.
Final test	11	Charge + TX mode (U-NII-2A)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.
Pre-scan	12	TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80); data



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regnested">http://www.sgs.com/en/Terms-and-Conditions.regnested</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-And-Conditions-and-Conditions-and-Conditions-And-Con




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 20 of 274

		,
		rate @ HE0 is the worst case of IEEE 802.11ax(HT160). Only the data of worst case is recorded in the report.
Final test	13	Charge + TX mode (U-NII-2C)_Keep the EUT in charging and continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT30); data rate @ HE0 is the worst case of IEEE 802.11ax(HT30). Only the data of worst case is recorded in the report.
Pre-scan	14	TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.
Final test	15	Charge + TX mode (U-NII-3)_Keep the EUT in charging and continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case is recorded in the report.

### 7.2.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 21 of 274

#### 7.2.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.
- Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.
- Remark 3: For WLAN radiated test, according to the conducted power and verify test the SISO & MIMO mode, the worst-case is SISO mode for 802.11a, MIMO mode for 802.11n/ac/ax, therefore, all final test are performed in SISO & MIMO mode and reported.
- Remark 4: For devices with multiple operating modes, measurements on the middle channel is used to determine the worst-case mode(s). Only the worst case mode with the widest bandwidth which can be covered the same channel (center frequency) on modes with narrower bandwidth that have the same or lower output power for each modulation family (e.g., OFDM and direct sequence spread spectrum) is recorded in the test report.
- Remark 5: All modes and channels have been tested, only record the worst test result.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx.nd">http://www.sgs.com/en/Terms-and-Conditions.appx.nd</a>, for electronic format documents as subject to Terms and Conditions for Electronic Documents as the Terms and Conditions for Electronic Documents as the Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 22 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5180 Band edge
Note : 5G WIFI 11A

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.5580	8.29	31.77	31.82	55.22	63.46	74.00	-10.54	peak
2	5149.9800	8.29	31.77	31.82	52.97	61.21	74.00	-12.79	peak
3	5180.0000	8.29	31.85	31.86	100.94	109.22	68.20	41.02	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 23 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5180 Band edge
Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.2580	8.29	31.77	31.81	38.00	46.25	54.00	-7.75	Average
2	5149.9800	8.29	31.77	31.82	36.74	44.98	54.00	-9.02	Average
3	5180.0000	8.29	31.85	31.86	94.70	102.98			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 24 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5180 Band edge

Note : 5G WIFI 11A

JCC		111 117	٦.							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5146.2580	8.29	31.76	31.81	53.75	61.99	74.00	-12.01	Peak	
2	5149.9800	8.29	31.77	31.82	51.73	59.97	74.00	-14.03	Peak	
3	5180 0000	8 29	31 85	31 86	101 99	110 27	68 20	12 07	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Index.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 25 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5180 Band edge

Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.9580	8.29	31.77	31.81	34.89	43.14	54.00	-10.86	Average
2	5149.9800	8.29	31.77	31.82	33.45	41.69	54.00	-12.31	Average
3	5180.0000	8.29	31.85	31.86	95.03	103.31			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 26 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5240 Band edge
Note : 5G WIFI 11A

JLE	. Ju w	TI T TT	٠							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5240.0000	8.29	31.99	31.94	100.21	108.55	68.20	40.35	peak	
2	5350.0200	8.28	32.25	32.10	40.88	49.31	74.00	-24.69	peak	
3	5352.7700	8.28	32.26	32.10	44.58	53.02	74.00	-20.98	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 27 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5240 Band edge
Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.0000	8.29	31.99	31.94	93.99	102.33			Average
2	5350.0200	8.28	32.25	32.10	31.71	40.14	54.00	-13.86	Average
3	5355.7460	8.28	32.27	32.10	31.98	40.43	54.00	-13.57	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 28 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5240 Band edge Note : 5G WIFI 11A

JCC	. Ju w	111 117	٦.							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5240.0000	8.29	31.99	31.94	100.95	109.29	68.20	41.09	Peak	
2	5350.0200	8.28	32.25	32.10	39.98	48.41	74.00	-25.59	Peak	
3	5355 7460	8 28	32 27	32 10	40 43	48 88	74 00	-25 12	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 29 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5240 Band edge

Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5240.0000	8.29	31.99	31.94	95.02	103.36			Average	
2	5350.0200	8.28	32.25	32.10	30.33	38.76	54.00	-15.24	Average	
3	5357.5890	8.28	32.27	32.11	30.53	38.97	54.00	-15.03	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 30 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5180 Band edge
Note : 5G WIFI 11N20

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.4590	8.29	31.76	31.81	53.89	62.13	74.00	-11.87	peak
2	5149.9800	8.29	31.77	31.82	52.03	60.27	74.00	-13.73	peak
3	5180.0000	8.29	31.85	31.86	100.94	109.22	68.20	41.02	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Index.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 31 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5180 Band edge
Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5146.5580	8.29	31.76	31.81	37.07	45.31	54.00	-8.69	Average	
2	5149.9800	8.29	31.77	31.82	36.94	45.18	54.00	-8.82	Average	
3	5180.0000	8.29	31.85	31.86	94.68	102.96			Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 32 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00375AT/00376AT Mode : 5180 Band edge Note : 5G WIFI 11N20

JCC		111 111	120							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5149.1570	8.29	31.77	31.82	50.97	59.21	74.00	-14.79	Peak	
2	5149.9800	8.29	31.77	31.82	50.92	59.16	74.00	-14.84	Peak	
3	5180 0000	8 29	31 85	31 86	101 25	109 53	68 20	41 33	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Index.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 33 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

5180.0000

3

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5180 Band edge
Note : 5G WIFI 11N20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 5148.8570 8.29 31.77 31.82 34.04 42.28 54.00 -11.72 Average 8.29 5149.9800 31.77 31.82 33.21 41.45 54.00 -12.55 Average

8.29 31.85 31.86 94.92 103.20 ----- Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 34 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5240 Band edge
Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.0000	8.29	31.99	31.94	99.45	107.79	68.20	39.59	peak
2	5350.0200	8.28	32.25	32.10	40.42	48.85	74.00	-25.15	peak
3	5351.3540	8.28	32.26	32.10	44.55	52.99	74.00	-21.01	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 35 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5240 Band edge
Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.0000	8.29	31.99	31.94	91.13	99.47			Average
2	5350.0200	8.28	32.25	32.10	30.00	38.43	54.00	-15.57	Average
3	5355.8880	8.28	32.27	32.10	30.17	38.62	54.00	-15.38	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 36 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5240 Band edge

Note

3

: 5G WIFI 11N20 Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 5240,0000 8.29 31.99 31.94 101.69 110.03 68.20 41.83 Peak 8.28 5350.0200 32.25 32.10 39.25 47.68 74.00 -26.32 Peak 8.28 32.25 32.10 40.09 5351.0700 48.52 74.00 -25.48 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 37 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00375AT/00376AT Mode : 5240 Band edge Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.0000	8.29	31.99	31.94	95.11	103.45			Average
2	5350.0200	8.28	32.25	32.10	29.75	38.18	54.00	-15.82	Average
3	5357.7300	8.28	32.27	32.11	29.87	38.31	54.00	-15.69	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 38 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5190 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.8630	8.29	31.77	31.82	53.38	61.62	74.00	-12.38	peak
2	5149.9800	8.29	31.77	31.82	52.56	60.80	74.00	-13.20	peak
3	5190.0000	8.29	31.87	31.87	98.25	106.54	68.20	38.34	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 39 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5190 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5149.3420	8.29	31.77	31.82	42.61	50.85	54.00	-3.15	Average	
2	5149.9800	8.29	31.77	31.82	42.54	50.78	54.00	-3.22	Average	
3	5190.0000	8.29	31.87	31.87	90.69	98.98			Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 40 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5190 Band edge Note : 5G WIFI 11N40

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 5148.8630 8.29 31.77 31.82 55.06 63.30 74.00 -10.70 Peak 8.29 31.82 55.54 63.78 5149.9800 31.77 74.00 -10.22 Peak 8.29 31.87 31.87 100.03 108.32 68.20 40.12 Peak 5190.0000



3

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 41 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5190 Band edge

: 5G WIFI 11N40

Note

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 5149,4610 8.29 31.82 42.04 50.28 54.00 -3.72 Average 31.77 8.29 31.82 42.48 5149.9800 31.77 50.72 54.00 -3.28 Average 8.29 31.87 3 5190.0000 31.87 89.72 98.01 ----- Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 42 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5230 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.0000	8.29	31.97	31.93	94.16	102.49	68.20	34.29	peak
2	5350.0200	8.28	32.25	32.10	37.81	46.24	74.00	-27.76	peak
3	5355.6160	8.28	32.27	32.10	38.92	47.37	74.00	-26.63	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 43 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5230 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.0000	8.29	31.97	31.93	86.27	94.60			Average
2	5350.0200	8.28	32.25	32.10	30.06	38.49	54.00	-15.51	Average
3	5358.7010	8.28	32.27	32.11	30.44	38.88	54.00	-15.12	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 44 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5230 Band edge
Note : 5G WIFI 11N40

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB 5230,0000 8.29 31.97 31.93 97.49 105.82 68.20 37.62 Peak 8.28 5350.0200 32.25 32.10 38.77 47.20 74.00 -26.80 Peak 8.28 32.26 3 5352.5330 32.10 39.15 47.59 74.00 -26.41 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryaidation issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 45 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5230 Band edge
Note : 5G WIFI 11N40

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB 5230,0000 8.29 31.97 31.93 90.79 99.12 ----- Average 5350.0200 8.28 32.25 32.10 30.31 38.74 54.00 -15.26 Average 8.28 32.26 3 5351.3980 32.10 30.67 39.11 54.00 -14.89 Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 46 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5210 Band edge
Note : 5G WIFI 11AC80

JLE	. Ju w	TI T TT	1000							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5133.3290	8.29	31.73	31.79	50.27	58.50	74.00	-15.50	peak	
2	5210.0000	8.29	31.92	31.90	91.77	100.08	68.20	31.88	peak	
3	5358 9340	8.28	32.27	32.11	39.64	48 08	74.00	-25.92	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-And-Conditions-And-Conditions-And-Conditions-And-Conditions-And-Cond




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 47 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5210 Band edge
Note : 5G WIFI 11AC80

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5143.2930	8.29	31.76	31.81	35.47	43.71	54.00	-10.29	Average
2	5210.0000	8.29	31.92	31.90	84.88	93.19			Average
3	5358.6670	8.28	32.27	32.11	30.78	39.22	54.00	-14.78	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 48 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5210 Band edge

Mode : 5210 Band edge Note : 5G WIFI 11AC80

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5142.7810	8.29	31.75	31.81	47.82	56.05	74.00	-17.95	Peak
2	5210.0000	8.29	31.92	31.90	94.93	103.24	68.20	35.04	Peak
3	5350.4140	8.28	32.25	32.10	40.06	48.49	74.00	-25.51	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 49 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5210 Band edge

Mode : 5210 Band edge Note : 5G WIFI 11AC80

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.9470	8.29	31.77	31.82	35.54	43.78	54.00	-10.22	Average
2	5210.0000	8.29	31.92	31.90	87.57	95.88			Average
3	5349.8820	8.28	32.25	32.10	30.48	38.91			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 50 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5180 Band edge
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.5580	8.29	31.77	31.82	48.62	56.86	74.00	-17.14	peak
2	5149.9800	8.29	31.77	31.82	48.46	56.70	74.00	-17.30	peak
3	5180.0000	8.29	31.85	31.86	98.87	107.15	68.20	38.95	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 51 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5180 Band edge
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5140.9650	8.29	31.75	31.80	33.42	41.66	54.00	-12.34	Average
2	5149.9800	8.29	31.77	31.82	33.36	41.60	54.00	-12.40	Average
3	5180.0000	8.29	31.85	31.86	90.94	99.22			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 52 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber
Condition: 3m VERTICAL
Job No : 00375AT/00376AT

Mode : 5180 Band edge Note : 5G WIFI 11AX20

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5143.3610	8.29	31.76	31.81	47.37	55.61	74.00	-18.39	Peak
2	5149.9800	8.29	31.77	31.82	47.54	55.78	74.00	-18.22	Peak
3	5180.0000	8.29	31.85	31.86	100.44	108.72	68.20	40.52	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 53 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00375AT/00376AT Mode : 5180 Band edge Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5144.7600	8.29	31.76	31.81	32.10	40.34	54.00	-13.66	Average
2	5149.9800	8.29	31.77	31.82	32.19	40.43	54.00	-13.57	Average
3	5180.0000	8.29	31.85	31.86	92.33	100.61			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 54 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5240 Band edge
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.0000	8.29	31.99	31.94	96.87	105.21	68.20	37.01	peak
2	5350.0200	8.28	32.25	32.10	37.60	46.03	74.00	-27.97	peak
3	5354.6120	8.28	32.26	32.10	41.20	49.64	74.00	-24.36	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 55 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5240 Band edge
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.0000	8.29	31.99	31.94	89.05	97.39			Average
2	5350.0200	8.28	32.25	32.10	30.04	38.47	54.00	-15.53	Average
3	5352.9120	8.28	32.26	32.10	30.27	38.71	54.00	-15.29	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 56 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5240 Band edge

Mode : 5240 Band edge Note : 5G WIFI 11AX20

JLE	. Ju w	TLT TT	1/1/20							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5240.0000	8.29	31.99	31.94	100.76	109.10	68.20	40.90	Peak	
2	5350.0200	8.28	32.25	32.10	39.30	47.73	74.00	-26.27	Peak	
3	5355.4620	8.28	32.26	32.10	38.96	47.40	74.00	-26.60	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 57 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5240 Band edge Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.0000	8.29	31.99	31.94	92.94	101.28			Average
2	5350.0200	8.28	32.25	32.10	29.64	38.07	54.00	-15.93	Average
3	5359.7160	8.28	32.27	32.11	29.94	38.38	54.00	-15.62	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 58 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5190 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.2220	8.29	31.77	31.82	48.83	57.07	74.00	-16.93	peak
2	5149.9800	8.29	31.77	31.82	49.91	58.15	74.00	-15.85	peak
3	5190.0000	8.29	31.87	31.87	95.96	104.25	68.20	36.05	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 59 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5190 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.7430	8.29	31.77	31.82	40.92	49.16	54.00	-4.84	Average
2	5149.9800	8.29	31.77	31.82	40.98	49.22	54.00	-4.78	Average
3	5190.0000	8.29	31.87	31.87	88.94	97.23			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 60 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5190 Band edge Note : 5G WIFI 11AX40

> Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 5148,7430 8.29 31.77 31.82 48.91 57.15 74.00 -16.85 Peak 8.29 5149.9800 31.77 31.82 50.20 58.44 74.00 -15.56 Peak 8.29 31.87 31.87 96.96 105.25 68.20 37.05 Peak 5190.0000



3

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 61 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00375AT/00376AT Mode : 5190 Band edge Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.2220	8.29	31.77	31.82	39.75	47.99	54.00	-6.01	Average
2	5149.9800	8.29	31.77	31.82	40.04	48.28	54.00	-5.72	Average
3	5190.0000	8.29	31.87	31.87	89.33	97.62			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 62 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5230 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.0000	8.29	31.97	31.93	94.79	103.12	68.20	34.92	peak
2	5350.0200	8.28	32.25	32.10	38.29	46.72	74.00	-27.28	peak
3	5355.7780	8.28	32.27	32.10	39.58	48.03	74.00	-25.97	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 63 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5230 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.0000	8.29	31.97	31.93	88.26	96.59			Average
2	5350.0200	8.28	32.25	32.10	31.32	39.75	54.00	-14.25	Average
3	5351.5600	8.28	32.26	32.10	31.79	40.23	54.00	-13.77	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 64 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5230 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.0000	8.29	31.97	31.93	97.69	106.02	68.20	37.82	Peak
2	5350.0200	8.28	32.25	32.10	37.35	45.78	74.00	-28.22	Peak
3	5351.3980	8.28	32.26	32.10	38.69	47.13	74.00	-26.87	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 65 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5230 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.0000	8.29	31.97	31.93	89.68	98.01			Average
2	5350.0200	8.28	32.25	32.10	30.02	38.45	54.00	-15.55	Average
3	5351.3980	8.28	32.26	32.10	30.37	38.81	54.00	-15.19	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 66 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5260 Band edge
Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5139.2440	8.29	31.75	31.80	43.26	51.50	74.00	-22.50	peak
2	5149.9800	8.29	31.77	31.82	40.56	48.80	74.00	-25.20	peak
3	5260.0000	8.28	32.04	31.97	98.36	106.71	68.20	38.51	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryaidation issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 67 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5260 Band edge
Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5120.2060	8.29	31.70	31.77	32.72	40.94	54.00	-13.06	Average
2	5149.9800	8.29	31.77	31.82	31.66	39.90	54.00	-14.10	Average
3	5260.0000	8.28	32.04	31.97	92.37	100.72			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 68 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5260 Band edge

Note : 5G WIFI 11A

JCC	. 30 WITT TIA									
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5147.4510	8.29	31.77	31.81	40.73	48.98	74.00	-25.02	Peak	
2	5149.9800	8.29	31.77	31.82	37.79	46.03	74.00	-27.97	Peak	
3	5260 0000	8 28	32 04	31 97	96 93	105 28	68 20	37 08	Poak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 69 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5260 Band edge
Note : 5G WIFI 11A

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB 5147.0940 8.29 31.77 31.81 30.99 39.24 54.00 -14.76 Average 8.29 5149.9800 31.77 31.82 30.49 38.73 54.00 -15.27 Average 8.28 32.04 3 5260.0000 31.97 90.13 98.48 ----- Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 70 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5320 Band edge
Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.0000	8.28	32.18	32.06	99.70	108.10	68.20	39.90	peak
2	5350.0200	8.28	32.25	32.10	54.91	63.34	74.00	-10.66	peak
3	5351.0660	8.28	32.25	32.10	56.35	64.78	74.00	-9.22	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 71 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5320 Band edge
Note : 5G WIFI 11A

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB 8.28 32.18 32.06 93.29 101.69 ----- Average 5320,0000 8.28 5350.0200 32.25 32.10 38.73 47.16 54.00 -6.84 Average 8.28 32.26 32.10 38.17 3 5352.2670 46.61 54.00 -7.39 Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 72 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00375AT/00376AT Mode : 5320 Band edge Note : 5G WIFI 11A

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 5320,0000 8.28 32.18 32.06 97.85 106.25 68.20 38.05 Peak 8.28 32.10 55.32 63.75 5350.0200 32.25 74.00 -10.25 Peak 8.28 32.26 3 5351.7670 32.10 54.66 63.10 74.00 -10.90 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 73 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5320 Band edge
Note : 5G WIFI 11A

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB 5320,0000 8.28 32.18 32.06 91.43 99.83 ----- Average 8.28 32.10 37.02 5350.0200 32.25 45.45 54.00 -8.55 Average 8.28 32.25 32.10 36.62 45.05 54.00 -8.95 Average 3 5350.7670



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 74 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5260 Band edge
Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.6290	8.29	31.77	31.81	43.85	52.10	74.00	-21.90	peak
2	5149.9800	8.29	31.77	31.82	41.72	49.96	74.00	-24.04	peak
3	5260.0000	8.28	32.04	31.97	97.50	105.85	68.20	37.65	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 75 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5260 Band edge
Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5119.8510	8.29	31.70	31.77	32.42	40.64	54.00	-13.36	Average
2	5149.9800	8.29	31.77	31.82	31.40	39.64	54.00	-14.36	Average
3	5260.0000	8.28	32.04	31.97	92.00	100.35			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 76 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5260 Band edge

Note

3

: 5G WIFI 11N20 Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB 5143.3460 8.29 31.76 31.81 41.31 49.55 74.00 -24.45 Peak 8.29 39.01 47.25 5149.9800 31.77 31.82 74.00 -26.75 Peak 8.28 32.04 31.97 97.02 105.37 68.20 37.17 Peak 5260.0000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 77 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber
Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5260 Band edge

Mode : 5260 Band edge Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.0940	8.29	31.77	31.81	31.08	39.33	54.00	-14.67	Average
2	5149.9800	8.29	31.77	31.82	30.50	38.74	54.00	-15.26	Average
3	5260.0000	8.28	32.04	31.97	90.40	98.75			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 78 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5320 Band edge
Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.0000	8.28	32.18	32.06	99.48	107.88	68.20	39.68	peak
2	5350.0200	8.28	32.25	32.10	54.74	63.17	74.00	-10.83	peak
3	5352.0670	8.28	32.26	32.10	56.24	64.68	74.00	-9.32	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 79 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5320 Band edge
Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.0000	8.28	32.18	32.06	93.57	101.97			Average
2	5350.0200	8.28	32.25	32.10	37.56	45.99	54.00	-8.01	Average
3	5350.8660	8.28	32.25	32.10	37.26	45.69	54.00	-8.31	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 80 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5320 Band edge Note : 5G WIFI 11N20

ote	. JG W	TLT TTI	120							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5320.0000	8.28	32.18	32.06	97.94	106.34	68.20	38.14	Peak	
2	5350.0200	8.28	32.25	32.10	51.62	60.05	74.00	-13.95	Peak	
3	5352.0670	8.28	32.26	32.10	54.34	62.78	74.00	-11.22	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 81 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5320 Band edge
Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5320.0000	8.28	32.18	32.06	91.70	100.10			Average	
2	5350.0200	8.28	32.25	32.10	36.39	44.82	54.00	-9.18	Average	
3	5350.6670	8.28	32.25	32.10	37.34	45.77	54.00	-8.23	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 82 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5270 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5111.1940	8.29	31.68	31.76	40.56	48.77	74.00	-25.23	peak
2	5149.9800	8.29	31.77	31.82	37.66	45.90	74.00	-28.10	peak
3	5270.0000	8.28	32.06	31.99	95.14	103.49	68.20	35.29	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 83 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5270 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5120.0490	8.29	31.70	31.77	32.12	40.34	54.00	-13.66	Average
2	5149.9800	8.29	31.77	31.82	31.40	39.64	54.00	-14.36	Average
3	5270.0000	8.28	32.06	31.99	89.75	98.10			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 84 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5270 Band edge

Note : 5G WIFI 11N40

JLE	. Ju w	111 111	140							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5107.8530	8.29	31.67	31.76	39.14	47.34	74.00	-26.66	Peak	
2	5149.9800	8.29	31.77	31.82	37.71	45.95	74.00	-28.05	Peak	
3	5270,0000	8.28	32.06	31.99	93.85	102.20	68.20	34.00	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 85 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00375AT/00376AT Mode : 5270 Band edge Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5123.2020	8.29	31.71	31.78	30.64	38.86	54.00	-15.14	Average	
2	5149.9800	8.29	31.77	31.82	30.18	38.42	54.00	-15.58	Average	
3	5270.0000	8.28	32.06	31.99	87.34	95.69			Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 86 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5310 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.0000	8.28	32.16	32.04	97.44	105.84	68.20	37.64	peak
2	5350.0200	8.28	32.25	32.10	52.30	60.73	74.00	-13.27	peak
3	5351.1950	8.28	32.25	32.10	53.97	62.40	74.00	-11.60	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 87 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5310 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.0000	8.28	32.16	32.04	88.53	96.93			Average
2	5350.0200	8.28	32.25	32.10	41.50	49.93	54.00	-4.07	Average
3	5350.4740	8.28	32.25	32.10	41.60	50.03	54.00	-3.97	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 88 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5310 Band edge Note : 5G WIFI 11N40

> Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB 5310,0000 8.28 32.16 32.04 95.15 103.55 68.20 35.35 Peak 8.28 5350.0200 32.25 32.10 52.59 61.02 74.00 -12.98 Peak 8.28 32.26 32.10 52.03 5353.2400 60.47 74.00 -13.53 Peak



3

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 89 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5310 Band edge Note : 5G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.0000	8.28	32.16	32.04	85.44	93.84			Average
2	5350.0200	8.28	32.25	32.10	41.11	49.54	54.00	-4.46	Average
3	5350.5940	8.28	32.25	32.10	40.30	48.73	54.00	-5.27	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 90 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5290 Band edge
Note : 5G WIFI 11AC80

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5138.6250	8.29	31.74	31.80	40.82	49.05	74.00	-24.95	peak
2	5290.0000	8.28	32.11	32.01	93.70	102.08	68.20	33.88	peak
3	5354.8180	8.28	32.26	32.10	50.02	58.46	74.00	-15.54	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 91 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5290 Band edge
Note : 5G WIFI 11AC80

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5120.4460	8.29	31.70	31.77	32.92	41.14	54.00	-12.86	Average
2	5290.0000	8.28	32.11	32.01	87.94	96.32			Average
3	5351.1460	8.28	32.25	32.10	38.63	47.06	54.00	-6.94	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 92 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5290 Band edge

Note : 5G WIFI 11AC80

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5140.3870	8.29	31.75	31.80	40.44	48.68	74.00	-25.32	Peak
2	5290.0000	8.28	32.11	32.01	91.98	100.36	68.20	32.16	Peak
3	5358.1860	8.28	32.27	32.11	47.05	55.49	74.00	-18.51	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 93 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber
Condition: 3m VERTICAL
Job No : 00375AT/00376AT

Mode : 5290 Band edge Note : 5G WIFI 11AC80

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.2670	8.29	31.76	31.81	31.11	39.35	54.00	-14.65	Average
2	5290.0000	8.28	32.11	32.01	85.93	94.31			Average
3	5350.2290	8.28	32.25	32.10	37.27	45.70	54.00	-8.30	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 94 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5260 Band edge
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5143.1670	8.29	31.76	31.81	41.50	49.74	74.00	-24.26	peak
2	5149.9800	8.29	31.77	31.82	39.76	48.00	74.00	-26.00	peak
3	5260.0000	8.28	32.04	31.97	98.56	106.91	68.20	38.71	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 95 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5260 Band edge
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5120.0280	8.29	31.70	31.77	32.00	40.22	54.00	-13.78	Average
2	5149.9800	8.29	31.77	31.82	32.19	40.43	54.00	-13.57	Average
3	5260.0000	8.28	32.04	31.97	91.63	99.98			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 96 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5260 Band edge

Note : 5G WIFI 11AX20

JLE	. Ju w	TI T TT	1/1/20							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5136.7500	8.29	31.74	31.80	39.67	47.90	74.00	-26.10	Peak	
2	5149.9800	8.29	31.77	31.82	39.99	48.23	74.00	-25.77	Peak	
3	5260,0000	8.28	32.04	31.97	97.91	106.26	68.20	38.06	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 97 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5260 Band edge
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.9150	8.29	31.76	31.81	30.78	39.02	54.00	-14.98	Average
2	5149.9800	8.29	31.77	31.82	30.44	38.68	54.00	-15.32	Average
3	5260.0000	8.28	32.04	31.97	90.06	98.41			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 98 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5320 Band edge
Note : 5G WIFI 11AX20

	Freq				Read Level				Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.0000	8.28	32.18	32.06	100.29	108.69	68.20	40.49	peak
2	5350.0200	8.28	32.25	32.10	55.28	63.71	74.00	-10.29	peak
3	5350.7670	8.28	32.25	32.10	55.19	63.62	74.00	-10.38	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 99 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5320 Band edge
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5320.0000	8.28	32.18	32.06	93.24	101.64			Average	
2	5350.0200	8.28	32.25	32.10	37.27	45.70	54.00	-8.30	Average	
3	5351.3670	8.28	32.26	32.10	36.96	45.40	54.00	-8.60	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 100 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5320 Band edge Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5320.0000	8.28	32.18	32.06	99.02	107.42	68.20	39.22	Peak	
2	5350.0200	8.28	32.25	32.10	53.13	61.56	74.00	-12.44	Peak	
3	5352.1670	8.28	32.26	32.10	54.10	62.54	74.00	-11.46	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 101 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00375AT/00376AT Mode : 5320 Band edge Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.0000	8.28	32.18	32.06	91.20	99.60			Average
2	5350.0200	8.28	32.25	32.10	35.55	43.98	54.00	-10.02	Average
3	5351.0660	8.28	32.25	32.10	36.06	44.49	54.00	-9.51	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 102 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5270 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.2910	8.29	31.77	31.81	39.80	48.05	74.00	-25.95	peak
2	5149.9800	8.29	31.77	31.82	38.35	46.59	74.00	-27.41	peak
3	5270.0000	8.28	32.06	31.99	96.92	105.27	68.20	37.07	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 103 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5270 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5120.0490	8.29	31.70	31.77	31.85	40.07	54.00	-13.93	Average
2	5149.9800	8.29	31.77	31.82	31.48	39.72	54.00	-14.28	Average
3	5270.0000	8.28	32.06	31.99	88.82	97.17			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 104 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5270 Band edge

Note

3

: 5G WIFI 11AX40 Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB 5145.3210 8.29 31.76 31.81 38.85 47.09 74.00 -26.91 Peak 8.29 5149.9800 31.77 31.82 37.61 45.85 74.00 -28.15 Peak 8.28 32.06 31.99 94.58 102.93 68.20 34.73 Peak 5270.0000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 105 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

5270.0000

3

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5270 Band edge
Note : 5G WIFI 11AX40

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB 5146.9050 8.29 31.76 31.81 30.64 38.88 54.00 -15.12 Average 8.29 5149.9800 31.77 31.82 30.14 38.38 54.00 -15.62 Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep

8.28 32.06 31.99 86.82 95.17 ----- Average




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 106 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5310 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.0000	8.28	32.16	32.04	99.27	107.67	68.20	39.47	peak
2	5350.0200	8.28	32.25	32.10	52.23	60.66	74.00	-13.34	peak
3	5351.3150	8.28	32.25	32.10	52.74	61.17	74.00	-12.83	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 107 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5310 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.0000	8.28	32.16	32.04	87.96	96.36			Average
2	5350.0200	8.28	32.25	32.10	42.23	50.66	54.00	-3.34	Average
3	5350.4740	8.28	32.25	32.10	41.72	50.15	54.00	-3.85	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 108 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber
Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5310 Band edge

Mode : 5310 Band edge Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5310.0000	8.28	32.16	32.04	95.45	103.85	68.20	35.65	Peak	
2	5350.0200	8.28	32.25	32.10	50.39	58.82	74.00	-15.18	Peak	
3	5350.5940	8.28	32.25	32.10	51.38	59.81	74.00	-14.19	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 109 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5310 Band edge Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5310.0000	8.28	32.16	32.04	86.54	94.94			Average	
2	5350.0200	8.28	32.25	32.10	40.47	48.90	54.00	-5.10	Average	
3	5350.4740	8.28	32.25	32.10	40.21	48.64	54.00	-5.36	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 110 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5500 Band edge
Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5459.3110	8.27	32.51	32.25	47.90	56.43	74.00	-17.57	peak
2	5468.3170	8.27	32.53	32.26	51.38	59.92	68.20	-8.28	peak
3	5500.0000	8.27	32.60	32.30	97.08	105.65	68.20	37.45	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 111 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5500 Band edge
Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5459.6700	8.27	32.51	32.25	32.37	40.90	54.00	-13.10	Average
2	5500.0000	8.27	32.60	32.30	91.23	99.80			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 112 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5500 Band edge

Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5457.9910	8.27	32.50	32.24	46.36	54.89	74.00	-19.11	Peak
2	5462.7910	8.27	32.51	32.25	48.04	56.57	68.20	-11.63	peak
3	5500.0000	8.27	32.60	32.30	98.26	106.83	68.20	38.63	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 113 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5500 Band edge

Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5459.5500	8.27	32.51	32.25	31.39	39.92	54.00	-14.08	Average
2	5500.0000	8.27	32.60	32.30	92.41	100.98			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.org/">http://www.sgs.com/en/Terms-and-Conditions.regness.org/</a> (for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Term




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 114 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5700 Band edge
Note : 5G WIFI 11A

			-						
	Frea						Limit Line		
		2033			20702	20702	22112	Limit	Tremar It
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5700.0000	8.01	32.52	32.22	95.32	103.63	68.20	35.43	peak
2	5725.0000	7.98	32.51	32.21	51.87	60.15	68.20	-8.05	peak
3	5727.5830	7.98	32.51	32.21	51.93	60.21	68.20	-7.99	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.org/">http://www.sgs.com/en/Terms-and-Conditions.regness.org/</a> (for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Term




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 115 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5700 Band edge Note : 5G WIFI 11A

ote	. JG W	TLT TT	4							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5700.0000	8.01	32.52	32.22	99.37	107.68	68.20	39.48	Peak	
2	5725.0000	7.98	32.51	32.21	53.66	61.94	68.20	-6.26	Peak	
3	5726.3830	7.98	32.51	32.21	54.40	62.68	68.20	-5.52	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 116 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5500 Band edge
Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5451.9960	8.27	32.49	32.24	48.95	57.47	74.00	-16.53	peak
2	5467.5960	8.27	32.53	32.26	51.95	60.49	68.20	-7.71	peak
3	5500.0000	8.27	32.60	32.30	96.50	105.07	68.20	36.87	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 117 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5500 Band edge
Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		-
1	5458.8310	8.27	32.51	32.24	32.35	40.89	54.00	-13.11	Average	
2	5500.0000	8.27	32.60	32.30	91.02	99.59			Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.org/">http://www.sgs.com/en/Terms-and-Conditions.regness.org/</a> (for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Term




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 118 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5500 Band edge Note : 5G WIFI 11N20

> Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq MHz dB dBuV dBuV/m dBuV/m dB/m dB 5441.5810 8.27 32.47 32.22 46.02 54.54 74.00 -19.46 Peak 57.11 5466.3950 8.27 32.52 32.25 48.57 68.20 -11.09 peak 8.27 32.60 5500.0000 32.30 97.09 105.66 68.20 37.46 Peak



3

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-end-Conditions.aspx.and">http://www.sgs.com/en/Terms-end-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-end-Conditions-and-Conditions-End-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 119 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00375AT/00376AT Mode : 5500 Band edge Note : 5G WIFI 11N20

> Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB 5458.3510 8.27 32.50 32.24 30.97 39.50 54.00 -14.50 Average 8.27 32.60 32.30 92.14 100.71 ----- Average 5500.0000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 120 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5700 Band edge
Note : 5G WIFI 11N20

	Freq						Limit Line		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5700.0000	8.01	32.52	32.22	94.01	102.32	68.20	34.12	peak
2	5725.0000	7.98	32.51	32.21	51.85	60.13	68.20	-8.07	peak
3	5725.8830	7.98	32.51	32.21	52.18	60.46	68.20	-7.74	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 121 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5700 Band edge Note : 5G WIFI 11N20

Limit Cable Ant Preamp Read 0ver Freq Loss Factor Factor Level Level Line Limit Remark MHz dB dB dBuV dBuV/m dBuV/m dB dB/m

1	5700.0000	8.01	32.52	32.22	98.16	106.47	68.20	38.27 Peak
2	5725.0000	7.98	32.51	32.21	54.29	62.57	68.20	-5.63 Peak
3	5728.3820	7.98	32.51	32.21	54.32	62.60	68.20	-5.60 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 122 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5510 Band edge
Note : 5G WIFI 11N40

IO CC		111 111	140							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	d Bu V/m	dBuV/m	dB		
1	5458.6430	8.27	32.50	32.24	44.98	53.51	74.00	-20.49	peak	
2	5468.2920	8.27	32.53	32.26	46.87	55.41	68.20	-12.79	peak	
3	5510 0000	8 26	32 60	32 30	93 92	102 //8	68 20	3/1 28	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.org/">http://www.sgs.com/en/Terms-and-Conditions.regness.org/</a> (for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Term




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 123 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5510 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		-
1	5459.4810	8.27	32.51	32.25	32.30	40.83	54.00	-13.17	Average	
2	5510.0000	8.26	32.60	32.30	88.42	96.98			Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.org/">http://www.sgs.com/en/Terms-and-Conditions.regness.org/</a> (for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Term




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 124 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5510 Band edge

Note

3

: 5G WIFI 11N40 Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 5424,9360 8.27 32.43 32.20 42.04 50.54 74.00 -23.46 Peak 8.27 5468,9920 32.53 32.26 46.01 54.55 68.20 -13.65 peak 8.26 32.60 32.30 95.49 104.05 5510.0000 68.20 35.85 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 125 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5510 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5457.1060	8.27	32.50	32.24	31.80	40.33	54.00	-13.67	Average
2	5510.0000	8.26	32.60	32.30	89.21	97.77			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 126 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5670 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5670.0000	8.05	32.53	32.23	94.30	102.65	68.20	34.45	peak
2	5725.0000	7.98	32.51	32.21	39.40	47.68	68.20	-20.52	peak
3	5733.4200	7.97	32.50	32.20	41.04	49.31	68.20	-18.89	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.org/">http://www.sgs.com/en/Terms-and-Conditions.regness.org/</a> (for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Term




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 127 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00375AT/00376AT Mode : 5670 Band edge Note : 5G WIFI 11N40

ote	: 3G W	TLT TI	140							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5670.0000	8.05	32.53	32.23	96.90	105.25	68.20	37.05	Peak	
2	5725.0000	7.98	32.51	32.21	38.89	47.17	68.20	-21.03	Peak	
3	5748.7640	7.95	32,50	32,20	41.55	49.80	68.20	-18.40	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 128 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5530 Band edge
Note : 5G WIFI 11AC80

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5450.7000	8.27	32.49	32.23	50.46	58.99	74.00	-15.01	peak
2	5460.1810	8.27	32.51	32.25	48.42	56.95	68.20	-11.25	peak
3	5530.0000	8.23	32.59	32.29	91.67	100.20	68.20	32.00	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 129 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5530 Band edge
Note : 5G WIFI 11AC80

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		-
1	5449.8070	8.27	32.48	32.23	34.82	43.34	54.00	-10.66	Average	
2	5530.0000	8.23	32.59	32.29	85.65	94.18			Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 130 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL : 00375AT/00376AT : 5530 Band edge Mode : 5G WIFI 11AC80

Note

3

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 5449.2710 8.27 32.48 32.23 50.01 58.53 74.00 -15.47 Peak 5460.1810 8.27 32.51 32.25 48.35 56.88 68.20 -11.32 peak 8.23 32.59 32.29 93.79 102.32 68.20 34.12 Peak 5530.0000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 131 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5530 Band edge
Note : 5G WIFI 11AC80

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB 5458,9280 8.27 32.51 32.24 34.87 43.41 54.00 -10.59 Average 8.23 32.59 32.29 87.02 95.55 ----- Average 5530.0000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 132 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5610 Band edge
Note : 5G WIFI 11AC80

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5610.0000	8.13	32.55	32.25	93.15	101.58	68.20	33.38	peak
2	5730.5600	7.97	32.51	32.21	39.24	47.51	68.20	-20.69	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 133 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5610 Band edge Note : 5G WIFI 11AC80

oce	. Ju w	111 114	1000							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5610.0000	8.13	32.55	32.25	94.67	103.10	68.20	34.90	Peak	
2	5734 0040	7.97	32.50	32.20	39.59	47.86	68.20	-20.34	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 134 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5500 Band edge
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5446.6060	8.27	32.48	32.23	48.54	57.06	74.00	-16.94	peak
2	5468.7980	8.27	32.53	32.26	51.73	60.27	68.20	-7.93	peak
3	5500.0000	8.27	32.60	32.30	97.91	106.48	68.20	38.28	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 135 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5500 Band edge
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5459.9100	8.27	32.51	32.25	32.34	40.87	54.00	-13.13	Average
2	5500.0000	8.27	32.60	32.30	91.36	99.93			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 136 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5500 Band edge Note : 5G WIFI 11AX20

> Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 5452.8350 8.27 32.49 32.24 47.50 56.02 74.00 -17.98 Peak 5469.8800 8.27 32.53 32.26 49.06 57.60 68.20 -10.60 peak 8.27 32.60 32.30 98.68 107.25 5500.0000 68.20 39.05 Peak



3

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Index.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 137 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT/00376AT : 5500 Band edge Mode

Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		-
1	5457.8710	8.27	32.50	32.24	31.30	39.83	54.00	-14.17	Average	
2	5500.0000	8.27	32.60	32.30	92.52	101.09			Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.org/">http://www.sgs.com/en/Terms-and-Conditions.regness.org/</a> (for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Term




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 138 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5700 Band edge
Note : 5G WIFI 11AX20

	Freq						Limit Line		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5700.0000	8.01	32.52	32.22	95.44	103.75	68.20	35.55	peak
2	5725.0000	7.98	32.51	32.21	52.78	61.06	68.20	-7.14	peak
3	5728.1820	7.98	32.51	32.21	51.93	60.21	68.20	-7.99	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 139 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber
Condition: 3m VERTICAL
Job No : 00375AT/00376AT
Mode : 5700 Band edge
Note : 5G WIFI 11AX20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dB dBuV dBuV/m dBuV/m dB/m dB dB 5700,0000 8.01 32.52 32.22 99.93 108.24 68.20 40.04 Peak 7.98 5725,0000 32.51 32.21 51.88 60.16 68.20 -8.04 Peak 7.98 32.51 32.21 53.56 -6.36 Peak 5725.9830 61.84 68.20



3

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 140 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5510 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5458.0840	8.27	32.50	32.24	43.88	52.41	74.00	-21.59	peak
2	5469.1320	8.27	32.53	32.26	47.43	55.97	68.20	-12.23	peak
3	5510.0000	8.26	32.60	32.30	96.16	104.72	68.20	36.52	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 141 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5510 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5457.2460	8.27	32.50	32.24	31.88	40.41	54.00	-13.59	Average
2	5510.0000	8.26	32.60	32.30	88.29	96.85			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.org/">http://www.sgs.com/en/Terms-and-Conditions.regness.org/</a> (for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Term




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 142 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5510 Band edge Note : 5G WIFI 11AX40

ıark
ık
are.
ık
ık



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 143 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00375AT/00376AT
Mode : 5510 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5457.8050	8.27	32.50	32.24	32.29	40.82	54.00	-13.18	Average
2	5510.0000	8.26	32.60	32.30	89.19	97.75			Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.org/">http://www.sgs.com/en/Terms-and-Conditions.regness.org/</a> (for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Term




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 144 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5670 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5670.0000	8.05	32.53	32.23	95.32	103.67	68.20	35.47	peak
2	5725.0000	7.98	32.51	32.21	39.52	47.80	68.20	-20.40	peak
3	5732.0140	7.97	32.51	32.21	41.59	49.86	68.20	-18.34	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 145 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5670 Band edge Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB	
1	5670.0000	8.05	32.53	32.23	98.07	106.42	68.20	38.22	Peak
2	5725.0000	7.98	32.51	32.21	39.41	47.69	68.20	-20.51	Peak
3	5731.3120	7.97	32.51	32.21	40.99	49.26	68.20	-18.94	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 146 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5745 Band edge
Note : 5G WIFI 11A

OCC		111 117	•							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5715.0000	7.99	32.51	32.21	47.90	56.19	109.40	-53.21	peak	
2	5725.0000	7.98	32.51	32.21	50.14	58.42	122.20	-63.78	peak	
3	57/15 0000	7 95	32 50	32 20	96 86	105 11			noak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 147 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00375AT/00376AT Mode : 5745 Band edge

Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.0000	7.99	32.51	32.21	49.20	57.49	109.40	-51.91	peak
2	5725.0000	7.98	32.51	32.21	52.89	61.17	122.20	-61.03	peak
3	5745.0000	7.95	32.50	32.20	98.85	107.10			peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 148 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5825 Band edge
Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5825.0000	7.85	32.47	32.17	94.24	102.39			peak
2	5850.0000	7.82	32.46	32.16	51.34	59.46	122.20	-62.74	peak
3	5860.0000	7.81	32.45	32.15	48.84	56.95	109.40	-52.45	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 149 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5825 Band edge Note : 5G WIFI 11A

JCC		111 117	٠							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5825.0000	7.85	32.47	32.17	98.91	107.06			peak	
2	5850.0000	7.82	32.46	32.16	56.26	64.38	122.20	-57.82	peak	
3	5860 0000	7 81	32 //5	32 15	52 86	60 97	109 /0	-48 43	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 150 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5745 Band edge
Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.0000	7.99	32.51	32.21	45.13	53.42	109.40	-55.98	peak
2	5725.0000	7.98	32.51	32.21	46.31	54.59	122.20	-67.61	peak
3	5745.0000	7.95	32.50	32.20	96.51	104.76			peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 151 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5745 Band edge

Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.0000	7.99	32.51	32.21	45.71	54.00	109.40	-55.40	peak
2	5725.0000	7.98	32.51	32.21	51.57	59.85	122.20	-62.35	peak
3	5745.0000	7.95	32.50	32.20	98.68	106.93			peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 152 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5825 Band edge
Note : 5G WIFI 11N20

JCC		111 111	120							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5825.0000	7.85	32.47	32.17	97.07	105.22			peak	
2	5850.0000	7.82	32.46	32.16	42.54	50.66	122.20	-71.54	peak	
3	5860 0000	7 81	32 45	32 15	52 30	60 41	109 40	-48 99	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 153 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5825 Band edge

Note : 5G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5825.0000	7.85	32.4/	32.1/	98./3	106.88			peak
2	5850.0000	7.82	32.46	32.16	50.07	58.19	122.20	-64.01	peak
3	5860.0000	7.81	32.45	32.15	52.50	60.61	109.40	-48.79	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 154 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5755 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.0000	7.99	32.51	32.21	40.01	48.30	109.40	-61.10	peak
2	5725.0000	7.98	32.51	32.21	44.80	53.08	122.20	-69.12	peak
3	5755.0000	7.94	32.50	32.20	94.76	103.00			peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 155 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5755 Band edge

Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.0000	7.99	32.51	32.21	44.34	52.63	109.40	-56.77	peak
2	5725.0000	7.98	32.51	32.21	47.74	56.02	122.20	-66.18	peak
3	5755.0000	7.94	32.50	32.20	95.20	103.44			peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 156 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5795 Band edge
Note : 5G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5795.0000	7.89	32.48	32.18	91.06	99.25			peak
2	5850.0000	7.82	32.46	32.16	38.09	46.21	122.20	-75.99	peak
3	5860.0000	7.81	32.45	32.15	37.74	45.85	109.40	-63.55	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 157 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5795 Band edge

Note : 5G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5795.0000	7.89	32.48	32.18	95.70	103.89			peak
2	5850.0000	7.82	32.46	32.16	42.21	50.33	122.20	-71.87	peak
3	5860.0000	7.81	32.45	32.15	42.64	50.75	109.40	-58.65	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 158 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5775 Band edge
Note : 5G WIFI 11AC80

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5724.3900	7.98	32.51	32.21	51.23	59.51	120.81	-61.30	peak
2	5775.0000	7.92	32.49	32.19	90.92	99.14			peak
3	5849.6500	7.82	32.46	32.16	46.13	54.25			peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 159 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5775 Band edge

Mode : 5//5 Band edge Note : 5G WIFI 11AC80

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5723.1840	7.98	32.51	32.21	54.50	62.78	118.06	-55.28	peak
2	5775.0000	7.92	32.49	32.19	91.91	100.13			peak
3	5859.2090	7.81	32.45	32.15	47.68	55.79	109.62	-53.83	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 160 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5745 Band edge
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.0000	7.99	32.51	32.21	45.57	53.86	109.40	-55.54	peak
2	5725.0000	7.98	32.51	32.21	48.44	56.72	122.20	-65.48	peak
3	5745.0000	7.95	32.50	32.20	98.69	106.94			peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 161 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5745 Band edge Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.0000	7.99	32.51	32.21	41.69	49.98	109.40	-59.42	peak
2	5725.0000	7.98	32.51	32.21	48.92	57.20	122.20	-65.00	peak
3	5745.0000	7.95	32.50	32.20	99.33	107.58			peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 162 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5825 Band edge
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5825.0000	7.85	32.47	32.17	98.39	106.54			peak
2	5850.0000	7.82	32.46	32.16	53.92	62.04	122.20	-60.16	peak
3	5860.0000	7.81	32.45	32.15	47.75	55.86	109.40	-53.54	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 163 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT Mode : 5825 Band edge

Mode : 5825 Band edge Note : 5G WIFI 11AX20

	Freq			Preamp Factor					
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5825.0000	7.85	32.47	32.17	98.78	106.93			peak
2	5850.0000	7.82	32.46	32.16	49.57	57.69	122.20	-64.51	peak
3	5860.0000	7.81	32.45	32.15	45.28	53.39	109.40	-56.01	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 164 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5755 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
				dB					
	5715.0000								•
2	5725.0000	7.98	32.51	32.21	44.86	53.14	122.20	-69.06	peak
3	5755.0000	7.94	32.50	32.20	95.26	103.50			peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 165 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5755 Band edge Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.0000	7.99	32.51	32.21	46.58	54.87	109.40	-54.53	peak
2	5725.0000	7.98	32.51	32.21	47.29	55.57	122.20	-66.63	peak
3	5755.0000	7.94	32.50	32.20	96.27	104.51			peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 166 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00375AT/00376AT
Mode : 5795 Band edge
Note : 5G WIFI 11AX40

	Freq			Preamp Factor					
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB	
1	5795.0000	7.89	32.48	32.18	91.98	100.17			peak
2	5850.0000	7.82	32.46	32.16	37.42	45.54	122.20	-76.66	peak
3	5860.0000	7.81	32.45	32.15	39.22	47.33	109.40	-62.07	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 167 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00375AT/00376AT

Mode : 5795 Band edge Note : 5G WIFI 11AX40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5795.0000	7.89	32.48	32.18	95.71	103.90			peak
2	5850.0000	7.82	32.46	32.16	39.23	47.35	122.20	-74.85	peak
3	5860.0000	7.81	32.45	32.15	42.49	50.60	109.40	-58.80	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 168 of 274

### 7.3 Radiated Emissions (Below 1GHz)

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
960-1000	500	3

#### 7.3.1 E.U.T. Operation

**Operating Environment:** 

Temperature: 23.2 °C Humidity: 52.9 % RH Atmospheric Pressure: 1020 mbar

#### 7.3.2 Test Mode Description

7.3.2 Test IV	oue De	scription
Pre-scan / Final test	Mode Code	Description
Pre-scan	08	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT160). Only the data of worst case is recorded in the report.
Pre-scan	09	Charge + TX mode (U-NII-1)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT30); data rate @ HE0 is the worst case of IEEE 802.11ax(HT30). Only the data of worst case is recorded in the report.
Pre-scan	10	TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regnested">http://www.sgs.com/en/Terms-and-Conditions.regnested</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-And-Conditions-and-Conditions-and-Conditions-And-Con



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 169 of 274

		,
		HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.
Final test	11	Charge + TX mode (U-NII-2A)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40). Only the data of worst case is recorded in the report.
Pre-scan	12	TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.
Pre-scan	13	Charge + TX mode (U-NII-2C)_Keep the EUT in charging and continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT30); data rate @ HE0 is the worst case of IEEE 802.11ax(HT30). Only the data of worst case is recorded in the report.
Pre-scan	14	TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.
Pre-scan	15	Charge + TX mode (U-NII-3)_Keep the EUT in charging and continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are extend for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate\*\*.




SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR220900037504

Page: 170 of 274

recorded in the report.

#### 7.3.3 Test Setup Diagram





Below 30MHz

30MHz-1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 171 of 274

#### 7.3.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. For emission below 1GHz, through the pre-scan found the worst case is the lowest channel of 802.11a. Only the worst case is recorded in the report.
- 3. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 4. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 172 of 274

Test Mode: 11; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT

Mode : 11

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
	440 4440	0.00	47.43	05.53	27.74	30.56	43.50	40.04	0.0
1	148.4410	0.92	17.43	25.53	3/./4	30.56	43.50	-12.94	QР
2	261.9753	0.89	16.86	25.42	47.25	39.58	46.00	-6.42	QP
3	379.9142	1.62	20.26	25.45	39.34	35.77	46.00	-10.23	QP
4	480.5276	1.43	22.16	25.49	42.20	40.30	46.00	-5.70	QP
5	776.8778	1.95	26.75	24.28	38.44	42.86	46.00	-3.14	QP
6	962.1623	2.36	29.29	24.03	35.02	42.64	54.00	-11.36	OP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 173 of 274

Test Mode: 11; Polarity: Vertical



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT

Mode : 11

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
_	405 0405			05 50		20.42	43.50	44 07	0.5
1	106.0126	0.91	15.14	25.59	41.9/	32.43	43.50	-11.0/	QР
2	148.9625	0.91	17.43	25.53	41.51	34.32	43.50	-9.18	QP
3	214.5143	0.74	15.67	25.46	42.89	33.84	43.50	-9.66	QP
4	263.8190	0.90	16.95	25.42	42.50	34.93	46.00	-11.07	QP
5	672.8445	1.92	25.51	24.68	39.61	42.36	46.00	-3.64	QP
6	776.8778	1.95	26.75	24.28	39.92	44.34	46.00	-1.66	OP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 174 of 274

#### 7.4 Radiated Emissions (Above 1GHz)

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
Above 1GHz	500	3

- \*(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- (4) For transmitters operating in the 5.725-5.85 GHz band:
- (i) All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

#### 7.4.1 E.U.T. Operation

Operating Environment:

Temperature: 23.0 °C Humidity: 51.9 % RH Atmospheric Pressure: 1020 mbar

#### 7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	08	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 175 of 274

	1	the data of words and in the money
		the data of worst case is recorded in the report.
Final test	09	Charge + TX mode (U-NII-1)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.
Pre-scan	10	TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.
Final test	11	Charge + TX mode (U-NII-2A)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40). Only the data of worst case is recorded in the report.
Pre-scan	12	TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.
Final test	13	Charge + TX mode (U-NII-2C)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT160); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.
Pre-scan	14	TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 176 of 274

		the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ac(HT80); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.
Final test	15	Charge + TX mode (U-NII-3)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT20); data rate @ HT0/HT8 is the worst case of IEEE 802.11n(HT40); data rate @ VHT0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT20); data rate @ HE0 is the worst case of IEEE 802.11ax(HT40); data rate @ HE0 is the worst case of IEEE 802.11ax(HT80). Only the data of worst case is recorded in the report.

#### 7.4.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or appail: CARD Doccheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 177 of 274

#### 7.4.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

#### Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 18GHz to 40GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.
- 4. The disturbance above 18GHz were very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 5. For WLAN radiated test, according to the conducted power and verify test the SISO & MIMO mode, the worst-case is SISO mode for 802.11a, MIMO mode for 802.11n/ac/ax, therefore, all final test are performed in SISO & MIMO mode and reported.
- 6. For devices with multiple operating modes, measurements on the middle channel is used to determine the worst-case mode(s). Only the worst case mode with the highest output power and the mode with the highest output power spectral density for each modulation family (e.g., OFDM and direct sequence spread spectrum) is recorded in the test report.
- 7. All modes and channels have been tested, only record the worst test result.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx.nd">http://www.sgs.com/en/Terms-and-Conditions.appx.nd</a>, for electronic format documents as subject to Terms and Conditions for Electronic Documents as the Terms and Conditions for Electronic Documents as the Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 178 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5180 TX RSE Note : 5G WIFI 11A

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1152.1480	3.03	24.26	52.62	57.29	31.96	74.00	-42.04	peak	
2	1644.0190	4.08	24.89	52.93	59.85	35.89	68.20	-32.31	peak	
3	4482.1500	7.47	30.18	52.95	54.64	39.34	68.20	-28.86	peak	
4	8814.9570	10.36	36.12	54.09	55.10	47.49	68.20	-20.71	peak	
5	10360.000	11.08	38.85	53.35	52.56	49.14	68.20	-19.06	peak	
	15540.000								-	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 179 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5180 TX RSE
Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1196.2640	3.14	24.30	52.66	63.66	38.44	74.00	-35.56	peak
2	1702.0420	4.20	25.01	52.96	65.40	41.65	74.00	-32.35	peak
3	4291.9770	7.48	29.92	52.89	55.60	40.11	74.00	-33.89	peak
4	7966.8320	9.37	36.21	53.60	55.31	47.29	68.20	-20.91	peak
5	10360.000	11.08	38.85	53.35	52.27	48.85	68.20	-19.35	peak
6	15540.000	13.49	39.74	53.43	51.08	50.88	74.00	-23.12	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 180 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5200 TX RSE Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1103.2640	2.91	24.21	52.59	57.42	31.95	74.00	-42.05	peak
	1639.2740								•
3	4495.1250	7.47	30.19	52.96	55.30	40.00	68.20	-28.20	peak
4	7943.8380	9.32	36.22	53.59	56.17	48.12	68.20	-20.08	peak
5	10400.000	11.07	38.89	53.36	52.63	49.23	68.20	-18.97	peak
6	15600.000	13.50	39.53	53.40	51.95	51.58	74.00	-22.42	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 181 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode

: 5200 TX RSE Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1260.1490	3.28	24.27	52.70	58.48	33.33	68.20	-34.87	peak
2	1672.7790	4.14	24.95	52.95	61.67	37.81	74.00	-36.19	peak
3	4242.6410	7.48	29.85	52.88	55.53	39.98	74.00	-34.02	peak
4	8663.4040	10.03	36.13	54.01	54.89	47.04	68.20	-21.16	peak
	10400.000								•
	15600.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 182 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5240 TX RSE Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1227.7910	3.21	24.29	52.68	57.15	31.97	74.00	-42.03	peak
2	1547.1990	3.88	24.65	52.88	58.66	34.31	74.00	-39.69	peak
3	3587.8180	7.08	28.85	52.91	56.36	39.38	68.20	-28.82	peak
4	7943.8380	9.32	36.22	53.59	55.71	47.66	68.20	-20.54	peak
5	10480.000	11.06	38.99	53.40	51.88	48.53	68.20	-19.67	peak
6	15720.000	13.50	39.13	53.34	53.12	52.41	74.00	-21.59	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 183 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5240 TX RSE

Note : 5G WIFI 11A

Cable Ant Preamp Read Limit Over

Freq Loss Factor Factor Level Level Line Limit Remark

	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1203.1990	3.16	24.30	52.66	57.47	32.27	74.00	-41.73	peak
	1639.2740								•
3	4392.3760	7.47	30.06	52.93	54.79	39.39	74.00	-34.61	peak
4	7966.8320	9.37	36.21	53.60	54.69	46.67	68.20	-21.53	peak
5	10480.000	11.06	38.99	53.40	50.74	47.39	68.20	-20.81	peak
6	15720.000	13.50	39.13	53.34	52.97	52.26	74.00	-21.74	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 184 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5180 TX RSE Note : 5G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1145.5070	3.02	24.25	52.62	57.03	31.68	74.00	-42.32	peak
2	1677.6210	4.15	24.96	52.95	56.94	33.10	74.00	-40.90	peak
3	3598.2030	7.09	28.87	52.91	56.04	39.09	68.20	-29.11	peak
4	8200.4630	9.53	36.18	53.73	55.43	47.41	74.00	-26.59	peak
5	10360.000	11.08	38.85	53.35	51.38	47.96	68.20	-20.24	peak
	15540.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 185 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5180 TX RSE

Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1119.3230	2.95	24.22	52.60	57.40	31.97	74.00	-42.03	peak
2	1667.9510	4.13	24.94	52.94	61.90	38.03	74.00	-35.97	peak
3	4193.8720	7.48	29.78	52.86	55.22	39.62	74.00	-34.38	peak
4	8036.2140	9.45	36.20	53.62	55.47	47.50	74.00	-26.50	peak
5	10360.000	11.08	38.85	53.35	52.24	48.82	68.20	-19.38	peak
6	15540.000	13.49	39.74	53.43	52.33	52.13	74.00	-21.87	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 186 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5200 TX RSE Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	69.60	44.49	74.00	-29.51	peak
2	1538.2810	3.86	24.62	52.87	70.66	46.27	74.00	-27.73	peak
3	3386.2970	6.72	28.68	52.97	61.67	44.10	68.20	-24.10	peak
4	8440.9450	9.64	36.15	53.87	55.35	47.27	74.00	-26.73	peak
5	10400.000	11.07	38.89	53.36	52.20	48.80	68.20	-19.40	peak
6	15600.000	13.50	39.53	53.40	52.75	52.38	74.00	-21.62	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 187 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

3

4

5

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5200 TX RSE
Note : 5G WIFI 11N20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dB dBuV dBuV/m dBuV/m dB/m dB 1297,1030 3.36 24.25 69.96 44.84 68.20 -23.36 peak 52.73 47.26 74.00 -26.74 peak 1560,6730 3.91 24.69 52.89 71.55 3992.7810 7.48 29.49 52.80 62.55 46.72 74.00 -27.28 peak 8563.8180 9.81 36.14 53.95 55.67 47.67 68.20 -20.53 peak 10400.000 11.07 38.89 53.36 53.42 50.02 68.20 -18.18 peak 13.50 39.53 53.40 52.51 52.14 74.00 -21.86 peak 15600.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 188 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5240 TX RSE Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	69.98	44.87	74.00	-29.13	peak
2	1556.1690	3.90	24.68	52.88	70.43	46.13	74.00	-27.87	peak
3	3445.5350	6.86	28.69	52.96	61.45	44.04	68.20	-24.16	peak
4	8563.8180	9.81	36.14	53.95	55.15	47.15	68.20	-21.05	peak
5	10480.000	11.06	38.99	53.40	52.25	48.90	68.20	-19.30	peak
6	15720.000	13.50	39.13	53.34	53.24	52.53	74.00	-21.47	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 189 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5240 TX RSE
Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	71.06	45.95	74.00	-28.05	peak
2	1542.7330	3.87	24.64	52.88	76.47	52.10	74.00	-21.90	peak
3	3992.7810	7.48	29.49	52.80	61.29	45.46	74.00	-28.54	peak
4	8713.6300	10.14	36.13	54.04	56.72	48.95	68.20	-19.25	peak
5	10480.000	11.06	38.99	53.40	53.50	50.15	68.20	-18.05	peak
6	15720.000	13.50	39.13	53.34	52.67	51.96	74.00	-22.04	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 190 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5180 TX RSE Note : 5G WIFI 11AC20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dB dBuV dBuV/m dBuV/m dB/m dB 1297,1030 3.36 24.25 52.73 65.35 40.23 68.20 -27.97 peak 1533.8410 3.85 24.61 52.87 69.24 44.83 74.00 -29.17 peak 3 3114.0250 6.03 28.62 53.06 60.43 42.02 68.20 -26.18 peak 4 7920.9110 9.28 36.23 53.59 55.36 47.28 68.20 -20.92 peak 5 10360.000 11.08 38.85 53.35 52.56 49.14 68.20 -19.06 peak 15540.000 13.49 39.74 53.43 51.65 51.45 74.00 -22.55 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Index.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 191 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5180 TX RSE
Note : 5G WIFI 11AC20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297.1030	3.36	24.25	52.73	68.94	43.82	68.20	-24.38	peak
2	1672.7790	4.14	24.95	52.95	67.21	43.35	74.00	-30.65	peak
3	3386.2970	6.72	28.68	52.97	61.18	43.61	68.20	-24.59	peak
4	8036.2140	9.45	36.20	53.62	55.10	47.13	74.00	-26.87	peak
5	10360.000	11.08	38.85	53.35	53.12	49.70	68.20	-18.50	peak
6	15540.000	13.49	39.74	53.43	52.22	52.02	74.00	-21.98	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 192 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5200 TX RSE Note : 5G WIFI 11AC20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1112.8720	2.94	24.22	52.59	68.68	43.25	74.00	-30.75	peak
2	1583.3920	3.95	24.75	52.90	73.53	49.33	74.00	-24.67	peak
3	3386.2970	6.72	28.68	52.97	66.45	48.88	68.20	-19.32	peak
4	7015.4200	8.20	35.82	53.50	59.95	50.47	68.20	-17.73	peak
5	10400.000	11.07	38.89	53.36	52.67	49.27	68.20	-18.93	peak
	15600.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 193 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Note

3

4

5

Condition: 3m VERTICAL Job No : 00375AT : 5200 TX RSE Mode : 5G WIFI 11AC20

> Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dB dBuV dBuV/m dBuV/m dB/m dB 1297,1030 3.36 24.25 69.82 44.70 68.20 -23.50 peak 52.73 1574.2650 3.93 24.73 52.89 74.03 49.80 74.00 -24.20 peak 3912.8090 7.41 29.37 52.82 60.35 44.31 74.00 -29.69 peak 8176.7950 9.52 36.18 53.71 54.96 46.95 74.00 -27.05 peak 10400.000 11.07 38.89 53.36 52.17 48.77 68.20 -19.43 peak 13.50 39.53 53.40 52.07 51.70 74.00 -22.30 peak 15600.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-end-Conditions.aspx.and">http://www.sgs.com/en/Terms-end-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-end-Conditions-and-Conditions-and-Conditions-End-Co




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 194 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5240 TX RSE Note : 5G WIFI 11AC20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	68.80	43.69	74.00	-30.31	peak
2	1451.8780	3.68	24.36	52.82	69.57	44.79	74.00	-29.21	peak
3	3386.2970	6.72	28.68	52.97	60.73	43.16	68.20	-25.04	peak
4	8036.2140	9.45	36.20	53.62	54.89	46.92	74.00	-27.08	peak
5	10480.000	11.06	38.99	53.40	52.41	49.06	68.20	-19.14	peak
6	15720.000	13.50	39.13	53.34	53.13	52.42	74.00	-21.58	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 195 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5240 TX RSE
Note : 5G WIFI 11AC20

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB		
1	1300.8580	3.37	24.25	52.73	70.81	45.70	74.00	-28.30	peak	
	1456.0810								•	
	3890.2550								•	
4	8969.1610	10.69	36.10	54.18	55.04	47.65	68.20	-20.55	peak	
5	10480.000	11.06	38.99	53.40	51.91	48.56	68.20	-19.64	peak	
	15720.000								-	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 196 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5180 TX RSE Note : 5G WIFI 11AX20

	Γ			Preamp					Damanla
	Freq	LOSS	Factor	Factor	rever	revei	Line	Limit	Kemark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297.1030	3.36	24.25	52.73	70.11	44.99	68.20	-23.21	peak
2	1533.8410	3.85	24.61	52.87	71.57	47.16	74.00	-26.84	peak
3	3445.5350	6.86	28.69	52.96	62.04	44.63	68.20	-23.57	peak
4	8368.0690	9.61	36.16	53.83	55.64	47.58	74.00	-26.42	peak
5	10360.000	11.08	38.85	53.35	52.31	48.89	68.20	-19.31	peak
6	15540.000	13.49	39.74	53.43	52.76	52.56	74.00	-21.44	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 197 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT : 5180 TX RSE Mode

Note : 5G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	-								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
			,						
1	1297.1030	3.36	24.25	52.73	70.21	45.09	68.20	-23.11	peak
2	1556.1690	3.90	24.68	52.88	70.08	45.78	74.00	-28.22	peak
3	3890.2550	7.39	29.33	52.83	60.84	44.73	74.00	-29.27	peak
4	7989.8930	9.41	36.20	53.60	55.60	47.61	68.20	-20.59	peak
5	10360.000	11.08	38.85	53.35	52.74	49.32	68.20	-18.88	peak
	15540.000								-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 198 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5200 TX RSE Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297.1030	3.36	24.25	52.73	66.26	41.14	68.20	-27.06	peak
2	1468.7610	3.71	24.42	52.83	62.61	37.91	74.00	-36.09	peak
3	3376.5230	6.69	28.68	52.98	59.52	41.91	68.20	-26.29	peak
4	7852.5240	9.14	36.26	53.59	54.48	46.29	68.20	-21.91	peak
5	10400.000	11.07	38.89	53.36	50.50	47.10	68.20	-21.10	peak
6	15600.000	13.50	39.53	53.40	53.26	52.89	74.00	-21.11	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 199 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5200 TX RSE
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	71.36	46.25	74.00	-27.75	peak
2	1538.2810	3.86	24.62	52.87	71.78	47.39	74.00	-26.61	peak
3	3992.7810	7.48	29.49	52.80	61.34	45.51	74.00	-28.49	peak
4	7989.8930	9.41	36.20	53.60	56.14	48.15	68.20	-20.05	peak
5	10400.000	11.07	38.89	53.36	52.58	49.18	68.20	-19.02	peak
6	15600.000	13.50	39.53	53.40	52.39	52.02	74.00	-21.98	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 200 of 274

Test Mode: 09; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5240 TX RSE Note : 5G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3 37	24 25	52 73	72 76	47 65	74 00	-26 35	neak
	1547.1990								•
	3386.2970								•
4	7989.8930	9.41	36.20	53.60	54.82	46.83	68.20	-21.37	peak
5	10480.000	11.06	38.99	53.40	52.56	49.21	68.20	-18.99	peak
6	15720.000	13.50	39.13	53.34	52.86	52.15	74.00	-21.85	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 201 of 274

Test Mode: 09; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5240 TX RSE

Note : 5G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1300.8580	3.37	24.25	52.73	69.56	44.45	74.00	-29.55	peak	
2	1533.8410	3.85	24.61	52.87	74.22	49.81	74.00	-24.19	peak	
3	3425.6750	6.81	28.69	52.96	62.09	44.63	68.20	-23.57	peak	
4	8489.8820	9.67	36.15	53.90	55.47	47.39	74.00	-26.61	peak	
5	10480.000	11.06	38.99	53.40	53.21	49.86	68.20	-18.34	peak	
6	15720.000	13.50	39.13	53.34	52.67	51.96	74.00	-22.04	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 202 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5260 TX RSE Note : 5G WIFI 11A

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
							ID 1//		
	MHz	dB	aB/m	dB	aBuv	dBuV/m	aBuv/m	dB	
1	1297.1030	3 36	2/ 25	52 73	67 16	12 01	68 20	-26 16	neak
	1556.1690								•
									•
3	3386.2970	6.72	28.68	52.97	59.66	42.09	68.20	-26.11	peak
4	8995.1230	10.74	36.10	54.20	54.16	46.80	68.20	-21.40	peak
5	10520.000	11.07	39.04	53.41	51.92	48.62	68.20	-19.58	peak
6	15780.000	13.51	38.93	53.31	52.97	52.10	74.00	-21.90	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 203 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5260 TX RSE
Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB	
1	1297.1030	3.36	24.25	52.73	71.24	46.12	68.20	-22.08	peak
	1538.2810								•
3	3992.7810	7.48	29.49	52.80	60.11	44.28	74.00	-29.72	peak
4	7920.9110	9.28	36.23	53.59	54.88	46.80	68.20	-21.40	peak
5	10520.000	11.07	39.04	53.41	52.69	49.39	68.20	-18.81	peak
6	15780.000	13.51	38.93	53.31	54.18	53.31	74.00	-20.69	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 204 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5280 TX RSE Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB	
1	1300.8580	3.37	24.25	52.73	67.70	42.59	74.00	-31.41	peak
2	1529.4140								•
3	3386.2970	6.72	28.68	52.97	59.99	42.42	68.20	-25.78	peak
4	8013.0200	9.44	36.20	53.61	55.83	47.86	68.20	-20.34	peak
5	10560.000	11.10	39.09	53.43	52.17	48.93	68.20	-19.27	peak
	15840.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 205 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5280 TX RSE Note : 5G WIFI 11A

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		-
1	1300.8580	3.37	24.25	52.73	64.56	39.45	74.00	-34.55	peak	
2	1473.0130	3.72	24.43	52.84	65.57	40.88	74.00	-33.12	peak	
3	3981.2570	7.47	29.47	52.80	59.46	43.60	74.00	-30.40	peak	
4	7943.8380	9.32	36.22	53.59	54.73	46.68	68.20	-21.52	peak	
5	10560.000	11.10	39.09	53.43	52.02	48.78	68.20	-19.42	peak	
6	15840.000	13.51	38.73	53.28	54.09	53.05	74.00	-20.95	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 206 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5320 TX RSE Note : 5G WIFI 11A

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1297.1030	3.36	24.25	52.73	67.40	42.28	68.20	-25.92	peak	
2	1574.2650	3.93	24.73	52.89	67.33	43.10	74.00	-30.90	peak	
3	3386.2970	6.72	28.68	52.97	57.56	39.99	68.20	-28.21	peak	
4	7606.7880	8.65	36.36	53.56	56.24	47.69	74.00	-26.31	peak	
5	10640.000	11.15	39.18	53.46	51.98	48.85	74.00	-25.15	peak	
6	15960.000	13.52	38.33	53.22	54.09	52.72	74.00	-21.28	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 207 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Note

3

4

5

Condition: 3m VERTICAL : 00375AT : 5320 TX RSE Mode : 5G WIFI 11A

> Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dBuV dBuV/m dBuV/m dB dB/m dB dB 1206,6820 24.30 52.66 68.37 43.17 74.00 -30.83 peak 3.16 1667.9510 4.13 24.94 52.94 65.13 41.26 74.00 -32.74 peak 3386.2970 6.72 28.68 52.97 60.22 42.65 68.20 -25.55 peak 7943.8380 9.32 36.22 53.59 54.71 46.66 68.20 -21.54 peak 10640.000 11.15 39.18 53.46 51.27 48.14 74.00 -25.86 peak 13.52 38.33 53.22 54.55 53.18 74.00 -20.82 peak 15960.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-end-Conditions.aspx.and">http://www.sgs.com/en/Terms-end-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-end-Conditions-and-Conditions-and-Conditions-End-Co




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 208 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5260 TX RSE Note : 5G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	64.48	39.37	74.00	-34.63	peak
2	1565.1910	3.91	24.70	52.89	68.62	44.34	74.00	-29.66	peak
3	3445.5350	6.86	28.69	52.96	57.48	40.07	68.20	-28.13	peak
4	8059.4750	9.46	36.19	53.64	54.97	46.98	74.00	-27.02	peak
5	10520.000	11.07	39.04	53.41	52.17	48.87	68.20	-19.33	peak
6	15780.000	13.51	38.93	53.31	52.12	51.25	74.00	-22.75	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 209 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5260 TX RSE

Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1192.8110	3.13	24.29	52.65	61.55	36.32	74.00	-37.68	peak
2	1547.1990	3.88	24.65	52.88	68.13	43.78	74.00	-30.22	peak
3	3992.7810	7.48	29.49	52.80	59.16	43.33	74.00	-30.67	peak
4	8588.6070	9.87	36.14	53.96	54.11	46.16	68.20	-22.04	peak
5	10520.000	11.07	39.04	53.41	52.30	49.00	68.20	-19.20	peak
6	15780.000	13.51	38.93	53.31	54.58	53.71	74.00	-20.29	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 210 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5280 TX RSE Note : 5G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297.1030	3.36	24.25	52.73	69.49	44.37	68.20	-23.83	peak
2	1370.3280	3.52	24.21	52.77	71.52	46.48	74.00	-27.52	peak
3	4193.8720	7.48	29.78	52.86	58.25	42.65	74.00	-31.35	peak
4	8638.3990	9.98	36.13	53.99	55.14	47.26	68.20	-20.94	peak
5	10560.000	11.10	39.09	53.43	51.24	48.00	68.20	-20.20	peak
6	15840.000	13.51	38.73	53.28	55.02	53.98	74.00	-20.02	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 211 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT : 5280 TX RSE Mode

Note : 5G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1210.1740	3.17	24.29	52.67	68.07	42.86	74.00	-31.14	peak
2	1663.1370	4.12	24.93	52.94	65.24	41.35	74.00	-32.65	peak
3	3376.5230	6.69	28.68	52.98	59.15	41.54	68.20	-26.66	peak
4	8082.8040	9.47	36.19	53.65	55.38	47.39	74.00	-26.61	peak
5	10560.000	11.10	39.09	53.43	50.60	47.36	68.20	-20.84	peak
6	15840.000	13.51	38.73	53.28	53.51	52.47	74.00	-21.53	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 212 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5320 TX RSE Note : 5G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1112.8720	2.94	24.22	52.59	67.64	42.21	74.00	-31.79	peak
2	1556.1690	3.90	24.68	52.88	69.08	44.78	74.00	-29.22	peak
3	3114.0250	6.03	28.62	53.06	59.50	41.09	68.20	-27.11	peak
4	7158.8060	8.27	36.00	53.52	55.92	46.67	68.20	-21.53	peak
5	10640.000	11.15	39.18	53.46	52.20	49.07	74.00	-24.93	peak
	15960.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 213 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5320 TX RSE

Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1297.1030	3.36	24.25	52.73	70.93	45.81	68.20	-22.39	peak	
2	1547.1990	3.88	24.65	52.88	71.73	47.38	74.00	-26.62	peak	
3	3992.7810	7.48	29.49	52.80	63.95	48.12	74.00	-25.88	peak	
4	8106.2000	9.48	36.19	53.67	55.61	47.61	74.00	-26.39	peak	
5	10640.000	11.15	39.18	53.46	52.32	49.19	74.00	-24.81	peak	
6	15960.000	13.52	38.33	53.22	54.51	53.14	74.00	-20.86	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 214 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5260 TX RSE Note : 5G WIFI 11AC20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	68.95	43.84	74.00	-30.16	peak
2	1533.8410	3.85	24.61	52.87	70.68	46.27	74.00	-27.73	peak
3	3425.6750	6.81	28.69	52.96	60.33	42.87	68.20	-25.33	peak
4	7989.8930	9.41	36.20	53.60	54.90	46.91	68.20	-21.29	peak
5	10520.000	11.07	39.04	53.41	52.86	49.56	68.20	-18.64	peak
	15780.000								-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 215 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5260 TX RSE

Mode : 5260 IX RSE Note : 5G WIFI 11AC20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	69.26	44.15	74.00	-29.85	peak
2	1601.8040	3.99	24.80	52.91	65.41	41.29	74.00	-32.71	peak
3	3992.7810	7.48	29.49	52.80	61.91	46.08	74.00	-27.92	peak
4	8036.2140	9.45	36.20	53.62	54.86	46.89	74.00	-27.11	peak
5	10520.000	11.07	39.04	53.41	51.70	48.40	68.20	-19.80	peak
6	15780.000	13.51	38.93	53.31	53.64	52.77	74.00	-21.23	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 216 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5280 TX RSE Note : 5G WIFI 11AC20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297.1030	3.36	24.25	52.73	62.68	37.56	68.20	-30.64	peak
2	1556.1690	3.90	24.68	52.88	61.66	37.36	74.00	-36.64	peak
3	4267.2370	7.48	29.88	52.89	55.07	39.54	74.00	-34.46	peak
4	7898.0490	9.23	36.24	53.59	54.44	46.32	68.20	-21.88	peak
5	10560.000	11.10	39.09	53.43	51.63	48.39	68.20	-19.81	peak
6	15840.000	13.51	38.73	53.28	54.04	53.00	74.00	-21.00	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 217 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5280 TX RSE

Note : 5G WIFI 11AC20

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1300.8580	3.37	24.25	52.73	71.04	45.93	74.00	-28.07	peak	
2	1542.7330	3.87	24.64	52.88	71.69	47.32	74.00	-26.68	peak	
3	3992.7810	7.48	29.49	52.80	62.82	46.99	74.00	-27.01	peak	
4	8013.0200	9.44	36.20	53.61	55.47	47.50	68.20	-20.70	peak	
5	10560.000	11.10	39.09	53.43	52.25	49.01	68.20	-19.19	peak	
6	15840.000	13.51	38.73	53.28	53.28	52.24	74.00	-21.76	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 218 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5320 TX RSE Note : 5G WIFI 11AC20

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1297.1030	3.36	24.25	52.73	66.24	41.12	68.20	-27.08	peak	
2	1620.4310	4.03	24.84	52.92	67.71	43.66	74.00	-30.34	peak	
3	3114.0250	6.03	28.62	53.06	59.57	41.16	68.20	-27.04	peak	
4	8013.0200	9.44	36.20	53.61	54.96	46.99	68.20	-21.21	peak	
5	10640.000	11.15	39.18	53.46	51.42	48.29	74.00	-25.71	peak	
6	15960.000	13.52	38.33	53.22	53.59	52.22	74.00	-21.78	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 219 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5320 TX RSE
Note : 5G WIFI 11AC20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB	
1	1220.7140	3.20	24.29	52.67	68.89	43.71	74.00	-30.29	peak
2	1578.8220	3.94	24.74	52.90	68.03	43.81	74.00	-30.19	peak
3	3992.7810	7.48	29.49	52.80	61.88	46.05	74.00	-27.95	peak
4	8563.8180	9.81	36.14	53.95	55.24	47.24	68.20	-20.96	peak
	10640.000								•
	15960.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 220 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5260 TX RSE Note : 5G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	67.58	42.47	74.00	-31.53	peak
2	1560.6730	3.91	24.69	52.89	68.68	44.39	74.00	-29.61	peak
3	3445.5350	6.86	28.69	52.96	60.63	43.22	68.20	-24.98	peak
4	8563.8180	9.81	36.14	53.95	54.99	46.99	68.20	-21.21	peak
5	10520.000	11.07	39.04	53.41	52.49	49.19	68.20	-19.01	peak
	15780.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 221 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5260 TX RSE

Note : 5G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1300.8580	3.37	24.25	52.73	70.15	45.04	74.00	-28.96	peak	
2	1542.7330	3.87	24.64	52.88	73.59	49.22	74.00	-24.78	peak	
3	3992.7810	7.48	29.49	52.80	60.54	44.71	74.00	-29.29	peak	
4	7966.8320	9.37	36.21	53.60	55.51	47.49	68.20	-20.71	peak	
5	10520.000	11.07	39.04	53.41	52.15	48.85	68.20	-19.35	peak	
6	15780.000	13.51	38.93	53.31	52.78	51.91	74.00	-22.09	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 222 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5280 TX RSE Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB	
1	1300.8580	3.37	24.25	52.73	69.20	44.09	74.00	-29.91	peak
2	1538.2810	3.86	24.62	52.87	72.68	48.29	74.00	-25.71	peak
3	3376.5230	6.69	28.68	52.98	61.83	44.22	68.20	-23.98	peak
4	7989.8930	9.41	36.20	53.60	55.82	47.83	68.20	-20.37	peak
5	10560.000	11.10	39.09	53.43	52.50	49.26	68.20	-18.94	peak
6	15840.000	13.51	38.73	53.28	53.42	52.38	74.00	-21.62	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 223 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5280 TX RSE

Note : 5G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1300.8580	3.37	24.25	52.73	72.04	46.93	74.00	-27.07	peak	
2	1542.7330	3.87	24.64	52.88	73.43	49.06	74.00	-24.94	peak	
3	3992.7810	7.48	29.49	52.80	64.53	48.70	74.00	-25.30	peak	
4	7989.8930	9.41	36.20	53.60	56.02	48.03	68.20	-20.17	peak	
5	10560.000	11.10	39.09	53.43	52.17	48.93	68.20	-19.27	peak	
6	15840.000	13.51	38.73	53.28	53.83	52.79	74.00	-21.21	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 224 of 274

Test Mode: 11; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5320 TX RSE Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297.1030	3.36	24.25	52.73	68.22	43.10	68.20	-25.10	peak
2	1542.7330	3.87	24.64	52.88	72.03	47.66	74.00	-26.34	peak
3	3376.5230	6.69	28.68	52.98	61.45	43.84	68.20	-24.36	peak
4	8013.0200	9.44	36.20	53.61	55.30	47.33	68.20	-20.87	peak
5	10640.000	11.15	39.18	53.46	53.13	50.00	74.00	-24.00	peak
	15960.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 225 of 274

Test Mode: 11; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Note

3

5

Condition: 3m VERTICAL Job No : 00375AT : 5320 TX RSE Mode : 5G WIFI 11AX20

> Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dB dBuV dBuV/m dBuV/m dB/m dB 1206,6820 24.30 52.66 72.06 46.86 74.00 -27.14 peak 3.16 74.00 -26.25 peak 1583.3920 3.95 24.75 52.90 71.95 47.75 3386.2970 6.72 28.68 52.97 63.13 45.56 68.20 -22.64 peak 8688.4800 10.08 36.13 54.02 55.73 47.92 68.20 -20.28 peak 10640.000 11.15 39.18 53.46 53.20 50.07 74.00 -23.93 peak

> > 13.52 38.33 53.22 54.12 52.75 74.00 -21.25 peak



15960.000

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 226 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5500 TX RSE Note : 5G WIFI 11A

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297.1030	3.36	24.25	52.73	68.60	43.48	68.20	-24.72	peak
2	1538.2810	3.86	24.62	52.87	72.12	47.73	74.00	-26.27	peak
3	3386.2970	6.72	28.68	52.97	63.51	45.94	68.20	-22.26	peak
4	7989.8930	9.41	36.20	53.60	55.88	47.89	68.20	-20.31	peak
5	11000.000	11.36	39.60	53.60	53.01	50.37	74.00	-23.63	peak
	16500.000								-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Index.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 227 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

3

4

5

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5500 TX RSE
Note : 5G WIFI 11A

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dBuV dBuV/m dBuV/m dB dB/m dB dB 1300.8580 3.37 24.25 71.03 45.92 74.00 -28.08 peak 52.73 74.00 -25.04 peak 1587.9750 3.96 24.77 52.90 73.13 48.96 29.47 3981.2570 7.47 52.80 61.76 45.90 74.00 -28.10 peak 8764.1460 10.25 36.12 54.06 55.35 47.66 68.20 -20.54 peak 11000.000 11.36 39.60 53.60 52.89 50.25 74.00 -23.75 peak 14.69 39.93 52.90 51.35 53.07 68.20 -15.13 peak 16500.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 228 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5580 TX RSE Note : 5G WIFI 11A

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	67.97	42.86	74.00	-31.14	peak
2	1560.6730	3.91	24.69	52.89	67.27	42.98	74.00	-31.02	peak
3	3425.6750	6.81	28.69	52.96	58.58	41.12	68.20	-27.08	peak
4	7920.9110	9.28	36.23	53.59	54.67	46.59	68.20	-21.61	peak
5	11160.000	11.44	39.63	53.67	52.20	49.60	74.00	-24.40	peak
6	16740.000	14.50	40.74	52.75	50.39	52.88	68.20	-15.32	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 229 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5580 TX RSE Note : 5G WIFI 11A

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	66.83	41.72	74.00	-32.28	peak
2	1667.9510	4.13	24.94	52.94	58.72	34.85	74.00	-39.15	peak
3	4367.0580	7.48	30.02	52.92	57.74	42.32	74.00	-31.68	peak
4	7966.8320	9.37	36.21	53.60	53.32	45.30	68.20	-22.90	peak
5	11160.000	11.44	39.63	53.67	48.78	46.18	74.00	-27.82	peak
6	16740.000	14.50	40.74	52.75	50.02	52.51	68.20	-15.69	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 230 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5700 TX RSE Note : 5G WIFI 11A

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1300.8580	3.37	24.25	52.73	66.82	41.71	74.00	-32.29	peak	
2	1560.6730	3.91	24.69	52.89	67.30	43.01	74.00	-30.99	peak	
3	3445.5350	6.86	28.69	52.96	58.40	40.99	68.20	-27.21	peak	
4	8416.5840	9.63	36.16	53.86	54.49	46.42	74.00	-27.58	peak	
5	11400.000	11.55	39.68	53.76	51.81	49.28	74.00	-24.72	peak	
6	17100.000	14.34	42.14	52.54	49.18	53.12	68.20	-15.08	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 231 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5700 TX RSE
Note : 5G WIFI 11A

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dBuV dBuV/m dBuV/m dB dB/m dB 1210.1740 24.29 52.67 70.27 45.06 74.00 -28.94 peak 3.17 1551,6770 3.89 24.66 52.88 69.50 45.17 74.00 -28.83 peak 3 3981.2570 7.47 29.47 52.80 62.21 46.35 74.00 -27.65 peak 4 8013.0200 9.44 36.20 53.61 55.34 47.37 68.20 -20.83 peak 5 11400.000 11.55 39.68 53.76 53.47 50.94 74.00 -23.06 peak 14.34 42.14 52.54 49.25 53.19 68.20 -15.01 peak 17100.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 232 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5500 TX RSE Note : 5G WIFI 11N20

				Preamp					
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	69.26	44.15	74.00	-29.85	peak
2	1529.4140	3.84	24.60	52.87	70.51	46.08	74.00	-27.92	peak
3	3435.5900	6.84	28.69	52.96	61.36	43.93	68.20	-24.27	peak
4	8036.2140	9.45	36.20	53.62	54.98	47.01	74.00	-26.99	peak
5	11000.000	11.36	39.60	53.60	53.41	50.77	74.00	-23.23	peak
6	16500.000	14.69	39.93	52.90	50.34	52.06	68.20	-16.14	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 233 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5500 TX RSE

Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	——dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	71.11	46.00	74.00	-28.00	peak
	1574.2650								•
3	3992.7810	7.48	29.49	52.80	61.61	45.78	74.00	-28.22	peak
4	7989.8930	9.41	36.20	53.60	55.44	47.45	68.20	-20.75	peak
5	11000.000	11.36	39.60	53.60	53.13	50.49	74.00	-23.51	peak
6	16500.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 234 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5580 TX RSE Note : 5G WIFI 11N20

				Preamp					
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	69.26	44.15	74.00	-29.85	peak
2	1529.4140	3.84	24.60	52.87	70.51	46.08	74.00	-27.92	peak
3	3435.5900	6.84	28.69	52.96	61.36	43.93	68.20	-24.27	peak
4	8465.3790	9.65	36.15	53.89	55.52	47.43	74.00	-26.57	peak
5	11160.000	11.44	39.63	53.67	53.55	50.95	74.00	-23.05	peak
6	16740.000	14.50	40.74	52.75	50.01	52.50	68.20	-15.70	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 235 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Note

3

5

Condition: 3m VERTICAL Job No : 00375AT Mode : 5580 TX RSE

: 5G WIFI 11N20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dBuV dBuV/m dBuV/m dB dB/m dB dB 1300.8580 3.37 24.25 69.26 44.15 74.00 -29.85 peak 52.73 1625.1210 4.04 24.85 52.92 67.37 43.34 74.00 -30.66 peak 3386.2970 6.72 28.68 52.97 60.36 42.79 68.20 -25.41 peak 8969.1610 10.69 36.10 54.18 53.94 46.55 68.20 -21.65 peak 11160.000 11.44 39.63 53.67 52.20 49.60 74.00 -24.40 peak

14.50 40.74 52.75 50.09 52.58 68.20 -15.62 peak



16740.000

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 236 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5700 TX RSE Note : 5G WIFI 11N20

	Enea			Preamp Factor					Remark
	1164	LUSS	ractor	ractor	Level	rever	LINE	LIMIC	Nelliai K
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297.1030	3 36	2/ 25	52 73	63 59	38 /17	68 20	-29 73	nook
	1451.8780								•
3	3386.2970	6.72	28.68	52.97	57.41	39.84	68.20	-28.36	peak
4	8866.0620	10.47	36.11	54.12	53.27	45.73	68.20	-22.47	peak
5	11400.000	11.55	39.68	53.76	51.57	49.04	74.00	-24.96	peak
6	17100.000	14.34	42.14	52.54	48.81	52.75	68.20	-15.45	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 237 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5700 TX RSE
Note : 5G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297.1030	3.36	24.25	52.73	68.44	43.32	68.20	-24.88	peak
2	1672.7790	4.14	24.95	52.95	67.54	43.68	74.00	-30.32	peak
3	4004.3390	7.49	29.51	52.80	59.12	43.32	74.00	-30.68	peak
4	8995.1230	10.74	36.10	54.20	54.01	46.65	68.20	-21.55	peak
5	11400.000	11.55	39.68	53.76	52.34	49.81	74.00	-24.19	peak
6	17100.000	14.34	42.14	52.54	48.30	52.24	68.20	-15.96	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 238 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5500 TX RSE Note : 5G WIFI 11AC20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297.1030	3.36	24.25	52.73	68.65	43.53	68.20	-24.67	peak
2	1547.1990	3.88	24.65	52.88	68.37	44.02	74.00	-29.98	peak
3	3376.5230	6.69	28.68	52.98	59.31	41.70	68.20	-26.50	peak
4	8995.1230	10.74	36.10	54.20	54.51	47.15	68.20	-21.05	peak
5	11000.000	11.36	39.60	53.60	52.66	50.02	74.00	-23.98	peak
	16500.000								-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 239 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5500 TX RSE
Note : 5G WIFI 11AC20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297.1030	3.36	24.25	52.73	70.05	44.93	68.20	-23.27	peak
2	1587.9750	3.96	24.77	52.90	72.55	48.38	74.00	-25.62	peak
3	3205.3450	6.27	28.64	53.03	63.35	45.23	68.20	-22.97	peak
4	7989.8930	9.41	36.20	53.60	55.63	47.64	68.20	-20.56	peak
5	11000.000	11.36	39.60	53.60	53.40	50.76	74.00	-23.24	peak
6	16500.000	14.69	39.93	52.90	51.17	52.89	68.20	-15.31	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 240 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5580 TX RSE Note : 5G WIFI 11AC20

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1300.8580	3.37	24.25	52.73	65.79	40.68	74.00	-33.32	peak	
2	1634.5430	4.06	24.87	52.93	66.21	42.21	68.20	-25.99	peak	
3	3425.6750	6.81	28.69	52.96	59.24	41.78	68.20	-26.42	peak	
4	7989.8930	9.41	36.20	53.60	54.71	46.72	68.20	-21.48	peak	
5	11160.000	11.44	39.63	53.67	52.02	49.42	74.00	-24.58	peak	
6	16740.000	14.50	40.74	52.75	50.40	52.89	68.20	-15.31	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 241 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT : 5580 TX RSE Mode

Note : 5G WIFI 11AC20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
									_
1	1297.1030	3.36	24.25	52.73	69.84	44.72	68.20	-23.48	peak
2	1569.7210	3.92	24.71	52.89	72.32	48.06	74.00	-25.94	peak
3	3981.2570	7.47	29.47	52.80	63.85	47.99	74.00	-26.01	peak
4	8013.0200	9.44	36.20	53.61	54.89	46.92	68.20	-21.28	peak
5	11160.000	11.44	39.63	53.67	53.08	50.48	74.00	-23.52	peak
6	16740.000	14.50	40.74	52.75	49.96	52.45	68.20	-15.75	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 242 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5700 TX RSE Note : 5G WIFI 11AC20

	Frea			Preamp Factor					Remark
	MHz	dB		dB					
1						-			noole
2	1297.1030 1547.1990	3.88	24.65		74.57	50.22	74.00	-23.78	peak
	3386.2970 7898.0490								•
	11400.000 17100.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 243 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5700 TX RSE
Note : 5G WIFI 11AC20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1210.1740	3.17	24.29	52.67	69.46	44.25	74.00	-29.75	peak
2	1533.8410	3.85	24.61	52.87	71.77	47.36	74.00	-26.64	peak
3	4379.6990	7.47	30.04	52.92	59.35	43.94	74.00	-30.06	peak
4	7989.8930	9.41	36.20	53.60	55.19	47.20	68.20	-21.00	peak
5	11400.000	11.55	39.68	53.76	53.76	51.23	74.00	-22.77	peak
6	17100.000	14.34	42.14	52.54	48.79	52.73	68.20	-15.47	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 244 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5500 TX RSE Note : 5G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	68.77	43.66	74.00	-30.34	peak
2	1542.7330	3.87	24.64	52.88	71.31	46.94	74.00	-27.06	peak
3	3386.2970	6.72	28.68	52.97	61.92	44.35	68.20	-23.85	peak
4	8663.4040	10.03	36.13	54.01	55.13	47.28	68.20	-20.92	peak
5	11000.000	11.36	39.60	53.60	52.08	49.44	74.00	-24.56	peak
6	16500.000	14.69	39.93	52.90	51.15	52.87	68.20	-15.33	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 245 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5500 TX RSE
Note : 5G WIFI 11AX20

	-			Preamp					ь.
	Freq	Loss	Factor	Factor	revel	revel	Line	Limit	Kemark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	70.44	45.33	74.00	-28.67	peak
2	1547.1990	3.88	24.65	52.88	72.03	47.68	74.00	-26.32	peak
3	3992.7810	7.48	29.49	52.80	60.25	44.42	74.00	-29.58	peak
4	8416.5840	9.63	36.16	53.86	55.61	47.54	74.00	-26.46	peak
5	11000.000	11.36	39.60	53.60	52.73	50.09	74.00	-23.91	peak
6	16500.000	14.69	39.93	52.90	51.62	53.34	68.20	-14.86	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 246 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5580 TX RSE Note : 5G WIFI 11AX20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dBuV dBuV/m dBuV/m dB dB/m dB dB 1300.8580 24.25 64.50 39.39 74.00 -34.61 peak 3.37 52.73 1542.7330 3.87 24.64 52.88 62.70 38.33 74.00 -35.67 peak 3 3366.7780 6.67 28.67 52.98 59.57 41.93 68.20 -26.27 peak 4 8995.1230 10.74 36.10 54.20 53.44 46.08 68.20 -22.12 peak 5 11160.000 11.44 39.63 53.67 50.75 48.15 74.00 -25.85 peak 16740.000 14.50 40.74 52.75 49.41 51.90 68.20 -16.30 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 247 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5580 TX RSE
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	70.62	45.51	74.00	-28.49	peak
2	1542.7330	3.87	24.64	52.88	74.60	50.23	74.00	-23.77	peak
3	3981.2570	7.47	29.47	52.80	61.82	45.96	74.00	-28.04	peak
4	8036.2140	9.45	36.20	53.62	55.98	48.01	74.00	-25.99	peak
5	11160.000	11.44	39.63	53.67	53.36	50.76	74.00	-23.24	peak
6	16740.000	14.50	40.74	52.75	50.87	53.36	68.20	-14.84	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 248 of 274

Test Mode: 13; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5700 TX RSE Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB		
1	1300.8580	3.37	24.25	52.73	68.85	43.74	74.00	-30.26	peak	
2	1547.1990	3.88	24.65	52.88	71.85	47.50	74.00	-26.50	peak	
3	3386.2970	6.72	28.68	52.97	62.74	45.17	68.20	-23.03	peak	
4	8392.2920	9.62	36.16	53.84	56.10	48.04	74.00	-25.96	peak	
5	11400.000	11.55	39.68	53.76	53.97	51.44	74.00	-22.56	peak	
6	17100.000								•	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 249 of 274

Test Mode: 13; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5700 TX RSE
Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB		——dB					
1	1300.8580	3.37	24.25	52.73	70.60	45.49	74.00	-28.51	peak
2	1547.1990	3.88	24.65	52.88	76.14	51.79	74.00	-22.21	peak
3	3992.7810	7.48	29.49	52.80	65.65	49.82	74.00	-24.18	peak
4	7989.8930	9.41	36.20	53.60	55.99	48.00	68.20	-20.20	peak
5	11400.000	11.55	39.68	53.76	53.55	51.02	74.00	-22.98	peak
6	17100.000	14.34	42.14	52.54	48.99	52.93	68.20	-15.27	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 250 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5745 TX RSE Note : 5G WIFI 11A

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	67.76	42.65	74.00	-31.35	peak
2	1525.0000	3.83	24.58	52.87	70.38	45.92	74.00	-28.08	peak
3	3386.2970	6.72	28.68	52.97	62.32	44.75	68.20	-23.45	peak
4	7989.8930	9.41	36.20	53.60	56.01	48.02	68.20	-20.18	peak
5	11490.000	11.60	39.70	53.80	53.89	51.39	74.00	-22.61	peak
	17235.000								-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Index.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 251 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5745 TX RSE

Mode : 5745 TX RSE Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	70.18	45.07	74.00	-28.93	peak
2	1533.8410	3.85	24.61	52.87	76.47	52.06	74.00	-21.94	peak
3	3992.7810	7.48	29.49	52.80	63.21	47.38	74.00	-26.62	peak
4	8465.3790	9.65	36.15	53.89	55.72	47.63	74.00	-26.37	peak
5	11490.000	11.60	39.70	53.80	53.91	51.41	74.00	-22.59	peak
6	17235.000	14.39	42.87	52.46	47.35	52.15	68.20	-16.05	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 252 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5785 TX RSE Note : 5G WIFI 11A

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dB dBuV dBuV/m dBuV/m dB/m dB 1297,1030 3.36 24.25 52.73 66.73 41.61 68.20 -26.59 peak 1451.8780 3.68 24.36 52.82 68.23 43.45 74.00 -30.55 peak 3 3366.7780 6.67 28.67 52.98 60.78 43.14 68.20 -25.06 peak 4 7943.8380 9.32 36.22 53.59 55.57 47.52 68.20 -20.68 peak 5 11570.000 11.60 39.72 53.83 52.95 50.44 74.00 -23.56 peak 14.44 43.52 52.38 47.11 52.69 68.20 -15.51 peak 17355.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Index.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 253 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode

: 5785 TX RSE Note : 5G WIFI 11A

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	71.15	46.04	74.00	-27.96	peak
2	1533.8410	3.85	24.61	52.87	71.74	47.33	74.00	-26.67	peak
3	3992.7810	7.48	29.49	52.80	61.71	45.88	74.00	-28.12	peak
4	8013.0200	9.44	36.20	53.61	54.96	46.99	68.20	-21.21	peak
5	11570.000	11.60	39.72	53.83	53.55	51.04	74.00	-22.96	peak
	17355.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 254 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5825 TX RSE Note : 5G WIFI 11A

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1297.1030	3.36	24.25	52.73	68.67	43.55	68.20	-24.65	peak	
2	1578.8220	3.94	24.74	52.90	71.12	46.90	74.00	-27.10	peak	
3	3386.2970	6.72	28.68	52.97	63.08	45.51	68.20	-22.69	peak	
4	8588.6070	9.87	36.14	53.96	54.93	46.98	68.20	-21.22	peak	
5	11650.000	11.60	39.73	53.86	54.29	51.76	74.00	-22.24	peak	
6	17475.000	14.48	44.16	52.31	46.70	53.03	68.20	-15.17	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 255 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Note

Condition: 3m VERTICAL : 00375AT : 5825 TX RSE Mode : 5G WIFI 11A

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dBuV dBuV/m dBuV/m dB dB/m dB dB 1300.8580 24.25 70.80 45.69 74.00 -28.31 peak 3.37 52.73 1560,6730 3.91 24.69 52.89 74.13 49.84 74.00 -24.16 peak 3 3981.2570 7.47 29.47 52.80 61.90 46.04 74.00 -27.96 peak 4 8638.3990 9.98 36.13 53.99 55.92 48.04 68.20 -20.16 peak 5 11650.000 11.60 39.73 53.86 54.37 51.84 74.00 -22.16 peak 14.48 44.16 52.31 45.69 52.02 68.20 -16.18 peak 17475.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 256 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5745 TX RSE Note : 5G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	67.92	42.81	74.00	-31.19	peak
2	1547.1990	3.88	24.65	52.88	69.42	45.07	74.00	-28.93	peak
3	3445.5350	6.86	28.69	52.96	61.13	43.72	68.20	-24.48	peak
4	7989.8930	9.41	36.20	53.60	55.61	47.62	68.20	-20.58	peak
5	11490.000	11.60	39.70	53.80	53.94	51.44	74.00	-22.56	peak
	17235.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 257 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5745 TX RSE

Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB	
1	1300.8580	3.37	24.25	52.73	70.42	45.31	74.00	-28.69	peak
2	1601.8040								•
3	3386.2970	6.72	28.68	52.97	62.76	45.19	68.20	-23.01	peak
4	7989.8930	9.41	36.20	53.60	55.02	47.03	68.20	-21.17	peak
5	11490.000	11.60	39.70	53.80	53.58	51.08	74.00	-22.92	peak
6	17235.000	14.39	42.87	52.46	48.36	53.16	68.20	-15.04	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 258 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5785 TX RSE Note : 5G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	65.34	40.23	74.00	-33.77	peak
2	1451.8780	3.68	24.36	52.82	68.33	43.55	74.00	-30.45	peak
3	3376.5230	6.69	28.68	52.98	60.28	42.67	68.20	-25.53	peak
4	8514.4560	9.70	36.15	53.92	55.77	47.70	68.20	-20.50	peak
5	11570.000	11.60	39.72	53.83	53.94	51.43	74.00	-22.57	peak
6	17355.000	14.44	43.52	52.38	47.10	52.68	68.20	-15.52	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 259 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5785 TX RSE

Note : 5G WIFI 11N20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1210.1740	3.17	24.29	52.67	68.62	43.41	74.00	-30.59	peak
2	1667.9510	4.13	24.94	52.94	67.94	44.07	74.00	-29.93	peak
3	3992.7810	7.48	29.49	52.80	60.66	44.83	74.00	-29.17	peak
4	7989.8930	9.41	36.20	53.60	56.03	48.04	68.20	-20.16	peak
5	11570.000	11.60	39.72	53.83	53.00	50.49	74.00	-23.51	peak
	17355.000								-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 260 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5825 TX RSE Note : 5G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297.1030	3.36	24.25	52.73	68.37	43.25	68.20	-24.95	peak
2	1542.7330	3.87	24.64	52.88	70.57	46.20	74.00	-27.80	peak
3	3445.5350	6.86	28.69	52.96	62.60	45.19	68.20	-23.01	peak
4	7989.8930	9.41	36.20	53.60	55.83	47.84	68.20	-20.36	peak
5	11650.000	11.60	39.73	53.86	54.31	51.78	74.00	-22.22	peak
	17475.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 261 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5825 TX RSE
Note : 5G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	70.79	45.68	74.00	-28.32	peak
2	1542.7330	3.87	24.64	52.88	76.45	52.08	74.00	-21.92	peak
3	3992.7810	7.48	29.49	52.80	63.22	47.39	74.00	-26.61	peak
4	7650.8880	8.74	36.34	53.57	57.08	48.59	74.00	-25.41	peak
5	11650.000	11.60	39.73	53.86	54.41	51.88	74.00	-22.12	peak
6	17475.000	14.48	44.16	52.31	46.55	52.88	68.20	-15.32	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 262 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5745 TX RSE Note : 5G WIFI 11AC20

				Preamp					
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	68.41	43.30	74.00	-30.70	peak
2	1547.1990	3.88	24.65	52.88	70.63	46.28	74.00	-27.72	peak
3	3386.2970	6.72	28.68	52.97	62.96	45.39	68.20	-22.81	peak
4	7989.8930	9.41	36.20	53.60	55.33	47.34	68.20	-20.86	peak
5	11490.000	11.60	39.70	53.80	53.68	51.18	74.00	-22.82	peak
6	17235.000	14.39	42.87	52.46	47.46	52.26	68.20	-15.94	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 263 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5745 TX RSE

Note : 5G WIFI 11AC20

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1300.8580	3.37	24.25	52.73	70.92	45.81	74.00	-28.19	peak	
2	1542.7330	3.87	24.64	52.88	75.04	50.67	74.00	-23.33	peak	
3	3992.7810	7.48	29.49	52.80	64.84	49.01	74.00	-24.99	peak	
4	8013.0200	9.44	36.20	53.61	55.52	47.55	68.20	-20.65	peak	
5	11490.000	11.60	39.70	53.80	53.48	50.98	74.00	-23.02	peak	
6	17235.000	14.39	42.87	52.46	48.37	53.17	68.20	-15.03	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 264 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5785 TX RSE Note : 5G WIFI 11AC20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dB dBuV dBuV/m dBuV/m dB/m dB dB 1297,1030 3.36 24.25 52.73 69.00 43.88 68.20 -24.32 peak 1542.7330 3.87 24.64 52.88 72.54 48.17 74.00 -25.83 peak 3 3445.5350 6.86 28.69 52.96 63.34 45.93 68.20 -22.27 peak 4 7989.8930 9.41 36.20 53.60 55.76 47.77 68.20 -20.43 peak 5 11570.000 11.60 39.72 53.83 53.86 51.35 74.00 -22.65 peak 14.44 43.52 52.38 47.24 52.82 68.20 -15.38 peak 17355.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 265 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5785 TX RSE

Note : 5G WIFI 11AC20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB	
1	1300.8580	3.37	24.25	52.73	70.12	45.01	74.00	-28.99	peak
	1547.1990								•
3	3992.7810	7.48	29.49	52.80	62.36	46.53	74.00	-27.47	peak
4	7966.8320	9.37	36.21	53.60	56.47	48.45	68.20	-19.75	peak
5	11570.000	11.60	39.72	53.83	53.61	51.10	74.00	-22.90	peak
	17355.000								•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 266 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5825 TX RSE Note : 5G WIFI 11AC20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Line Limit Remark Freq Level MHz dB dBuV dBuV/m dBuV/m dB/m dB dB 1300.8580 3.37 24.25 52.73 67.70 42.59 74.00 -31.41 peak 1542.7330 3.87 24.64 52.88 69.86 45.49 74.00 -28.51 peak 3 3386.2970 6.72 28.68 52.97 63.53 45.96 68.20 -22.24 peak 4 8392.2920 9.62 36.16 53.84 55.47 47.41 74.00 -26.59 peak 5 11650.000 11.60 39.73 53.86 54.21 51.68 74.00 -22.32 peak 14.48 44.16 52.31 45.74 52.07 68.20 -16.13 peak 17475.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 267 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5825 TX RSE

Note : 5G WIFI 11AC20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1116.0930	2.95	24.22	52.60	70.88	45.45	74.00	-28.55	peak
2	1574.2650	3.93	24.73	52.89	73.09	48.86	74.00	-25.14	peak
3	3981.2570	7.47	29.47	52.80	64.51	48.65	74.00	-25.35	peak
4	7179.5270	8.28	36.02	53.52	56.94	47.72	68.20	-20.48	peak
5	11650.000	11.60	39.73	53.86	54.30	51.77	74.00	-22.23	peak
6	17475.000	14.48	44.16	52.31	46.86	53.19	68.20	-15.01	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 268 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5745 TX RSE Note : 5G WIFI 11AX20

				Preamp					
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	68.20	43.09	74.00	-30.91	peak
2	1547.1990	3.88	24.65	52.88	72.76	48.41	74.00	-25.59	peak
3	3435.5900	6.84	28.69	52.96	61.01	43.58	68.20	-24.62	peak
4	8036.2140	9.45	36.20	53.62	55.74	47.77	74.00	-26.23	peak
5	11490.000	11.60	39.70	53.80	53.26	50.76	74.00	-23.24	peak
6	17235.000	14.39	42.87	52.46	47.02	51.82	68.20	-16.38	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 269 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00375AT
Mode : 5745 TX RSE
Note : 5G WIFI 11AX20

				Preamp					
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	72.59	47.48	74.00	-26.52	peak
2	1583.3920	3.95	24.75	52.90	74.43	50.23	74.00	-23.77	peak
3	3992.7810	7.48	29.49	52.80	64.38	48.55	74.00	-25.45	peak
4	8764.1460	10.25	36.12	54.06	55.24	47.55	68.20	-20.65	peak
5	11490.000	11.60	39.70	53.80	53.40	50.90	74.00	-23.10	peak
6	17235.000	14.39	42.87	52.46	46.84	51.64	68.20	-16.56	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 270 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5785 TX RSE Note : 5G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	68.82	43.71	74.00	-30.29	peak
2	1538.2810	3.86	24.62	52.87	73.28	48.89	74.00	-25.11	peak
3	3386.2970	6.72	28.68	52.97	63.34	45.77	68.20	-22.43	peak
4	8036.2140	9.45	36.20	53.62	55.37	47.40	74.00	-26.60	peak
5	11570.000	11.60	39.72	53.83	54.69	52.18	74.00	-21.82	peak
6	17355.000	14.44	43.52	52.38	46.93	52.51	68.20	-15.69	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 271 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT Mode : 5785 TX RSE

Mode : 5/85 IX KSE Note : 5G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	70.77	45.66	74.00	-28.34	peak
2	1533.8410	3.85	24.61	52.87	77.67	53.26	74.00	-20.74	peak
3	3992.7810	7.48	29.49	52.80	62.46	46.63	74.00	-27.37	peak
4	7519.3490	8.47	36.39	53.55	56.44	47.75	74.00	-26.25	peak
5	11570.000	11.60	39.72	53.83	53.63	51.12	74.00	-22.88	peak
6	17355.000	14.44	43.52	52.38	46.10	51.68	68.20	-16.52	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Independent of Comments and Independent of Independent Indep




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 272 of 274

Test Mode: 15; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00375AT Mode : 5825 TX RSE Note : 5G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1300.8580	3.37	24.25	52.73	68.61	43.50	74.00	-30.50	peak	
2	1639.2740	4.07	24.88	52.93	68.62	44.64	68.20	-23.56	peak	
3	3376.5230	6.69	28.68	52.98	63.05	45.44	68.20	-22.76	peak	
4	7966.8320	9.37	36.21	53.60	55.87	47.85	68.20	-20.35	peak	
5	11650.000	11.60	39.73	53.86	54.34	51.81	74.00	-22.19	peak	
6	17475.000	14.48	44.16	52.31	46.65	52.98	68.20	-15.22	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 273 of 274

Test Mode: 15; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00375AT : 5825 TX RSE Mode

Note : 5G WIFI 11AX20

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.8580	3.37	24.25	52.73	71.27	46.16	74.00	-27.84	peak
2	1569.7210	3.92	24.71	52.89	74.77	50.51	74.00	-23.49	peak
3	3992.7810	7.48	29.49	52.80	63.23	47.40	74.00	-26.60	peak
4	7628.8060	8.69	36.35	53.56	56.93	48.41	74.00	-25.59	peak
5	11650.000	11.60	39.73	53.86	52.46	49.93	74.00	-24.07	peak
6	17475.000	14.48	44.16	52.31	45.38	51.71	68.20	-16.49	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037504

Page: 274 of 274

# 8 Test Setup Photo

Refer to Test Setup Photo for FYCR2209000375AT

# 9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for FYCR2209000375AT

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi