

Labels

Date: May 14th, 2019

Model Name: **RSP-1232HL**

Manual Requirements:

ISO 9001 certification / Attestation of statements (Required only for Radio Equipment) (headline not shown in manual):



Manual Requirements according 15.19 / RSS-GEN (headline not shown in manual):

This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Manual Requirements according 15.21 (headline not shown in manual):

Changes or modifications made to this equipment not expressly approved by Riedel may void the FCC authorization to operate this equipment.

Manual Requirements according 15.105 (Class B digital device) (headline not shown in manual):

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

[Japanese Radio Law and Japanese Telecommunications Business Law Compliance \(headline not shown in manual\):](#)

This device is granted pursuant to the Japanese Radio Law (電波法) and the Japanese Telecommunications Business Law (電気通信事業法)

This device should not be modified (otherwise the granted designation number will become invalid)



The devices conform to the EU guidelines
EMC 2014/30/EU
LVD 2014/35/EU
RoHS 2011/65/EU
as attested by the CE mark.

Industry CAN ICES-3 (B)/NMB-3(B)
Canada


Standards EN 50581:2012
EN 55032: 2015
EN 55035-2:2017
EN 61000-3-2:2014, EN 61000-3-3:2013
EN 61000-4-2:2009, EN 61000-4-3:2006+A1:2008+A2:2010, EN 61000-4-4:2012
EN 61000-4-5:2014, EN 61000-4-6:2014, EN 61000-4-8:2010, EN 61000-4-11:2004
IEC/EN 60950-1:2005+A1:2009+A2:2013
IEC/EN 62368-1:2014, UL/CSA 62368-1:2014




YFJRSP1232HL
(1200 series SmartPanel RSP-1232HL)

Industry 8706A-RSP1232HL
Canada (1200 series SmartPanel RSP-1232HL)

MIC
Marking



Device Label



Size of Label: 65x30mm

Device Label Location on Device

