







ISO/IEC17025 Accredited Lab.

Report No: FCC 1010121 File reference No: 2010-10-29

Applicant: Shenzhen Sinchun Electronic Co., Ltd

Product: NOTE BOOK

Brand Name: saycool

Model No: M7

Test Standards: FCC Part 15 Subpart B: 2008

Test result: It is herewith confirmed and found to comply with the requirements

set up by ANSI C63.4&FCC Part 15 regulations for the evaluation of

electromagnetic compatibility

Approved By

Terry Tong

Terry Tong

Manager

Dated: October 29, 2010

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD

East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. Chegongmiao, FuTian District, Shenzhen, CHINA.

Tel (755) 83448688 Fax (755) 83442996

Report No: 1010121 Page 2 of 17

Date: 2010-10-29



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

IC- Registration No.: IC5205A-01

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-01.

VCCI- Registration No.: R-3015 and C-3332

The EMC Laboratory has been registered and fully described in a report filed with the (VCCI) Voluntary Control Council for Interference. The acceptance letter from the VCCI is maintained in our files. Registration IC No.: R-3015 and C-3332

Page 3 of 17

Report No: 1010121 Date: 2010-10-29



Test Report Conclusion Content

1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Test Uncertainty.	4
1.5	Submitted Sample	4
1.6	Test Duration.	4
2.0	List of Measurement Equipment	5
2.1	Conducted Emission Test.	5
2.2	Radiated electromagnetic disturbance test.	5
2.3	Auxiliary Equipment	5
2.4	I/O Cable	5
3.0	Technical Details	6
3.1	Investigations Requested	6
3.2	Test Standards	6
4.0	Power line Conducted Emission Test.	7
5.0	Radiated Disturbance Test	10
6.0	FCC Label	15
7.0	Photo of testing	16



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD

Address: East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. CheGongMiao, FuTian District,

Shenzhen, CHINA.

Telephone: (755) 83448688 Fax: (755) 83442996

1.2 Applicant Details

Applicant: Shenzhen Sinchun Electronic Co., Ltd

Address: 3/F,Unit5,Cuihai Industrial Zone,Fengtang Road,Fuyong Town,Baoan District,, Shenzhen,

China

Telephone: +86-755-83957777 Fax: +86-755-83956777

1.3 Description of EUT

Product: NOTE BOOK

Manufacturer: Shenzhen Sinchun Electronic Co., Ltd

Address: Unit5, Cuihai Industrial Zone, Fengtang Road, Fuyong Town, Baoan District,

Shenzhen, China

Brand Name: saycool

Model Number: M7

Additional Model Number: -

Power Supply: Model: XKD-Z3000IC 12.0-36W Input: 100-240V~1.0A 60/50Hz

Output: DC 12V-3A

Rating: Input DC12V, 3A

1.4 Submitted Sample: 1 Sample

1.5 Test Duration: 2010-10-18 to 2010-10-29

1.6 Test Uncertainty

Conducted Emissions Uncertainty = 3.6dB Radiated Emissions Uncertainty = 4.7dB

1.7 Test Engineer

The sample tested by

Alem geng

Print Name: Alan Geng

"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 5 of 17

Report No: 1010121 Date: 2010-10-29



List of Measurement Equipment

Conducted Emission Test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESH3	860905/006	RS	2010.4.26	1Year
Spectrum Analyzer	ESA-L1500A	US37451154	HP	2010.4.26	1Year
PULSE LIMITER	ESH3-Z2	100281	RS	2010.4.26	1Year
LISN	ESH3-Z5	100294	RS	2010.4.26	1Year
LISN	ESH3-Z5	100253	RS	2010.4.26	1Year
LISN	LS16C	10010947251	AFJ	2010-5-14	1Year
LISN (Three Phase)	NSLK 8126	8126453	Schwarebeck	2010-5-14	1Year

2.2 Radiated electromagnetic disturbance test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESVD	100008	RS	2010.4.26	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
Spectrum Analyzer	8595E	3441A00893	НР	2010.4.26	1Year
Amplifier	8447D	2727A05017	HP	2010.4.26	1Year
Bilog Antenna	VULB9163	9163/340	Schwarebeck	2010.4.26	1Year
Horn Antenna	BBHA 9120D	9120D-631	Schwarebeck	2010.07.03	1Year

2.3 **Auxiliary Equipment**

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
				Data cable	
				of 1.5m	
Mouse	OM860XC	HM0509	BIGCOW	length	FCC DOC
				Data cable	
				of 1.0m	
Earphone				length	
				Data cable of	
Keyboard	SK-8115		DELL	1.5m length	FCC DOC

"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer.

Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discuscion of correspondence with any third party concerning the certainty of the crops of the consent. into any discussion of correspondence with any third party concerning the contents of the report.

Page 6 of 17

Report No: 1010121 Date: 2010-10-29



3.0 **Technical Details**

3.1 **Investigations Requested** Perform Electromagnetic Interference [EMI] tests for FCC Requirement.


3.2 **Test Standards**

FCC Part 15 Subpart B: 2008



4.0 Conducted Power line Test

4.1 Schematics of the test




EUT: Equipment Under Test

4.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2003. Cables and peripherals were moved to find the maximum emission levels for each frequency.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



4.3 Power line conducted Emission Limit

Eraguanay (MHz)	Class A Li	mits dB(μV)	Class B Limits dB(µV)		
Frequency(MHz)	Quasi-peak Level	Average Level	Quasi-peak Level	Average Level	
0.15 ~ 0.50	79.00	66.00	66.00~56.00*	56.00~46.00*	
$0.50 \sim 5.00$	73.00	60.00	56.00	46.00	
5.00 ~ 30.00	73.00	60.00	60.00	50.00	

Notes:

- 1. *decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

4.4 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

This report is issued in confidential to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.




A Conducted Emission on Line Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Running EMC test software, Ping network and Keep Bluetooth Transmitting

Results: Pass

Please refer to following diagram for individual



Emagnaman	Reading(dB \(\mu \)		(dB μ V)		Limi	t
Frequency (MHz)	Line		Neutral		(dB µ V)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.1578	48.73	37.15			65.57	55.57
0.9195	42.74	33.99			56.00	46.00
0.9938	43.94	34.37			56.00	46.00
1.1694	52.92	40.36			56.00	46.00
1.5367	39.15	31.89			56.00	46.00

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.




B Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Running EMC test software, Ping network and Keep Bluetooth Transmitting

Results: Pass

Please refer to following diagram for individual



Ета аматам		Reading(dB µ V)				Limit	
Frequency (MHz)	Live	;	Neutral		(dB µ V)		
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average	
0.1617			47.39	35.63	65.37	55.37	
0.6969			37.48	26.82	56.00	46.00	
0.9156			39.92	31.12	56.00	46.00	
0.9938			42.83	31.52	56.00	46.00	
1.1422			48.56	38.38	56.00	46.00	

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.



5.0 Radiated Disturbance Test


5.1 Schematics of the test



5.2 Test Method and test Procedure:

The EUT was tested according to ANSI C63.4 –2003, The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak 0values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



5.3 Radiated Emission Limit

Frequency Range (MHz)	Distance (m)	Field strength (dB µ V/m)
30-88	3	40.00
88-216	3	43.50
216-960	3	46.00
Above 960	3	54.00

Note: The lower limit shall apply at the transition frequencies

5.4 Test result

The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120kHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.

This report is issued in confidential to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.



A: Radiated Disturbance (30MHz----1000MHz)

EUT Operating Environment

Temperature: 25°C Humidity: 75%RH Atmospheric Pressure: 101 kPa


EUT set Condition: Running EMC test software, Ping network and keep Bluetooth transmitting

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual

80.0 dBuV/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
44.550	35.81	V	40.00
61.525	36.52	V	40.00
182.775	36.89	V	43.50
228.850	36.77	V	46.00
631.400	39.54	V	46.00
1000.00	44.80	V	54.00

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.



B: Radiated Disturbance (30MHz----1000MHz)

EUT Operating Environment


Temperature:25°C Humidity: 75%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Running EMC test software, Ping network and keep Bluetooth transmitting

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual




Frequency (MHz)	Level@3m (dBμV/m)	Antenna Polarity	Limit@3m (dBµV/m)
61.525	34.72	Н	40.00
160.95	32.49	Н	43.50
179.906	38.03	Н	43.50
226.425	37.72	Н	46.00
633.825	38.97	Н	46.00
997.575	45.19	Н	54.00

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.

Page 13 of 17

Report No: 1010121 Date: 2010-10-29





Note: PK scanning


Test Mode: Running EMC test software and Ping network

This report is issued in confidential to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirely or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons discovered. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 14 of 17

Report No: 1010121 Date: 2010-10-29





Note: PK scanning

Test Mode: Running EMC test software and Ping network

This report is issued in confidential to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 15 of 17

Report No: 1010121 Date: 2010-10-29



6.0 FCC Label

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location: On the product body



FCC ID Label Location

Page 16 of 17

Report No: 1010121 Date: 2010-10-29



- 7.0 Photo of testing
- Conducted test View--7.1




"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



7.2 Radiated emission test view--



-End of the report-

"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.