















Mode	Channel	Ant.	OOB Emission Frequency (MHz)	OOB Emission Level (dBm)	Limit (dBm)	Over Limit (dB)	Result
IEEE 802.11a	149	0	5600.82	-51.685	-27	-24.690	PASS
			5627.00	-40.434	-27	-13.434	PASS
			5725.00	-31.571	27	-58.570	PASS
			5850.00	-42.498	27	-69.500	PASS
			5956.62	-41.441	-27	-14.441	PASS
			23131.1	-45.814	-27	-18.810	PASS
	157		2463.66	-43.508	-27	-16.510	PASS
			5640.88	-40.417	-27	-13.417	PASS
			5725.00	-41.540	27	-68.540	PASS
			5850.00	-42.753	27	-69.750	PASS
			5931.12	-41.400	-27	-14.399	PASS
			24590.4	-46.272	-27	-19.270	PASS
	165		2463.94	-39.949	-27	-12.950	PASS
			5617.62	-40.818	-27	-13.818	PASS
			5725.00	-42.234	27	-69.230	PASS

			5850.00	-37.482	27	-64.480	PASS
			5962.25	-41.693	-27	-14.693	PASS
			24598.5	-46.476	-27	-19.480	PASS
IEEE 802.11n_20	149		2460.15	-41.292	-27	-14.290	PASS
			5612.38	-41.075	-27	-14.075	PASS
			5725.00	-29.904	27	-56.900	PASS
			5850.00	-42.677	27	-69.680	PASS
			5974.62	-41.429	-27	-14.429	PASS
			24568.9	-45.930	-27	-18.930	PASS
			2460.15	-38.551	-27	-11.550	PASS
			5643.88	-40.821	-27	-13.821	PASS
			5725.00	-42.145	27	-69.150	PASS
	157		5850.00	-43.411	27	-70.410	PASS
			5953.62	-41.538	-27	-14.538	PASS
			24545.0	-46.566	-27	-19.570	PASS
			2465.21	-46.788	-27	-19.790	PASS
			5634.88	-40.307	-27	-13.307	PASS
			5725.00	-41.163	27	-68.160	PASS
			5850.00	-38.237	27	-65.240	PASS
			5936.38	-41.994	-27	-14.994	PASS
			24578.0	-46.197	-27	-19.200	PASS
	165		2461.98	-42.567	-27	-15.570	PASS
			5601.50	-40.097	-27	-13.097	PASS
			5725.00	-31.215	27	-58.220	PASS
			5850.00	-43.232	27	-70.230	PASS
			5959.25	-41.652	-27	-14.652	PASS
			24539.8	-46.107	-27	-19.110	PASS
			2460.29	-39.389	-27	-12.390	PASS
IEEE 802.11n_40	151						
	159						

			5628.50	-40.201	-27	-13.201	PASS
			5725.00	-41.122	27	-68.120	PASS
			5850.00	-36.225	27	-63.230	PASS
			5952.66	-43.871	-27	-16.870	PASS
			5972.75	-41.521	-27	-14.521	PASS
IEEE 802.11ac_20	149		2466.19	-46.207	-27	-19.210	PASS
			5608.25	-40.743	-27	-13.743	PASS
			5725.00	-33.493	27	-60.490	PASS
			5850.00	-42.872	27	-69.870	PASS
			5928.50	-40.909	-27	-13.909	PASS
			24552.7	-45.899	-27	-18.900	PASS
	157		2460.85	-38.982	-27	-11.980	PASS
			5606.38	-39.443	-27	-12.443	PASS
			5725.00	-41.733	27	-68.730	PASS
			5850.00	-41.621	27	-68.620	PASS
			5954.00	-40.898	-27	-13.898	PASS
			24518.3	-46.852	-27	-19.850	PASS
	165		2458.32	-44.774	-27	-17.770	PASS
			5645.38	-40.102	-27	-13.102	PASS
			5725.00	-42.630	27	-69.630	PASS
			5850.00	-40.429	27	-67.430	PASS
			5947.25	-41.194	-27	-14.194	PASS
			24566.5	-45.878	-27	-18.880	PASS
IEEE 802.11ac_40	151	5625.12	-39.915	-27	-12.915	PASS	
		5627.52	-50.304	-27	-23.300	PASS	
		5725.00	-31.967	27	-58.970	PASS	
		5850.00	-43.604	27	-70.600	PASS	
		5926.25	-41.640	-27	-14.640	PASS	

	159	24555.1	-46.324	-27	-19.320	PASS
		2460.29	-37.986	-27	-10.990	PASS
		5640.50	-39.356	-27	-12.356	PASS
		5725.00	-40.573	27	-67.570	PASS
		5850.00	-35.892	27	-62.890	PASS
		5938.35	-45.001	-27	-18.000	PASS
IEEE 802.11ac_80	155	5948.75	-41.824	-27	-14.824	PASS
		5618.81	-35.583	-27	-8.580	PASS
		5648.38	-36.428	-27	-9.428	PASS
		5725.00	-32.529	27	-59.530	PASS
		5850.00	-31.550	27	-58.550	PASS
		5931.88	-40.645	-27	-13.645	PASS
		5932.15	-36.869	-27	-9.870	PASS

