


Appendix A. Test Result of Maximum Conducted Output Power

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)	Limit (dBm)	Result
		Ant. 1		
GFSK (1Mbps)	2402	5.80	30.00	Pass
	2440	5.50	30.00	Pass
	2480	5.13	30.00	Pass
GFSK (2Mbps)	2402	5.77	30.00	Pass
	2440	5.50	30.00	Pass
	2480	5.14	30.00	Pass

Appendix B. Test Result of Radiated Emission


Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble1M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	4884.000	48.36	74.00	-25.64	62.58	-14.22	Peak

Note:
1. Level = Read Level + Factor
2. Over Limit = Level - Limit Line


Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble1M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	4884.000	45.74	74.00	-28.26	59.96	-14.22	Peak

Note:
1. Level = Read Level + Factor
2. Over Limit = Level - Limit Line


Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble1M_2440MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	4880.000	46.06	74.00	-27.94	59.82	-13.76	Peak
2	7320.000	53.15	74.00	-20.85	59.52	-6.37	Peak

Note:
1. Level = Read Level + Factor
2. Over Limit = Level - Limit Line


Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble1M_2440MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	4880.000	40.69	74.00	-33.31	54.45	-13.76	Peak
2	7320.000	51.87	54.00	-2.13	58.24	-6.37	Average
3	7320.000	56.97	74.00	-17.03	63.34	-6.37	Peak

Note:
1. Level = Read Level + Factor
2. Over Limit = Level - Limit Line


Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble1M_2480MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	4960.000	43.88	74.00	-30.12	57.05	-13.17	Peak
2	7440.000	45.35	54.00	-8.65	51.66	-6.31	Average
3	7440.000	54.23	74.00	-19.77	60.54	-6.31	Peak

Note:
1. Level = Read Level + Factor
2. Over Limit = Level - Limit Line


Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble1M_2480MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	4960.000	42.32	74.00	-31.68	55.49	-13.17	Peak
2	7440.000	53.47	54.00	-0.53	59.78	-6.31	Average
3	7440.000	58.60	74.00	-15.40	64.91	-6.31	Peak

Note:
1. Level = Read Level + Factor
2. Over Limit = Level - Limit Line


Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble2M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	4804.000	47.48	74.00	-26.52	61.70	-14.22	Peak

Note:
1. Level = Read Level + Factor
2. Over Limit = Level - Limit Line


Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble2M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	4804.000	41.46	74.00	-32.54	55.68	-14.22	Peak

Note:
1. Level = Read Level + Factor
2. Over Limit = Level - Limit Line

Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble2M_2440MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	4880.000	45.19	74.00	-28.81	58.95	-13.76	Peak
2	7320.000	52.30	74.00	-21.70	58.67	-6.37	Peak

Note:

1. Level = Read Level + Factor
2. Over Limit = Level - Limit Line

Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble2M_2440MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	4880.000	41.12	74.00	-32.88	54.88	-13.76	Peak
2	7320.000	47.76	54.00	-6.24	54.13	-6.37	Average
3	7320.000	57.32	74.00	-16.68	63.69	-6.37	Peak

Note:

1. Level = Read Level + Factor
2. Over Limit = Level - Limit Line

Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble2M_2480MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	4960.000	43.29	74.00	-30.71	56.46	-13.17	Peak
2	7440.000	45.37	54.00	-8.63	51.68	-6.31	Average
3	7440.000	54.48	74.00	-19.52	60.79	-6.31	Peak

Note:

1. Level = Read Level + Factor
2. Over Limit = Level - Limit Line

Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble2M_2480MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	4960.000	40.26	74.00	-33.74	53.43	-13.17	Peak
2	7440.000	49.21	54.00	-4.79	55.52	-6.31	Average
3	7440.000	58.44	74.00	-15.56	64.75	-6.31	Peak

Note:

1. Level = Read Level + Factor
2. Over Limit = Level - Limit Line

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_ble2M_2440MHz
Test BY :Ashton




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB/m	
1	74.620	25.33	40.00	-14.67	52.71	-27.38	QP
2	158.040	28.27	43.50	-15.23	51.97	-23.70	QP
3	402.480	35.44	46.00	-10.56	55.50	-20.06	QP
4	666.320	40.49	46.00	-5.51	55.00	-14.51	QP
5	824.430	28.95	46.00	-17.05	41.19	-12.24	QP
6	892.330	29.03	46.00	-16.97	40.55	-11.52	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_ble2M_2440MHz
Test BY :Ashton




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB/m	
1	52.310	31.84	40.00	-8.16	55.22	-23.38	QP
2	150.280	28.79	43.50	-14.71	52.53	-23.74	QP
3	350.100	31.65	46.00	-14.35	53.42	-21.77	QP
4	576.110	41.15	46.00	-4.85	57.27	-16.12	QP
5	704.150	40.93	46.00	-5.07	54.79	-13.86	QP
6	937.920	32.56	46.00	-13.44	43.22	-10.66	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.


Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble1M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB/m	
1	2318.600	46.85	54.00	-7.15	16.18	30.67	Average
2	2402.000	103.14	-----	-----	72.61	30.53	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble1M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB/m	
1	2331.800	60.50	74.00	-13.50	29.95	30.55	Peak
2	2402.200	103.71	-----	-----	73.18	30.53	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble1M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB/m	
1	2314.600	46.82	54.00	-7.18	16.16	30.66	Average
2	2402.000	98.90	-----	-----	68.37	30.53	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble1M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB/m	
1	2364.000	60.47	74.00	-13.53	29.98	30.49	Peak
2	2402.200	99.51	-----	-----	68.98	30.53	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble1M_2480MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
			dB				
1	2480.200	102.45	-----	-----	71.99	30.46	Average
2	2487.600	47.41	54.00	-6.59	16.86	30.55	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble1M_2480MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
			dB				
1	2479.800	103.08	-----	-----	72.62	30.46	Peak
2	2488.400	60.70	74.00	-13.30	30.15	30.55	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble1M_2480MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
			dB				
1	2480.000	98.15	-----	-----	67.69	30.46	Average
2	2495.200	47.09	54.00	-6.91	16.51	30.58	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble1M_2480MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
			dB				
1	2479.800	98.75	-----	-----	68.29	30.46	Peak
2	2495.000	60.44	74.00	-13.56	29.86	30.58	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble2M_2402MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
			dBuV/m	dB	dBuV		
1	2386.800	47.20	54.00	-6.80	16.69	30.51	Average
2	2402.000	99.96	-----	-----	69.43	30.53	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble2M_2402MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
			dBuV/m	dB	dBuV		
1	2313.600	60.50	74.00	-13.50	29.84	30.66	Peak
2	2402.000	101.74	-----	-----	71.19	30.55	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble2M_2402MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
			dBuV/m	dB	dBuV		
1	2328.800	47.15	54.00	-6.85	16.57	30.58	Average
2	2401.800	95.33	-----	-----	64.80	30.53	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble2M_2402MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
			dBuV/m	dB	dBuV		
1	2333.000	60.31	74.00	-13.69	29.77	30.54	Peak
2	2402.000	97.40	-----	-----	66.85	30.55	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble2M_2480MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
			dB				
1	2480.200	100.99	-----	-----	70.53	30.46	Average
2	2483.600	49.18	54.00	-4.82	18.67	30.51	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m Horizontal
Mode :TX_ble2M_2480MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
			dB				
1	2479.600	102.81	-----	-----	72.35	30.46	Peak
2	2483.600	60.73	74.00	-13.27	30.22	30.51	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble2M_2480MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
			dB				
1	2480.000	97.04	-----	-----	66.58	30.46	Average
2	2483.600	48.00	54.00	-6.00	17.49	30.51	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m Vertical
Mode :TX_ble2M_2480MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
			dB				
1	2479.600	98.83	-----	-----	68.37	30.46	Peak
2	2483.600	60.66	74.00	-13.34	30.15	30.51	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.