B66 / 3MHz / QPSK/ Low CH


B66 / 3MHz / 16QAM/ Low CH

B66 / 3MHz / 64QAM/ Low CH

B66 / 3MHz / 256QAM/ Low CH

B66 / 3MHz / QPSK/ Mid CH

B66 / 3MHz / 16QAM/ Mid CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **279** of **565**

B66 / 3MHz / 64QAM/ Mid CH

B66 / 3MHz / 256QAM/ Mid CH

B66 / 3MHz / QPSK/ High CH

B66 / 3MHz / 16QAM/ High CH

B66 / 3MHz / 64QAM/ High CH

B66 / 3MHz / 256QAM/ High CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555　　Fax: 86-755-36698525

Http://www.morlab.cn　　E-mail: service@morlab.cn

Page **280** of **565**

B66 / 5MHz / QPSK/ Low CH

B66 / 5MHz / 16QAM/ Low CH

B66 / 5MHz / 64QAM/ Low CH

B66 / 5MHz / 256QAM/ Low CH

B66 / 5MHz / QPSK/ Mid CH


B66 / 5MHz / 16QAM/ Mid CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **281** of **565**

B66 / 5MHz / 64QAM/ Mid CH

B66 / 5MHz / 256QAM/ Mid CH

B66 / 5MHz / QPSK/ High CH

B66 / 5MHz / 16QAM/ High CH

B66 / 5MHz / 64QAM/ High CH

B66 / 5MHz / 256QAM/ High CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **282** of **565**

B66 / 10MHz / QPSK/ Low CH

B66 / 10MHz / 16QAM/ Low CH


B66 / 10MHz / 64QAM/ Low CH

B66 / 10MHz / 256QAM/ Low CH

B66 / 10MHz / QPSK/ Mid CH

B66 / 10MHz / 16QAM/ Mid CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **283** of **565**

Occupied Bandwidth **8.9753 MHz** | Total Power 28.3 dBm
Transmit Freq Error -12.351 kHz | OBW Power 99.00 %
x dB Bandwidth 9.718 MHz | x dB -26.00 dB

B66 / 10MHz / 64QAM/ Mid CH

Occupied Bandwidth **8.9477 MHz** | Total Power 26.3 dBm
Transmit Freq Error 4.149 kHz | OBW Power 99.00 %
x dB Bandwidth 9.638 MHz | x dB -26.00 dB

B66 / 10MHz / 256QAM/ Mid CH

Occupied Bandwidth **8.9880 MHz** | Total Power 30.1 dBm
Transmit Freq Error -4.531 kHz | OBW Power 99.00 %
x dB Bandwidth 9.695 MHz | x dB -26.00 dB

B66 / 10MHz / QPSK/ High CH

Occupied Bandwidth **8.9454 MHz** | Total Power 29.2 dBm
Transmit Freq Error -5.639 kHz | OBW Power 99.00 %
x dB Bandwidth 9.737 MHz | x dB -26.00 dB

B66 / 10MHz / 16QAM/ High CH

Occupied Bandwidth **8.9670 MHz** | Total Power 28.1 dBm
Transmit Freq Error -8.176 kHz | OBW Power 99.00 %
x dB Bandwidth 9.650 MHz | x dB -26.00 dB

B66 / 10MHz / 64QAM/ High CH

Occupied Bandwidth **8.9614 MHz** | Total Power 26.1 dBm
Transmit Freq Error -12.082 kHz | OBW Power 99.00 %
x dB Bandwidth 9.767 MHz | x dB -26.00 dB

B66 / 10MHz / 256QAM/ High CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **284** of **565**

B66 / 15MHz / QPSK/ Low CH


B66 / 15MHz / 16QAM/ Low CH

B66 / 15MHz / 64QAM/ Low CH

B66 / 15MHz / 256QAM/ Low CH

B66 / 15MHz / QPSK/ Mid CH


B66 / 15MHz / 16QAM/ Mid CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **285** of **565**

B66 / 15MHz / 64QAM/ Mid CH

B66 / 15MHz / 256QAM/ Mid CH


B66 / 15MHz / QPSK/ High CH


B66 / 15MHz / 16QAM/ High CH


B66 / 15MHz / 64QAM/ High CH


B66 / 15MHz / 256QAM/ High CH

B66 / 20MHz / QPSK/ Low CH


B66 / 20MHz / 16QAM/ Low CH


B66 / 20MHz / 64QAM/ Low CH

B66 / 20MHz / 256QAM/ Low CH

B66 / 20MHz / QPSK/ Mid CH

B66 / 20MHz / 16QAM/ Mid CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **287** of **565**

B66 / 20MHz / 64QAM/ Mid CH

B66 / 20MHz / 256QAM/ Mid CH

B66 / 20MHz / QPSK/ High CH

B66 / 20MHz / 16QAM/ High CH

B66 / 20MHz / 64QAM/ High CH

B66 / 20MHz / 256QAM/ High CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **288** of **565**

B71 / 5MHz / QPSK/ Low CH

B71 / 5MHz / 16QAM/ Low CH

B71 / 5MHz / 64QAM/ Low CH

B71 / 5MHz / 256QAM/ Low CH

B71 / 5MHz / QPSK/ Mid CH

B71 / 5MHz / 16QAM/ Mid CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **289** of **565**

B71 / 5MHz / 64QAM/ Mid CH

B71 / 5MHz / 256QAM/ Mid CH

B71 / 5MHz / QPSK/ High CH

B71 / 5MHz / 16QAM/ High CH

B71 / 5MHz / 64QAM/ High CH

B71 / 5MHz / 256QAM/ High CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **290** of **565**

B71 / 10MHz / QPSK/ Low CH

B71 / 10MHz / 16QAM/ Low CH

B71 / 10MHz / 64QAM/ Low CH


B71 / 10MHz / 256QAM/ Low CH

B71 / 10MHz / QPSK/ Mid CH


B71 / 10MHz / 16QAM/ Mid CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555　　Fax: 86-755-36698525

Http://www.morlab.cn　　E-mail: service@morlab.cn

Page **291** of **565**

B71 / 10MHz / 64QAM/ Mid CH

B71 / 10MHz / 256QAM/ Mid CH

B71 / 10MHz / QPSK/ High CH

B71 / 10MHz / 16QAM/ High CH

B71 / 10MHz / 64QAM/ High CH

B71 / 10MHz / 256QAM/ High CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **292** of **565**

B71 / 15MHz / QPSK/ Low CH

B71 / 15MHz / 16QAM/ Low CH

B71 / 15MHz / 64QAM/ Low CH

B71 / 15MHz / 256QAM/ Low CH

B71 / 15MHz / QPSK/ Mid CH

B71 / 15MHz / 16QAM/ Mid CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **293** of **565**

B71 / 15MHz / 64QAM/ Mid CH

B71 / 15MHz / 256QAM/ Mid CH

B71 / 15MHz / QPSK/ High CH

B71 / 15MHz / 16QAM/ High CH

B71 / 15MHz / 64QAM/ High CH

B71 / 15MHz / 256QAM/ High CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **294** of **565**

B71 / 20MHz / QPSK/ Low CH

B71 / 20MHz / 16QAM/ Low CH

B71 / 20MHz / 64QAM/ Low CH

B71 / 20MHz / 256QAM/ Low CH

B71 / 20MHz / QPSK/ Mid CH

B71 / 20MHz / 16QAM/ Mid CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **295** of **565**

B71 / 20MHz / 64QAM/ Mid CH

B71 / 20MHz / 256QAM/ Mid CH

B71 / 20MHz / QPSK/ High CH


B71 / 20MHz / 16QAM/ High CH

B71 / 20MHz / 64QAM/ High CH


B71 / 20MHz / 256QAM/ High CH

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **296** of **565**

2.3. Frequency Stability

2.3.1. Requirement

According to FCC section 2.1055, 24.235, 27.54, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. According to FCC section 2.1055, the test conditions are:

(a) The temperature is varied from -30°C to +50°C at intervals of not more than 10°C.

(b) For hand carried battery powered equipment, the primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacture. The supply voltage shall be measured at the input to the cable normally provided with the equipment, or at the power supply terminals if cables are not normally provided.

Note: The operating temperature of EUT is from 0°C to 60°C, which are specified by the applicant.

2.3.2. Test Description

The EUT which is powered by the DC Power Supply directly, is located in the Temperature Chamber. The EUT is commanded by the System Simulator (SS) to operate at the maximum output power. A call is established between the EUT and the SS via a Common Antenna.

2.3.3. Test Procedure

KDB 971168 D01v03 Section 9.0 and ANSI/TIA-603-E-2016.

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **297** of **565**

2.3.4. Test Result

The nominal, highest and lowest extreme voltages are separately 3.87V, 4.45V and 3.4V, which are specified by the applicant; the normal temperature here used is 20°C.

		LTE Band 2, 256QAM, Channel 18900, Frequency 1880.0MHz				
		Limit =Within Authorized Band				
Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev.(Hz)	Deviation (ppm)		Result
Normal	3.87	+20(Ref)	18	0.010		PASS
Normal		0	18	0.010		
Normal		+10	18	0.010		
Normal		+20	8	0.004		
Normal		+30	17	0.009		
Normal		+40	13	0.007		
Normal		+50	8	0.004		
Normal		+60	20	0.011		
High	4.45	+20	16	0.009		
BATT.ENDPOINT	3.40	+20	18	0.010		

		LTE Band 4, 256QAM, Channel 20175, Frequency 1732.5MHz				
		Limit =Within Authorized Band				
Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev.(Hz)	Deviation (ppm)		Result
Normal	3.87	+20(Ref)	2	0.001		PASS
Normal		0	16	0.009		
Normal		+10	11	0.006		
Normal		+20	18	0.010		
Normal		+30	4	0.002		
Normal		+40	13	0.008		
Normal		+50	2	0.001		
Normal		+60	20	0.012		
High	4.45	+20	22	0.013		
BATT.ENDPOINT	3.40	+20	-22	-0.013		

MORLAB Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China
Tel: 86-755-36698555   Fax: 86-755-36698525
Http://www.morlab.cn   E-mail: service@morlab.cn

Page **298** of **565**

LTE Band 5, 256QAM, Channel 20525, Frequency 836.5MHz Limit=±2.5ppm					
Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev.(Hz)	Deviation (ppm)	Result
Normal	3.87	+20(Ref)	13	0.016	PASS
Normal		0	4	0.005	
Normal		+10	19	0.023	
Normal		+20	-18	-0.022	
Normal		+30	-22	-0.026	
Normal		+40	-20	-0.024	
Normal		+50	-5	-0.006	
Normal		+60	19	0.023	
High	4.45	+20	10	0.012	
BATT.ENDPOINT	3.40	+20	18	0.022	

LTE Band 7, 256QAM, Channel 21100, Frequency 2535.0MHz Limit =Within Authorized Band					
Voltage (%)	Power (VDC)	Temp (°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.87	+20(Ref)	13	0.016	PASS
Normal		0	4	0.005	
Normal		+10	19	0.023	
Normal		+20	-18	-0.022	
Normal		+30	-22	-0.026	
Normal		+40	-20	-0.024	
Normal		+50	-5	-0.006	
Normal		+60	19	0.023	
High	4.45	+20	10	0.012	
BATT.ENDPOINT	3.40	+20	18	0.022	

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **299** of **565**

LTE Band 12, 256QAM, Channel 23095, Frequency 707.5MHz
Limit =Within Authorized Band

Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev.(Hz)	Deviation (ppm)	Result
Normal		+20(Ref)	3	0.004	
Normal		0	16	0.023	
Normal		+10	-15	-0.021	
Normal	3.87	+20	-18	-0.025	
Normal		+30	-22	-0.031	PASS
Normal		+40	-7	-0.010	
Normal		+50	15	0.021	
Normal		+60	17	0.024	
High	4.45	+20	23	0.033	
BATT.ENDPOINT	3.40	+20	23	0.033	

LTE Band 13, 256QAM, Channel 23230, Frequency 782MHz
Limit=±2.5ppm

Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev.(Hz)	Deviation (ppm)	Result
Normal		+20(Ref)	18	0.023	
Normal		0	-11	-0.014	
Normal		+10	15	0.019	
Normal	3.87	+20	4	0.005	
Normal		+30	18	0.023	PASS
Normal		+40	13	0.017	
Normal		+50	-18	-0.023	
Normal		+60	-17	-0.022	
High	4.45	+20	0	0.000	
BATT.ENDPOINT	3.40	+20	15	0.019	

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **300** of **565**

LTE Band 17, 256QAM, Channel 23790, Frequency 710.0MHz
Limit =Within Authorized Band

Voltage (%)	Power (VDC)	Temp (°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal		+20(Ref)	19	0.027	
Normal		0	17	0.024	
Normal		+10	16	0.023	
Normal	3.87	+20	-21	-0.030	
Normal		+30	21	0.030	
Normal		+40	5	0.007	PASS
Normal		+50	19	0.027	
Normal		+60	18	0.025	
High	4.45	+20	10	0.014	
BATT.ENDPOINT	3.40	+20	19	0.027	

LTE Band 25, 256QAM, Channel 26365, Frequency 1882.5MHz
Limit =Within Authorized Band

Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev.(Hz)	Deviation (ppm)	Result
Normal		+20(Ref)	14	0.007	
Normal		0	17	0.009	
Normal		+10	4	0.002	
Normal	3.87	+20	20	0.011	
Normal		+30	19	0.010	
Normal		+40	17	0.009	PASS
Normal		+50	17	0.009	
Normal		+60	13	0.007	
High	4.45	+20	14	0.007	
BATT.ENDPOINT	3.40	+20	19	0.010	

MORLAB Shenzhen Morlab Communications Technology Co., Ltd. FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road, Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **301** of **565**

LTE Band 26, 256QAM, Channel 26915, Frequency 836.5MHz Limit=±2.5ppm					
Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev.(Hz)	Deviation (ppm)	Result
Normal	3.87	+20(Ref)	18	0.022	PASS
Normal		0	14	0.017	
Normal		+10	18	0.022	
Normal		+20	20	0.024	
Normal		+30	15	0.018	
Normal		+40	22	0.026	
Normal		+50	2	0.002	
Normal		+60	15	0.018	
High	4.45	+20	17	0.020	
BATT.ENDPOINT	3.40	+20	-23	-0.027	

LTE Band 38, 256QAM, Channel 38000, Frequency 2595.0MHz Limit =Within Authorized Band					
Voltage (%)	Power (VDC)	Temp (°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.87	+20(Ref)	20	0.008	PASS
Normal		0	16	0.006	
Normal		+10	0	0.000	
Normal		+20	17	0.007	
Normal		+30	20	0.008	
Normal		+40	19	0.007	
Normal		+50	20	0.008	
Normal		+60	17	0.007	
High	4.45	+20	18	0.007	
BATT.ENDPOINT	3.40	+20	18	0.007	

LTE Band 40 BlockA, 256QAM, Channel 38750, Frequency 2310.0MHz
Limit =Within Authorized Band

Voltage (%)	Power (VDC)	Temp (°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.87	+20(Ref)	-15	-0.006	PASS
Normal		0	-3	-0.001	
Normal		+10	20	0.009	
Normal		+20	16	0.007	
Normal		+30	18	0.008	
Normal		+40	16	0.007	
Normal		+50	-4	-0.002	
Normal		+60	17	0.007	
High	4.45	+20	20	0.009	
BATT.ENDPOINT	3.40	+20	18	0.008	

LTE Band 40 BlockB, 256QAM, Channel 39200, Frequency 2355.0MHz
Limit =Within Authorized Band

Voltage (%)	Power (VDC)	Temp (°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.87	+20(Ref)	-15	-0.006	PASS
Normal		0	-3	-0.001	
Normal		+10	20	0.009	
Normal		+20	16	0.007	
Normal		+30	18	0.008	
Normal		+40	16	0.007	
Normal		+50	-4	-0.002	
Normal		+60	17	0.007	
High	4.45	+20	20	0.009	
BATT.ENDPOINT	3.40	+20	18	0.008	

MORLAB Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **303** of **565**

LTE Band 41, 256QAM, Channel 40620, Frequency 2593.0MHz Limit =Within Authorized Band					
Voltage (%)	Power (VDC)	Temp (°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.87	+20(Ref)	16	0.006	PASS
Normal		0	-23	-0.009	
Normal		+10	-13	-0.005	
Normal		+20	2	0.001	
Normal		+30	18	0.007	
Normal		+40	14	0.005	
Normal		+50	-3	-0.001	
Normal		+60	18	0.007	
High	4.45	+20	15	0.006	
BATT.ENDPOINT	3.40	+20	16	0.006	

LTE Band 42, 256QAM, Channel 43340, Frequency 3500.0MHz Limit =Within Authorized Band					
Voltage (%)	Power (VDC)	Temp (°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.87	+20(Ref)	-2	-0.001	PASS
Normal		0	19	0.005	
Normal		+10	15	0.004	
Normal		+20	9	0.003	
Normal		+30	17	0.005	
Normal		+40	16	0.005	
Normal		+50	15	0.004	
Normal		+60	20	0.006	
High	4.45	+20	-20	-0.006	
BATT.ENDPOINT	3.40	+20	22	**0.006**	

MORLAB Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **304** of **565**

LTE Band 66, 256QAM, Channel 132322, Frequency 1745MHz Limit =Within Authorized Band					
Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev.(Hz)	Deviation (ppm)	Result
Normal	3.87	+20(Ref)	17	0.010	PASS
Normal		0	-7	-0.004	
Normal		+10	16	0.009	
Normal		+20	15	0.009	
Normal		+30	-9	-0.005	
Normal		+40	19	0.011	
Normal		+50	-12	-0.007	
Normal		+60	17	0.010	
High	4.45	+20	20	0.011	
BATT.ENDPOINT	3.40	+20	17	0.010	

LTE Band 71, 256QAM, Channel 133322, Frequency 683.0MHz Limit =Within Authorized Band					
Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev.(Hz)	Deviation (ppm)	Result
Normal	3.87	+20(Ref)	17	0.025	PASS
Normal		0	-9	-0.013	
Normal		+10	18	0.026	
Normal		+20	13	0.019	
Normal		+30	8	0.012	
Normal		+40	13	0.019	
Normal		+50	-14	-0.020	
Normal		+60	-14	-0.020	
High	4.45	+20	19	0.028	
BATT.ENDPOINT	3.40	+20	-7	-0.010	

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **305** of **565**

2.4. Peak to Average Radio

2.4.1. Requirement

According to FCC section 24.232(d), 27.50(d) and 27.50(j)(4), the peak to average ratio (PAR) of the transmission may not exceed 13dB.

2.4.2. Test Description

The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.4.3. Test Procedure

KDB 971168 D01v03 Section 5.7 and ANSI/TIA-603-E-2016.

2.4.4. Test Result

Record the maximum PAPR level associated with a probability of 0.1%.

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **306** of **565**

LTE Band	BW(MHz)	Channel Level	Channel	Frequency (MHz)	Modulation	Peak to Average Radio(dB)	Verdict
B2	1.4	Low	18607	1850.7	QPSK	5.07	PASS
B2	1.4	Low	18607	1850.7	16QAM	5.84	PASS
B2	1.4	Low	18607	1850.7	64QAM	6.17	PASS
B2	1.4	Low	18607	1850.7	256QAM	6.78	PASS
B2	1.4	Mid	18900	1880	QPSK	5.25	PASS
B2	1.4	Mid	18900	1880	16QAM	5.96	PASS
B2	1.4	Mid	18900	1880	64QAM	6.37	PASS
B2	1.4	Mid	18900	1880	256QAM	6.76	PASS
B2	1.4	High	19193	1909.3	QPSK	5.31	PASS
B2	1.4	High	19193	1909.3	16QAM	5.99	PASS
B2	1.4	High	19193	1909.3	64QAM	6.37	PASS
B2	1.4	High	19193	1909.3	256QAM	6.76	PASS
B2	3	Low	18615	1851.5	QPSK	5.07	PASS
B2	3	Low	18615	1851.5	16QAM	5.84	PASS
B2	3	Low	18615	1851.5	64QAM	6.26	PASS
B2	3	Low	18615	1851.5	256QAM	6.58	PASS
B2	3	Mid	18900	1880	QPSK	5.35	PASS
B2	3	Mid	18900	1880	16QAM	6.06	PASS
B2	3	Mid	18900	1880	64QAM	6.33	PASS
B2	3	Mid	18900	1880	256QAM	6.64	PASS
B2	3	High	19185	1908.5	QPSK	5.46	PASS
B2	3	High	19185	1908.5	16QAM	6.10	PASS
B2	3	High	19185	1908.5	64QAM	6.41	PASS
B2	3	High	19185	1908.5	256QAM	6.67	PASS
B2	5	Low	18625	1852.5	QPSK	5.31	PASS
B2	5	Low	18625	1852.5	16QAM	5.96	PASS
B2	5	Low	18625	1852.5	64QAM	6.35	PASS
B2	5	Low	18625	1852.5	256QAM	6.62	PASS
B2	5	Mid	18900	1880	QPSK	5.46	PASS
B2	5	Mid	18900	1880	16QAM	6.08	PASS
B2	5	Mid	18900	1880	64QAM	6.42	PASS
B2	5	Mid	18900	1880	256QAM	6.63	PASS
B2	5	High	19175	1907.5	QPSK	5.67	PASS
B2	5	High	19175	1907.5	16QAM	6.24	PASS
B2	5	High	19175	1907.5	64QAM	6.40	PASS

B2	5	High	19175	1907.5	256QAM	6.64	PASS
B2	10	Low	18650	1855	QPSK	5.35	PASS
B2	10	Low	18650	1855	16QAM	6.11	PASS
B2	10	Low	18650	1855	64QAM	6.37	PASS
B2	10	Low	18650	1855	256QAM	6.62	PASS
B2	10	Mid	18900	1880	QPSK	5.39	PASS
B2	10	Mid	18900	1880	16QAM	6.12	PASS
B2	10	Mid	18900	1880	64QAM	6.46	PASS
B2	10	Mid	18900	1880	256QAM	6.58	PASS
B2	10	High	19150	1905	QPSK	5.46	PASS
B2	10	High	19150	1905	16QAM	6.22	PASS
B2	10	High	19150	1905	64QAM	6.46	PASS
B2	10	High	19150	1905	256QAM	6.63	PASS
B2	15	Low	18675	1857.5	QPSK	5.32	PASS
B2	15	Low	18675	1857.5	16QAM	5.98	PASS
B2	15	Low	18675	1857.5	64QAM	6.37	PASS
B2	15	Low	18675	1857.5	256QAM	6.64	PASS
B2	15	Mid	18900	1880	QPSK	5.38	PASS
B2	15	Mid	18900	1880	16QAM	6.04	PASS
B2	15	Mid	18900	1880	64QAM	6.40	PASS
B2	15	Mid	18900	1880	256QAM	6.66	PASS
B2	15	High	19125	1902.5	QPSK	5.27	PASS
B2	15	High	19125	1902.5	16QAM	5.91	PASS
B2	15	High	19125	1902.5	64QAM	6.31	PASS
B2	15	High	19125	1902.5	256QAM	6.61	PASS
B2	20	Low	18700	1860	QPSK	5.34	PASS
B2	20	Low	18700	1860	16QAM	6.09	PASS
B2	20	Low	18700	1860	64QAM	6.41	PASS
B2	20	Low	18700	1860	256QAM	6.65	PASS
B2	20	Mid	18900	1880	QPSK	5.39	PASS
B2	20	Mid	18900	1880	16QAM	6.11	PASS
B2	20	Mid	18900	1880	64QAM	6.45	PASS
B2	20	Mid	18900	1880	256QAM	6.73	PASS
B2	20	High	19100	1900	QPSK	5.30	PASS
B2	20	High	19100	1900	16QAM	6.03	PASS
B2	20	High	19100	1900	64QAM	6.37	PASS
B2	20	High	19100	1900	256QAM	6.62	PASS

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **308** of **565**

LTE Band	BW(MHz)	Channel Level	Channel	Frequency (MHz)	Modulation	Peak to Average Radio(dB)	Verdict
B4	1.4	Low	19957	1710.7	QPSK	5.61	PASS
B4	1.4	Low	19957	1710.7	16QAM	6.32	PASS
B4	1.4	Low	19957	1710.7	64QAM	6.60	PASS
B4	1.4	Low	19957	1710.7	256QAM	6.83	PASS
B4	1.4	Mid	20175	1732.5	QPSK	4.54	PASS
B4	1.4	Mid	20175	1732.5	16QAM	5.30	PASS
B4	1.4	Mid	20175	1732.5	64QAM	5.87	PASS
B4	1.4	Mid	20175	1732.5	256QAM	6.51	PASS
B4	1.4	High	20393	1754.3	QPSK	5.63	PASS
B4	1.4	High	20393	1754.3	16QAM	6.16	PASS
B4	1.4	High	20393	1754.3	64QAM	6.48	PASS
B4	1.4	High	20393	1754.3	256QAM	6.85	PASS
B4	3	Low	19965	1711.5	QPSK	5.56	PASS
B4	3	Low	19965	1711.5	16QAM	6.27	PASS
B4	3	Low	19965	1711.5	64QAM	6.48	PASS
B4	3	Low	19965	1711.5	256QAM	6.68	PASS
B4	3	Mid	20175	1732.5	QPSK	4.66	PASS
B4	3	Mid	20175	1732.5	16QAM	5.39	PASS
B4	3	Mid	20175	1732.5	64QAM	5.92	PASS
B4	3	Mid	20175	1732.5	256QAM	6.52	PASS
B4	3	High	20385	1753.5	QPSK	5.75	PASS
B4	3	High	20385	1753.5	16QAM	6.23	PASS
B4	3	High	20385	1753.5	64QAM	6.47	PASS
B4	3	High	20385	1753.5	256QAM	6.65	PASS
B4	5	Low	19975	1712.5	QPSK	5.63	PASS
B4	5	Low	19975	1712.5	16QAM	6.28	PASS
B4	5	Low	19975	1712.5	64QAM	6.46	PASS
B4	5	Low	19975	1712.5	256QAM	6.67	PASS
B4	5	Mid	20175	1732.5	QPSK	4.74	PASS
B4	5	Mid	20175	1732.5	16QAM	5.56	PASS
B4	5	Mid	20175	1732.5	64QAM	5.98	PASS
B4	5	Mid	20175	1732.5	256QAM	6.43	PASS
B4	5	High	20375	1752.5	QPSK	5.61	PASS
B4	5	High	20375	1752.5	16QAM	6.22	PASS
B4	5	High	20375	1752.5	64QAM	6.48	PASS

B4	5	High	20375	1752.5	256QAM	6.63	PASS
B4	10	Low	20000	1715	QPSK	5.66	PASS
B4	10	Low	20000	1715	16QAM	6.31	PASS
B4	10	Low	20000	1715	64QAM	6.54	PASS
B4	10	Low	20000	1715	256QAM	6.63	PASS
B4	10	Mid	20175	1732.5	QPSK	5.05	PASS
B4	10	Mid	20175	1732.5	16QAM	5.77	PASS
B4	10	Mid	20175	1732.5	64QAM	6.13	PASS
B4	10	Mid	20175	1732.5	256QAM	6.48	PASS
B4	10	High	20350	1750	QPSK	5.60	PASS
B4	10	High	20350	1750	16QAM	6.26	PASS
B4	10	High	20350	1750	64QAM	6.52	PASS
B4	10	High	20350	1750	256QAM	6.57	PASS
B4	15	Low	20025	1717.5	QPSK	5.57	PASS
B4	15	Low	20025	1717.5	16QAM	6.18	PASS
B4	15	Low	20025	1717.5	64QAM	6.43	PASS
B4	15	Low	20025	1717.5	256QAM	6.69	PASS
B4	15	Mid	20175	1732.5	QPSK	4.86	PASS
B4	15	Mid	20175	1732.5	16QAM	5.55	PASS
B4	15	Mid	20175	1732.5	64QAM	6.07	PASS
B4	15	Mid	20175	1732.5	256QAM	6.55	PASS
B4	15	High	20325	1747.5	QPSK	5.40	PASS
B4	15	High	20325	1747.5	16QAM	6.07	PASS
B4	15	High	20325	1747.5	64QAM	6.41	PASS
B4	15	High	20325	1747.5	256QAM	6.66	PASS
B4	20	Low	20050	1720	QPSK	5.55	PASS
B4	20	Low	20050	1720	16QAM	6.24	PASS
B4	20	Low	20050	1720	64QAM	6.53	PASS
B4	20	Low	20050	1720	256QAM	6.73	PASS
B4	20	Mid	20175	1732.5	QPSK	5.10	PASS
B4	20	Mid	20175	1732.5	16QAM	5.82	PASS
B4	20	Mid	20175	1732.5	64QAM	6.19	PASS
B4	20	Mid	20175	1732.5	256QAM	6.55	PASS
B4	20	High	20300	1745	QPSK	5.27	PASS
B4	20	High	20300	1745	16QAM	5.99	PASS
B4	20	High	20300	1745	64QAM	6.37	PASS
B4	20	High	20300	1745	256QAM	6.61	PASS

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **310** of **565**

LTE Band	BW(MHz)	Channel Level	Channel	Frequency (MHz)	Modulation	Peak to Average Radio(dB)	Verdict
B25	1.4	Low	26047	1850.7	QPSK	4.97	PASS
B25	1.4	Low	26047	1850.7	16QAM	5.66	PASS
B25	1.4	Low	26047	1850.7	64QAM	6.19	PASS
B25	1.4	Low	26047	1850.7	256QAM	6.76	PASS
B25	1.4	Mid	26365	1882.5	QPSK	5.46	PASS
B25	1.4	Mid	26365	1882.5	16QAM	6.18	PASS
B25	1.4	Mid	26365	1882.5	64QAM	6.53	PASS
B25	1.4	Mid	26365	1882.5	256QAM	6.86	PASS
B25	1.4	High	26683	1914.3	QPSK	4.83	PASS
B25	1.4	High	26683	1914.3	16QAM	5.59	PASS
B25	1.4	High	26683	1914.3	64QAM	6.08	PASS
B25	1.4	High	26683	1914.3	256QAM	6.70	PASS
B25	3	Low	26055	1851.5	QPSK	5.12	PASS
B25	3	Low	26055	1851.5	16QAM	5.86	PASS
B25	3	Low	26055	1851.5	64QAM	6.27	PASS
B25	3	Low	26055	1851.5	256QAM	6.63	PASS
B25	3	Mid	26365	1882.5	QPSK	5.52	PASS
B25	3	Mid	26365	1882.5	16QAM	6.22	PASS
B25	3	Mid	26365	1882.5	64QAM	6.50	PASS
B25	3	Mid	26365	1882.5	256QAM	6.70	PASS
B25	3	High	26675	1913.5	QPSK	5.07	PASS
B25	3	High	26675	1913.5	16QAM	5.80	PASS
B25	3	High	26675	1913.5	64QAM	6.16	PASS
B25	3	High	26675	1913.5	256QAM	6.57	PASS
B25	5	Low	26065	1852.5	QPSK	5.32	PASS
B25	5	Low	26065	1852.5	16QAM	6.00	PASS
B25	5	Low	26065	1852.5	64QAM	6.33	PASS
B25	5	Low	26065	1852.5	256QAM	6.64	PASS
B25	5	Mid	26365	1882.5	QPSK	5.57	PASS
B25	5	Mid	26365	1882.5	16QAM	6.21	PASS
B25	5	Mid	26365	1882.5	64QAM	6.50	PASS
B25	5	Mid	26365	1882.5	256QAM	6.68	PASS
B25	5	High	26665	1912.5	QPSK	5.28	PASS
B25	5	High	26665	1912.5	16QAM	5.92	PASS
B25	5	High	26665	1912.5	64QAM	6.24	PASS

MORLAB
Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **311** of **565**

B25	5	High	26665	1912.5	256QAM	6.59	PASS
B25	10	Low	26090	1855	QPSK	5.45	PASS
B25	10	Low	26090	1855	16QAM	6.09	PASS
B25	10	Low	26090	1855	64QAM	6.41	PASS
B25	10	Low	26090	1855	256QAM	6.62	PASS
B25	10	Mid	26365	1882.5	QPSK	5.56	PASS
B25	10	Mid	26365	1882.5	16QAM	6.23	PASS
B25	10	Mid	26365	1882.5	64QAM	6.51	PASS
B25	10	Mid	26365	1882.5	256QAM	6.67	PASS
B25	10	High	26640	1910	QPSK	5.41	PASS
B25	10	High	26640	1910	16QAM	6.07	PASS
B25	10	High	26640	1910	64QAM	6.39	PASS
B25	10	High	26640	1910	256QAM	6.58	PASS
B25	15	Low	26115	1857.5	QPSK	5.31	PASS
B25	15	Low	26115	1857.5	16QAM	6.01	PASS
B25	15	Low	26115	1857.5	64QAM	6.36	PASS
B25	15	Low	26115	1857.5	256QAM	6.67	PASS
B25	15	Mid	26365	1882.5	QPSK	5.41	PASS
B25	15	Mid	26365	1882.5	16QAM	6.07	PASS
B25	15	Mid	26365	1882.5	64QAM	6.44	PASS
B25	15	Mid	26365	1882.5	256QAM	6.69	PASS
B25	15	High	26615	1907.5	QPSK	5.25	PASS
B25	15	High	26615	1907.5	16QAM	5.92	PASS
B25	15	High	26615	1907.5	64QAM	6.39	PASS
B25	15	High	26615	1907.5	256QAM	6.67	PASS
B25	20	Low	26140	1860	QPSK	5.33	PASS
B25	20	Low	26140	1860	16QAM	6.05	PASS
B25	20	Low	26140	1860	64QAM	6.43	PASS
B25	20	Low	26140	1860	256QAM	6.68	PASS
B25	20	Mid	26365	1882.5	QPSK	5.40	PASS
B25	20	Mid	26365	1882.5	16QAM	6.11	PASS
B25	20	Mid	26365	1882.5	64QAM	6.49	PASS
B25	20	Mid	26365	1882.5	256QAM	6.77	PASS
B25	20	High	26590	1905	QPSK	5.28	PASS
B25	20	High	26590	1905	16QAM	5.99	PASS
B25	20	High	26590	1905	64QAM	6.45	PASS
B25	20	High	26590	1905	256QAM	6.71	PASS

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **312** of **565**

LTE Band	BW(MHz)	Channel Level	Channel	Frequency (MHz)	Modulation	Peak to Average Radio(dB)	Verdict
B66	1.4	Low	131979	1710.7	QPSK	5.55	PASS
B66	1.4	Low	131979	1710.7	16QAM	6.23	PASS
B66	1.4	Low	131979	1710.7	64QAM	6.58	PASS
B66	1.4	Low	131979	1710.7	256QAM	6.86	PASS
B66	1.4	Mid	132322	1745	QPSK	5.29	PASS
B66	1.4	Mid	132322	1745	16QAM	5.99	PASS
B66	1.4	Mid	132322	1745	64QAM	6.48	PASS
B66	1.4	Mid	132322	1745	256QAM	6.94	PASS
B66	1.4	High	132665	1779.3	QPSK	5.32	PASS
B66	1.4	High	132665	1779.3	16QAM	6.04	PASS
B66	1.4	High	132665	1779.3	64QAM	6.45	PASS
B66	1.4	High	132665	1779.3	256QAM	6.75	PASS
B66	3	Low	131987	1711.5	QPSK	5.63	PASS
B66	3	Low	131987	1711.5	16QAM	6.30	PASS
B66	3	Low	131987	1711.5	64QAM	6.56	PASS
B66	3	Low	131987	1711.5	256QAM	6.68	PASS
B66	3	Mid	132322	1745	QPSK	5.37	PASS
B66	3	Mid	132322	1745	16QAM	6.03	PASS
B66	3	Mid	132322	1745	64QAM	6.36	PASS
B66	3	Mid	132322	1745	256QAM	6.64	PASS
B66	3	High	132657	1778.5	QPSK	5.45	PASS
B66	3	High	132657	1778.5	16QAM	6.13	PASS
B66	3	High	132657	1778.5	64QAM	6.44	PASS
B66	3	High	132657	1778.5	256QAM	6.67	PASS
B66	5	Low	131997	1712.5	QPSK	5.72	PASS
B66	5	Low	131997	1712.5	16QAM	6.32	PASS
B66	5	Low	131997	1712.5	64QAM	6.54	PASS
B66	5	Low	131997	1712.5	256QAM	6.65	PASS
B66	5	Mid	132322	1745	QPSK	5.46	PASS
B66	5	Mid	132322	1745	16QAM	6.13	PASS
B66	5	Mid	132322	1745	64QAM	6.45	PASS
B66	5	Mid	132322	1745	256QAM	6.62	PASS
B66	5	High	132647	1777.5	QPSK	5.51	PASS
B66	5	High	132647	1777.5	16QAM	6.25	PASS
B66	5	High	132647	1777.5	64QAM	6.43	PASS

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **313** of **565**

B66	5	High	132647	1777.5	256QAM	6.62	PASS
B66	10	Low	132022	1715	QPSK	5.69	PASS
B66	10	Low	132022	1715	16QAM	6.34	PASS
B66	10	Low	132022	1715	64QAM	6.56	PASS
B66	10	Low	132022	1715	256QAM	6.62	PASS
B66	10	Mid	132322	1745	QPSK	5.45	PASS
B66	10	Mid	132322	1745	16QAM	6.15	PASS
B66	10	Mid	132322	1745	64QAM	6.43	PASS
B66	10	Mid	132322	1745	256QAM	6.58	PASS
B66	10	High	132622	1775	QPSK	5.55	PASS
B66	10	High	132622	1775	16QAM	6.20	PASS
B66	10	High	132622	1775	64QAM	6.45	PASS
B66	10	High	132622	1775	256QAM	6.62	PASS
B66	15	Low	132047	1717.5	QPSK	5.59	PASS
B66	15	Low	132047	1717.5	16QAM	6.21	PASS
B66	15	Low	132047	1717.5	64QAM	6.45	PASS
B66	15	Low	132047	1717.5	256QAM	6.71	PASS
B66	15	Mid	132322	1745	QPSK	5.20	PASS
B66	15	Mid	132322	1745	16QAM	5.93	PASS
B66	15	Mid	132322	1745	64QAM	6.31	PASS
B66	15	Mid	132322	1745	256QAM	6.61	PASS
B66	15	High	132597	1772.5	QPSK	5.17	PASS
B66	15	High	132597	1772.5	16QAM	5.86	PASS
B66	15	High	132597	1772.5	64QAM	6.25	PASS
B66	15	High	132597	1772.5	256QAM	6.55	PASS
B66	20	Low	132072	1720	QPSK	5.55	PASS
B66	20	Low	132072	1720	16QAM	6.23	PASS
B66	20	Low	132072	1720	64QAM	6.56	PASS
B66	20	Low	132072	1720	256QAM	6.72	PASS
B66	20	Mid	132322	1745	QPSK	5.24	PASS
B66	20	Mid	132322	1745	16QAM	5.96	PASS
B66	20	Mid	132322	1745	64QAM	6.36	PASS
B66	20	Mid	132322	1745	256QAM	6.61	PASS
B66	20	High	132572	1770	QPSK	5.26	PASS
B66	20	High	132572	1770	16QAM	5.96	PASS
B66	20	High	132572	1770	64QAM	6.33	PASS
B66	20	High	132572	1770	256QAM	6.54	PASS

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **314** of **565**

B2 / 1.4MHz / Low CH / QPSK

B2 / 1.4MHz / Low CH / 16QAM


B2 / 1.4MHz / Low CH / 64QAM


B2 / 1.4MHz / Low CH / 256QAM


B2 / 1.4MHz / Mid CH / QPSK

B2 / 1.4MHz / Mid CH / 16QAM

B2 / 1.4MHz / Mid CH / 64QAM

B2 / 1.4MHz / Mid CH / 256QAM

B2 / 1.4MHz / High CH / QPSK

B2 / 1.4MHz / High CH / 16QAM

B2 / 1.4MHz / High CH / 64QAM

B2 / 1.4MHz / High CH / 256QAM

B2 / 3MHz / Low CH / QPSK

B2 / 3MHz / Low CH / 16QAM

B2 / 3MHz / Low CH / 64QAM

B2 / 3MHz / Low CH / 256QAM

B2 / 3MHz / Mid CH / QPSK

B2 / 3MHz / Mid CH / 16QAM

B2 / 3MHz / Mid CH / 64QAM

B2 / 3MHz / Mid CH / 256QAM

B2 / 3MHz / High CH / QPSK

B2 / 3MHz / High CH / 16QAM

B2 / 3MHz / High CH / 64QAM

B2 / 3MHz / High CH / 256QAM

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **318** of **565**

B2 / 5MHz / Low CH / QPSK

B2 / 5MHz / Low CH / 16QAM

B2 / 5MHz / Low CH / 64QAM

B2 / 5MHz / Low CH / 256QAM

B2 / 5MHz / Mid CH / QPSK

B2 / 5MHz / Mid CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **319** of **565**

B2 / 5MHz / Mid CH / 64QAM

B2 / 5MHz / Mid CH / 256QAM

B2 / 5MHz / High CH / QPSK

B2 / 5MHz / High CH / 16QAM

B2 / 5MHz / High CH / 64QAM

B2 / 5MHz / High CH / 256QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **320** of **565**

B2 / 10MHz / Low CH / QPSK

B2 / 10MHz / Low CH / 16QAM

B2 / 10MHz / Low CH / 64QAM

B2 / 10MHz / Low CH / 256QAM

B2 / 10MHz / Mid CH / QPSK

B2 / 10MHz / Mid CH / 16QAM

B2 / 10MHz / Mid CH / 64QAM

B2 / 10MHz / Mid CH / 256QAM

B2 / 10MHz / High CH / QPSK

B2 / 10MHz / High CH / 16QAM

B2 / 10MHz / High CH / 64QAM

B2 / 10MHz / High CH / 256QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **322** of **565**

B2 / 15MHz / Low CH / QPSK



B2 / 15MHz / Low CH / 16QAM

B2 / 15MHz / Low CH / 64QAM

B2 / 15MHz / Low CH / 256QAM

B2 / 15MHz / Mid CH / QPSK

B2 / 15MHz / Mid CH / 16QAM

B2 / 15MHz / Mid CH / 64QAM

B2 / 15MHz / Mid CH / 256QAM

B2 / 15MHz / High CH / QPSK

B2 / 15MHz / High CH / 16QAM

B2 / 15MHz / High CH / 64QAM

B2 / 15MHz / High CH / 256QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **324** of **565**

B2 / 20MHz / Low CH / QPSK

B2 / 20MHz / Low CH / 16QAM

B2 / 20MHz / Low CH / 64QAM

B2 / 20MHz / Low CH / 256QAM

B2 / 20MHz / Mid CH / QPSK

B2 / 20MHz / Mid CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **325** of **565**

B2 / 20MHz / Mid CH / 64QAM


B2 / 20MHz / Mid CH / 256QAM


B2 / 20MHz / High CH / QPSK


B2 / 20MHz / High CH / 16QAM

B2 / 20MHz / High CH / 64QAM

B2 / 20MHz / High CH / 256QAM

B4 / 1.4MHz / Low CH / QPSK

B4 / 1.4MHz / Low CH / 16QAM

B4 / 1.4MHz / Low CH / 64QAM

B4 / 1.4MHz / Low CH / 256QAM

B4 / 1.4MHz / Mid CH / QPSK

B4 / 1.4MHz / Mid CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **327** of **565**

B4 / 1.4MHz / Mid CH / 64QAM

B4 / 1.4MHz / Mid CH / 256QAM

B4 / 1.4MHz / High CH / QPSK

B4 / 1.4MHz / High CH / 16QAM

B4 / 1.4MHz / High CH / 64QAM

B4 / 1.4MHz / High CH / 256QAM

B4 / 3MHz / Low CH / QPSK

B4 / 3MHz / Low CH / 16QAM

B4 / 3MHz / Low CH / 64QAM

B4 / 3MHz / Low CH / 256QAM

B4 / 3MHz / Mid CH / QPSK

B4 / 3MHz / Mid CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **329** of **565**

B4 / 3MHz / Mid CH / 64QAM

B4 / 3MHz / Mid CH / 256QAM

B4 / 3MHz / High CH / QPSK

B4 / 3MHz / High CH / 16QAM

B4 / 3MHz / High CH / 64QAM

B4 / 3MHz / High CH / 256QAM

B4 / 5MHz / Low CH / QPSK

B4 / 5MHz / Low CH / 16QAM

B4 / 5MHz / Low CH / 64QAM

B4 / 5MHz / Low CH / 256QAM

B4 / 5MHz / Mid CH / QPSK

B4 / 5MHz / Mid CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 331 of 565

B4 / 5MHz / Mid CH / 64QAM

B4 / 5MHz / Mid CH / 256QAM

B4 / 5MHz / High CH / QPSK

B4 / 5MHz / High CH / 16QAM

B4 / 5MHz / High CH / 64QAM

B4 / 5MHz / High CH / 256QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **332** of **565**

|	
B4 / 10MHz / Low CH / QPSK	B4 / 10MHz / Low CH / 16QAM
B4 / 10MHz / Low CH / 64QAM	B4 / 10MHz / Low CH / 256QAM
B4 / 10MHz / Mid CH / QPSK	B4 / 10MHz / Mid CH / 16QAM

B4 / 10MHz / Low CH / QPSK

Average Power
21.20 dBm
46.08 % at 0dB

10.0 %	2.40 dB
1.0 %	4.54 dB
0.1 %	5.66 dB
0.01 %	6.28 dB
0.001 %	6.90 dB
0.0001 %	7.00 dB
Peak	7.00 dB
	28.20 dBm

B4 / 10MHz / Low CH / 16QAM

Average Power
20.20 dBm
44.16 % at 0dB

10.0 %	2.94 dB
1.0 %	5.06 dB
0.1 %	6.31 dB
0.01 %	7.05 dB
0.001 %	7.53 dB
0.0001 %	7.72 dB
Peak	7.74 dB
	27.94 dBm

B4 / 10MHz / Low CH / 64QAM

Average Power
19.19 dBm
43.21 % at 0dB

10.0 %	3.08 dB
1.0 %	5.23 dB
0.1 %	6.54 dB
0.01 %	7.41 dB
0.001 %	7.82 dB
0.0001 %	8.00 dB
Peak	8.01 dB
	27.20 dBm

B4 / 10MHz / Low CH / 256QAM

Average Power
17.18 dBm
42.80 % at 0dB

10.0 %	3.08 dB
1.0 %	5.29 dB
0.1 %	6.63 dB
0.01 %	7.57 dB
0.001 %	8.17 dB
0.0001 %	8.58 dB
Peak	8.61 dB
	25.79 dBm

B4 / 10MHz / Mid CH / QPSK

Average Power
21.47 dBm
48.03 % at 0dB

10.0 %	2.35 dB
1.0 %	4.19 dB
0.1 %	5.05 dB
0.01 %	5.56 dB
0.001 %	6.00 dB
0.0001 %	6.16 dB
Peak	6.16 dB
	27.63 dBm

B4 / 10MHz / Mid CH / 16QAM

Average Power
20.48 dBm
45.68 % at 0dB

10.0 %	2.91 dB
1.0 %	4.77 dB
0.1 %	5.77 dB
0.01 %	6.38 dB
0.001 %	6.73 dB
0.0001 %	6.96 dB
Peak	6.99 dB
	27.47 dBm

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 333 of 565

B4 / 10MHz / Mid CH / 64QAM

B4 / 10MHz / Mid CH / 256QAM

B4 / 10MHz / High CH / QPSK

B4 / 10MHz / High CH / 16QAM

B4 / 10MHz / High CH / 64QAM

B4 / 10MHz / High CH / 256QAM

B4 / 15MHz / Low CH / QPSK

B4 / 15MHz / Low CH / 16QAM

B4 / 15MHz / Low CH / 64QAM

B4 / 15MHz / Low CH / 256QAM

B4 / 15MHz / Mid CH / QPSK

B4 / 15MHz / Mid CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **335** of **565**

B4 / 15MHz / Mid CH / 64QAM

B4 / 15MHz / Mid CH / 256QAM

B4 / 15MHz / High CH / QPSK

B4 / 15MHz / High CH / 16QAM

B4 / 15MHz / High CH / 64QAM

B4 / 15MHz / High CH / 256QAM

B4 / 20MHz / Low CH / QPSK

B4 / 20MHz / Low CH / 16QAM

B4 / 20MHz / Low CH / 64QAM

B4 / 20MHz / Low CH / 256QAM

B4 / 20MHz / Mid CH / QPSK

B4 / 20MHz / Mid CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **337** of **565**

B4 / 20MHz / Mid CH / 64QAM

B4 / 20MHz / Mid CH / 256QAM

B4 / 20MHz / High CH / QPSK

B4 / 20MHz / High CH / 16QAM

B4 / 20MHz / High CH / 64QAM

B4 / 20MHz / High CH / 256QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **338** of **565**

B25 / 1.4MHz / Low CH / QPSK

B25 / 1.4MHz / Low CH / 16QAM

B25 / 1.4MHz / Low CH / 64QAM

B25 / 1.4MHz / Low CH / 256QAM


B25 / 1.4MHz / Mid CH / QPSK

B25 / 1.4MHz / Mid CH / 16QAM

B25 / 1.4MHz / Mid CH / 64QAM

B25 / 1.4MHz / Mid CH / 256QAM


B25 / 1.4MHz / High CH / QPSK

B25 / 1.4MHz / High CH / 16QAM

B25 / 1.4MHz / High CH / 64QAM

B25 / 1.4MHz / High CH / 256QAM

B25 / 3MHz / Low CH / QPSK

B25 / 3MHz / Low CH / 16QAM

B25 / 3MHz / Low CH / 64QAM

B25 / 3MHz / Low CH / 256QAM

B25 / 3MHz / Mid CH / QPSK

B25 / 3MHz / Mid CH / 16QAM

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555　　Fax: 86-755-36698525

Http://www.morlab.cn　　E-mail: service@morlab.cn

Page **341** of **565**

B25 / 3MHz / Mid CH / 64QAM

B25 / 3MHz / Mid CH / 256QAM

B25 / 3MHz / High CH / QPSK

B25 / 3MHz / High CH / 16QAM

B25 / 3MHz / High CH / 64QAM

B25 / 3MHz / High CH / 256QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **342** of **565**

B25 / 5MHz / Low CH / QPSK

B25 / 5MHz / Low CH / 16QAM


B25 / 5MHz / Low CH / 64QAM

B25 / 5MHz / Low CH / 256QAM

B25 / 5MHz / Mid CH / QPSK

B25 / 5MHz / Mid CH / 16QAM

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **343** of **565**

B25 / 5MHz / Mid CH / 64QAM

B25 / 5MHz / Mid CH / 256QAM

B25 / 5MHz / High CH / QPSK

B25 / 5MHz / High CH / 16QAM

B25 / 5MHz / High CH / 64QAM

B25 / 5MHz / High CH / 256QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **344** of **565**

B25 / 10MHz / Low CH / QPSK


B25 / 10MHz / Low CH / 16QAM

B25 / 10MHz / Low CH / 64QAM

B25 / 10MHz / Low CH / 256QAM

B25 / 10MHz / Mid CH / QPSK

B25 / 10MHz / Mid CH / 16QAM

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

B25 / 10MHz / Mid CH / 64QAM

B25 / 10MHz / Mid CH / 256QAM

B25 / 10MHz / High CH / QPSK

B25 / 10MHz / High CH / 16QAM

B25 / 10MHz / High CH / 64QAM

B25 / 10MHz / High CH / 256QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **346** of **565**

Average Power 20.75 dBm 46.85 % at 0dB 10.0 % 2.40 dB 1.0 % 4.35 dB 0.1 % 5.31 dB 0.01 % 5.83 dB 0.001 % 6.10 dB 0.0001 % 6.26 dB Peak 6.33 dB 27.08 dBm	**Average Power** 19.75 dBm 44.64 % at 0dB 10.0 % 2.93 dB 1.0 % 4.96 dB 0.1 % 6.01 dB 0.01 % 6.64 dB 0.001 % 6.96 dB 0.0001 % 7.05 dB Peak 7.21 dB 26.96 dBm
B25 / 15MHz / Low CH / QPSK	**B25 / 15MHz / Low CH / 16QAM**
Average Power 18.75 dBm 43.48 % at 0dB 10.0 % 3.06 dB 1.0 % 5.13 dB 0.1 % 6.36 dB 0.01 % 7.13 dB 0.001 % 7.49 dB 0.0001 % 7.91 dB Peak 7.91 dB 26.66 dBm	**Average Power** 16.75 dBm 42.87 % at 0dB 10.0 % 3.08 dB 1.0 % 5.27 dB 0.1 % 6.67 dB 0.01 % 7.60 dB 0.001 % 8.15 dB 0.0001 % 8.38 dB Peak 8.40 dB 25.15 dBm
B25 / 15MHz / Low CH / 64QAM	**B25 / 15MHz / Low CH / 256QAM**
Average Power 20.65 dBm 45.95 % at 0dB 10.0 % 2.45 dB 1.0 % 4.41 dB 0.1 % 5.41 dB 0.01 % 5.94 dB 0.001 % 6.25 dB 0.0001 % 6.38 dB Peak 6.44 dB 27.09 dBm	**Average Power** 19.67 dBm 44.43 % at 0dB 10.0 % 2.94 dB 1.0 % 5.00 dB 0.1 % 6.07 dB 0.01 % 6.69 dB 0.001 % 7.13 dB 0.0001 % 7.43 dB Peak 7.46 dB 27.13 dBm
B25 / 15MHz / Mid CH / QPSK	**B25 / 15MHz / Mid CH / 16QAM**

B25 / 15MHz / Mid CH / 64QAM

B25 / 15MHz / Mid CH / 256QAM

B25 / 15MHz / High CH / QPSK

B25 / 15MHz / High CH / 16QAM

B25 / 15MHz / High CH / 64QAM

B25 / 15MHz / High CH / 256QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **348** of **565**

B25 / 20MHz / Low CH / QPSK


B25 / 20MHz / Low CH / 16QAM


B25 / 20MHz / Low CH / 64QAM

B25 / 20MHz / Low CH / 256QAM

B25 / 20MHz / Mid CH / QPSK

B25 / 20MHz / Mid CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **349** of **565**

B25 / 20MHz / Mid CH / 64QAM

B25 / 20MHz / Mid CH / 256QAM

B25 / 20MHz / High CH / QPSK

B25 / 20MHz / High CH / 16QAM

B25 / 20MHz / High CH / 64QAM

B25 / 20MHz / High CH / 256QAM

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **350** of **565**

B66 / 1.4MHz / Low CH / QPSK

B66 / 1.4MHz / Low CH / 16QAM

B66 / 1.4MHz / Low CH / 64QAM

B66 / 1.4MHz / Low CH / 256QAM

B66 / 1.4MHz / Mid CH / QPSK

B66 / 1.4MHz / Mid CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **351** of **565**

B66 / 1.4MHz / Mid CH / 64QAM

B66 / 1.4MHz / Mid CH / 256QAM

B66 / 1.4MHz / High CH / QPSK

B66 / 1.4MHz / High CH / 16QAM

B66 / 1.4MHz / High CH / 64QAM

B66 / 1.4MHz / High CH / 256QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 352 of 565

B66 / 3MHz / Low CH / QPSK

B66 / 3MHz / Low CH / 16QAM

B66 / 3MHz / Low CH / 64QAM

B66 / 3MHz / Low CH / 256QAM

B66 / 3MHz / Mid CH / QPSK

B66 / 3MHz / Mid CH / 16QAM

B66 / 3MHz / Mid CH / 64QAM

B66 / 3MHz / Mid CH / 256QAM

B66 / 3MHz / High CH / QPSK

B66 / 3MHz / High CH / 16QAM

B66 / 3MHz / High CH / 64QAM

B66 / 3MHz / High CH / 256QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **354** of **565**

B66 / 5MHz / Low CH / QPSK

B66 / 5MHz / Low CH / 16QAM

B66 / 5MHz / Low CH / 64QAM

B66 / 5MHz / Low CH / 256QAM

B66 / 5MHz / Mid CH / QPSK

B66 / 5MHz / Mid CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **355** of **565**

B66 / 5MHz / Mid CH / 64QAM

B66 / 5MHz / Mid CH / 256QAM


B66 / 5MHz / High CH / QPSK


B66 / 5MHz / High CH / 16QAM

B66 / 5MHz / High CH / 64QAM

B66 / 5MHz / High CH / 256QAM

B66 / 10MHz / Low CH / QPSK

B66 / 10MHz / Low CH / 16QAM

B66 / 10MHz / Low CH / 64QAM

B66 / 10MHz / Low CH / 256QAM

B66 / 10MHz / Mid CH / QPSK

B66 / 10MHz / Mid CH / 16QAM

B66 / 10MHz / Mid CH / 64QAM

B66 / 10MHz / Mid CH / 256QAM

B66 / 10MHz / High CH / QPSK

B66 / 10MHz / High CH / 16QAM


B66 / 10MHz / High CH / 64QAM

B66 / 10MHz / High CH / 256QAM

B66 / 15MHz / Low CH / QPSK

B66 / 15MHz / Low CH / 16QAM

B66 / 15MHz / Low CH / 64QAM

B66 / 15MHz / Low CH / 256QAM

B66 / 15MHz / Mid CH / QPSK

B66 / 15MHz / Mid CH / 16QAM