





Plot for Channel 52



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
4664.08	27.1	47.25	20.190	54.00	6.75	150	101	AV	PASS
4686.49	38.8	59.06	20.260	74.00	14.94	150	116	PK	PASS
4901.40	26.9	47.20	20.260	54.00	6.80	150	177	AV	PASS
4937.42	40.1	60.01	19.940	74.00	13.99	150	268	PK	PASS
5037.87	26.2	46.28	20.120	54.00	7.72	150	49	AV	PASS
5061.88	37.9	58.16	20.280	74.00	15.84	150	359	PK	PASS




Plot for Channel 64



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
5364.50	38.1	57.99	19.910	74.00	16.01	150	0	PK	PASS
5379.11	26.3	46.12	19.870	54.00	7.88	150	297	AV	PASS
5414.44	26.0	46.03	20.010	54.00	7.97	150	168	AV	PASS
5419.27	38.2	58.25	20.080	74.00	15.75	150	18	PK	PASS
5449.53	37.1	57.60	20.460	74.00	16.40	150	258	PK	PASS
5452.06	25.7	46.15	20.460	54.00	7.85	150	319	AV	PASS


Plot for Channel 100



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
5304.58	37.8	57.99	20.220	68.23	10.24	150	63	PK	PASS
5326.86	26.7	46.73	20.080	54.00	7.27	150	191	AV	PASS
5382.44	26.5	46.33	19.870	54.00	7.67	150	307	AV	PASS
5397.85	39.2	59.01	19.830	68.23	9.22	150	223	PK	PASS
5433.62	37.8	58.04	20.260	68.23	10.19	150	78	PK	PASS
5433.62	26.3	46.59	20.260	54.00	7.41	150	253	AV	PASS




Plot for Channel 140



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
5750.67	38.3	59.90	21.640	68.23	8.33	150	244	PK	PASS
5784.03	37.5	59.14	21.680	68.23	9.09	150	195	PK	PASS
5825.97	37.3	59.40	22.100	68.23	8.83	150	174	PK	PASS
5891.72	37.7	59.58	21.850	68.23	8.65	150	195	PK	PASS
5952.98	38.2	60.32	22.100	68.23	7.91	150	90	PK	PASS
5986.54	38.2	60.06	21.820	68.23	8.17	150	167	PK	PASS


Plot for Channel 149



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
5483.95	37.8	58.11	20.300	68.23	10.12	150	72	PK	PASS
5524.13	37.9	58.09	20.240	68.23	10.14	150	359	PK	PASS
5548.40	37.7	57.93	20.270	68.23	10.30	150	100	PK	PASS
5579.60	38.5	58.65	20.190	68.23	9.58	150	268	PK	PASS
5624.51	38.5	59.09	20.560	68.23	9.14	150	290	PK	PASS
5637.75	38.0	58.77	20.790	68.23	9.46	150	85	PK	PASS



Plot for Channel 165




Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
5914.88	37.5	59.30	21.840	75.72	16.42	150	302	PK	PASS
5927.29	38.0	59.94	21.930	68.23	8.29	150	134	PK	PASS
5941.44	37.9	59.98	22.050	68.23	8.25	150	183	PK	PASS
5955.08	37.5	59.57	22.080	68.23	8.66	150	261	PK	PASS
5966.98	37.7	59.63	21.980	68.23	8.60	150	70	PK	PASS
5989.44	37.8	59.63	21.810	68.23	8.60	150	246	PK	PASS




802.11ax (HEW20) RU106 Mode

Plot for Channel 36



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
4790.55	39.4	59.02	19.610	74.00	14.98	150	298	PK	PASS
4802.15	27.2	46.63	19.470	54.00	7.37	150	191	AV	PASS
4922.21	38.5	58.60	20.070	74.00	15.40	150	123	PK	PASS
5000.25	27.1	46.93	19.880	54.00	7.07	150	305	AV	PASS
5014.26	38.6	58.55	19.970	74.00	15.45	150	283	PK	PASS
5063.08	26.5	46.79	20.280	54.00	7.21	150	162	AV	PASS


Plot for Channel 48



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
5358.06	38.3	58.17	19.920	74.00	15.83	150	70	PK	PASS
5358.06	26.1	46.00	19.920	54.00	8.00	150	110	AV	PASS
5387.63	26.1	45.96	19.850	54.00	8.04	150	124	AV	PASS
5394.42	38.2	57.99	19.840	74.00	16.01	150	185	PK	PASS
5419.15	26.0	46.09	20.080	54.00	7.91	150	360	AV	PASS
5425.83	38.0	58.16	20.160	74.00	15.84	150	321	PK	PASS




Plot for Channel 52



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
4764.13	40.2	60.29	20.080	74.00	13.71	150	4	PK	PASS
4784.14	27.3	47.00	19.730	54.00	7.00	150	154	AV	PASS
4923.41	39.5	59.60	20.060	74.00	14.40	150	62	PK	PASS
5007.85	26.6	46.49	19.930	54.00	7.51	150	123	AV	PASS
5066.28	37.7	57.98	20.310	74.00	16.02	150	32	PK	PASS
5108.70	26.9	47.41	20.480	54.00	6.59	150	268	AV	PASS


Plot for Channel 64



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
5354.49	39.9	59.79	19.930	74.00	14.21	150	253	PK	PASS
5359.90	26.2	46.08	19.920	54.00	7.92	150	4	AV	PASS
5386.48	38.4	58.23	19.860	74.00	15.77	150	214	PK	PASS
5417.54	26.0	46.01	20.050	54.00	7.99	150	207	AV	PASS
5430.32	39.1	59.34	20.210	74.00	14.66	150	86	PK	PASS
5435.15	26.0	46.31	20.280	54.00	7.69	150	230	AV	PASS




Plot for Channel 100



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
5263.58	26.5	46.43	19.950	54.00	7.57	150	237	AV	PASS
5283.94	38.3	58.44	20.120	68.23	9.79	150	268	PK	PASS
5364.56	26.4	46.28	19.910	54.00	7.72	150	283	AV	PASS
5381.89	38.3	58.13	19.870	68.23	10.10	150	108	PK	PASS
5411.06	26.3	46.29	19.970	54.00	7.71	150	328	AV	PASS
5457.28	37.7	58.16	20.440	68.23	10.07	150	320	PK	PASS




Plot for Channel 140



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
5743.25	38.1	59.68	21.540	68.23	8.55	150	360	PK	PASS
5786.56	37.5	59.21	21.680	68.23	9.02	150	333	PK	PASS
5837.09	37.7	59.97	22.260	68.23	8.26	150	142	PK	PASS
5895.43	38.1	59.87	21.780	68.23	8.36	150	101	PK	PASS
5933.86	37.6	59.55	21.990	68.23	8.68	150	3	PK	PASS
5968.39	38.2	60.19	21.980	68.23	8.04	150	73	PK	PASS




Plot for Channel 149



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
5484.58	37.4	57.72	20.290	68.23	10.51	150	174	PK	PASS
5510.58	38.6	58.77	20.220	68.23	9.46	150	168	PK	PASS
5534.69	38.4	58.60	20.250	68.23	9.63	150	168	PK	PASS
5560.69	37.9	58.09	20.240	68.23	10.14	150	301	PK	PASS
5580.23	37.6	57.78	20.190	68.23	10.45	150	1	PK	PASS
5624.98	37.7	58.23	20.570	68.23	10.00	150	1	PK	PASS



Plot for Channel 165



Fre. (MHz)	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Verdict
5923.19	38.3	60.21	21.910	69.57	9.36	150	227	PK	PASS
5931.50	37.7	59.68	21.970	68.23	8.55	150	67	PK	PASS
5943.39	37.7	59.77	22.070	68.23	8.46	150	213	PK	PASS
5960.01	38.2	60.20	22.040	68.23	8.03	150	357	PK	PASS
5977.75	37.9	59.82	21.900	68.23	8.41	150	4	PK	PASS
5993.03	38.2	60.01	21.780	68.23	8.22	150	24	PK	PASS



A.9. Radiated Emission

According to ANSI C63.10, because of peak detection will yield amplitudes equal to or greater than amplitudes measured with the quasi-peak (or average) detector, the measurement data from a spectrum analyzer peak detector will represent the worst-case results, if the peak measured value complies with the quasi-peak (or average) limit, it is unnecessary to perform an quasi-peak measurement (or average).

The measurement results are obtained as below:

$$E \text{ [dB}\mu\text{V/m]} = U_R + A_T + A_{\text{Factor}} \text{ [dB]}; A_T = L_{\text{Cable loss}} \text{ [dB]} - G_{\text{preamp}} \text{ [dB]}$$

A_T : Total correction Factor except Antenna

U_R : Receiver Reading

G_{preamp} : Preamplifier Gain

A_{Factor} : Antenna Factor at 3m

During the test, the total correction Factor A_T and A_{Factor} were built in test software.

Note1: All radiated emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Note2: For the frequency, which started from 9kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit was not recorded.


Note3: For the frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit was not recorded.

Note 4: All test modes and bandwidth were considered and evaluated respectively by performing full test, only the worst data were recorded for each bandwidth.




802.11a Mode

Plot for Channel 44




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
41.6517	24.25	-29.90	40.00	15.75	150	143	Horizontal	PASS
71.7518	27.10	-32.07	40.00	12.90	150	126	Horizontal	PASS
104.7648	26.22	-30.84	43.50	17.28	150	135	Horizontal	PASS
197.9780	30.39	-31.97	43.50	13.11	150	187	Horizontal	PASS
360.1301	28.20	-26.34	46.00	17.80	150	340	Horizontal	PASS
760.1702	25.41	-22.02	46.00	20.59	150	162	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1902.6504	34.31	-22.15	68.23	33.92	150	360	Horizontal	PASS
3947.1579	44.78	-13.77	74.00	29.22	150	107	Horizontal	PASS
5951.6586	48.62	-6.33	68.23	19.61	150	303	Horizontal	PASS
8488.2074	41.73	-1.72	74.00	32.27	150	17	Horizontal	PASS
11026.4189	43.39	2.77	74.00	30.61	150	123	Horizontal	PASS
14342.6952	45.93	7.54	68.23	22.30	150	263	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)


Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
41.6517	24.20	-29.90	40.00	15.80	150	29	Vertical	PASS
71.7518	34.51	-32.07	40.00	5.49	150	49	Vertical	PASS
129.0390	29.48	-32.25	43.50	14.02	150	29	Vertical	PASS
197.9780	26.01	-31.97	43.50	17.49	150	49	Vertical	PASS
264.9750	25.65	-30.62	46.00	20.35	150	270	Vertical	PASS
591.2212	24.58	-22.08	46.00	21.42	150	253	Vertical	PASS



(Antenna Vertical, 1GHz to 18GHz)


Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
2024.3374	35.38	-21.26	68.23	32.85	150	360	Vertical	PASS
3855.4759	42.84	-14.48	74.00	31.16	150	56	Vertical	PASS
5896.6494	47.58	-7.01	68.23	20.65	150	24	Vertical	PASS
7468.1223	40.82	-3.59	74.00	33.18	150	338	Vertical	PASS
8864.2387	41.17	-1.51	68.23	27.06	150	80	Vertical	PASS
14294.6912	45.96	7.53	68.23	22.27	150	21	Vertical	PASS

Plot for Channel 60




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
41.6517	23.06	-29.90	40.00	16.94	150	21	Horizontal	PASS
71.7518	26.99	-32.07	40.00	13.01	150	140	Horizontal	PASS
104.7648	25.24	-30.84	43.50	18.26	150	80	Horizontal	PASS
134.8649	24.87	-33.83	43.50	18.63	150	293	Horizontal	PASS
197.9780	30.71	-31.97	43.50	12.79	150	208	Horizontal	PASS
360.1301	28.20	-26.34	46.00	17.80	150	55	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1473.4122	34.00	-23.41	74.00	40.00	150	31	Horizontal	PASS
2239.3732	36.53	-20.26	74.00	37.47	150	181	Horizontal	PASS
4349.7250	45.36	-11.96	74.00	28.64	150	160	Horizontal	PASS
5299.0498	47.38	-10.26	68.23	20.85	150	203	Horizontal	PASS
8737.2281	41.03	-1.04	68.23	27.20	150	70	Horizontal	PASS
13081.5901	44.31	5.24	68.23	23.92	150	131	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)


Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
41.6517	24.60	-29.90	40.00	15.40	150	331	Vertical	PASS
71.7518	34.71	-32.07	40.00	5.29	150	49	Vertical	PASS
127.0971	19.46	-32.73	43.50	24.04	150	186	Vertical	PASS
197.9780	26.91	-31.97	43.50	16.59	150	75	Vertical	PASS
360.1301	23.22	-26.34	46.00	22.78	150	262	Vertical	PASS
439.7498	22.80	-24.85	46.00	23.20	150	135	Vertical	PASS



(Antenna Vertical, 1GHz to 18GHz)


Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
2260.2100	36.63	-20.30	74.00	37.37	150	297	Vertical	PASS
4239.7066	43.01	-12.91	74.00	30.99	150	341	Vertical	PASS
5949.1582	47.97	-6.30	68.23	20.26	150	297	Vertical	PASS
7154.0962	41.91	-4.03	68.23	26.32	150	146	Vertical	PASS
13385.6155	44.68	6.93	74.00	29.32	150	252	Vertical	PASS
17360.9467	45.34	7.70	68.23	22.89	150	267	Vertical	PASS

Plot for Channel 120




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
41.6517	26.30	-29.90	40.00	13.70	150	165	Horizontal	PASS
70.7808	26.73	-32.25	40.00	13.27	150	123	Horizontal	PASS
104.7648	27.89	-30.84	43.50	15.61	150	320	Horizontal	PASS
200.8909	30.00	-32.43	43.50	13.50	150	208	Horizontal	PASS
360.1301	28.66	-26.34	46.00	17.34	150	277	Horizontal	PASS
760.1702	24.17	-22.02	46.00	21.83	150	46	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
2139.3566	36.14	-20.33	68.23	32.09	150	300	Horizontal	PASS
3809.6349	43.21	-14.41	74.00	30.79	150	21	Horizontal	PASS
5914.1524	46.98	-6.81	68.23	21.25	150	311	Horizontal	PASS
8582.2152	42.15	-1.37	68.23	26.08	150	18	Horizontal	PASS
11833.4861	43.71	2.76	74.00	30.29	150	289	Horizontal	PASS
13730.6442	46.63	6.32	68.23	21.60	150	123	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)


Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
41.6517	24.60	-29.90	40.00	15.40	150	36	Vertical	PASS
71.7518	34.56	-32.07	40.00	5.44	150	88	Vertical	PASS
125.1552	21.06	-32.60	43.50	22.44	150	340	Vertical	PASS
197.9780	25.23	-31.97	43.50	18.27	150	28	Vertical	PASS
264.9750	25.80	-30.62	46.00	20.20	150	243	Vertical	PASS
439.7498	23.54	-24.85	46.00	22.46	150	148	Vertical	PASS



(Antenna Vertical, 1GHz to 18GHz)


Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
2257.7096	37.14	-20.23	74.00	36.86	150	72	Vertical	PASS
3802.9672	42.35	-14.41	74.00	31.65	150	266	Vertical	PASS
5743.2905	47.41	-6.84	68.23	20.82	150	105	Vertical	PASS
7798.1498	41.72	-2.47	68.23	26.51	150	360	Vertical	PASS
10441.3701	43.56	2.44	68.23	24.67	150	274	Vertical	PASS
13597.6331	46.64	7.53	68.23	21.59	150	214	Vertical	PASS

Plot for Channel 157




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
41.6517	25.44	-29.90	40.00	14.56	150	160	Horizontal	PASS
71.7518	26.94	-32.07	40.00	13.06	150	126	Horizontal	PASS
87.2873	28.36	-33.84	40.00	11.64	150	261	Horizontal	PASS
104.7648	25.89	-30.84	43.50	17.61	150	126	Horizontal	PASS
197.9780	29.95	-31.97	43.50	13.55	150	202	Horizontal	PASS
360.1301	29.17	-26.34	46.00	16.83	150	219	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1819.3032	34.45	-22.68	68.23	33.78	150	52	Horizontal	PASS
3240.3734	40.92	-16.66	68.23	27.31	150	84	Horizontal	PASS
5738.2897	47.31	-6.92	68.23	20.92	150	343	Horizontal	PASS
7257.1048	41.84	-2.70	74.00	32.16	150	322	Horizontal	PASS
10444.3704	42.44	2.44	68.23	25.79	150	139	Horizontal	PASS
14302.6919	46.13	7.77	68.23	22.10	150	322	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)

Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
41.6517	23.90	-29.90	40.00	16.10	150	20	Vertical	PASS
70.7808	31.70	-32.25	40.00	8.30	150	20	Vertical	PASS
80.4905	26.31	-33.87	40.00	13.69	150	20	Vertical	PASS
198.9489	19.34	-32.05	43.50	24.16	150	79	Vertical	PASS
301.8719	20.47	-28.98	46.00	25.53	150	139	Vertical	PASS
439.7498	20.48	-24.85	46.00	25.52	150	20	Vertical	PASS



(Antenna Vertical, 1GHz to 18GHz)

Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1910.9852	35.41	-22.20	68.23	32.82	150	288	Vertical	PASS
3938.8231	42.53	-13.99	74.00	31.47	150	320	Vertical	PASS
5849.9750	47.71	-6.92	68.23	20.52	150	169	Vertical	PASS
7241.1034	41.50	-2.65	68.23	26.73	150	18	Vertical	PASS
11741.4785	44.14	3.42	74.00	29.86	150	278	Vertical	PASS
14306.6922	46.44	7.75	68.23	21.79	150	187	Vertical	PASS

— END OF REPORT —